
Anders Wallin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2158012/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	National Institute of Neurological Disorders and Stroke–Canadian Stroke Network Vascular Cognitive Impairment Harmonization Standards. Stroke, 2006, 37, 2220-2241.	2.0	1,445
2	Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. JAMA - Journal of the American Medical Association, 2015, 313, 1924.	7.4	1,166
3	CSF Biomarkers and Incipient Alzheimer Disease in Patients With Mild Cognitive Impairment. JAMA - Journal of the American Medical Association, 2009, 302, 385.	7.4	1,009
4	Subcortical ischaemic vascular dementia. Lancet Neurology, The, 2002, 1, 426-436.	10.2	958
5	Diagnostic Value of Cerebrospinal Fluid Neurofilament Light Protein in Neurology. JAMA Neurology, 2019, 76, 1035.	9.0	455
6	Vascular dysfunction—The disregarded partner of Alzheimer's disease. Alzheimer's and Dementia, 2019, 15, 158-167.	0.8	454
7	Changes in white matter as determinant of global functional decline in older independent outpatients: three year follow-up of LADIS (leukoaraiosis and disability) study cohort. BMJ: British Medical Journal, 2009, 339, b2477-b2477.	2.3	348
8	Intracerebral production of tumor necrosis factor-alpha, a local neuroprotective agent, in Alzheimer disease and vascular dementia. Journal of Clinical Immunology, 1999, 19, 223-230.	3.8	300
9	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. Brain, 2015, 138, 1327-1338.	7.6	284
10	White matter hyperintensities in vascular contributions to cognitive impairment and dementia (VCID): Knowledge gaps and opportunities. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 107-117.	3.7	250
11	The cerebrospinal fluid "Alzheimer profileâ€: Easily said, but what does it mean?. Alzheimer's and Dementia, 2014, 10, 713.	0.8	249
12	Progress toward standardized diagnosis of vascular cognitive impairment: Guidelines from the Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2018, 14, 280-292.	0.8	246
13	White Matter Changes on CT and MRI: An Overview of Visual Rating Scales. European Neurology, 1998, 39, 80-89.	1.4	244
14	Consensus guidelines for lumbar puncture in patients with neurological diseases. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 111-126.	2.4	197
15	Risk of Rapid Global Functional Decline in Elderly Patients With Severe Cerebral Age-Related White Matter Changes. Archives of Internal Medicine, 2007, 167, 81.	3.8	187
16	Performance and complications of lumbar puncture in memory clinics: Results of the multicenter lumbar puncture feasibility study. Alzheimer's and Dementia, 2016, 12, 154-163.	0.8	179
17	Prediction and longitudinal study of CSF biomarkers in mild cognitive impairment. Neurobiology of Aging, 2009, 30, 682-690.	3.1	174
18	Consensus statement for diagnosis of subcortical small vessel disease. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 6-25.	4.3	173

#	Article	IF	CITATIONS
19	Cerebrospinal Fluid Matrix Metalloproteinases and Tissue Inhibitor of Metalloproteinases in Combination with Subcortical and Cortical Biomarkers in Vascular Dementia and Alzheimer's Disease. Journal of Alzheimer's Disease, 2011, 27, 665-676.	2.6	150
20	The Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2017, 13, 624-633.	0.8	143
21	White matter changes and late-life depressive symptoms. British Journal of Psychiatry, 2007, 191, 212-217.	2.8	141
22	Inflammatory biomarkers in Alzheimer's disease plasma. Alzheimer's and Dementia, 2019, 15, 776-787.	0.8	134
23	Association of Cerebral Amyloid-β Aggregation With Cognitive Functioning in Persons Without Dementia. JAMA Psychiatry, 2018, 75, 84.	11.0	133
24	Intra-Individual Stability of CSF Biomarkers for Alzheimer's Disease over Two Years. Journal of Alzheimer's Disease, 2007, 12, 255-260.	2.6	117
25	Global Burden of Small Vessel Disease–Related Brain Changes on MRI Predicts Cognitive and Functional Decline. Stroke, 2020, 51, 170-178.	2.0	115
26	Limitations of Clincal Criteria for the Diagnosis of Vascular Dementia in Clinical Trials: Is a Focus on Subcortical Vascular Dementia a Solution?. Annals of the New York Academy of Sciences, 2000, 903, 262-272.	3.8	100
27	Cardiovascular and cognitive fitness at age 18 and risk of early-onset dementia. Brain, 2014, 137, 1514-1523.	7.6	97
28	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.	9.0	97
29	Update on Vascular Cognitive Impairment Associated with Subcortical Small-Vessel Disease. Journal of Alzheimer's Disease, 2018, 62, 1417-1441.	2.6	90
30	Efficacy and safety of nimodipine in subcortical vascular dementia: a subgroup analysis of the Scandinavian Multi-Infarct Dementia Trial. Journal of the Neurological Sciences, 2000, 175, 124-134.	0.6	89
31	Apolipoprotein E Genotype and the Diagnostic Accuracy of Cerebrospinal Fluid Biomarkers for Alzheimer Disease. JAMA Psychiatry, 2014, 71, 1183.	11.0	85
32	Stepwise Comparative Status Analysis (STEP): A Tool for Identification of Regional Brain Syndromes in Dementia. Journal of Geriatric Psychiatry and Neurology, 1996, 9, 185-199.	2.3	84
33	Increased Plasma Beta-Secretase 1 May Predict Conversion to Alzheimer's Disease Dementia in Individuals With Mild Cognitive Impairment. Biological Psychiatry, 2018, 83, 447-455.	1.3	83
34	Neuronal and Glia-Related Biomarkers in Cerebrospinal Fluid of Patients with Acute Ischemic Stroke. Journal of Central Nervous System Disease, 2014, 6, JCNSD.S13821.	1.9	82
35	Protein Analyses in Cerebrospinal Fluid. European Neurology, 1993, 33, 126-128.	1.4	80
36	A metaboliteâ€based machine learning approach to diagnose Alzheimerâ€ŧype dementia in blood: Results from the European Medical Information Framework for Alzheimer disease biomarker discovery cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 933-938.	3.7	70

#	Article	IF	CITATIONS
37	The Gothenburg MCI study: Design and distribution of Alzheimer's disease and subcortical vascular disease diagnoses from baseline to 6-year follow-up. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 114-131.	4.3	67
38	Imaging biomarkers of dementia: recommended visual rating scales with teaching cases. Insights Into Imaging, 2017, 8, 79-90.	3.4	67
39	Biochemical markers in vascular cognitive impairment associated with subcortical small vessel disease - A consensus report. BMC Neurology, 2017, 17, 102.	1.8	65
40	MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery study. Alzheimer's Research and Therapy, 2018, 10, 100.	6.2	64
41	The EMIF-AD Multimodal Biomarker Discovery study: design, methods and cohort characteristics. Alzheimer's Research and Therapy, 2018, 10, 64.	6.2	62
42	Primary fatty amides in plasma associated with brain amyloid burden, hippocampal volume, and memory in the European Medical Information Framework for Alzheimer's Disease biomarker discovery cohort. Alzheimer's and Dementia, 2019, 15, 817-827.	0.8	62
43	Frontotemporal Dementia Can Be Distinguished from Alzheimer's Disease and Subcortical White Matter Dementia by an Anterior-to-Posterior rCBF-SPET Ratio. Dementia and Geriatric Cognitive Disorders, 2000, 11, 275-285.	1.5	60
44	Prevalence of the apolipoprotein E ε4 allele in amyloid β positive subjects across the spectrum of Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 913-924.	0.8	58
45	Heterogeneity of Vascular Dementia: Mechanisms and Subgroups. Journal of Geriatric Psychiatry and Neurology, 1993, 6, 177-188.	2.3	51
46	Cerebrospinal fluid cytoskeleton proteins in patients with subcortical white-matter dementia. Mechanisms of Ageing and Development, 2001, 122, 1937-1949.	4.6	51
47	Physical activity in the elderly is associated with improved executive function and processing speed: the LADIS Study. International Journal of Geriatric Psychiatry, 2015, 30, 744-750.	2.7	51
48	Subjective Cognitive Impairment Is a Predominantly Benign Condition in Memory Clinic Patients Followed for 6 Years: The Gothenburg-Oslo MCI Study. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 1-14.	1.3	51
49	Presence of parieto-temporal symptomatology distinguishes early and late onset Alzheimer's disease. International Journal of Geriatric Psychiatry, 1991, 6, 147-154.	2.7	47
50	Discovery and validation of plasma proteomic biomarkers relating to brain amyloid burden by SOMAscan assay. Alzheimer's and Dementia, 2019, 15, 1478-1488.	0.8	46
51	Subcortical Vascular Dementia Biomarker Pattern in Mild Cognitive Impairment. Dementia and Geriatric Cognitive Disorders, 2009, 28, 348-356.	1.5	45
52	Cerebrospinal Fluid (CSF) 25-Hydroxyvitamin D Concentration and CSF Acetylcholinesterase Activity Are Reduced in Patients with Alzheimer's Disease. PLoS ONE, 2013, 8, e81989.	2.5	45
53	Alzheimer's disease—subcortical vascular disease spectrum in a hospital-based setting: Overview of results from the Gothenburg MCI and dementia studies. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 95-113.	4.3	42
54	Genome-wide association study of Alzheimer's disease CSF biomarkers in the EMIF-AD Multimodal Biomarker Discovery dataset. Translational Psychiatry, 2020, 10, 403.	4.8	42

#	Article	IF	CITATIONS
55	Decreased Cerebrospinal Fluid Acetylcholinesterase in Patients with Subcortical Ischemic Vascular Dementia. Dementia and Geriatric Cognitive Disorders, 2003, 16, 200-207.	1.5	41
56	SYMPTOMATOLOGICAL CHARACTERISTICS DISTINGUISH BETWEEN FRONTOTEMPORAL DEMENTIA AND VASCULAR DEMENTIA WITH A DOMINANT FRONTAL LOBE SYNDROME. International Journal of Geriatric Psychiatry, 1997, 12, 656-661.	2.7	40
57	Increased Cerebrospinal Fluid Level ofÂInsulin-like Growth Factor-II in Male Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 48, 637-646.	2.6	40
58	Multimodal Prediction of Dementia with up to 10 Years Follow Up: The Gothenburg MCI Study. Journal of Alzheimer's Disease, 2015, 44, 205-214.	2.6	40
59	Subcortical symptoms predominate in vascular dementia. International Journal of Geriatric Psychiatry, 1991, 6, 137-145.	2.7	39
60	Classification and Subtypes of Vascular Dementia. International Psychogeriatrics, 2003, 15, 27-37.	1.0	39
61	Reduced cerebrospinal fluid level of thyroxine in patients with Alzheimer's disease. Psychoneuroendocrinology, 2013, 38, 1058-1066.	2.7	38
62	Ubiquitin in Cerebrospinal Fluid in Alzheimer's Disease and Vascular Dementia. International Psychogeriatrics, 1994, 6, 13-22.	1.0	37
63	Subcortical Vascular Dementia as a Specific Target for Clinical Trials. Annals of the New York Academy of Sciences, 2000, 903, 510-521.	3.8	36
64	Screening for New Biomarkers for Subcortical Vascular Dementia and Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders Extra, 2011, 1, 31-42.	1.3	35
65	Working memory and attention are still impaired after three years inÂpatients with stressâ€related exhaustion. Scandinavian Journal of Psychology, 2017, 58, 504-509.	1.5	35
66	Cerebrovascular Biomarker Profile Is Related to White Matter Disease and Ventricular Dilation in a LADIS Substudy. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 385-394.	1.3	33
67	Increased Cerebrospinal Fluid Levels of Ubiquitin Carboxyl-Terminal Hydrolase L1 in Patients with Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders Extra, 2016, 6, 283-294.	1.3	33
68	Low serum concentration of free triiodothyronine (FT3) is associated with increased risk of Alzheimer's disease. Psychoneuroendocrinology, 2019, 99, 112-119.	2.7	33
69	White Matter Lesion Assessment in Patients with Cognitive Impairment and Healthy Controls: Reliability Comparisons between Visual Rating, a Manual, and an Automatic Volumetrical MRI Method—The Gothenburg MCI Study. Journal of Aging Research, 2013, 2013, 1-10.	0.9	31
70	Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 96-107.	2.4	29
71	B-type natriuretic peptide plasma levels are elevated in subcortical vascular dementia. NeuroReport, 2009, 20, 825-827.	1.2	28
72	A Genetic Variant of the Sortilin 1 Gene isÂAssociated with Reduced Risk ofÂAlzheimer's Disease. Journal of Alzheimer's Disease, 2016, 53, 1353-1363.	2.6	28

#	Article	IF	CITATIONS
73	First Administration of the Fc-Attenuated Anti-β Amyloid Antibody GSK933776 to Patients with Mild Alzheimer's Disease: A Randomized, Placebo-Controlled Study. PLoS ONE, 2015, 10, e0098153.	2.5	27
74	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. Neurobiology of Aging, 2017, 56, 33-40.	3.1	27
75	Characteristic clinical presentation and CSF biomarker pattern in cerebral small vessel disease. Journal of the Neurological Sciences, 2012, 322, 192-196.	0.6	25
76	Estimated intracranial volume from FreeSurfer is biased by total brain volume. European Radiology Experimental, 2018, 2, .	3.4	25
77	Pathophysiological aspects of frontotemporal dementia—emphasis on cytoskeleton proteins and autoimmunity. Mechanisms of Ageing and Development, 2001, 122, 1923-1935.	4.6	24
78	Reduced Cerebrospinal Fluid Concentration of Apolipoprotein A-I in Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 59, 1017-1026.	2.6	24
79	Preclinical effects of APOE ε4 on cerebrospinal fluid Aβ42 concentrations. Alzheimer's Research and Therapy, 2017, 9, 87.	6.2	22
80	Decreased Lumbar Cerebrospinal Fluid Levels of Monoamine Metabolites in Vascular Dementia. International Psychogeriatrics, 1996, 8, 425-436.	1.0	21
81	Altered thyroid hormone profile in patients with Alzheimer's disease. Psychoneuroendocrinology, 2020, 121, 104844.	2.7	21
82	Frequent Mild Cognitive Deficits in Several Functional DomainsÂin Elderly Patients With Heart Failure Without KnownÂCognitive Disorders. Journal of Cardiac Failure, 2015, 21, 702-707.	1.7	20
83	Cerebrospinal fluid substance P concentrations are elevated in patients with Alzheimer's disease. Neuroscience Letters, 2015, 609, 58-62.	2.1	20
84	Low serum insulin-like growth factor-I (IGF-I) level is associated with increased risk of vascular dementia. Psychoneuroendocrinology, 2017, 86, 169-175.	2.7	20
85	Synthetic standard aided quantification and structural characterization of amyloid-beta glycopeptides enriched from cerebrospinal fluid of Alzheimer's disease patients. Scientific Reports, 2019, 9, 5522.	3.3	20
86	Low Cerebrospinal Fluid Sulfatide Predicts Progression of White Matter Lesions – The LADIS Study. Dementia and Geriatric Cognitive Disorders, 2012, 34, 61-67.	1.5	19
87	Differences in the use of everyday technology among persons with MCI, SCI and older adults without known cognitive impairment. International Psychogeriatrics, 2017, 29, 1193-1200.	1.0	19
88	Reduced cerebrospinal fluid concentration of interleukin-12/23 subunit p40 in patients with cognitive impairment. PLoS ONE, 2017, 12, e0176760.	2.5	18
89	Shape Abnormalities of the Caudate Nucleus Correlate with Poorer Gait and Balance: Results from a Subset of the LADIS Study. American Journal of Geriatric Psychiatry, 2015, 23, 59-71.e1.	1.2	16
90	Similar pattern of atrophy in early―and lateâ€onset Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 253-259.	2.4	16

#	Article	IF	CITATIONS
91	Amyloid-β, Tau, and Cognition in Cognitively Normal Older Individuals: Examining the Necessity to Adjust for Biomarker Status in Normative Data. Frontiers in Aging Neuroscience, 2018, 10, 193.	3.4	16
92	Plasma Proteomic Biomarkers Relating to Alzheimer's Disease: A Meta-Analysis Based on Our Own Studies. Frontiers in Aging Neuroscience, 2021, 13, 712545.	3.4	16
93	Cognitive medicine – a new approach in health care science. BMC Psychiatry, 2018, 18, 42.	2.6	15
94	Demographically adjusted trail making test norms in a Scandinavian sample from 41 to 84 years. Clinical Neuropsychologist, 2020, 34, 110-126.	2.3	15
95	The Combination of Dysexecutive and Amnestic Deficits Strongly Predicts Conversion to Dementia in Young Mild Cognitive Impairment Patients: A Report from the Gothenburg-Oslo MCI Study. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 76-85.	1.3	14
96	Neuropsychological Test Performance Among Native and Non-Native Swedes: Second Language Effects. Archives of Clinical Neuropsychology, 2022, 37, 826-838.	0.5	14
97	The Influence of Baseline Alzheimer's Disease Severity on Cognitive Decline and CSF Biomarkers in the NILVAD Trial. Frontiers in Neurology, 2020, 11, 149.	2.4	14
98	Monte Carlo feature selection and rule-based models to predict Alzheimer's disease in mild cognitive impairment. Journal of Neural Transmission, 2012, 119, 821-831.	2.8	13
99	Validation of Plasma Proteomic Biomarkers Relating to Brain Amyloid Burden in the EMIF-Alzheimer's Disease Multimodal Biomarker Discovery Cohort. Journal of Alzheimer's Disease, 2020, 74, 213-225.	2.6	13
100	Replication study of plasma proteins relating to Alzheimer's pathology. Alzheimer's and Dementia, 2021, 17, 1452-1464.	0.8	13
101	Differential Impact of Neurofilament Light Subunit on Cognition and Functional Outcome in Memory Clinic Patients with and without Vascular Burden. Journal of Alzheimer's Disease, 2015, 45, 873-881.	2.6	12
102	Device-Measured Sedentary Behavior, Physical Activity and Aerobic Fitness Are Independent Correlates of Cognitive Performance in Healthy Middle-Aged Adults—Results from the SCAPIS Pilot Study. International Journal of Environmental Research and Public Health, 2019, 16, 5136.	2.6	11
103	Patients with Alzheimer's Disease Have Increased Levels of Insulin-like Growth Factor-I in Serum but not in Cerebrospinal Fluid. Journal of Alzheimer's Disease, 2020, 75, 289-298.	2.6	10
104	Brevican and Neurocan Peptides as Potential Cerebrospinal Fluid Biomarkers for Differentiation Between Vascular Dementia and Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 79, 729-741.	2.6	10
105	Valid and efficient manual estimates of intracranial volume from magnetic resonance images. BMC Medical Imaging, 2015, 15, 5.	2.7	9
106	Characteristic Biomarker and Cognitive Profile in Incipient Mixed Dementia. Journal of Alzheimer's Disease, 2020, 73, 597-607.	2.6	8
107	Shared CSF Biomarker Profile in Idiopathic Normal Pressure Hydrocephalus and Subcortical Small Vessel Disease. Frontiers in Neurology, 2022, 13, 839307.	2.4	8
108	Boston Naming Test automatic credits inflate scores of nonaphasic mild dementia patients. Journal of Clinical and Experimental Neuropsychology, 2016, 38, 381-392.	1.3	7

#	Article	IF	CITATIONS
109	Dickkopf-1 Overexpression in vitro Nominates Candidate Blood Biomarkers Relating to Alzheimer's Disease Pathology. Journal of Alzheimer's Disease, 2020, 77, 1353-1368.	2.6	7
110	Sex-Specific Metabolic Pathways Were Associated with Alzheimer's Disease (AD) Endophenotypes in the European Medical Information Framework for AD Multimodal Biomarker Discovery Cohort. Biomedicines, 2021, 9, 1610.	3.2	7
111	Better prognostic accuracy in younger mild cognitive impairment patients with more years of education. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 402-412.	2.4	6
112	Clinical diagnosis of Alzheimer's disease by primary care physicians and specialists. Acta Neurologica Scandinavica, 1992, 85, 26-31.	2.1	5
113	Predictive and diagnostic utility of brief neuropsychological assessment in detecting Alzheimer's pathology and progression to dementia Neuropsychology, 2020, 34, 851-861.	1.3	5
114	Bloodâ€brain barrier dysfunction and reduced cerebrospinal fluid levels of soluble amyloid precursor proteinâ€Î² in patients with subcortical smallâ€vessel disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12296.	2.4	5
115	Delineation of two intracranial areas and the perpendicular intracranial width is sufficient for intracranial volume estimation. Insights Into Imaging, 2018, 9, 25-34.	3.4	4
116	Higher thyroid function is associated with accelerated hippocampal volume loss in Alzheimer's disease. Psychoneuroendocrinology, 2022, 139, 105710.	2.7	4
117	Cerebrospinal Fluid Sulfatide Levels Lack Diagnostic Utility in the Subcortical Small Vessel Type of Dementia. Journal of Alzheimer's Disease, 2021, 82, 781-790.	2.6	3
118	SYMPTOMATOLOGICAL CHARACTERISTICS DISTINGUISH BETWEEN FRONTOTEMPORAL DEMENTIA AND VASCULAR DEMENTIA WITH A DOMINANT FRONTAL LOBE SYNDROME. International Journal of Geriatric Psychiatry, 1997, 12, 656-661.	2.7	3
119	Testosterone associates differently with body mass index and age in serum and cerebrospinal fluid in men. Journal of Internal Medicine, 2022, 292, 684-686.	6.0	3
120	Patients with the Subcortical Small Vessel Type of Dementia Have Disturbed Cardiometabolic Risk Profile. Journal of Alzheimer's Disease, 2020, 73, 1373-1383.	2.6	2
121	Biomarkers in vascular dementia. , 2009, , 77-92.		1
122	[P2–212]: EUROPEAN MEDICAL INFORMATION FRAMEWORK FOR ALZHEIMER's DISEASE (EMIFâ€AD): THE BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2017, 13, P691.	0.8	1
123	Latent Cognitive Profiles Differ Between Incipient Alzheimer's Disease and Dementia with Subcortical Vascular Lesions in a Memory Clinic Population. Journal of Alzheimer's Disease, 2020, 73, 955-966.	2.6	1
124	Low Serum Insulin-like Growth Factor-I Is Associated with Decline in Hippocampal Volume in Stable Mild Cognitive Impairment but not in Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 88, 1007-1016.	2.6	1
125	Cerebral small vessel disease: cerebrospinal fluid aspects. , 0, , 200-216.		0

#	Article	IF	CITATIONS
127	[P1–289]: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN (CSF Aβ OR AMYLOIDâ€PET) IN THE EMIFâ€AD BIOMARKER DISCOVERY COHORT. Alzheimer's and Dementia, 2017, 13, P361.	0.8	0
128	P3â€233: PLASMA PRIMARY FATTY AMIDES ASSOCIATE TO CSF AMYLOID LEVELS AND ALZHEIMER'S DISEASE PROGRESSION IN THE EMIFâ€AD BIOMARKER DISCOVERY COHORT. Alzheimer's and Dementia, 2018, 14, P1161.	0.8	0
129	F1â€02â€02: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN AND ALZHEIMER'S DISEASE PROGRESSION. Alzheimer's and Dementia, 2018, 14, P201.	C 0.8	0
130	P2â€458: PREDICTING COGNITIVE DECLINE THROUGH STRUCTURAL MRI BIOMARKERS: RESULTS FROM THE EMIFâ€AD BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2018, 14, P895.	0.8	0
131	F1â€02â€03: MRI PREDICTORS OF AMYLOID PATHOLOGY: RESULTS FROM THE EMIFâ€AD BIOMARKER DISCOVEI STUDY. Alzheimer's and Dementia, 2018, 14, P202.	₹¥.8	0
132	The fiveâ€items memory screenâ€extended variant: A tool for assessing memory. Acta Neurologica Scandinavica, 2020, 141, 162-167.	2.1	0
133	Regressionâ€based normative data for the Rey Auditory Verbal Learning Test in Norwegian and Swedish adults ages 40 to 80. Alzheimer's and Dementia, 2020, 16, e044431.	0.8	О