

# David Garcia Galiano

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2158405/david-garcia-galiano-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57  
papers

3,123  
citations

32  
h-index

55  
g-index

58  
ext. papers

3,532  
ext. citations

5.8  
avg, IF

4.67  
L-index

#	Paper	IF	Citations
57	Protocol to extract actively translated mRNAs from mouse hypothalamus by translating ribosome affinity purification. <i>STAR Protocols</i> , <b>2021</b> , 2, 100589	1.4	
56	AMP-activated protein kinase (AMPK) signaling in GnRH neurons links energy status and reproduction. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 115, 154460	12.7	2
55	ER $\beta$ Signaling in GHRH/Kiss1 Dual-Phenotype Neurons Plays Sex-Specific Roles in Growth and Puberty. <i>Journal of Neuroscience</i> , <b>2020</b> , 40, 9455-9466	6.6	4
54	Tyrosine Hydroxylase Neurons Regulate Growth Hormone Secretion via Short-Loop Negative Feedback. <i>Journal of Neuroscience</i> , <b>2020</b> , 40, 4309-4322	6.6	15
53	Hypothalamic and Cell-Specific Transcriptomes Unravel a Dynamic Neuropil Remodeling in Leptin-Induced and Typical Pubertal Transition in Female Mice. <i>iScience</i> , <b>2020</b> , 23, 101563	6.1	5
52	Dissociated and Cre Expression in Lactating -Cre BAC Transgenic Mice. <i>Frontiers in Neuroanatomy</i> , <b>2020</b> , 14, 60	3.6	2
51	Gonadal hormone-dependent vs. -independent effects of kisspeptin signaling in the control of body weight and metabolic homeostasis. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 98, 84-94	12.7	24
50	Exome Sequencing Reveals the POLR3H Gene as a Novel Cause of Primary Ovarian Insufficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 2827-2841	5.6	17
49	PI3K signalling in leptin receptor cells: Role in growth and reproduction. <i>Journal of Neuroendocrinology</i> , <b>2019</b> , 31, e12685	3.8	8
48	Insulin signaling in LepR cells modulates fat and glucose homeostasis independent of leptin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E121-E134	6	2
47	Obesity and High-Fat Diet Induce Distinct Changes in Placental Gene Expression and Pregnancy Outcome. <i>Endocrinology</i> , <b>2018</b> , 159, 1718-1733	4.8	23
46	Metabolic regulation of female puberty via hypothalamic AMPK-kisspeptin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E10758-E10767	11.5	34
45	Sexually dimorphic distribution of Prokr2 neurons revealed by the Prokr2-Cre mouse model. <i>Brain Structure and Function</i> , <b>2017</b> , 222, 4111-4129	4	8
44	Hypothalamic growth hormone receptor (GHR) controls hepatic glucose production in nutrient-sensing leptin receptor (LepRb) expressing neurons. <i>Molecular Metabolism</i> , <b>2017</b> , 6, 393-405	8.8	23
43	Obesity-Induced Infertility in Male Mice Is Associated With Disruption of Crisp4 Expression and Sperm Fertilization Capacity. <i>Endocrinology</i> , <b>2017</b> , 158, 2930-2943	4.8	19
42	PI3K inactivation in leptin receptor cells increases leptin sensitivity but disrupts growth and reproduction. <i>JCI Insight</i> , <b>2017</b> , 2,	9.9	15
41	AMPK in Kiss1 Neurons Is Required for Reproductive Adaptations to Acute Metabolic Challenges in Adult Female Mice. <i>Endocrinology</i> , <b>2016</b> , 157, 4803-4816	4.8	13

40	Leptin receptor null mice with reexpression of LepR in GnRHR expressing cells display elevated FSH levels but remain in a prepubertal state. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2016</b> , 310, R1258-66	3.2	13
39	PI3K p110 $\beta$ subunit in leptin receptor expressing cells is required for the acute hypophagia induced by endotoxemia. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 379-391	8.8	19
38	Hypothalamic action of phoenixin to control reproductive hormone secretion in females: importance of the orphan G protein-coupled receptor Gpr173. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2016</b> , 311, R489-96	3.2	61
37	Direct Actions of Kisspeptins on GnRH Neurons Permit Attainment of Fertility but are Insufficient to Fully Preserve Gonadotropic Axis Activity. <i>Scientific Reports</i> , <b>2016</b> , 6, 19206	4.9	51
36	Defining a novel leptin-melanocortin-kisspeptin pathway involved in the metabolic control of puberty. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 844-857	8.8	94
35	Effects and interactions of tachykinins and dynorphin on FSH and LH secretion in developing and adult rats. <i>Endocrinology</i> , <b>2015</b> , 156, 576-88	4.8	33
34	Crowding and Follicular Fate: Spatial Determinants of Follicular Reserve and Activation of Follicular Growth in the Mammalian Ovary. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144099	3.7	19
33	Physiological roles of gonadotropin-inhibitory hormone signaling in the control of mammalian reproductive axis: studies in the NPFF1 receptor null mouse. <i>Endocrinology</i> , <b>2014</b> , 155, 2953-65	4.8	77
32	Kisspeptin receptor haplo-insufficiency causes premature ovarian failure despite preserved gonadotropin secretion. <i>Endocrinology</i> , <b>2014</b> , 155, 3088-97	4.8	68
31	Obesity-induced hypogonadism in the male: premature reproductive neuroendocrine senescence and contribution of Kiss1-mediated mechanisms. <i>Endocrinology</i> , <b>2014</b> , 155, 1067-79	4.8	50
30	Loss of Ntrk2/Kiss1r signaling in oocytes causes premature ovarian failure. <i>Endocrinology</i> , <b>2014</b> , 155, 3098-111	4.8	54
29	Role of the adipocyte-derived hormone leptin in reproductive control. <i>Hormone Molecular Biology and Clinical Investigation</i> , <b>2014</b> , 19, 141-9	1.3	18
28	PI3K signaling pathway in leptin receptor expressing cells is not required for endotoxemia-induced hypophagia (LB764). <i>FASEB Journal</i> , <b>2014</b> , 28, LB764	0.9	
27	Metabolic programming of puberty: sexually dimorphic responses to early nutritional challenges. <i>Endocrinology</i> , <b>2013</b> , 154, 3387-400	4.8	68
26	Distinct expression patterns predict differential roles of the miRNA-binding proteins, Lin28 and Lin28b, in the mouse testis: studies during postnatal development and in a model of hypogonadotropic hypogonadism. <i>Endocrinology</i> , <b>2013</b> , 154, 1321-36	4.8	32
25	Emerging roles of NUCB2/nesfatin-1 in the metabolic control of reproduction. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 6966-72	3.3	28
24	Neurokinin B and the control of the gonadotropic axis in the rat: developmental changes, sexual dimorphism, and regulation by gonadal steroids. <i>Endocrinology</i> , <b>2012</b> , 153, 4818-29	4.8	61
23	Cellular distribution, regulated expression, and functional role of the anorexigenic peptide, NUCB2/nesfatin-1, in the testis. <i>Endocrinology</i> , <b>2012</b> , 153, 1959-71	4.8	71

22	Kisspeptin signaling is indispensable for neurokinin B, but not glutamate, stimulation of gonadotropin secretion in mice. <i>Endocrinology</i> , <b>2012</b> , 153, 316-28	4.8	134
21	Sex steroids and the control of the Kiss1 system: developmental roles and major regulatory actions. <i>Journal of Neuroendocrinology</i> , <b>2012</b> , 24, 22-33	3.8	110
20	Differential modulation of gonadotropin responses to kisspeptin by aminoacidergic, peptidergic, and nitric oxide neurotransmission. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2012</b> , 303, E1252-63	6	23
19	Role of neurokinin B in the control of female puberty and its modulation by metabolic status. <i>Journal of Neuroscience</i> , <b>2012</b> , 32, 2388-97	6.6	125
18	Early metabolic programming of puberty onset: impact of changes in postnatal feeding and rearing conditions on the timing of puberty and development of the hypothalamic kisspeptin system. <i>Endocrinology</i> , <b>2011</b> , 152, 3396-408	4.8	141
17	Regulation of NKB pathways and their roles in the control of Kiss1 neurons in the arcuate nucleus of the male mouse. <i>Endocrinology</i> , <b>2011</b> , 152, 4265-75	4.8	193
16	Characterization of the reproductive effects of the anorexigenic VGF-derived peptide TLQP-21: in vivo and in vitro studies in male rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2011</b> , 300, E837-47	6	22
15	The anorexigenic neuropeptide, nesfatin-1, is indispensable for normal puberty onset in the female rat. <i>Journal of Neuroscience</i> , <b>2010</b> , 30, 7783-92	6.6	103
14	Acute inflammation reduces kisspeptin immunoreactivity at the arcuate nucleus and decreases responsiveness to kisspeptin independently of its anorectic effects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2010</b> , 299, E54-61	6	48
13	Characterization of the inhibitory roles of RFRP3, the mammalian ortholog of GnIH, in the control of gonadotropin secretion in the rat: in vivo and in vitro studies. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2010</b> , 299, E39-46	6	114
12	Characterization of the potent gonadotropin-releasing activity of RF9, a selective antagonist of RF-amide-related peptides and neuropeptide FF receptors: physiological and pharmacological implications. <i>Endocrinology</i> , <b>2010</b> , 151, 1902-13	4.8	80
11	Expanding roles of NUCB2/nesfatin-1 in neuroendocrine regulation. <i>Journal of Molecular Endocrinology</i> , <b>2010</b> , 45, 281-90	4.5	97
10	Critical roles of kisspeptins in female puberty and preovulatory gonadotropin surges as revealed by a novel antagonist. <i>Endocrinology</i> , <b>2010</b> , 151, 722-30	4.8	162
9	Metabolic control of puberty onset: new players, new mechanisms. <i>Molecular and Cellular Endocrinology</i> , <b>2010</b> , 324, 87-94	4.4	135
8	Persistent impairment of hypothalamic KiSS-1 system after exposures to estrogenic compounds at critical periods of brain sex differentiation. <i>Endocrinology</i> , <b>2009</b> , 150, 2359-67	4.8	106
7	Alterations in hypothalamic KiSS-1 system in experimental diabetes: early changes and functional consequences. <i>Endocrinology</i> , <b>2009</b> , 150, 784-94	4.8	62
6	The mammalian target of rapamycin as novel central regulator of puberty onset via modulation of hypothalamic Kiss1 system. <i>Endocrinology</i> , <b>2009</b> , 150, 5016-26	4.8	165
5	Critical Roles of Kisspeptin in Female Puberty and Preovulatory Gonadotropin Surges as Revealed by a Novel Antagonist. <i>Endocrine Reviews</i> , <b>2009</b> , 30, 928-929	27.2	2

4	Desensitization of gonadotropin responses to kisspeptin in the female rat: analyses of LH and FSH secretion at different developmental and metabolic states. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2008</b> , 294, E1088-96	6	76
3	Follicle-stimulating hormone responses to kisspeptin in the female rat at the preovulatory period: modulation by estrogen and progesterone receptors. <i>Endocrinology</i> , <b>2008</b> , 149, 5783-90	4.8	36
2	Neuroendocrine factors in the initiation of puberty: the emergent role of kisspeptin. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2007</b> , 8, 11-20	10.5	70
1	IL-6 and IGF-1 are independent prognostic factors of liver steatosis and non-alcoholic steatohepatitis in morbidly obese patients. <i>Obesity Surgery</i> , <b>2007</b> , 17, 493-503	3.7	86