

Federica del Monte

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2158451/federica-del-monte-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

7,452
citations

44
h-index

86
g-index

97
ext. papers

8,201
ext. citations

8.6
avg, IF

5.14
L-index

#	Paper	IF	Citations
92	The long and winding road to target protein misfolding in cardiovascular diseases. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13504	4.6	4
91	Is heart failure with preserved ejection fraction a dementia of the heart?. <i>Heart Failure Reviews</i> , 2021 , 1	5	1
90	Electrochemical data on redox properties of human Cofilin-2 and its Mutant S3D. <i>Data in Brief</i> , 2020 , 33, 106345	1.2	
89	The Unraveling: Cardiac and Musculoskeletal Defects and Their Role in Common Alzheimer Disease Morbidity and Mortality. <i>American Journal of Pathology</i> , 2020 , 190, 1609-1621	5.8	2
88	Heart and Brain: Complex Relationships for Left Ventricular Dysfunction. <i>Current Cardiology Reports</i> , 2020 , 22, 72	4.2	5
87	Phosphorylated cofilin-2 is more prone to oxidative modifications on Cys39 and favors amyloid fibril formation. <i>Redox Biology</i> , 2020 , 37, 101691	11.3	5
86	Reductive stress promotes protein aggregation and impairs neurogenesis. <i>Redox Biology</i> , 2020 , 37, 101733	11.3	6
85	The Heart of the Alzheimer's: A Mindful View of Heart Disease. <i>Frontiers in Physiology</i> , 2020 , 11, 625974	4.6	2
84	Primary cilia defects causing mitral valve prolapse. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	39
83	Getting to the Heart of Alzheimer Disease. <i>Circulation Research</i> , 2019 , 124, 142-149	15.7	63
82	Current and future circulating biomarkers for cardiac amyloidosis. <i>Acta Pharmacologica Sinica</i> , 2018 , 39, 1133-1141	8	6
81	Gene Transfer to Rodent Hearts In Vivo. <i>Methods in Molecular Biology</i> , 2017 , 1521, 195-204	1.4	3
80	Insights from Second-Line Treatments for Idiopathic Dilated Cardiomyopathy. <i>Journal of Cardiovascular Development and Disease</i> , 2017 , 4,	4.2	2
79	Amyloid Pathology Affects the Hearts of Patients With Alzheimer's Disease: Mind the Heart. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2395-2407	15.1	81
78	Pre-amyloid oligomers budding: a metastatic mechanism of proteotoxicity. <i>Scientific Reports</i> , 2016 , 6, 35865	4.9	8
77	Cofilin-2 phosphorylation and sequestration in myocardial aggregates: novel pathogenetic mechanisms for idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 1199-1214	15.1	46
76	Protein post-translational modifications and misfolding: new concepts in heart failure. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 534-42	3.1	38

75	Gene expression and genetic variation in human atria. <i>Heart Rhythm</i> , 2014 , 11, 266-71	6.7	42
74	Abnormal calcium handling and exaggerated cardiac dysfunction in mice with defective vitamin d signaling. <i>PLoS ONE</i> , 2014 , 9, e108382	3.7	17
73	Response to letter regarding article "Inositol 1,4,5-trisphosphate receptors and human left ventricular myocytes". <i>Circulation</i> , 2014 , 129, e510-1	16.7	0
72	Stanniocalcin1 is a key mediator of amyloidogenic light chain induced cardiotoxicity. <i>Basic Research in Cardiology</i> , 2013 , 108, 378	11.8	44
71	Isolation, culture, and functional characterization of adult mouse cardiomyocytes. <i>Journal of Visualized Experiments</i> , 2013 , e50289	1.6	21
70	Atrial natriuretic peptide is negatively regulated by microRNA-425. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3378-82	15.9	92
69	Cardiac angiogenic imbalance leads to peripartum cardiomyopathy. <i>Nature</i> , 2012 , 485, 333-8	50.4	348
68	Pathological role of serum- and glucocorticoid-regulated kinase 1 in adverse ventricular remodeling. <i>Circulation</i> , 2012 , 126, 2208-19	16.7	64
67	Regulation of Abro1/KIAA0157 during myocardial infarction and cell death reveals a novel cardioprotective mechanism for Lys63-specific deubiquitination. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 50, 652-61	5.8	25
66	Defective DNA replication impairs mitochondrial biogenesis in human failing hearts. <i>Circulation Research</i> , 2010 , 106, 1541-8	15.7	155
65	Protein aggregates and novel presenilin gene variants in idiopathic dilated cardiomyopathy. <i>Circulation</i> , 2010 , 121, 1216-26	16.7	85
64	Independent susceptibility markers for atrial fibrillation on chromosome 4q25. <i>Circulation</i> , 2010 , 122, 976-84	16.7	109
63	Amyloidogenic light chains induce cardiomyocyte contractile dysfunction and apoptosis via a non-canonical p38alpha MAPK pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 4188-93	11.5	214
62	Neonatal gene transfer of Serca2a delays onset of hypertrophic remodeling and improves function in familial hypertrophic cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 993-1002	5.8	34
61	Rescue of Ca ²⁺ overload-induced left ventricular dysfunction by targeted ablation of phospholamban. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H310-7	5.2	33
60	Compartmentalized expression of three novel sarco/endoplasmic reticulum Ca ²⁺ ATPase 3 isoforms including the switch to ER stress, SERCA3f, in non-failing and failing human heart. <i>Cell Calcium</i> , 2009 , 45, 144-54	4	59
59	Fingerprint profile of alcohol-associated heart failure in human hearts. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 814-21	3.7	7
58	Mitral regurgitation augments post-myocardial infarction remodeling failure of hypertrophic compensation. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 476-86	15.1	60

57	Prevention of ventricular arrhythmias with sarcoplasmic reticulum Ca ²⁺ ATPase pump overexpression in a porcine model of ischemia reperfusion. <i>Circulation</i> , 2008 , 118, 614-24	16.7	92
56	Human cardiac-specific cDNA array for idiopathic dilated cardiomyopathy: sex-related differences. <i>Physiological Genomics</i> , 2008 , 33, 267-77	3.6	39
55	Progressive nature of chronic mitral regurgitation and the role of tissue Doppler-derived indexes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2106-11	5.2	13
54	Intracellular devastation in heart failure. <i>Heart Failure Reviews</i> , 2008 , 13, 151-62	5	24
53	Transcoronary gene transfer of SERCA2a increases coronary blood flow and decreases cardiomyocyte size in a type 2 diabetic rat model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H1204-7	5.2	57
52	Periostin induces proliferation of differentiated cardiomyocytes and promotes cardiac repair. <i>Nature Medicine</i> , 2007 , 13, 962-9	50.5	511
51	Histidine-rich Ca-binding protein interacts with sarcoplasmic reticulum Ca-ATPase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H1581-9	5.2	66
50	Delayed erythropoietin therapy reduces post-MI cardiac remodeling only at a dose that mobilizes endothelial progenitor cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H522-9	5.2	79
49	Restoration of mechanical and energetic function in failing aortic-banded rat hearts by gene transfer of calcium cycling proteins. <i>Journal of Molecular and Cellular Cardiology</i> , 2007 , 42, 852-61	5.8	110
48	Mechanical and metabolic rescue in a type II diabetes model of cardiomyopathy by targeted gene transfer. <i>Molecular Therapy</i> , 2006 , 13, 987-96	11.7	50
47	Histidine-rich Ca binding protein: a regulator of sarcoplasmic reticulum calcium sequestration and cardiac function. <i>Journal of Molecular and Cellular Cardiology</i> , 2006 , 40, 653-65	5.8	52
46	Protein unfolding in cardiomyopathies. <i>Heart Failure Clinics</i> , 2005 , 1, 237-50	3.3	7
45	Transgenic models of heart failure: elucidation of the molecular mechanisms of heart disease. <i>Heart Failure Clinics</i> , 2005 , 1, 219-36	3.3	3
44	SERCA2a in heart failure: role and therapeutic prospects. <i>Journal of Bioenergetics and Biomembranes</i> , 2005 , 37, 375-80	3.7	46
43	Catheter-based antegrade intracoronary viral gene delivery with coronary venous blockade. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H2995-3000	5.2	61
42	Sarco/endoplasmic reticulum Ca ²⁺ -ATPase gene transfer reduces vascular smooth muscle cell proliferation and neointima formation in the rat. <i>Circulation Research</i> , 2005 , 97, 488-95	15.7	87
41	Genetic maneuvers to ameliorate ventricular function in heart failure: therapeutic potential and future implications. <i>Expert Review of Cardiovascular Therapy</i> , 2005 , 3, 85-97	2.5	3
40	Enhancement of cardiac function and suppression of heart failure progression by inhibition of protein phosphatase 1. <i>Circulation Research</i> , 2005 , 96, 756-66	15.7	185

39	PI3K rescues the detrimental effects of chronic Akt activation in the heart during ischemia/reperfusion injury. <i>Journal of Clinical Investigation</i> , 2005 , 115, 2128-38	15.9	184
38	Cardiovascular Gene and Cell Therapy 2005 , 763-788		
37	Cardiac-Specific Gene Expression Facilitated by an Enhanced Myosin Light Chain Promoter. <i>Molecular Imaging</i> , 2004 , 3, 153535002004041	3.7	
36	In vivo cardiac gene transfer of Kv4.3 abrogates the hypertrophic response in rats after aortic stenosis. <i>Circulation</i> , 2004 , 110, 3435-43	16.7	53
35	Transcriptional changes following restoration of SERCA2a levels in failing rat hearts. <i>FASEB Journal</i> , 2004 , 18, 1474-6	0.9	14
34	Abrogation of ventricular arrhythmias in a model of ischemia and reperfusion by targeting myocardial calcium cycling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 5622-7	11.5	174
33	Gene transfer in cardiac myocytes. <i>Surgical Clinics of North America</i> , 2004 , 84, 141-59, ix-x	4	11
32	Cardiac-specific gene expression facilitated by an enhanced myosin light chain promoter. <i>Molecular Imaging</i> , 2004 , 3, 69-75	3.7	34
31	Targeted gene transfer in heart failure: implications for novel gene identification. <i>Current Opinion in Molecular Therapeutics</i> , 2004 , 6, 381-94		4
30	Efficient viral gene transfer to rodent hearts in vivo. <i>Methods in Molecular Biology</i> , 2003 , 219, 179-93	1.4	15
29	Contractile effects of adenovirally-mediated increases in SERCA2a activity: A comparison between adult rat and rabbit ventricular myocytes. <i>Molecular and Cellular Biochemistry</i> , 2003 , 251, 103-109	4.2	11
28	Targeting calcium cycling proteins in heart failure through gene transfer. <i>Journal of Physiology</i> , 2003 , 546, 49-61	3.9	76
27	Gene therapy for the treatment of heart failure--calcium signaling. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2003 , 15, 268-76	1.7	4
26	Interaction between increased SERCA2a activity and beta -adrenoceptor stimulation in adult rabbit myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H2450-7	5.2	11
25	Type 1 phosphatase, a negative regulator of cardiac function. <i>Molecular and Cellular Biology</i> , 2002 , 22, 4124-35	4.8	216
24	Targeting phospholamban by gene transfer in human heart failure. <i>Circulation</i> , 2002 , 105, 904-7	16.7	226
23	Titin isoform switch in ischemic human heart disease. <i>Circulation</i> , 2002 , 106, 1333-41	16.7	281
22	Functional Near-Infrared Fluorescence Imaging for Cardiac Surgery and Targeted Gene Therapy. <i>Molecular Imaging</i> , 2002 , 1, 153535002002213	3.7	

21	Novel technique of aortic banding followed by gene transfer during hypertrophy and heart failure. <i>Physiological Genomics</i> , 2002 , 9, 49-56	3.6	49
20	Modulating signaling pathways in hypertrophy and heart failure by gene transfer. <i>Journal of Cardiac Failure</i> , 2002 , 8, S389-400	3.3	2
19	Dissociation of hypertrophic growth from changes in myocyte contractile function. <i>Journal of Cardiac Failure</i> , 2002 , 8, S415-20	3.3	1
18	Defects in calcium control. <i>Journal of Cardiac Failure</i> , 2002 , 8, S421-31	3.3	13
17	Functional near-infrared fluorescence imaging for cardiac surgery and targeted gene therapy. <i>Molecular Imaging</i> , 2002 , 1, 365-77	3.7	76
16	Overwhelming evidence of the beneficial effects of SERCA gene transfer in heart failure. <i>Circulation Research</i> , 2001 , 88, E66-7	15.7	45
15	Akt activation preserves cardiac function and prevents injury after transient cardiac ischemia in vivo. <i>Circulation</i> , 2001 , 104, 330-5	16.7	621
14	Improvement in survival and cardiac metabolism after gene transfer of sarcoplasmic reticulum Ca(2+)-ATPase in a rat model of heart failure. <i>Circulation</i> , 2001 , 104, 1424-9	16.7	337
13	SERCA2A overexpression decreases the incidence of aftercontractions in adult rabbit ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2001 , 33, 1005-15	5.8	68
12	Differential activation of signal transduction pathways in human hearts with hypertrophy versus advanced heart failure. <i>Circulation</i> , 2001 , 103, 670-7	16.7	359
11	Prospects for gene therapy for heart failure. <i>Circulation Research</i> , 2000 , 86, 616-21	15.7	131
10	Restoration of diastolic function in senescent rat hearts through adenoviral gene transfer of sarcoplasmic reticulum Ca(2+)-ATPase. <i>Circulation</i> , 2000 , 101, 790-6	16.7	217
9	Adenoviral gene transfer of activated phosphatidylinositol 3Rkinase and Akt inhibits apoptosis of hypoxic cardiomyocytes in vitro. <i>Circulation</i> , 1999 , 100, 2373-9	16.7	341
8	Restoration of contractile function in isolated cardiomyocytes from failing human hearts by gene transfer of SERCA2a. <i>Circulation</i> , 1999 , 100, 2308-11	16.7	390
7	Regulation of cardiac hypertrophy in vivo by the stress-activated protein kinases/c-Jun NH(2)-terminal kinases. <i>Journal of Clinical Investigation</i> , 1999 , 104, 391-8	15.9	141
6	Protection of human myocardium in vitro by K(ATP) activation with low concentrations of bimakalim. <i>Journal of Cardiovascular Pharmacology</i> , 1999 , 34, 162-72	3.1	6
5	Cyclic AMP levels in ventricular myocytes from noradrenaline-treated guinea-pigs. <i>European Journal of Pharmacology</i> , 1996 , 310, 235-42	5.3	5
4	Cell geometry and contractile abnormalities of myocytes from failing human left ventricle. <i>Cardiovascular Research</i> , 1995 , 30, 281-290	9.9	48

3	Sensitization of human atrial 5-HT ₄ receptors by chronic beta-blocker treatment. <i>Circulation</i> , 1995 , 92, 2526-39	16.7	44
2	Reduced contractile responses to forskolin and a cyclic AMP analogue in myocytes from failing human ventricle. <i>European Journal of Pharmacology</i> , 1992 , 223, 39-48	5.3	23
1	Contraction of cardiac myocytes from noradrenaline-treated rats in response to isoprenaline, forskolin and dibutyryl cAMP. <i>European Journal of Pharmacology</i> , 1990 , 191, 129-40	5.3	15