List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2158871/publications.pdf Version: 2024-02-01



ROBERTA RIZZO

#	Article	IF	CITATIONS
1	HLA-G expression in early embryos is a fundamental prerequisite for the obtainment of pregnancy. European Journal of Immunology, 2002, 32, 311-315.	2.9	288
2	HLA-G and IL-10 in serum in relation to HLA-G genotype and polymorphisms. Immunogenetics, 2004, 56, 135-41.	2.4	166
3	Embryonic soluble HLA-G as a marker of developmental potential in embryos. Human Reproduction, 2005, 20, 138-146.	0.9	157
4	Virologic and Immunologic Evidence Supporting an Association between HHV-6 and Hashimoto's Thyroiditis. PLoS Pathogens, 2012, 8, e1002951.	4.7	121
5	HLAâ€G genotype and HLAâ€G expression in systemic lupus erythematosus: HLAâ€G as a putative susceptibility gene in systemic lupus erythematosus. Tissue Antigens, 2008, 71, 520-529.	1.0	118
6	Polymorphism in the 5′ Upstream Regulatory and 3′ Untranslated Regions of the HLA-G Gene in Relation to Soluble HLA-G and IL-10 Expression. Human Immunology, 2006, 67, 53-62.	2.4	115
7	TLR3 and TLR7 RNA Sensor Activation during SARS-CoV-2 Infection. Microorganisms, 2021, 9, 1820.	3.6	113
8	ORIGINAL ARTICLE: Soluble Human Leukocyte Antigenâ€G Isoforms in Maternal Plasma in Early and Late Pregnancy. American Journal of Reproductive Immunology, 2009, 62, 320-338.	1.2	109
9	Secretome of in vitro cultured human embryos contains extracellular vesicles that are uptaken by the maternal side. Scientific Reports, 2017, 7, 5210.	3.3	108
10	Recent Advances in Our Understanding of HLA-G Biology: Lessons from a Wide Spectrum of Human Diseases. Journal of Immunology Research, 2016, 2016, 1-14.	2.2	104
11	HLA-G Molecules in Autoimmune Diseases and Infections. Frontiers in Immunology, 2014, 5, 592.	4.8	99
12	A decreased positivity for CD90 on human mesenchymal stromal cells (MSCs) is associated with a loss of immunosuppressive activity by MSCs. Cytometry Part B - Clinical Cytometry, 2009, 76B, 225-230.	1.5	88
13	The importance of HLA-G expression in embryos, trophoblast cells, and embryonic stem cells. Cellular and Molecular Life Sciences, 2011, 68, 341-352.	5.4	84
14	The HLA-G genotype is associated with IL-10 levels in activated PBMCs. Immunogenetics, 2005, 57, 172-181.	2.4	83
15	Presence of detectable levels of soluble HLA-G molecules in CSF of relapsing–remitting multiple sclerosis: relationship with CSF soluble HLA-I and IL-10 concentrations and MRI findings. Journal of Neuroimmunology, 2003, 142, 149-158.	2.3	79
16	Some Basic Aspects of HLA-G Biology. Journal of Immunology Research, 2014, 2014, 1-10.	2.2	79
17	HLA-G 14-bp polymorphism regulates the methotrexate response in rheumatoid arthritis. Pharmacogenetics and Genomics, 2006, 16, 615-623.	1.5	73
18	Matrix metalloproteinase-2 (MMP-2) generates soluble HLA-G1 by cell surface proteolytic shedding. Molecular and Cellular Biochemistry, 2013, 381, 243-255.	3.1	73

#	Article	IF	CITATIONS
19	HLA-G expression levels influence the tolerogenic activity of human DC-10. Haematologica, 2015, 100, 548-557.	3.5	69
20	SARS-CoV-2 Spike 1 Protein Controls Natural Killer Cell Activation via the HLA-E/NKG2A Pathway. Cells, 2020, 9, 1975.	4.1	69
21	A functional role for soluble HLA-G antigens in immune modulation mediated by mesenchymal stromal cells. Cytotherapy, 2008, 10, 364-375.	0.7	66
22	Defective production of soluble HLA-G molecules by peripheral blood monocytes in patients with asthma. Journal of Allergy and Clinical Immunology, 2005, 115, 508-513.	2.9	65
23	Presence of HHV-6A in Endometrial Epithelial Cells from Women with Primary Unexplained Infertility. PLoS ONE, 2016, 11, e0158304.	2.5	65
24	HLA-G and Inflammatory Diseases. Inflammation and Allergy: Drug Targets, 2008, 7, 67-74.	1.8	62
25	Association of CYP1B1 with hypersensitivity induced by Taxane therapy in breast cancer patients. Breast Cancer Research and Treatment, 2010, 124, 593-598.	2.5	60
26	Role of HLA-G as a Predictive Marker of Low Risk of Chronic Rejection in Lung Transplant Recipients: A Clinical Prospective Study. American Journal of Transplantation, 2015, 15, 461-471.	4.7	56
27	HLA-G Expression is a Fundamental Prerequisite to Pregnancy. Human Immunology, 2007, 68, 244-250.	2.4	53
28	Intrathecal synthesis of soluble HLA-G and HLA-I molecules are reciprocally associated to clinical and MRI activity in patients with multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 2-12.	3.0	51
29	Role of HLA-G 14bp deletion/insertion and +3142C>G polymorphisms in the production of sHLA-G molecules in relapsing-remitting multiple sclerosis. Human Immunology, 2012, 73, 1140-1146.	2.4	51
30	HelixComplex snail mucus exhibits pro-survival, proliferative and pro-migration effects on mammalian fibroblasts. Scientific Reports, 2018, 8, 17665.	3.3	50
31	HHV-6A infection induces amyloid-beta expression and activation of microglial cells. Alzheimer's Research and Therapy, 2019, 11, 104.	6.2	48
32	HLA-G may predict the disease course in patients with early rheumatoid arthritis. Human Immunology, 2013, 74, 425-432.	2.4	47
33	Altered natural killer cells' response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression. Journal of Neuroimmunology, 2012, 251, 55-64.	2.3	45
34	Soluble HLA-G molecules in follicular fluid: A tool for oocyte selection in IVF?. Journal of Reproductive Immunology, 2007, 74, 133-142.	1.9	44
35	HLA-G is a component of the chronic lymphocytic leukemia escape repertoire to generate immune suppression: impact of the HLA-G 14 base pair (rs66554220) polymorphism. Haematologica, 2014, 99, 888-896.	3.5	43
36	Soluble human leukocyte antigen-G and interleukin-10 levels in plasma of psoriatic patients: preliminary study on a possible correlation between generalized immune status, treatments and disease. Archives of Dermatological Research, 2008, 300, 551-559.	1.9	42

#	Article	IF	CITATIONS
37	Possible protective role of the 489C>T P2X7R polymorphism in Alzheimer's disease. Experimental Gerontology, 2014, 60, 117-119.	2.8	40
38	HHV-6A/6B Infection of NK Cells Modulates the Expression of miRNAs and Transcription Factors Potentially Associated to Impaired NK Activity. Frontiers in Microbiology, 2017, 8, 2143.	3.5	40
39	CSF levels of soluble HLA-G and Fas molecules are inversely associated to MRI evidence of disease activity in patients with relapsing—remitting multiple sclerosis. Multiple Sclerosis Journal, 2008, 14, 446-454.	3.0	38
40	sHLA-G1 and HLA-G5 levels are decreased in Tunisian women with multiple abortion. Human Immunology, 2016, 77, 342-345.	2.4	38
41	The Role of Extracellular Adenosine Generation in the Development of Autoimmune Diseases. Mediators of Inflammation, 2018, 2018, 1-10.	3.0	38
42	Programmable Interactions of Functionalized Single Bioparticles in a Dielectrophoresis-Based Microarray Chip. Analytical Chemistry, 2013, 85, 8219-8224.	6.5	37
43	Different production of soluble HLA-G antigens by peripheral blood mononuclear cells in ulcerative colitis and Crohn's disease: A noninvasive diagnostic tool?. Inflammatory Bowel Diseases, 2008, 14, 100-105.	1.9	36
44	KIR2DS2/KIR2DL2/HLA-C1 Haplotype Is Associated with Alzheimer's Disease: Implication for the Role of Herpesvirus Infections. Journal of Alzheimer's Disease, 2019, 67, 1379-1389.	2.6	36
45	Soluble HLA-G molecules are released as HLA-G5 and not as soluble HLA-G1 isoforms in CSF of patients with relapsing–remitting Multiple Sclerosis. Journal of Neuroimmunology, 2007, 192, 219-225.	2.3	35
46	HHV-6A Infection of Endometrial Epithelial Cells Induces Increased Endometrial NK Cell-Mediated Cytotoxicity. Frontiers in Microbiology, 2017, 8, 2525.	3.5	35
47	Extracellular ATP Acting at the P2X7 Receptor Inhibits Secretion of Soluble HLA-G from Human Monocytes. Journal of Immunology, 2009, 183, 4302-4311.	0.8	34
48	New Insights into HLA-G and Inflammatory Diseases. Inflammation and Allergy: Drug Targets, 2012, 11, 448-463.	1.8	34
49	Epstein-Barr virus-specific intrathecal oligoclonal IgG production in relapsing-remitting multiple sclerosis is limited to a subset of patients and is composed of low-affinity antibodies. Journal of Neuroinflammation, 2014, 11, 188.	7.2	33
50	Implication of <scp>HLA</scp> â€G 3′ untranslated region polymorphisms in human papillomavirus infection. Tissue Antigens, 2014, 83, 113-118.	1.0	31
51	Design, synthesis and evaluation of semi-synthetic triazole-containing caffeic acid analogues as 5-lipoxygenase inhibitors. European Journal of Medicinal Chemistry, 2015, 101, 573-583.	5.5	30
52	Intrathecal Soluble HLA-E Correlates with Disease Activity in Patients with Multiple Sclerosis and may Cooperate with Soluble HLA-G in the Resolution of Neuroinflammation. Journal of NeuroImmune Pharmacology, 2013, 8, 944-955.	4.1	29
53	HelixComplex snail mucus as a potential technology against O3 induced skin damage. PLoS ONE, 2020, 15, e0229613.	2.5	29
54	A simple method for identifying bone marrow mesenchymal stromal cells with a high immunosuppressive potential. Cytotherapy, 2011, 13, 523-527.	0.7	28

#	Article	IF	CITATIONS
55	High prevalence of HHV8 infection and specific killer cell immunoglobulin-like receptors allotypes in Sardinian patients with type 2 diabetes mellitus. Journal of Medical Virology, 2014, 86, 1745-1751.	5.0	27
56	Association of an <scp>HLA</scp> â€C 14â€bp Insertion/Deletion polymorphism with high <scp>HBV</scp> replication in chronic hepatitis. Journal of Viral Hepatitis, 2015, 22, 835-841.	2.0	27
57	Association between sHLA-G and HLA-G 14-bp deletion/insertion polymorphism in Crohn's disease. International Immunology, 2015, 27, 289-296.	4.0	27
58	Controversial role of herpesviruses in Alzheimer's disease. PLoS Pathogens, 2020, 16, e1008575.	4.7	26
59	Lack of Histocompatibility Leukocyte Antigen-G expression in early embryos is not related to germinal defects or impairment of interleukin-10 production by embryos. Gynecological Endocrinology, 2005, 20, 264-269.	1.7	25
60	Soluble Human Leukocyte Antigen-G Expression and Glucose Tolerance in Subjects with Different Degrees of Adiposity. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3342-3346.	3.6	25
61	Clinicopathologic significance of HLA-G and HLA-E molecules in Tunisian patients with ovarian carcinoma. Human Immunology, 2018, 79, 463-470.	2.4	24
62	Impact of Soluble HLA-G Levels and Endometrial NK Cells in Uterine Flushing Samples from Primary and Secondary Unexplained Infertile Women. International Journal of Molecular Sciences, 2015, 16, 5510-5516.	4.1	23
63	The Interplay between Natural Killer Cells and Human Herpesvirus-6. Viruses, 2017, 9, 367.	3.3	23
64	HHV-6A Infection and Systemic Sclerosis: Clues of a Possible Association. Microorganisms, 2020, 8, 39.	3.6	23
65	Androgen receptor signaling regulates the transcriptome of prostate cancer cells by modulating global alternative splicing. Oncogene, 2020, 39, 6172-6189.	5.9	23
66	Human Herpesvirus 6A and 6B inhibit in vitro angiogenesis by induction of Human Leukocyte Antigen G. Scientific Reports, 2018, 8, 17683.	3.3	21
67	HHVâ€6A infection of endometrial epithelial cells affects immune profile and trophoblast invasion. American Journal of Reproductive Immunology, 2019, 82, e13174.	1.2	21
68	Pseudomonas aeruginosa Quorum Sensing Molecule N -(3-Oxododecanoyl)- l -Homoserine-Lactone Induces HLA-G Expression in Human Immune Cells. Infection and Immunity, 2015, 83, 3918-3925.	2.2	20
69	Increased plasmatic soluble HLA-G levels in endometrial cancer. Molecular Immunology, 2018, 99, 82-86.	2.2	20
70	SARS-CoV-2 nucleocapsid protein and ultrastructural modifications in small bowel of a 4-week-negative COVID-19 patient. Clinical Microbiology and Infection, 2021, 27, 936-937.	6.0	20
71	Acute human herpesvirus-6A infection of human mesothelial cells modulates HLA molecules. Archives of Virology, 2015, 160, 2141-2149.	2.1	19
72	Study of Soluble HLA-G in Congenital Human Cytomegalovirus Infection. Journal of Immunology Research, 2016, 2016, 1-9.	2.2	19

#	Article	IF	CITATIONS
73	<scp>HLA</scp> â€E polymorphism and soluble <scp>HLA</scp> â€E plasma levels in chronic hepatitis B patients. Hla, 2016, 87, 153-159.	0.6	19
74	Production of sHLA-G molecules by in vitro matured cumulus-oocyte complex. International Journal of Molecular Medicine, 2009, 24, 523-30.	4.0	18
75	Increase in Peripheral CD3â^'CD56brightCD16â^' Natural Killer Cells in Hashimoto's Thyroiditis Associated with HHV-6 Infection. Advances in Experimental Medicine and Biology, 2015, 897, 113-120.	1.6	18
76	Letter to the Editor: Antimicrobial properties of mucus from the brown garden snail <i>Helix aspersa</i> . British Journal of Biomedical Science, 2016, 73, 49-50.	1.3	18
77	Potential role of soluble human leukocyte antigen-G molecules in multiple sclerosis. Human Immunology, 2009, 70, 981-987.	2.4	17
78	Human leukocyte antigen-G molecules are constitutively expressed by synovial fibroblasts and upmodulated in osteoarthritis. Human Immunology, 2010, 71, 342-350.	2.4	17
79	Increased sHLA-G Is Associated with Improved COVID-19 Outcome and Reduced Neutrophil Adhesion. Viruses, 2021, 13, 1855.	3.3	17
80	ORIGINAL ARTICLE: Allergic Women have Reduced sHLAâ€G Plasma Levels at Delivery. American Journal of Reproductive Immunology, 2009, 61, 368-376.	1.2	16
81	Fetal cell microchimerism: a protective role in autoimmune thyroid diseases. European Journal of Endocrinology, 2015, 173, 111-118.	3.7	16
82	The association between functional HLA-G 14bp insertion/deletion and +3142 C>G polymorphisms and susceptibility to multiple sclerosis. Immunology Letters, 2016, 180, 24-30.	2.5	16
83	KIR2DL2 inhibitory pathway enhances Th17 cytokine secretion by NK cells in response to herpesvirus infection in multiple sclerosis patients. Journal of Neuroimmunology, 2016, 294, 1-5.	2.3	16
84	The P2X7 Receptor 489C>T Gain of Function Polymorphism Favors HHV-6A Infection and Associates With Female Idiopathic Infertility. Frontiers in Pharmacology, 2020, 11, 96.	3.5	16
85	Release of sICAM-1 in Oocytes and In Vitro Fertilized Human Embryos. PLoS ONE, 2008, 3, e3970.	2.5	15
86	Impact of HLA-G analysis in prevention, diagnosis and treatment of pathological conditions. World Journal of Methodology, 2014, 4, 11.	3.5	15
87	Evaluation of the implication of KIR2DL2 receptor in multiple sclerosis and herpesvirus susceptibility. Journal of Neuroimmunology, 2014, 271, 30-35.	2.3	15
88	Nonclassical human leukocyte antigen (HLA-G, HLA-E, and HLA-F) in coronary artery disease. Human Immunology, 2016, 77, 325-329.	2.4	15
89	Design of Nanosystems for the Delivery of Quorum Sensing Inhibitors: A Preliminary Study. Molecules, 2020, 25, 5655.	3.8	15
90	Relevance of VEGF and CD147 in different SARSâ€CoVâ€2 positive digestive tracts characterized by thrombotic damage. FASEB Journal, 2021, 35, e21969.	0.5	15

#	Article	IF	CITATIONS
91	An accurate and reliable real time <scp>SNP</scp> genotyping assay forÂthe <scp>HLA</scp> â€G +3142 bp C>G polymorphism. Tissue Antigens, 2012, 80, 259-262.	1.0	14
92	Implication of <i>HLA-C</i> and <i>KIR</i> Alleles in Human Papillomavirus Infection and Associated Cervical Lesions. Viral Immunology, 2014, 27, 468-470.	1.3	14
93	HLA-G 14-bp polymorphism: a possible marker of systemic treatment response in psoriasis vulgaris? Preliminary results of a retrospective study. Dermatologic Therapy, 2014, 27, 284-289.	1.7	14
94	Expression analysis of immune-regulatory molecules HLA-G, HLA-E and IDO in endometrial cancer. Human Immunology, 2020, 81, 305-313.	2.4	14
95	Epstein-Barr Virus Specific Antibody Response in Multiple Sclerosis Patients during 21 Months of Natalizumab Treatment. Disease Markers, 2015, 2015, 1-5.	1.3	13
96	Increased levels of soluble <scp>HLA</scp> â€G molecules in Tunisian patients with chronic hepatitis B infection. Journal of Viral Hepatitis, 2017, 24, 1016-1022.	2.0	13
97	The U94 Gene of Human Herpesvirus 6: A Narrative Review of Its Role and Potential Functions. Cells, 2020, 9, 2608.	4.1	13
98	HHV-6A Infection of Endometrial Epithelial Cells Affects miRNA Expression and Trophoblast Cell Attachment. Reproductive Sciences, 2020, 27, 779-786.	2.5	13
99	Innate Immune Response in SARS-CoV-2 Infection. Microorganisms, 2022, 10, 501.	3.6	13
100	In rheumatoid arthritis, a polymorphism in the HLA-G gene concurs in the clinical response to methotrexate treatment. Annals of the Rheumatic Diseases, 2007, 66, 1125-1126.	0.9	12
101	Possible role of human leukocyte antigen–G molecules in human oocyte/embryo secretome. Human Immunology, 2009, 70, 970-975.	2.4	12
102	Infection and HLA-G Molecules in Nasal Polyposis. Journal of Immunology Research, 2014, 2014, 1-8.	2.2	12
103	Conjugation of LasR Quorum-Sensing Inhibitors with Ciprofloxacin Decreases the Antibiotic Tolerance of <i>P. aeruginosa</i> Clinical Strains. Journal of Chemistry, 2019, 2019, 1-13.	1.9	12
104	Aerosols modification with H2O2 reduces airborne contamination by dental handpieces. Journal of Oral Microbiology, 2021, 13, 1881361.	2.7	12
105	Embryo morphokinetic score is associated with biomarkers of developmental competence and implantation. Journal of Assisted Reproduction and Genetics, 2021, 38, 1737-1743.	2.5	12
106	Therapy modifies HLA-G secretion differently in Crohn's disease and ulcerative colitis patients. Inflammatory Bowel Diseases, 2011, 17, E94-E95.	1.9	11
107	Umbilical cord blood CD34+cell–derived progeny produces human leukocyte antigen–G molecules with immuno-modulatory functions. Human Immunology, 2012, 73, 150-155.	2.4	11
108	High prevalence of specific KIR types in patients with HHV-8 positive cutaneous vascular lesions: a possible predisposing factor?. Archives of Dermatological Research, 2016, 308, 373-377.	1.9	11

#	Article	IF	CITATIONS
109	Cerebrospinal fluid amounts of HLA-G in dimeric form are strongly associated to patients with MRI inactive multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 245-249.	3.0	11
110	The Role of HLA-Class Ib Molecules in Immune-Related Diseases, Tumors, and Infections 2016. Journal of Immunology Research, 2017, 2017, 1-2.	2.2	11
111	Human leukocyte antigen (HLA-F) polymorphism is associated with chronic HBV infection. 3 Biotech, 2018, 8, 49.	2.2	11
112	COVID-19 Ocular Prophylaxis: The Potential Role of Ozonated-Oils in Liposome Eyedrop Gel. Translational Vision Science and Technology, 2021, 10, 7.	2.2	11
113	Efficacy of personal protective equipment against coronavirus transmission via dental handpieces. Journal of the American Dental Association, 2021, 152, 631-640.	1.5	10
114	Human Herpes simplex 1 virus infection of endometrial decidual tissue-derived MSC alters HLA-G expression and immunosuppressive functions. Human Immunology, 2018, 79, 800-808.	2.4	9
115	DNA Sensors' Signaling in NK Cells During HHV-6A, HHV-6B and HHV-7 Infection. Frontiers in Microbiology, 2020, 11, 226.	3.5	9
116	Transparent Polymeric Formulations Effective against SARS-CoV-2 Infection. ACS Applied Materials & Interfaces, 2021, 13, 54648-54655.	8.0	9
117	GlicoPro, Novel Standardized and Sterile Snail Mucus Extract for Multi-Modulative Ocular Formulations: New Perspective in Dry Eye Disease Management. Pharmaceutics, 2021, 13, 2139.	4.5	9
118	Serum IgG against Simian Virus 40 antigens are hampered by high levels of sHLA-G in patients affected by inflammatory neurological diseases, as multiple sclerosis. Journal of Translational Medicine, 2016, 14, 216.	4.4	8
119	HLA-G expression and regulation during <i>Pseudomonas aeruginosa</i> infection in cystic fibrosis patients. Future Microbiology, 2016, 11, 363-373.	2.0	8
120	Testing a Combination of Markers of Systemic Redox Status as a Possible Tool for the Diagnosis of Late Onset Alzheimer's Disease. Disease Markers, 2018, 2018, 1-9.	1.3	8
121	Efficacy of personal protective equipment and H ₂ O ₂ â€based spray against coronavirus in dental setting. Oral Diseases, 2022, 28, 1010-1012.	3.0	8
122	Prognostic significance of high circulating <scp>sHLAâ€G</scp> in ovarian carcinoma. Hla, 2021, 98, 357-365.	0.6	8
123	Decreased Production of Human Leukocyte Antigen G Molecules in Sinonasal Polyposis. American Journal of Rhinology & Allergy, 2008, 22, 468-473.	2.2	7
124	Analysis of Il-10 gene sequence in patients with sinonasal polyposis. International Journal of Immunopathology and Pharmacology, 2015, 28, 434-439.	2.1	7
125	Soluble HLA-G pre-transplant levels to identify the risk for development of infection in heart transplant recipients. Human Immunology, 2020, 81, 147-150.	2.4	7
126	Lateâ€onset intrauterine growth restriction and HHVâ€6 infection: A pilot study. Journal of Medical Virology, 2021, 93, 6317-6322.	5.0	7

#	Article	IF	CITATIONS
127	Design of Liposomes Carrying HelixComplex Snail Mucus: Preliminary Studies. Molecules, 2021, 26, 4709.	3.8	7
128	Increased production of soluble HLA-G molecules in stimulated peripheral blood mononuclear cells following extracorporeal photopheresis: Is it a mechanism involved in the therapeutic effect of the procedure?. Journal of Clinical Apheresis, 2005, 20, 222-224.	1.3	6
129	Pregnancy and breastfeeding: a new theory for sHLA-G in breast cancer patients?. Immunologic Research, 2016, 64, 636-639.	2.9	6
130	Detection of inherited chromosomally integrated <scp>HHV</scp> â€6 (ci <scp>HHV</scp> â€6) in a marker chromosome. European Journal of Haematology, 2017, 98, 635-637.	2.2	6
131	Human herpesvirus 6A and 6B and NK cells. Acta Microbiologica Et Immunologica Hungarica, 2018, 65, 119-125.	0.8	6
132	Generalized eruptive keratoacanthoma of the Grzybowski type: some considerations on treatment and pathogenesis. International Journal of Dermatology, 2019, 58, e242-e245.	1.0	6
133	Detection of serum soluble HLA-G levels in patients with acute ischemic stroke: A pilot study. Human Immunology, 2020, 81, 156-161.	2.4	6
134	Human Herpesviruses 6A and 6B in Reproductive Diseases. Frontiers in Immunology, 2021, 12, 648945.	4.8	6
135	Role of KIR Receptor in NK Regulation during Viral Infections. Immuno, 2021, 1, 305-331.	1.5	5
136	The Role of HLA-Class Ib Molecules in Immune-Related Diseases, Tumors, and Infections. Journal of Immunology Research, 2014, 2014, 1-2.	2.2	4
137	The use of heparin in infertility and recurrent pregnancy loss: Are its antiviral properties at play?. Medical Hypotheses, 2017, 102, 41-47.	1.5	4
138	The dimeric form of HLA-G molecule is associated with the response of early rheumatoid arthritis (ERA) patients to methotrexate. Clinical Rheumatology, 2017, 36, 701-705.	2.2	4
139	The relationship of 3′UTR <i>HLAâ€G14â€bp insertion/deletion</i> and <i>+3142 C/G</i> polymorphisms and soluble HLAâ€G expression with gynecological cancers: An updated metaâ€analysis. Immunity, Inflammation and Disease, 2022, 10, .	2.7	4
140	Multipotent stromal cells skew monocytes towards an anti-inflammatory function: a role for HLA-G molecules. Haematologica, 2013, 98, e114-e114.	3.5	3
141	Immunosupressive Properties of HLA-G Molecules Produced by Mesenchymal Stromal Cells. Journal of Transplantation Technologies & Research, 2013, 03, .	0.1	3
142	Non-classical human leukocyte antigen class I in Tunisian children with autism. Central-European Journal of Immunology, 2020, 45, 176-183.	1.2	3
143	Synthesis and biological evaluation of novel rhodanine-based structures with antiviral activity towards HHV-6 virus. Bioorganic Chemistry, 2022, 119, 105518.	4.1	3
144	COVID-19 induced aorto duodenal fistula following evar in the so called "negative―patient. Vascular, 2023, 31, 189-195.	0.9	3

#	Article	IF	CITATIONS
145	3′UTR-HLA-G polymorphisms and circulating sHLA-G are associated with breast cancer: Evidence from a meta-analysis. Immunology Letters, 2022, 248, 78-89.	2.5	3
146	HLA-G molecules in pregnancy and their possible role in assisted reproductive technology. Expert Review of Obstetrics and Gynecology, 2009, 4, 455-470.	0.4	2
147	Immunosuppressive Properties of Mesenchymal Stromal Cells. , 2012, , 281-301.		2
148	Analysis of HLA-G expression in renal tissue in lupus nephritis: a pilot study. Lupus, 2019, 28, 1091-1100.	1.6	2
149	Reduced production of anti-inflammatory soluble HLA-G molecules in styrene exposed workers. Environmental Toxicology and Pharmacology, 2009, 27, 303-305.	4.0	1
150	Focus on the importance of soluble human leukocyte antigen G as a marker for embryo selection in assisted reproductive technology. Fertility and Sterility, 2013, 100, e43.	1.0	1
151	Can HLA-G predict disease course in rheumatoid arthritis patients?. International Journal of Clinical Rheumatology, 2013, 8, 627-638.	0.3	1
152	Endometrium infection by human herpesvirus-6A: implication in female idiopathic infertility. Fertility and Sterility, 2018, 110, e128.	1.0	1
153	Plasma soluble HLA-G levels in a cohort of heart failure patients exposed to chemicals. Human Immunology, 2020, 81, 151-155.	2.4	1
154	Inhibitory KIR2DL2 receptor and HHV-8 in classic or endemic Kaposi sarcoma. Clinical and Experimental Medicine, 2022, , 1.	3.6	1
155	Herpesvirus Infections in KIR2DL2-Positive Multiple Sclerosis Patients: Mechanisms Triggering Autoimmunity. Microorganisms, 2022, 10, 494.	3.6	1
156	Investigating Serum sHLA-G Cooperation With MRI Activity and Disease-Modifying Treatment Outcome in Relapsing-Remitting Multiple Sclerosis. Frontiers in Neurology, 0, 13, .	2.4	1
157	Comment on "Experimental Extracorporeal Photopheresis Inhibits the Sensitization and Effector Phases of Contact Hypersensitivity via Two Mechanisms: Generation of IL-10 and Induction of Regulatory T Cells― Journal of Immunology, 2009, 182, 4497-4497.	0.8	0
158	AB0015â€HLA-G may predict the disease course in patients with early arthritis. Annals of the Rheumatic Diseases, 2013, 71, 638.2-638.	0.9	0
159	New diagnostics and methods of assessing pregnant women at risk of cytomegalovirus. Microbiology Australia, 2015, 36, 167.	0.4	0
160	Infection and Endometrial Gene Expression: HHV-6 and Infertility. , 2020, , 125-140.		0