

Roberta Rizzo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2158871/publications.pdf>

Version: 2024-02-01

160
papers

4,872
citations

94433

37
h-index

123424

61
g-index

169
all docs

169
docs citations

169
times ranked

4710
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 induced aorto duodenal fistula following eva in the so called “negative” patient. Vascular, 2023, 31, 189-195.	0.9	3
2	Efficacy of personal protective equipment and H ₂ O ₂ -based spray against coronavirus in dental setting. Oral Diseases, 2022, 28, 1010-1012.	3.0	8
3	Synthesis and biological evaluation of novel rhodanine-based structures with antiviral activity towards HHV-6 virus. Bioorganic Chemistry, 2022, 119, 105518.	4.1	3
4	Inhibitory KIR2DL2 receptor and HHV-8 in classic or endemic Kaposi sarcoma. Clinical and Experimental Medicine, 2022, , 1.	3.6	1
5	Herpesvirus Infections in KIR2DL2-Positive Multiple Sclerosis Patients: Mechanisms Triggering Autoimmunity. Microorganisms, 2022, 10, 494.	3.6	1
6	Innate Immune Response in SARS-CoV-2 Infection. Microorganisms, 2022, 10, 501.	3.6	13
7	The relationship of 3′UTR HLA-G14bp insertion/deletion and +3142 C/G polymorphisms and soluble HLA-G expression with gynecological cancers: An updated meta-analysis. Immunity, Inflammation and Disease, 2022, 10, .	2.7	4
8	3′UTR-HLA-G polymorphisms and circulating sHLA-G are associated with breast cancer: Evidence from a meta-analysis. Immunology Letters, 2022, 248, 78-89.	2.5	3
9	Aerosols modification with H ₂ O ₂ reduces airborne contamination by dental handpieces. Journal of Oral Microbiology, 2021, 13, 1881361.	2.7	12
10	Human Herpesviruses 6A and 6B in Reproductive Diseases. Frontiers in Immunology, 2021, 12, 648945.	4.8	6
11	Embryo morphokinetic score is associated with biomarkers of developmental competence and implantation. Journal of Assisted Reproduction and Genetics, 2021, 38, 1737-1743.	2.5	12
12	SARS-CoV-2 nucleocapsid protein and ultrastructural modifications in small bowel of a 4-week-negative COVID-19 patient. Clinical Microbiology and Infection, 2021, 27, 936-937.	6.0	20
13	Late-onset intrauterine growth restriction and HHV-6 infection: A pilot study. Journal of Medical Virology, 2021, 93, 6317-6322.	5.0	7
14	Prognostic significance of high circulating sHLA-G in ovarian carcinoma. Hla, 2021, 98, 357-365.	0.6	8
15	Design of Liposomes Carrying HelixComplex Snail Mucus: Preliminary Studies. Molecules, 2021, 26, 4709.	3.8	7
16	Efficacy of personal protective equipment against coronavirus transmission via dental handpieces. Journal of the American Dental Association, 2021, 152, 631-640.	1.5	10
17	TLR3 and TLR7 RNA Sensor Activation during SARS-CoV-2 Infection. Microorganisms, 2021, 9, 1820.	3.6	113
18	COVID-19 Ocular Prophylaxis: The Potential Role of Ozonated-Oils in Liposome Eyedrop Gel. Translational Vision Science and Technology, 2021, 10, 7.	2.2	11

#	ARTICLE	IF	CITATIONS
19	Role of KIR Receptor in NK Regulation during Viral Infections. <i>Immuno</i> , 2021, 1, 305-331.	1.5	5
20	Increased sHLA-G Is Associated with Improved COVID-19 Outcome and Reduced Neutrophil Adhesion. <i>Viruses</i> , 2021, 13, 1855.	3.3	17
21	Relevance of VEGF and CD147 in different SARS-CoV-2 positive digestive tracts characterized by thrombotic damage. <i>FASEB Journal</i> , 2021, 35, e21969.	0.5	15
22	Transparent Polymeric Formulations Effective against SARS-CoV-2 Infection. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 54648-54655.	8.0	9
23	GlicoPro, Novel Standardized and Sterile Snail Mucus Extract for Multi-Modulative Ocular Formulations: New Perspective in Dry Eye Disease Management. <i>Pharmaceutics</i> , 2021, 13, 2139.	4.5	9
24	Soluble HLA-G pre-transplant levels to identify the risk for development of infection in heart transplant recipients. <i>Human Immunology</i> , 2020, 81, 147-150.	2.4	7
25	Plasma soluble HLA-G levels in a cohort of heart failure patients exposed to chemicals. <i>Human Immunology</i> , 2020, 81, 151-155.	2.4	1
26	Detection of serum soluble HLA-G levels in patients with acute ischemic stroke: A pilot study. <i>Human Immunology</i> , 2020, 81, 156-161.	2.4	6
27	HHV-6A Infection and Systemic Sclerosis: Clues of a Possible Association. <i>Microorganisms</i> , 2020, 8, 39.	3.6	23
28	Design of Nanosystems for the Delivery of Quorum Sensing Inhibitors: A Preliminary Study. <i>Molecules</i> , 2020, 25, 5655.	3.8	15
29	SARS-CoV-2 Spike 1 Protein Controls Natural Killer Cell Activation via the HLA-E/NKG2A Pathway. <i>Cells</i> , 2020, 9, 1975.	4.1	69
30	Androgen receptor signaling regulates the transcriptome of prostate cancer cells by modulating global alternative splicing. <i>Oncogene</i> , 2020, 39, 6172-6189.	5.9	23
31	The U94 Gene of Human Herpesvirus 6: A Narrative Review of Its Role and Potential Functions. <i>Cells</i> , 2020, 9, 2608.	4.1	13
32	Controversial role of herpesviruses in Alzheimer's disease. <i>PLoS Pathogens</i> , 2020, 16, e1008575.	4.7	26
33	The P2X7 Receptor 489C>T Gain of Function Polymorphism Favors HHV-6A Infection and Associates With Female Idiopathic Infertility. <i>Frontiers in Pharmacology</i> , 2020, 11, 96.	3.5	16
34	DNA Sensors™ Signaling in NK Cells During HHV-6A, HHV-6B and HHV-7 Infection. <i>Frontiers in Microbiology</i> , 2020, 11, 226.	3.5	9
35	HelixComplex snail mucus as a potential technology against O3 induced skin damage. <i>PLoS ONE</i> , 2020, 15, e0229613.	2.5	29
36	HHV-6A Infection of Endometrial Epithelial Cells Affects miRNA Expression and Trophoblast Cell Attachment. <i>Reproductive Sciences</i> , 2020, 27, 779-786.	2.5	13

#	ARTICLE	IF	CITATIONS
37	Expression analysis of immune-regulatory molecules HLA-G, HLA-E and IDO in endometrial cancer. Human Immunology, 2020, 81, 305-313.	2.4	14
38	Infection and Endometrial Gene Expression: HHV-6 and Infertility. , 2020, , 125-140.		0
39	Non-classical human leukocyte antigen class I in Tunisian children with autism. Central-European Journal of Immunology, 2020, 45, 176-183.	1.2	3
40	Analysis of HLA-G expression in renal tissue in lupus nephritis: a pilot study. Lupus, 2019, 28, 1091-1100.	1.6	2
41	HHV-6A infection of endometrial epithelial cells affects immune profile and trophoblast invasion. American Journal of Reproductive Immunology, 2019, 82, e13174.	1.2	21
42	KIR2DS2/KIR2DL2/HLA-C1 Haplotype Is Associated with Alzheimer's Disease: Implication for the Role of Herpesvirus Infections. Journal of Alzheimer's Disease, 2019, 67, 1379-1389.	2.6	36
43	Generalized eruptive keratoacanthoma of the Grzybowski type: some considerations on treatment and pathogenesis. International Journal of Dermatology, 2019, 58, e242-e245.	1.0	6
44	Conjugation of LasR Quorum-Sensing Inhibitors with Ciprofloxacin Decreases the Antibiotic Tolerance of <i>P. aeruginosa</i> Clinical Strains. Journal of Chemistry, 2019, 2019, 1-13.	1.9	12
45	HHV-6A infection induces amyloid-beta expression and activation of microglial cells. Alzheimer's Research and Therapy, 2019, 11, 104.	6.2	48
46	Clinicopathologic significance of HLA-G and HLA-E molecules in Tunisian patients with ovarian carcinoma. Human Immunology, 2018, 79, 463-470.	2.4	24
47	Human leukocyte antigen (HLA-F) polymorphism is associated with chronic HBV infection. 3 Biotech, 2018, 8, 49.	2.2	11
48	Increased plasmatic soluble HLA-G levels in endometrial cancer. Molecular Immunology, 2018, 99, 82-86.	2.2	20
49	Human herpesvirus 6A and 6B and NK cells. Acta Microbiologica Et Immunologica Hungarica, 2018, 65, 119-125.	0.8	6
50	HelixComplex snail mucus exhibits pro-survival, proliferative and pro-migration effects on mammalian fibroblasts. Scientific Reports, 2018, 8, 17665.	3.3	50
51	Human Herpesvirus 6A and 6B inhibit in vitro angiogenesis by induction of Human Leukocyte Antigen G. Scientific Reports, 2018, 8, 17683.	3.3	21
52	Testing a Combination of Markers of Systemic Redox Status as a Possible Tool for the Diagnosis of Late Onset Alzheimer's Disease. Disease Markers, 2018, 2018, 1-9.	1.3	8
53	Endometrium infection by human herpesvirus-6A: implication in female idiopathic infertility. Fertility and Sterility, 2018, 110, e128.	1.0	1
54	The Role of Extracellular Adenosine Generation in the Development of Autoimmune Diseases. Mediators of Inflammation, 2018, 2018, 1-10.	3.0	38

#	ARTICLE	IF	CITATIONS
55	Human Herpes simplex 1 virus infection of endometrial decidual tissue-derived MSC alters HLA-G expression and immunosuppressive functions. Human Immunology, 2018, 79, 800-808.	2.4	9
56	The use of heparin in infertility and recurrent pregnancy loss: Are its antiviral properties at play?. Medical Hypotheses, 2017, 102, 41-47.	1.5	4
57	Increased levels of soluble <sc>HLA</sc>â€G molecules in Tunisian patients with chronic hepatitis B infection. Journal of Viral Hepatitis, 2017, 24, 1016-1022.	2.0	13
58	Detection of inherited chromosomally integrated <sc>HHV</sc>â€6 (ci<sc>HHV</sc>â€6) in a marker chromosome. European Journal of Haematology, 2017, 98, 635-637.	2.2	6
59	Secretome of in vitro cultured human embryos contains extracellular vesicles that are uptaken by the maternal side. Scientific Reports, 2017, 7, 5210.	3.3	108
60	The dimeric form of HLA-G molecule is associated with the response of early rheumatoid arthritis (ERA) patients to methotrexate. Clinical Rheumatology, 2017, 36, 701-705.	2.2	4
61	HHV-6A/6B Infection of NK Cells Modulates the Expression of miRNAs and Transcription Factors Potentially Associated to Impaired NK Activity. Frontiers in Microbiology, 2017, 8, 2143.	3.5	40
62	HHV-6A Infection of Endometrial Epithelial Cells Induces Increased Endometrial NK Cell-Mediated Cytotoxicity. Frontiers in Microbiology, 2017, 8, 2525.	3.5	35
63	The Role of HLA-Class Ib Molecules in Immune-Related Diseases, Tumors, and Infections 2016. Journal of Immunology Research, 2017, 2017, 1-2.	2.2	11
64	The Interplay between Natural Killer Cells and Human Herpesvirus-6. Viruses, 2017, 9, 367.	3.3	23
65	Study of Soluble HLA-G in Congenital Human Cytomegalovirus Infection. Journal of Immunology Research, 2016, 2016, 1-9.	2.2	19
66	Recent Advances in Our Understanding of HLA-G Biology: Lessons from a Wide Spectrum of Human Diseases. Journal of Immunology Research, 2016, 2016, 1-14.	2.2	104
67	<sc>HLA</sc>â€E polymorphism and soluble <sc>HLA</sc>â€E plasma levels in chronic hepatitis B patients. Hla, 2016, 87, 153-159.	0.6	19
68	The association between functional HLA-G 14bp insertion/deletion and +3142 C>G polymorphisms and susceptibility to multiple sclerosis. Immunology Letters, 2016, 180, 24-30.	2.5	16
69	Serum IgG against Simian Virus 40 antigens are hampered by high levels of sHLA-G in patients affected by inflammatory neurological diseases, as multiple sclerosis. Journal of Translational Medicine, 2016, 14, 216.	4.4	8
70	High prevalence of specific KIR types in patients with HHV-8 positive cutaneous vascular lesions: a possible predisposing factor?. Archives of Dermatological Research, 2016, 308, 373-377.	1.9	11
71	Letter to the Editor: Antimicrobial properties of mucus from the brown garden snail<i>Helix aspersa</i>. British Journal of Biomedical Science, 2016, 73, 49-50.	1.3	18
72	sHLA-G1 and HLA-G5 levels are decreased in Tunisian women with multiple abortion. Human Immunology, 2016, 77, 342-345.	2.4	38

#	ARTICLE	IF	CITATIONS
73	Cerebrospinal fluid amounts of HLA-G in dimeric form are strongly associated to patients with MRI inactive multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 245-249.	3.0	11
74	KIR2DL2 inhibitory pathway enhances Th17 cytokine secretion by NK cells in response to herpesvirus infection in multiple sclerosis patients. Journal of Neuroimmunology, 2016, 294, 1-5.	2.3	16
75	HLA-G expression and regulation during <i>Pseudomonas aeruginosa</i> infection in cystic fibrosis patients. Future Microbiology, 2016, 11, 363-373.	2.0	8
76	Nonclassical human leukocyte antigen (HLA-G, HLA-E, and HLA-F) in coronary artery disease. Human Immunology, 2016, 77, 325-329.	2.4	15
77	Pregnancy and breastfeeding: a new theory for sHLA-G in breast cancer patients?. Immunologic Research, 2016, 64, 636-639.	2.9	6
78	Presence of HHV-6A in Endometrial Epithelial Cells from Women with Primary Unexplained Infertility. PLoS ONE, 2016, 11, e0158304.	2.5	65
79	Epstein-Barr Virus Specific Antibody Response in Multiple Sclerosis Patients during 21 Months of Natalizumab Treatment. Disease Markers, 2015, 2015, 1-5.	1.3	13
80	Increase in Peripheral CD3 ⁺ CD56 ^{bright} CD16 ⁺ Natural Killer Cells in Hashimoto's Thyroiditis Associated with HHV-6 Infection. Advances in Experimental Medicine and Biology, 2015, 897, 113-120.	1.6	18
81	Association of an HLA-G 14bp Insertion/Deletion polymorphism with high HBV replication in chronic hepatitis. Journal of Viral Hepatitis, 2015, 22, 835-841.	2.0	27
82	Association between sHLA-G and HLA-G 14-bp deletion/insertion polymorphism in Crohn's disease. International Immunology, 2015, 27, 289-296.	4.0	27
83	HLA-G expression levels influence the tolerogenic activity of human DC-10. Haematologica, 2015, 100, 548-557.	3.5	69
84	Impact of Soluble HLA-G Levels and Endometrial NK Cells in Uterine Flushing Samples from Primary and Secondary Unexplained Infertile Women. International Journal of Molecular Sciences, 2015, 16, 5510-5516.	4.1	23
85	<i>Pseudomonas aeruginosa</i> Quorum Sensing Molecule N -(3-Oxododecanoyl)- L -Homoserine-Lactone Induces HLA-G Expression in Human Immune Cells. Infection and Immunity, 2015, 83, 3918-3925.	2.2	20
86	Design, synthesis and evaluation of semi-synthetic triazole-containing caffeic acid analogues as 5-lipoxygenase inhibitors. European Journal of Medicinal Chemistry, 2015, 101, 573-583.	5.5	30
87	Fetal cell microchimerism: a protective role in autoimmune thyroid diseases. European Journal of Endocrinology, 2015, 173, 111-118.	3.7	16
88	Role of HLA-G as a Predictive Marker of Low Risk of Chronic Rejection in Lung Transplant Recipients: A Clinical Prospective Study. American Journal of Transplantation, 2015, 15, 461-471.	4.7	56
89	Analysis of IL-10 gene sequence in patients with sinonasal polyposis. International Journal of Immunopathology and Pharmacology, 2015, 28, 434-439.	2.1	7
90	Acute human herpesvirus-6A infection of human mesothelial cells modulates HLA molecules. Archives of Virology, 2015, 160, 2141-2149.	2.1	19

#	ARTICLE	IF	CITATIONS
91	New diagnostics and methods of assessing pregnant women at risk of cytomegalovirus. Microbiology Australia, 2015, 36, 167.	0.4	0
92	Impact of HLA-G analysis in prevention, diagnosis and treatment of pathological conditions. World Journal of Methodology, 2014, 4, 11.	3.5	15
93	Epstein-Barr virus-specific intrathecal oligoclonal IgG production in relapsing-remitting multiple sclerosis is limited to a subset of patients and is composed of low-affinity antibodies. Journal of Neuroinflammation, 2014, 11, 188.	7.2	33
94	HLA-G Molecules in Autoimmune Diseases and Infections. Frontiers in Immunology, 2014, 5, 592.	4.8	99
95	Possible protective role of the 489C>T P2X7R polymorphism in Alzheimer's disease. Experimental Gerontology, 2014, 60, 117-119.	2.8	40
96	Infection and HLA-G Molecules in Nasal Polyposis. Journal of Immunology Research, 2014, 2014, 1-8.	2.2	12
97	Some Basic Aspects of HLA-G Biology. Journal of Immunology Research, 2014, 2014, 1-10.	2.2	79
98	The Role of HLA-Class Ib Molecules in Immune-Related Diseases, Tumors, and Infections. Journal of Immunology Research, 2014, 2014, 1-2.	2.2	4
99	Evaluation of the implication of KIR2DL2 receptor in multiple sclerosis and herpesvirus susceptibility. Journal of Neuroimmunology, 2014, 271, 30-35.	2.3	15
100	High prevalence of HHV8 infection and specific killer cell immunoglobulin-like receptors allotypes in Sardinian patients with type 2 diabetes mellitus. Journal of Medical Virology, 2014, 86, 1745-1751.	5.0	27
101	Implication of <i>HLA-C</i> and <i>KIR</i> Alleles in Human Papillomavirus Infection and Associated Cervical Lesions. Viral Immunology, 2014, 27, 468-470.	1.3	14
102	Implication of <scp>HLA</scp>â€² untranslated region polymorphisms in human papillomavirus infection. Tissue Antigens, 2014, 83, 113-118.	1.0	31
103	HLA-G 14-bp polymorphism: a possible marker of systemic treatment response in psoriasis vulgaris? Preliminary results of a retrospective study. Dermatologic Therapy, 2014, 27, 284-289.	1.7	14
104	HLA-G is a component of the chronic lymphocytic leukemia escape repertoire to generate immune suppression: impact of the HLA-G 14 base pair (rs66554220) polymorphism. Haematologica, 2014, 99, 888-896.	3.5	43
105	Intrathecal Soluble HLA-E Correlates with Disease Activity in Patients with Multiple Sclerosis and may Cooperate with Soluble HLA-G in the Resolution of Neuroinflammation. Journal of Neuroimmune Pharmacology, 2013, 8, 944-955.	4.1	29
106	Focus on the importance of soluble human leukocyte antigen G as a marker for embryo selection in assisted reproductive technology. Fertility and Sterility, 2013, 100, e43.	1.0	1
107	HLA-G may predict the disease course in patients with early rheumatoid arthritis. Human Immunology, 2013, 74, 425-432.	2.4	47
108	Matrix metalloproteinase-2 (MMP-2) generates soluble HLA-G1 by cell surface proteolytic shedding. Molecular and Cellular Biochemistry, 2013, 381, 243-255.	3.1	73

#	ARTICLE	IF	CITATIONS
109	Programmable Interactions of Functionalized Single Bioparticles in a Dielectrophoresis-Based Microarray Chip. <i>Analytical Chemistry</i> , 2013, 85, 8219-8224.	6.5	37
110	Can HLA-G predict disease course in rheumatoid arthritis patients?. <i>International Journal of Clinical Rheumatology</i> , 2013, 8, 627-638.	0.3	1
111	ABO015â€¦HLA-G may predict the disease course in patients with early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 638.2-638.	0.9	0
112	Multipotent stromal cells skew monocytes towards an anti-inflammatory function: a role for HLA-G molecules. <i>Haematologica</i> , 2013, 98, e114-e114.	3.5	3
113	Immunosuppressive Properties of HLA-G Molecules Produced by Mesenchymal Stromal Cells. <i>Journal of Transplantation Technologies & Research</i> , 2013, 03, .	0.1	3
114	Virologic and Immunologic Evidence Supporting an Association between HHV-6 and Hashimoto's Thyroiditis. <i>PLoS Pathogens</i> , 2012, 8, e1002951.	4.7	121
115	New Insights into HLA-G and Inflammatory Diseases. <i>Inflammation and Allergy: Drug Targets</i> , 2012, 11, 448-463.	1.8	34
116	Role of HLA-G 14bp deletion/insertion and +3142C>G polymorphisms in the production of sHLA-G molecules in relapsing-remitting multiple sclerosis. <i>Human Immunology</i> , 2012, 73, 1140-1146.	2.4	51
117	Umbilical cord blood CD34+cellâ€œderived progeny produces human leukocyte antigenâ€œG molecules with immuno-modulatory functions. <i>Human Immunology</i> , 2012, 73, 150-155.	2.4	11
118	Immunosuppressive Properties of Mesenchymal Stromal Cells. , 2012, , 281-301.		2
119	Altered natural killer cells' response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression. <i>Journal of Neuroimmunology</i> , 2012, 251, 55-64.	2.3	45
120	An accurate and reliable real time <scp>SNP</scp> genotyping assay forÂthe <scp>HLA</scp>â€œG +3142 bp C>G polymorphism. <i>Tissue Antigens</i> , 2012, 80, 259-262.	1.0	14
121	A simple method for identifying bone marrow mesenchymal stromal cells with a high immunosuppressive potential. <i>Cytotherapy</i> , 2011, 13, 523-527.	0.7	28
122	The importance of HLA-G expression in embryos, trophoblast cells, and embryonic stem cells. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 341-352.	5.4	84
123	Therapy modifies HLA-G secretion differently in Crohn's disease and ulcerative colitis patients. <i>Inflammatory Bowel Diseases</i> , 2011, 17, E94-E95.	1.9	11
124	Association of CYP1B1 with hypersensitivity induced by Taxane therapy in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2010, 124, 593-598.	2.5	60
125	Soluble Human Leukocyte Antigen-G Expression and Glucose Tolerance in Subjects with Different Degrees of Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3342-3346.	3.6	25
126	Human leukocyte antigen-G molecules are constitutively expressed by synovial fibroblasts and upmodulated in osteoarthritis. <i>Human Immunology</i> , 2010, 71, 342-350.	2.4	17

#	ARTICLE	IF	CITATIONS
127	Comment on "Experimental Extracorporeal Photopheresis Inhibits the Sensitization and Effector Phases of Contact Hypersensitivity via Two Mechanisms: Generation of IL-10 and Induction of Regulatory T Cells". Journal of Immunology, 2009, 182, 4497-4497.	0.8	0
128	Extracellular ATP Acting at the P2X7 Receptor Inhibits Secretion of Soluble HLA-G from Human Monocytes. Journal of Immunology, 2009, 183, 4302-4311.	0.8	34
129	A decreased positivity for CD90 on human mesenchymal stromal cells (MSCs) is associated with a loss of immunosuppressive activity by MSCs. Cytometry Part B - Clinical Cytometry, 2009, 76B, 225-230.	1.5	88
130	ORIGINAL ARTICLE: Allergic Women have Reduced sHLA-G Plasma Levels at Delivery. American Journal of Reproductive Immunology, 2009, 61, 368-376.	1.2	16
131	Reduced production of anti-inflammatory soluble HLA-G molecules in styrene exposed workers. Environmental Toxicology and Pharmacology, 2009, 27, 303-305.	4.0	1
132	Potential role of soluble human leukocyte antigen-G molecules in multiple sclerosis. Human Immunology, 2009, 70, 981-987.	2.4	17
133	Possible role of human leukocyte antigen-G molecules in human oocyte/embryo secretome. Human Immunology, 2009, 70, 970-975.	2.4	12
134	HLA-G molecules in pregnancy and their possible role in assisted reproductive technology. Expert Review of Obstetrics and Gynecology, 2009, 4, 455-470.	0.4	2
135	ORIGINAL ARTICLE: Soluble Human Leukocyte Antigen-G Isoforms in Maternal Plasma in Early and Late Pregnancy. American Journal of Reproductive Immunology, 2009, 62, 320-338.	1.2	109
136	Production of sHLA-G molecules by in vitro matured cumulus-oocyte complex. International Journal of Molecular Medicine, 2009, 24, 523-30.	4.0	18
137	Soluble human leukocyte antigen-G and interleukin-10 levels in plasma of psoriatic patients: preliminary study on a possible correlation between generalized immune status, treatments and disease. Archives of Dermatological Research, 2008, 300, 551-559.	1.9	42
138	Different production of soluble HLA-G antigens by peripheral blood mononuclear cells in ulcerative colitis and Crohn's disease: A noninvasive diagnostic tool?. Inflammatory Bowel Diseases, 2008, 14, 100-105.	1.9	36
139	HLA-G genotype and HLA-G expression in systemic lupus erythematosus: HLA-G as a putative susceptibility gene in systemic lupus erythematosus. Tissue Antigens, 2008, 71, 520-529.	1.0	118
140	A functional role for soluble HLA-G antigens in immune modulation mediated by mesenchymal stromal cells. Cytotherapy, 2008, 10, 364-375.	0.7	66
141	CSF levels of soluble HLA-G and Fas molecules are inversely associated to MRI evidence of disease activity in patients with relapsing-remitting multiple sclerosis. Multiple Sclerosis Journal, 2008, 14, 446-454.	3.0	38
142	HLA-G and Inflammatory Diseases. Inflammation and Allergy: Drug Targets, 2008, 7, 67-74.	1.8	62
143	Decreased Production of Human Leukocyte Antigen G Molecules in Sinonasal Polyposis. American Journal of Rhinology & Allergy, 2008, 22, 468-473.	2.2	7
144	Release of sICAM-1 in Oocytes and In Vitro Fertilized Human Embryos. PLoS ONE, 2008, 3, e3970.	2.5	15

#	ARTICLE	IF	CITATIONS
145	In rheumatoid arthritis, a polymorphism in the HLA-G gene concurs in the clinical response to methotrexate treatment. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1125-1126.	0.9	12
146	HLA-G Expression is a Fundamental Prerequisite to Pregnancy. <i>Human Immunology</i> , 2007, 68, 244-250.	2.4	53
147	Soluble HLA-G molecules are released as HLA-G5 and not as soluble HLA-G1 isoforms in CSF of patients with relapsingâ€“remitting Multiple Sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 192, 219-225.	2.3	35
148	Soluble HLA-G molecules in follicular fluid: A tool for oocyte selection in IVF?. <i>Journal of Reproductive Immunology</i> , 2007, 74, 133-142.	1.9	44
149	Intrathecal synthesis of soluble HLA-G and HLA-I molecules are reciprocally associated to clinical and MRI activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 2-12.	3.0	51
150	Polymorphism in the 5â€™ Upstream Regulatory and 3â€™ Untranslated Regions of the HLA-G Gene in Relation to Soluble HLA-G and IL-10 Expression. <i>Human Immunology</i> , 2006, 67, 53-62.	2.4	115
151	HLA-G 14-bp polymorphism regulates the methotrexate response in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 615-623.	1.5	73
152	Increased production of soluble HLA-G molecules in stimulated peripheral blood mononuclear cells following extracorporeal photopheresis: Is it a mechanism involved in the therapeutic effect of the procedure?. <i>Journal of Clinical Apheresis</i> , 2005, 20, 222-224.	1.3	6
153	The HLA-G genotype is associated with IL-10 levels in activated PBMCs. <i>Immunogenetics</i> , 2005, 57, 172-181.	2.4	83
154	Lack of Histocompatibility Leukocyte Antigen-G expression in early embryos is not related to germinal defects or impairment of interleukin-10 production by embryos. <i>Gynecological Endocrinology</i> , 2005, 20, 264-269.	1.7	25
155	Embryonic soluble HLA-G as a marker of developmental potential in embryos. <i>Human Reproduction</i> , 2005, 20, 138-146.	0.9	157
156	Defective production of soluble HLA-G molecules by peripheral blood monocytes in patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 508-513.	2.9	65
157	HLA-G and IL-10 in serum in relation to HLA-G genotype and polymorphisms. <i>Immunogenetics</i> , 2004, 56, 135-41.	2.4	166
158	Presence of detectable levels of soluble HLA-G molecules in CSF of relapsingâ€“remitting multiple sclerosis: relationship with CSF soluble HLA-I and IL-10 concentrations and MRI findings. <i>Journal of Neuroimmunology</i> , 2003, 142, 149-158.	2.3	79
159	HLA-G expression in early embryos is a fundamental prerequisite for the obtainment of pregnancy. <i>European Journal of Immunology</i> , 2002, 32, 311-315.	2.9	288
160	Investigating Serum sHLA-G Cooperation With MRI Activity and Disease-Modifying Treatment Outcome in Relapsing-Remitting Multiple Sclerosis. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	1