

Li Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2159297/publications.pdf>

Version: 2024-02-01

56
papers

521
citations

759055

12
h-index

794469

19
g-index

63
all docs

63
docs citations

63
times ranked

584
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunogenicity of fractional-dose of inactivated poliomyelitis vaccine made from Sabin strains delivered by intradermal vaccination in Wistar rats. <i>Biologicals</i> , 2022, 75, 3-11.	0.5	1
2	The Association of TNF- β Promoter Polymorphisms with Genetic Susceptibility to Cervical Cancer in a Chinese Han Population. <i>International Journal of General Medicine</i> , 2022, Volume 15, 417-427.	0.8	3
3	Association of HLA-DM and HLA class II genes with antibody response induced by inactivated Japanese encephalitis vaccine. <i>Hla</i> , 2022, 99, 357-367.	0.4	2
4	Immunogenicity of a Candidate DTacP-sIPV Combined Vaccine and Its Protection Efficacy against Pertussis in a Rhesus Macaque Model. <i>Vaccines</i> , 2022, 10, 47.	2.1	0
5	Intranasal Immunization With a c-di-GMP-Adjuvanted Acellular Pertussis Vaccine Provides Superior Immunity Against <i>Bordetella pertussis</i> in a Mouse Model. <i>Frontiers in Immunology</i> , 2022, 13, 878832.	2.2	7
6	The Polymorphism and Expression of EGFL7 and miR-126 Are Associated With NSCLC Susceptibility. <i>Frontiers in Oncology</i> , 2022, 12, 772405.	1.3	4
7	Genetic Polymorphisms in microRNA Genes Targeting PI3K/Akt Signal Pathway Modulate Cervical Cancer Susceptibility in a Chinese Population. <i>Frontiers in Genetics</i> , 2022, 13, 856505.	1.1	4
8	Association study of TAP and HLA-E gene combination with chronic hepatitis C virus infection in a Han population in China. <i>International Journal of Immunogenetics</i> , 2022, 49, 169-180.	0.8	1
9	COVID-19 coronavirus vaccine T cell epitope prediction analysis based on distributions of HLA class I loci (HLA-A, -B, -C) across global populations. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 1097-1108.	1.4	16
10	Two modified Zagreb indices for random structures. <i>Main Group Metal Chemistry</i> , 2021, 44, 150-156.	0.6	4
11	Post hoc analysis of two clinical trials to compare the immunogenicity and safety of different polio immunization schedules in Chinese infants. <i>Annals of Translational Medicine</i> , 2021, 9, 253-253.	0.7	8
12	Immunogenicity and safety of the inactivated poliomyelitis vaccine made from Sabin strains in a phase IV clinical trial for the vaccination of a large population. <i>Vaccine</i> , 2021, 39, 1463-1471.	1.7	12
13	Infant rhesus macaques as a non-human primate model of <i>Bordetella pertussis</i> infection. <i>BMC Infectious Diseases</i> , 2021, 21, 407.	1.3	7
14	Polymorphisms in transporter associated with antigen presenting are associated with cervical intraepithelial neoplasia and cervical cancer in a Chinese Han population. <i>Hla</i> , 2021, 98, 23-36.	0.4	6
15	HLA-A*11:396, HLA-B*55:112, and HLA-DQA1*01:01:08 identified in individuals from Zhuang population of China. <i>Hla</i> , 2021, 98, 148-150.	0.4	3
16	Haplotypic Associations and Differentiation of MHC Class II Polymorphic Alu Insertions at Five Loci With HLA-DRB1 Alleles in 12 Minority Ethnic Populations in China. <i>Frontiers in Genetics</i> , 2021, 12, 636236.	1.1	7
17	The progress of postapproval clinical studies on Sabin IPV. <i>Human Vaccines and Immunotherapeutics</i> , 2021, , 1-4.	1.4	0
18	The association of TAP polymorphisms with non-small-cell lung cancer in the Han Chinese population. <i>Human Immunology</i> , 2021, 82, 917-922.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Identification of <i>HLA*55:117N</i> in an individual from <i>Zhuang</i> population of <i>China</i>. Hla, 2021, 98, 480-481.	0.4	3
20	Association study of relationships of polymorphisms in the miR-21, miR-26b, miR-221/222 and miR-126 genes with cervical intraepithelial neoplasia and cervical cancer. BMC Cancer, 2021, 21, 997.	1.1	5
21	Dose-Sparing Intradermal DTaP-sIPV Immunization With a Hollow Microneedle Leads to Superior Immune Responses. Frontiers in Microbiology, 2021, 12, 757375.	1.5	5
22	Topological indices computing on random chain structures. International Journal of Quantum Chemistry, 2021, 121, .	1.0	4
23	A two-adjuvant multiantigen candidate vaccine induces superior protective immune responses against SARS-CoV-2 challenge. Cell Reports, 2021, 37, 110112.	2.9	22
24	<i>HLA*11:01:01:16</i>, <i>*15:548</i>, <i>DPA1*02:02:02:06Q</i>, <i>DPA1*02:02:08</i>, and <i>*DPA1*02:25</i>, identified in Chinese Mongolians. Hla, 2020, 95, 45-47.	0.4	4
25	Genetic polymorphisms of proteasome subunit genes of the MHC-I antigen-presenting system are associated with cervical cancer in a Chinese Han population. Human Immunology, 2020, 81, 445-451.	1.2	11
26	Polymorphisms in ERAP1 and ERAP2 Genes Are Associated With Tuberculosis in the Han Chinese. Frontiers in Genetics, 2020, 11, 566190.	1.1	4
27	Study of the association of seventeen single nucleotide polymorphisms and their haplotypes in the <i>TNF- α </i>, IL-2, IL-4</i> and <i>IL-10</i> genes with the antibody response to inactivated Japanese encephalitis vaccine. Human Vaccines and Immunotherapeutics, 2020, 16, 2449-2455.	1.4	11
28	Potency of the Sabin inactivated poliovirus vaccine (sIPV) after exposure to freezing temperatures in cold chains. Human Vaccines and Immunotherapeutics, 2020, 16, 1866-1874.	1.4	3
29	<i>HLA*38:165N</i> and <i>HLA*51:309</i> alleles identified in two Chinese cervical intraepithelial neoplasia patients. Hla, 2020, 96, 96-97.	0.4	2
30	Four new HLA alleles, <i>HLA*02:912</i>, <i>*15:557</i>, <i>*15:558</i>, and <i>*40:97</i>, identified in the Chinese Han population. Hla, 2020, 96, 87-89.	0.4	2
31	Distribution of HLA-A, HLA-B, HLA-C, and HLA-DRB1 alleles and haplotypes in Jingpo minority in Yunnan province of China. Human Immunology, 2020, 81, 267-268.	1.2	3
32	Polymorphisms in endoplasmic reticulum aminopeptidase genes are associated with cervical cancer risk in a Chinese Han population. BMC Cancer, 2020, 20, 341.	1.1	10
33	Association of Human Papillomavirus Type 16 Long Control Region Variations with Cervical Cancer in a Han Chinese Population. International Journal of Medical Sciences, 2020, 17, 931-938.	1.1	4
34	CCR5 Promoter Polymorphisms Associated With Pulmonary Tuberculosis in a Chinese Han Population. Frontiers in Immunology, 2020, 11, 544548.	2.2	7
35	Human Papillomavirus Type 16 E1 Mutations Associated with Cervical Cancer in a Han Chinese Population. International Journal of Medical Sciences, 2019, 16, 1042-1049.	1.1	5
36	Distribution of Killer-Cell Immunoglobulin-Like Receptor Genes and Combinations of Their Human Leucocyte Antigen Ligands in 11 Ethnic Populations in China. Cells, 2019, 8, 711.	1.8	8

#	ARTICLE	IF	CITATIONS
37	Polymorphisms in miRNA genes play roles in the initiation and development of cervical cancer. <i>Journal of Cancer</i> , 2019, 10, 4747-4753.	1.2	14
38	Distribution of HLA-DRB1, DPB1 and DQB1 alleles and haplotypes in Mongolian Minority in China. <i>Human Immunology</i> , 2019, 80, 215-217.	1.2	2
39	Polymorphisms in the CCR5 promoter associated with cervical intraepithelial neoplasia in a Chinese Han population. <i>BMC Cancer</i> , 2019, 19, 525.	1.1	3
40	Human papillomavirus type 16 E6 and E7 gene variations associated with cervical cancer in a Han Chinese population. <i>Infection, Genetics and Evolution</i> , 2019, 73, 13-20.	1.0	17
41	HLA Class II Genes HLA-DRB1, HLA-DPB1, and HLA-DQB1 Are Associated With the Antibody Response to Inactivated Japanese Encephalitis Vaccine. <i>Frontiers in Immunology</i> , 2019, 10, 428.	2.2	13
42	Human leucocyte antigen but not KIR alleles and haplotypes associated with chronic HCV infection in a Chinese Han population. <i>International Journal of Immunogenetics</i> , 2019, 46, 263-273.	0.8	3
43	Influence of ERAP1 and ERAP2 gene polymorphisms on disease susceptibility in different populations. <i>Human Immunology</i> , 2019, 80, 325-334.	1.2	42
44	Evaluation of the genetic stability of Sabin strains and the consistency of inactivated poliomyelitis vaccine made from Sabin strains using direct deep-sequencing. <i>Vaccine</i> , 2019, 37, 130-136.	1.7	5
45	The association of human papillomavirus type 16 E2 variations with cervical cancer in a Han Chinese population. <i>Infection, Genetics and Evolution</i> , 2018, 64, 241-248.	1.0	7
46	Assessment of HCV genotypes in Yunnan Province of Southwest China. <i>Virus Genes</i> , 2017, 53, 190-196.	0.7	13
47	The ERAP gene is associated with HCV chronic infection in a Chinese Han population. <i>Human Immunology</i> , 2017, 78, 731-738.	1.2	18
48	Immune Serum From Sabin Inactivated Poliovirus Vaccine Immunization Neutralizes Multiple Individual Wild and Vaccine-Derived Polioviruses. <i>Clinical Infectious Diseases</i> , 2017, 64, 1317-1325.	2.9	22
49	Prevalence of HPV infection among 28,457 Chinese women in Yunnan Province, southwest China. <i>Scientific Reports</i> , 2016, 6, 21039.	1.6	53
50	Single Nucleotide Polymorphisms of the ERAP1 Gene and Risk of NSCLC: A Comparison of Genetically Distant Populations, Chinese and Caucasian. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2016, 64, 117-122.	1.0	20
51	Distribution of HLA-A, -B, and -C Alleles and HLA/KIR Combinations in Han Population in China. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.	0.9	14
52	Dynamic profiles of neutralizing antibody responses elicited in rhesus monkeys immunized with a combined tetravalent DTaP-Sabin IPV candidate vaccine. <i>Vaccine</i> , 2014, 32, 1100-1106.	1.7	13
53	Association and differentiation of MHC class I and II polymorphic Alu insertions and HLA-A, -B, -C and -DRB1 alleles in the Chinese Han population. <i>Molecular Genetics and Genomics</i> , 2014, 289, 93-101.	1.0	11
54	HLA polymorphism of the Zhuang population reflects the common HLA characteristics among Zhuang-Dong language-speaking populations. <i>Journal of Zhejiang University: Science B</i> , 2011, 12, 428-435.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Diversity of killer cell immunoglobulin-like receptor genes in four ethnic groups in China. Immunogenetics, 2011, 63, 475-483.	1.2	15
56	Distribution of HLA alleles and haplotypes in Jinuo and Wa populations in Southwest China. Human Immunology, 2008, 69, 58-65.	1.2	26