

Sanja A Mijatovic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2159819/sanja-a-mijatovic-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

3,301
citations

28
h-index

56
g-index

95
ext. papers

3,684
ext. citations

4.7
avg, IF

4.56
L-index

#	Paper	IF	Citations
85	Mesenchymal Stem Cells From Mouse Hair Follicles Reduce Hypertrophic Scarring in a Murine Wound Healing Model.. <i>Stem Cell Reviews and Reports</i> , 2022 , 1	7.3	1
84	Antitumor potential of cisplatin loaded into SBA-15 mesoporous silica nanoparticles against B16F1 melanoma cells: in vitro and in vivo studies. <i>Journal of Inorganic Biochemistry</i> , 2021 , 217, 111383	4.2	3
83	Development of genistein-loaded gold nanoparticles and their antitumor potential against prostate cancer cell lines. <i>Materials Science and Engineering C</i> , 2021 , 124, 112078	8.3	7
82	Ruthenacarborane and Quinoline: A Promising Combination for the Treatment of Brain Tumors. <i>Molecules</i> , 2021 , 26,	4.8	3
81	The Middle Part of the Plucked Hair Follicle Outer Root Sheath Is Identified as an Area Rich in Lineage-Specific Stem Cell Markers. <i>Biomolecules</i> , 2021 , 11,	5.9	5
80	The Double-Faced Role of Nitric Oxide and Reactive Oxygen Species in Solid Tumors. <i>Antioxidants</i> , 2020 , 9,	7.1	31
79	Carboranyl Derivatives of Rofecoxib with Cytostatic Activity against Human Melanoma and Colon Cancer Cells. <i>Scientific Reports</i> , 2020 , 10, 4827	4.9	8
78	Synthetic Tubulysin Derivative, Tubugi-1, Against Invasive Melanoma Cells: The Cell Death Triangle. <i>Anticancer Research</i> , 2019 , 39, 5403-5415	2.3	1
77	Carboranyl Analogues of Ketoprofen with Cytostatic Activity against Human Melanoma and Colon Cancer Cell Lines. <i>ACS Omega</i> , 2019 , 4, 8824-8833	3.9	2
76	The synthetic tubulysin derivative, tubugi-1, improves the innate immune response by macrophage polarization in addition to its direct cytotoxic effects in a murine melanoma model. <i>Experimental Cell Research</i> , 2019 , 380, 159-170	4.2	3
75	Senescence as a main mechanism of Ritonavir and Ritonavir-NO action against melanoma. <i>Molecular Carcinogenesis</i> , 2019 , 58, 1362-1375	5	11
74	The hop-derived prenylflavonoid isoxanthohumol inhibits the formation of lung metastasis in B16-F10 murine melanoma model. <i>Food and Chemical Toxicology</i> , 2019 , 129, 257-268	4.7	11
73	Impact of the mesoporous silica SBA-15 functionalization on the mode of action of PhSn(CH)OH. <i>Materials Science and Engineering C</i> , 2019 , 100, 315-322	8.3	8
72	Lopinavir-NO, a nitric oxide-releasing HIV protease inhibitor, suppresses the growth of melanoma cells in vitro and in vivo. <i>Investigational New Drugs</i> , 2019 , 37, 1014-1028	4.3	35
71	Quinoline-Conjugated Ruthenacarboranes: Toward Hybrid Drugs with a Dual Mode of Action. <i>ChemMedChem</i> , 2019 , 14, 2061-2074	3.7	9
70	2,2RBipyridine-Modified Tamoxifen: A Versatile Vector for Molybdacarboranes. <i>ChemMedChem</i> , 2019 , 14, 2075-2083	3.7	10
69	Prostate cancer metastasis and soy isoflavones: a dogfight over a bone. <i>EXCLI Journal</i> , 2019 , 18, 106-126.	2.4	4

68	The interaction between SBA-15 derivative loaded with PhSn(CH)OH and human melanoma A375 cell line: uptake and stem phenotype loss. <i>Journal of Biological Inorganic Chemistry</i> , 2019 , 24, 223-234	3.7	15
67	Carboranyl Analogues of Celecoxib with Potent Cytostatic Activity against Human Melanoma and Colon Cancer Cell Lines. <i>ChemMedChem</i> , 2019 , 14, 315-321	3.7	12
66	Carborane-Based Analogues of 5-Lipoxygenase Inhibitors Co-inhibit Heat Shock Protein 90 in HCT116 Cells. <i>ChemMedChem</i> , 2019 , 14, 255-261	3.7	6
65	Naturally occurring compounds in differentiation based therapy of cancer. <i>Biotechnology Advances</i> , 2018 , 36, 1622-1632	17.8	18
64	Delivery of [Ru(η -cymene)Cl{PhP(CH)SPh-B}] using unfunctionalized and mercapto functionalized SBA-15 mesoporous silica: Preparation, characterization and in vitro study. <i>Journal of Inorganic Biochemistry</i> , 2018 , 180, 155-162	4.2	9
63	Drug Delivery System for Emodin Based on Mesoporous Silica SBA-15. <i>Nanomaterials</i> , 2018 , 8,	5.4	20
62	Aloe emodin: From antitumor pro-tumor action. <i>Hrana / Ishrana</i> , 2018 , 59, 59-67	0.1	1
61	Anticancer and Differentiation Properties of the Nitric Oxide Derivative of Lopinavir in Human Glioblastoma Cells. <i>Molecules</i> , 2018 , 23,	4.8	32
60	CarbORev-5901: The First Carborane-Based Inhibitor of the 5-Lipoxygenase Pathway. <i>ChemMedChem</i> , 2017 , 12, 1081-1086	3.7	9
59	(18-Crown-6)potassium(I) Trichlorido[28-acetyl-3-(tris-(hydroxylmethyl)amino-ethane)betulinic ester- κ]platinum(II): Synthesis and In Vitro Antitumor Activity. <i>Inorganics</i> , 2017 , 5, 56	2.9	2
58	Antiproliferative activity of (η -arene)ruthenacarborane sandwich complexes against HCT116 and MCF7 cell lines. <i>Dalton Transactions</i> , 2017 , 46, 12067-12080	4.3	14
57	HIV-protease inhibitors for the treatment of cancer: Repositioning HIV protease inhibitors while developing more potent NO-hybridized derivatives?. <i>International Journal of Cancer</i> , 2017 , 140, 1713-1725	7.5	53
56	Alpha-1-Antitrypsin Antagonizes Cisplatin-Induced Cytotoxicity in Prostate Cancer (PC3) and Melanoma Cancer (A375) Cell Lines. <i>Pathology and Oncology Research</i> , 2017 , 23, 335-343	2.6	4
55	Ti-SLActive and TiZr-SLActive Dental Implant Surfaces Promote Fast Osteoblast Differentiation. <i>Coatings</i> , 2017 , 7, 102	2.9	7
54	Evaluation of functionalized mesoporous silica SBA-15 as a carrier system for PhSn(CH)OH against the A2780 ovarian carcinoma cell line. <i>Dalton Transactions</i> , 2016 , 45, 18984-18993	4.3	24
53	Versatile antitumor potential of isoxanthohumol: Enhancement of paclitaxel activity in vivo. <i>Pharmacological Research</i> , 2016 , 105, 62-73	10.2	43
52	Antiproliferative activity of ruthenium(II) arene complexes with mono- and bidentate pyridine-based ligands. <i>Dalton Transactions</i> , 2016 , 45, 13114-25	4.3	28
51	The NO-modified HIV protease inhibitor as a valuable drug for hematological malignancies: Role of p70S6K. <i>Leukemia Research</i> , 2015 , 39, 1088-95	2.7	24

50	Improved in vitro antitumor potential of (O,ORDiisobutyl-ethylenediamine-N,NRdi-3-propionate)tetrachloridoplatinum(IV) complex under normoxic and hypoxic conditions. <i>European Journal of Pharmacology</i> , 2015 , 760, 136-44	5.3	7
49	Ruthenium(II) p-cymene complex bearing 2,2Rdipyridylamine targets caspase 3 deficient MCF-7 breast cancer cells without disruption of antitumor immune response. <i>Journal of Inorganic Biochemistry</i> , 2015 , 153, 315-321	4.2	23
48	Binuclear dichlorido(β-p-cymene)ruthenium(II) complexes with bis(nicotinate)- and bis(isonicotinate)-polyethylene glycol ester ligands. <i>Applied Organometallic Chemistry</i> , 2015 , 29, 20-25	3.1	6
47	Extracellular iron diminishes anticancer effects of vitamin C: an in vitro study. <i>Scientific Reports</i> , 2014 , 4, 5955	4.9	40
46	Synthesis, X-ray structure and strong in vitro cytotoxicity of novel organoruthenium complexes. <i>Journal of Organometallic Chemistry</i> , 2014 , 749, 142-149	2.3	7
45	Study of the anticancer properties of methyl- and phenyl-substituted carbon- and silicon-bridged ansa-titanocene complexes. <i>Journal of Organometallic Chemistry</i> , 2014 , 751, 361-367	2.3	6
44	Undecylprodigiosin conjugated monodisperse gold nanoparticles efficiently cause apoptosis in colon cancer cells in vitro. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 3271-3281	7.3	7
43	Alkenyl-substituted titanocene dichloride complexes: Stability studies, binding and cytotoxicity. <i>Journal of Organometallic Chemistry</i> , 2014 , 769, 46-57	2.3	5
42	Anticancer potential of (pentamethylcyclopentadienyl)chloridoiridium(III) complexes bearing β and β,β-coordinated Ph ₂ PCH ₂ CH ₂ CH ₂ S(O) _x Ph (x=0-2) ligands. <i>ChemMedChem</i> , 2014 , 9, 1586-93	3.7	6
41	Deregulation of the EGFR/PI3K/PTEN/Akt/mTORC1 pathway in breast cancer: possibilities for therapeutic intervention. <i>Oncotarget</i> , 2014 , 5, 4603-50	3.3	179
40	A Key Role of Autophagy in Osteoblast Differentiation on Titanium-Based Dental Implants. <i>Cells Tissues Organs</i> , 2014 , 200, 265-77	2.1	26
39	Organozinn(IV)-beladenes mesoporöses SiO ₂ als biokompatible Strategie bei der Krebstherapie. <i>Angewandte Chemie</i> , 2014 , 126, 6092-6097	3.6	1
38	Organotin(IV)-loaded mesoporous silica as a biocompatible strategy in cancer treatment. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 5982-7	16.4	67
37	Membrane fluidity, invasiveness and dynamic phenotype of metastatic prostate cancer cells after treatment with soy isoflavones. <i>Journal of Membrane Biology</i> , 2013 , 246, 307-14	2.3	16
36	Apotransferrin inhibits interleukin-2 expression and protects mice from experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2013 , 262, 72-8	3.5	7
35	Biological activity of neutral and cationic iridium(III) complexes with β and β,β coordinated PhβCHβ(O) _x Ph (x = 0-2) ligands. <i>European Journal of Medicinal Chemistry</i> , 2013 , 69, 216-22	6.8	16
34	Saquinavir-NO inhibits S6 kinase activity, impairs secretion of the encephalytogenic cytokines interleukin-17 and interferon-gamma and ameliorates experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2013 , 259, 55-65	3.5	9
33	No-Modified Saquinavir is Equally Efficient Against Doxorubicin Sensitive and Resistant Non-Small Cell Lung Carcinoma Cells / MODIFIKOVANA KOVANA FORMA SAKVINAVIRA EFIKASNO SU PRIMI RA RAST ĀLIJA NESITNOĀLIJSKOG KARCINOMA PLUĀ RAZLIĀTE OSETUIVOSTI NA DOKSORUBICINU. <i>Journal of Medical Biochemistry</i> , 2013 , 22, 406-416	1.9	1

32	Novel methylene modified cyclohexyl ethylenediamine-N,NRdiacetate ligands and their platinum(IV) complexes. Influence on biological activity. <i>Journal of Inorganic Biochemistry</i> , 2012 , 109, 40-8	4.2	25
31	Melanoma tumor inhibition by tetrachlorido(O,ORdibutyl-ethylenediamine-N,NRdi-3-propionate)platinum(IV) complex: in vitro and in vivo investigations. <i>Metallomics</i> , 2012 , 4, 1155-9	4.5	14
30	Therapeutic potential of nitric oxide-modified drugs in colon cancer cells. <i>Molecular Pharmacology</i> , 2012 , 82, 700-10	4.3	24
29	Platinum(II/IV) complexes containing ethylenediamine-N,NRdi-2/3-propionate ester ligands induced caspase-dependent apoptosis in cisplatin-resistant colon cancer cells. <i>Metallomics</i> , 2012 , 4, 979-87	4.5	32
28	Cell-type dependent response of melanoma cells to aloe emodin. <i>Food and Chemical Toxicology</i> , 2012 , 50, 3181-9	4.7	23
27	Unique antineoplastic profile of Saquinavir-NO, a novel NO-derivative of the protease inhibitor Saquinavir, on the in vitro and in vivo tumor formation of A375 human melanoma cells. <i>Oncology Reports</i> , 2012 , 28, 682-8	3.5	16
26	Targeting the cancer initiating cell: the ultimate target for cancer therapy. <i>Current Pharmaceutical Design</i> , 2012 , 18, 1784-95	3.3	36
25	Ras/Raf/MEK/ERK and PI3K/PTEN/Akt/mTOR cascade inhibitors: how mutations can result in therapy resistance and how to overcome resistance. <i>Oncotarget</i> , 2012 , 3, 1068-111	3.3	250
24	Mutations and deregulation of Ras/Raf/MEK/ERK and PI3K/PTEN/Akt/mTOR cascades which alter therapy response. <i>Oncotarget</i> , 2012 , 3, 954-87	3.3	214
23	Resistance to TRAIL and how to surmount it. <i>Immunologic Research</i> , 2012 , 52, 157-68	4.3	44
22	Saquinavir-NO-targeted S6 protein mediates sensitivity of androgen-dependent prostate cancer cells to TRAIL. <i>Cell Cycle</i> , 2012 , 11, 1174-82	4.7	12
21	On the discovery, biological effects, and use of Cisplatin and metallocenes in anticancer chemotherapy. <i>Bioinorganic Chemistry and Applications</i> , 2012 , 2012, 140284	4.2	78
20	Metals in medicine. <i>Bioinorganic Chemistry and Applications</i> , 2012 , 2012, 705907	4.2	3
19	Advances in targeting signal transduction pathways. <i>Oncotarget</i> , 2012 , 3, 1505-21	3.3	39
18	In vitro and in vivo anticancer action of Saquinavir-NO, a novel nitric oxide-derivative of the protease inhibitor saquinavir, on hormone resistant prostate cancer cells. <i>Cell Cycle</i> , 2011 , 10, 492-9	4.7	36
17	Cytotoxic and immune-sensitizing properties of nitric oxide-modified Saquinavir in iNOS-positive human melanoma cells. <i>Journal of Cellular Physiology</i> , 2011 , 226, 1803-12	7	23
16	Therapeutic resistance resulting from mutations in Raf/MEK/ERK and PI3K/PTEN/Akt/mTOR signaling pathways. <i>Journal of Cellular Physiology</i> , 2011 , 226, 2762-81	7	124
15	Multiple antimelanoma potential of dry olive leaf extract. <i>International Journal of Cancer</i> , 2011 , 128, 1955-65	7.5	43

14	Roles of the Raf/MEK/ERK and PI3K/PTEN/Akt/mTOR pathways in controlling growth and sensitivity to therapy-implications for cancer and aging. <i>Aging</i> , 2011 , 3, 192-222	5.6	437
13	Ras/Raf/MEK/ERK and PI3K/PTEN/Akt/mTOR inhibitors: rationale and importance to inhibiting these pathways in human health. <i>Oncotarget</i> , 2011 , 2, 135-64	3.3	456
12	Induction of caspase-independent apoptotic-like cell death of mouse mammary tumor TA3Ha cells in vitro and reduction of their lethality in vivo by the novel chemotherapeutic agent GIT-27NO. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1090-9	7.8	10
11	(S,R)-3-Phenyl-4,5-dihydro-5-isoxazole acetic acid Nitric Oxide (GIT-27NO) [New Dress for Nitric Oxide Mission 2010 , 443-457		
10	The novel NO-donating compound GIT-27NO inhibits in vivo growth of human prostate cancer cells and prevents murine immunoinflammatory hepatitis. <i>European Journal of Pharmacology</i> , 2009 , 615, 228-33	5.3	11
9	The antitumor properties of a nontoxic, nitric oxide-modified version of saquinavir are independent of Akt. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 1169-78	6.1	33
8	Anticancer properties of Ganoderma lucidum methanol extracts in vitro and in vivo. <i>Nutrition and Cancer</i> , 2009 , 61, 696-707	2.8	58
7	Novel nitric oxide-donating compound (S,R)-3-phenyl-4,5-dihydro-5-isoxazole acetic acid-nitric oxide (GIT-27NO) induces p53 mediated apoptosis in human A375 melanoma cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2008 , 19, 177-83	5	24
6	Anti-tumor effect of Coriolus versicolor methanol extract against mouse B16 melanoma cells: in vitro and in vivo study. <i>Food and Chemical Toxicology</i> , 2008 , 46, 1825-33	4.7	56
5	Anticancer properties of the novel nitric oxide-donating compound (S,R)-3-phenyl-4,5-dihydro-5-isoxazole acetic acid-nitric oxide in vitro and in vivo. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 510-20	6.1	64
4	Aloe emodin inhibits the cytotoxic action of tumor necrosis factor. <i>European Journal of Pharmacology</i> , 2007 , 568, 248-59	5.3	32
3	Strain difference in susceptibility to experimental autoimmune encephalomyelitis between Albino Oxford and Dark Agouti rats correlates with disparity in production of IL-17, but not nitric oxide. <i>Journal of Neuroscience Research</i> , 2006 , 84, 379-88	4.4	46
2	Anti-glioma action of aloe emodin: the role of ERK inhibition. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 589-98	10.3	76
1	Aloe emodin decreases the ERK-dependent anticancer activity of cisplatin. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 1275-82	10.3	55