

Peter Geigenberger

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/2161027/publications.pdf](https://exaly.com/author-pdf/2161027/publications.pdf)

Version: 2024-02-01

112
papers

12,367
citations

13995

67
h-index

25191

109
g-index

116
all docs

116
docs citations

116
times ranked

9868
citing authors

#	ARTICLE	IF	CITATIONS
1	Response of plant metabolism to too little oxygen. <i>Current Opinion in Plant Biology</i> , 2003, 6, 247-256.	7.3	490
2	HRE1 and HRE2, two hypoxia-inducible ethylene response factors, affect anaerobic responses in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2010, 62, 302-315.	5.6	384
3	Starch Synthesis in Potato Tubers Is Regulated by Post-Translational Redox Modification of ADP-Glucose Pyrophosphorylase. <i>Plant Cell</i> , 2002, 14, 2191-2213.	6.7	383
4	ADP-Glucose Pyrophosphorylase Is Activated by Posttranslational Redox-Modification in Response to Light and to Sugars in Leaves of <i>Arabidopsis</i> and Other Plant Species. <i>Plant Physiology</i> , 2003, 133, 838-849.	4.9	381
5	Symbiotic Leghemoglobins Are Crucial for Nitrogen Fixation in Legume Root Nodules but Not for General Plant Growth and Development. <i>Current Biology</i> , 2005, 15, 531-535.	4.0	350
6	Trehalose 6-phosphate regulates starch synthesis via posttranslational redox activation of ADP-glucose pyrophosphorylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 11118-11123.	7.3	347
7	Sucrose synthase catalyses a readily reversible reaction in vivo in developing potato tubers and other plant tissues. <i>Planta</i> , 1993, 189, 329-339.	3.3	330
8	Cold-induced repression of the rice anther-specific cell wall invertase gene OSINV4 is correlated with sucrose accumulation and pollen sterility. <i>Plant, Cell and Environment</i> , 2005, 28, 1534-1551.	5.8	309
9	Regulation of Starch Biosynthesis in Response to a Fluctuating Environment. <i>Plant Physiology</i> , 2011, 155, 1566-1577.	4.9	293
10	Analysis of the Compartmentation of Glycolytic Intermediates, Nucleotides, Sugars, Organic Acids, Amino Acids, and Sugar Alcohols in Potato Tubers Using a Nonaqueous Fractionation Method. <i>Plant Physiology</i> , 2001, 127, 685-700.	4.9	247
11	Identification of a Novel Enzyme Required for Starch Metabolism in <i>Arabidopsis</i> Leaves. The Phosphoglucan, Water Dikinase. <i>Plant Physiology</i> , 2005, 137, 242-252.	4.9	246
12	Regulation of Respiration and Fermentation to Control the Plant Internal Oxygen Concentration. <i>Plant Physiology</i> , 2009, 149, 1087-1098.	4.9	240
13	Increasing seed oil content in oil-seed rape (<i>Brassica napus</i> L.) by over-expression of a yeast glycerol-3-phosphate dehydrogenase under the control of a seed-specific promoter. <i>Plant Biotechnology Journal</i> , 2007, 5, 431-441.	8.3	229
14	Malate Plays a Crucial Role in Starch Metabolism, Ripening, and Soluble Solid Content of Tomato Fruit and Affects Postharvest Softening. <i>Plant Cell</i> , 2011, 23, 162-184.	6.7	227
15	NTRC links built-in thioredoxin to light and sucrose in regulating starch synthesis in chloroplasts and amyloplasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 9908-9913.	7.3	216
16	Regulation of sucrose and starch metabolism in potato tubers in response to short-term water deficit. <i>Planta</i> , 1997, 201, 502-518.	3.3	202
17	Sucrose Transporter StSUT4 from Potato Affects Flowering, Tuberization, and Shade Avoidance Response. <i>Plant Physiology</i> , 2008, 146, 323-324.	4.9	202
18	Redox regulation of carbon storage and partitioning in response to light and sugars. <i>Journal of Experimental Botany</i> , 2005, 56, 1469-1479.	4.9	197

#	ARTICLE	IF	CITATIONS
19	Transcript and metabolite profiling of the adaptive response to mild decreases in oxygen concentration in the roots of arabidopsis plants. <i>Annals of Botany</i> , 2009, 103, 269-280.	2.8	197
20	Evidence that SNF1-related kinase and hexokinase are involved in separate sugar-signalling pathways modulating post-translational redox activation of ADP-glucose pyrophosphorylase in potato tubers. <i>Plant Journal</i> , 2003, 35, 490-500.	5.6	196
21	Combined expression of glucokinase and invertase in potato tubers leads to a dramatic reduction in starch accumulation and a stimulation of glycolysis. <i>Plant Journal</i> , 1998, 15, 109-118.	5.6	192
22	The Unprecedented Versatility of the Plant's Thioredoxin System. <i>Trends in Plant Science</i> , 2017, 22, 249-262.	7.8	192
23	Phloem Metabolism and Function Have to Cope with Low Internal Oxygen. <i>Plant Physiology</i> , 2003, 131, 1529-1543.	4.9	186
24	Starch content and yield increase as a result of altering adenylate pools in transgenic plants. <i>Nature Biotechnology</i> , 2002, 20, 1256-1260.	19.1	176
25	Dynamic Plastid Redox Signals Integrate Gene Expression and Metabolism to Induce Distinct Metabolic States in Photosynthetic Acclimation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 2715-2732.	6.7	176
26	Sensitive and high throughput metabolite assays for inorganic pyrophosphate, ADPGlc, nucleotide phosphates, and glycolytic intermediates based on a novel enzymic cycling system. <i>Plant Journal</i> , 2002, 30, 221-235.	5.6	170
27	Comparative analysis between plant species of transcriptional and metabolic responses to hypoxia. <i>New Phytologist</i> , 2011, 190, 472-487.	7.4	157
28	Hypoxia responsive gene expression is mediated by various subsets of transcription factors and miRNAs that are determined by the actual oxygen availability. <i>New Phytologist</i> , 2011, 190, 442-456.	7.4	149
29	Flux an important, but neglected, component of functional genomics. <i>Current Opinion in Plant Biology</i> , 2005, 8, 174-182.	7.3	146
30	Community recommendations on terminology and procedures used in flooding and low oxygen stress research. <i>New Phytologist</i> , 2017, 214, 1403-1407.	7.4	146
31	Metabolic Control of Redox and Redox Control of Metabolism in Plants. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 1389-1421.	5.5	143
32	Production of high-starch, low-glucose potatoes through over-expression of the metabolic regulator SnRK1. <i>Plant Biotechnology Journal</i> , 2006, 4, 409-418.	8.3	141
33	A Bypass of Sucrose Synthase Leads to Low Internal Oxygen and Impaired Metabolic Performance in Growing Potato Tubers. <i>Plant Physiology</i> , 2003, 132, 2058-2072.	4.9	135
34	Regulation of sucrose to starch conversion in growing potato tubers. <i>Journal of Experimental Botany</i> , 2003, 54, 457-465.	4.9	130
35	Sucrose non-fermenting kinase 1 (SnRK1) coordinates metabolic and hormonal signals during pea cotyledon growth and differentiation. <i>Plant Journal</i> , 2010, 61, 324-338.	5.6	122
36	A 'futile' cycle of sucrose synthesis and degradation is involved in regulating partitioning between sucrose, starch and respiration in cotyledons of germinating <i>Ricinus communis</i> L. seedlings when phloem transport is inhibited. <i>Planta</i> , 1991, 185, 81-90.	3.3	121

#	ARTICLE	IF	CITATIONS
37	Lipid Storage Metabolism Is Limited by the Prevailing Low Oxygen Concentrations within Developing Seeds of Oilseed Rape. <i>Plant Physiology</i> , 2003, 133, 2048-2060.	4.9	116
38	Genes driving potato tuber initiation and growth: identification based on transcriptional changes using the POCl array. <i>Functional and Integrative Genomics</i> , 2008, 8, 329-340.	3.4	114
39	Overexpression of pyrophosphatase leads to increased sucrose degradation and starch synthesis, increased activities of enzymes for sucrose-starch interconversions, and increased levels of nucleotides in growing potato tubers. <i>Planta</i> , 1998, 205, 428-437.	3.3	113
40	Discovering plant metabolic biomarkers for phenotype prediction using an untargeted approach. <i>Plant Biotechnology Journal</i> , 2010, 8, 900-911.	8.3	113
41	Changes of carbohydrates, metabolites and enzyme activities in potato tubers during development, and within a single tuber along astolon-apex gradient. <i>Journal of Plant Physiology</i> , 1993, 142, 392-402.	3.7	107
42	Sucrose is metabolised by sucrose synthase and glycolysis within the phloem complex of <i>Ricinus communis</i> L. seedlings. <i>Planta</i> , 1993, 190, 446.	3.3	102
43	Thioredoxins Play a Crucial Role in Dynamic Acclimation of Photosynthesis in Fluctuating Light. <i>Molecular Plant</i> , 2017, 10, 168-182.	8.4	102
44	Inactivation of thioredoxin <i>x</i> 1 leads to decreased light activation of ADP-glucose pyrophosphorylase and altered diurnal starch turnover in leaves of <i>Arabidopsis</i> plants. <i>Plant, Cell and Environment</i> , 2013, 36, 16-29.	5.8	99
45	An Optical Multifrequency Phase-Modulation Method Using Microbeads for Measuring Intracellular Oxygen Concentrations in Plants. <i>Biophysical Journal</i> , 2005, 89, 1339-1345.	0.5	97
46	Tuber Physiology and Properties of Starch from Tubers of Transgenic Potato Plants with Altered Plastidic Adenylate Transporter Activity. <i>Plant Physiology</i> , 2001, 125, 1667-1678.	4.9	96
47	Redox Homeostasis in Photosynthetic Organisms: Novel and Established Thiol-Based Molecular Mechanisms. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 155-210.	5.5	95
48	Combined Transcript and Metabolite Profiling of <i>Arabidopsis</i> Leaves Reveals Fundamental Effects of the Thiol-Disulfide Status on Plant Metabolism. <i>Plant Physiology</i> , 2006, 141, 412-422.	4.9	93
49	Rapid Classification of Phenotypic Mutants of <i>Arabidopsis</i> via Metabolite Fingerprinting. <i>Plant Physiology</i> , 2007, 143, 1484-1492.	4.9	87
50	Inhibition of de Novo Pyrimidine Synthesis in Growing Potato Tubers Leads to a Compensatory Stimulation of the Pyrimidine Salvage Pathway and a Subsequent Increase in Biosynthetic Performance. <i>Plant Cell</i> , 2005, 17, 2077-2088.	6.7	86
51	Decreased expression of sucrose phosphate synthase strongly inhibits the water stress-induced synthesis of sucrose in growing potato tubers. <i>Plant Journal</i> , 1999, 19, 119-129.	5.6	84
52	Phloem Import and Storage Metabolism Are Highly Coordinated by the Low Oxygen Concentrations within Developing Wheat Seeds. <i>Plant Physiology</i> , 2004, 135, 1809-1821.	4.9	84
53	The Sucrose Analog Palatinose Leads to a Stimulation of Sucrose Degradation and Starch Synthesis When Supplied to Discs of Growing Potato Tubers. <i>Plant Physiology</i> , 2001, 125, 1967-1977.	4.9	82
54	Role of Granule-bound Starch Synthase in Determination of Amylopectin Structure and Starch Granule Morphology in Potato. <i>Journal of Biological Chemistry</i> , 2002, 277, 10834-10841.	3.5	82

#	ARTICLE	IF	CITATIONS
55	Oxygen Sensing via the Ethylene Response Transcription Factor RAP2.12 Affects Plant Metabolism and Performance under Both Normoxia and Hypoxia. <i>Plant Physiology</i> , 2016, 172, 141-153.	4.9	82
56	Identification, subcellular localization and biochemical characterization of water-soluble heteroglycans (SHG) in leaves of <i>Arabidopsis thaliana</i> L.: distinct SHG reside in the cytosol and in the apoplast. <i>Plant Journal</i> , 2005, 43, 568-585.	5.6	81
57	Nonsymbiotic Hemoglobin-2 Leads to an Elevated Energy State and to a Combined Increase in Polyunsaturated Fatty Acids and Total Oil Content When Overexpressed in Developing Seeds of Transgenic <i>Arabidopsis</i> Plants. <i>Plant Physiology</i> , 2011, 155, 1435-1444.	4.9	80
58	High-Temperature Perturbation of Starch Synthesis Is Attributable to Inhibition of ADP-Glucose Pyrophosphorylase by Decreased Levels of Glycerate-3-Phosphate in Growing Potato Tubers1. <i>Plant Physiology</i> , 1998, 117, 1307-1316.	4.9	79
59	A rapid approach for phenotype screening and database independent detection of cSNP/protein polymorphism using mass accuracy precursor alignment. <i>Proteomics</i> , 2008, 8, 4214-4225.	2.3	78
60	The Plastidic Sugar Transporter pSuT Influences Flowering and Affects Cold Responses. <i>Plant Physiology</i> , 2019, 179, 569-587.	4.9	77
61	Thioredoxin f1 and NADPH-dependent thioredoxin reductase C have overlapping functions in regulating photosynthetic metabolism and plant growth in response to varying light conditions. <i>Plant Physiology</i> , 2015, 169, pp.01122.2015.	4.9	75
62	Combined Metabolomic and Genetic Approaches Reveal a Link between the Polyamine Pathway and Albumin 2 in Developing Pea Seeds. <i>Plant Physiology</i> , 2008, 146, 74-82.	4.9	73
63	Decreased Expression of Cytosolic Pyruvate Kinase in Potato Tubers Leads to a Decline in Pyruvate Resulting in an in Vivo Repression of the Alternative Oxidase Å. <i>Plant Physiology</i> , 2008, 148, 1640-1654.	4.9	73
64	Embryo-Specific Reduction of ADP-Glc Pyrophosphorylase Leads to an Inhibition of Starch Synthesis and a Delay in Oil Accumulation in Developing Seeds of Oilseed Rape. <i>Plant Physiology</i> , 2004, 136, 2676-2686.	4.9	72
65	Disruption of both chloroplastic and cytosolic FBPase genes results in a dwarf phenotype and important starch and metabolite changes in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2015, 66, 2673-2689.	4.9	72
66	When growing potato tubers are detached from their mother plant there is a rapid inhibition of starch synthesis, involving inhibition of ADP-glucose pyrophosphorylase. <i>Planta</i> , 1994, 193, 486-493.	3.3	71
67	Diurnal changes in sucrose, nucleotides, starch synthesis and AGPS transcript in growing potato tubers that are suppressed by decreased expression of sucrose phosphate synthase. <i>Plant Journal</i> , 2000, 23, 795-806X.	5.6	71
68	Sucrose-phosphate synthase is regulated via metabolites and protein phosphorylation in potato tubers, in a manner analogous to the enzyme in leaves. <i>Planta</i> , 1994, 192, 480.	3.3	70
69	The Potato-Specific Apyrase Is Apoplastically Localized and Has Influence on Gene Expression, Growth, and Development Å Å. <i>Plant Physiology</i> , 2008, 147, 1092-1109.	4.9	69
70	Trehalose 6-Phosphate promotes seed filling by activating auxin biosynthesis. <i>New Phytologist</i> , 2021, 229, 1553-1565.	7.4	67
71	NADPH Thioredoxin Reductase C and Thioredoxins Act Concertedly in Seedling Development. <i>Plant Physiology</i> , 2017, 174, 1436-1448.	4.9	62
72	Increased levels of glycerol-3-phosphate lead to a stimulation of flux into triacylglycerol synthesis after supplying glycerol to developing seeds of <i>Brassica napus</i> L. in planta. <i>Planta</i> , 2004, 219, 827-35.	3.3	60

#	ARTICLE	IF	CITATIONS
73	Low-oxygen response is triggered by an ATP-dependent shift in oleoyl-CoA in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E12101-E12110.	7.3	55
74	The central regulation of plant physiology by adenylates. Trends in Plant Science, 2010, 15, 98-105.	7.8	54
75	Metabolism in slices from growing potato tubers responds differently to addition of sucrose and glucose. Planta, 1998, 206, 234-244.	3.3	53
76	Tuber-specific expression of a yeast invertase and a bacterial glucokinase in potato leads to an activation of sucrose phosphate synthase and the creation of a sucrose futile cycle. Planta, 1999, 208, 227-238.	3.3	50
77	Analysis of Cytosolic Heteroglycans from Leaves of Transgenic Potato (<i>Solanum tuberosum</i> L.) Plants that Under- or Overexpress the Pho 2 Phosphorylase Isozyme. Plant and Cell Physiology, 2005, 46, 1987-2004.	3.2	50
78	Subcellular analysis of starch metabolism in developing barley seeds using a non-aqueous fractionation method. Journal of Experimental Botany, 2012, 63, 2071-2087.	4.9	50
79	A Possible Role for Pyrophosphate in the Coordination of Cytosolic and Plastidial Carbon Metabolism within the Potato Tuber. Plant Physiology, 2000, 123, 681-688.	4.9	49
80	Increased levels of adenine nucleotides modify the interaction between starch synthesis and respiration when adenine is supplied to discs from growing potato tubers. Planta, 2001, 212, 782-791.	3.3	49
81	Impaired Photoassimilate Partitioning Caused by Phloem-Specific Removal of Pyrophosphate Can Be Complemented by a Phloem-Specific Cytosolic Yeast-Derived Invertase in Transgenic Plants. Plant Cell, 1995, 7, 259.	6.7	46
82	Acclimation in plants – the Green Hub consortium. Plant Journal, 2021, 106, 23-40.	5.6	44
83	A Cell Wall-Bound Adenosine Nucleosidase is Involved in the Salvage of Extracellular ATP in <i>Solanum tuberosum</i> . Plant and Cell Physiology, 2008, 49, 1572-1579.	3.2	42
84	Orotate leads to a specific increase in uridine nucleotide levels and a stimulation of sucrose degradation and starch synthesis in discs from growing potato tubers. Planta, 1999, 209, 314-323.	3.3	41
85	Contribution of adenosine 5'-diphosphoglucose pyrophosphorylase to the control of starch synthesis is decreased by water stress in growing potato tubers. Planta, 1999, 209, 338-345.	3.3	41
86	Temporally regulated expression of a yeast invertase in potato tubers allows dissection of the complex metabolic phenotype obtained following its constitutive expression. Plant Molecular Biology, 2004, 56, 91-110.	4.0	40
87	Chloroplasts are key players to cope with light and temperature stress. Trends in Plant Science, 2022, 27, 577-587.	7.8	37
88	Barley grains, deficient in cytosolic small subunit of ADP-glucose pyrophosphorylase, reveal coordinate adjustment of C:N metabolism mediated by an overlapping metabolic-hormonal control. Plant Journal, 2012, 69, 1077-1093.	5.6	36
89	Knocking down mitochondrial iron transporter (MIT) reprograms primary and secondary metabolism in rice plants. Journal of Experimental Botany, 2016, 67, 1357-1368.	4.9	36
90	Enhanced resistance to <i>Phytophthora infestans</i> and <i>Alternaria solani</i> in leaves and tubers, respectively, of potato plants with decreased activity of the plastidic ATP/ADP transporter. Planta, 2003, 217, 75-83.	3.3	34

#	ARTICLE	IF	CITATIONS
91	Thioredoxin $h2$ contributes to the redox regulation of mitochondrial photorespiratory metabolism. <i>Plant, Cell and Environment</i> , 2020, 43, 188-208.	5.8	34
92	Metabolic and Developmental Adaptations of Growing Potato Tubers in Response to Specific Manipulations of the Adenylate Energy Status $\Delta \Delta$. <i>Plant Physiology</i> , 2008, 146, 1579-1598.	4.9	32
93	<i>Arabidopsis tic62 trol</i> Mutant Lacking Thylakoid-Bound Ferredoxin-NADP+ Oxidoreductase Shows Distinct Metabolic Phenotype. <i>Molecular Plant</i> , 2014, 7, 45-57.	8.4	32
94	Regulation of carbon partitioning between sucrose and nitrogen assimilation in cotyledons of germinating <i>Ricinus communis</i> L. seedlings. <i>Planta</i> , 1991, 185, 563-8.	3.3	31
95	Unraveling the role of fermentation in the mode of action of acetolactate synthase inhibitors by metabolic profiling. <i>Journal of Plant Physiology</i> , 2011, 168, 1568-1575.	3.7	30
96	Decreased expression of plastidial adenylate kinase in potato tubers results in an enhanced rate of respiration and a stimulation of starch synthesis that is attributable to post-translational redox-activation of ADP-glucose pyrophosphorylase. <i>Journal of Experimental Botany</i> , 2008, 59, 315-325.	4.9	25
97	HRE-Type Genes are Regulated by Growth-Related Changes in Internal Oxygen Concentrations During the Normal Development of Potato (<i>Solanum tuberosum</i>) Tubers. <i>Plant and Cell Physiology</i> , 2011, 52, 1957-1972.	3.2	25
98	Expression of the chloroplast thioredoxins f and m is linked to short-term changes in the sugar and thiol status in leaves of <i>Pisum sativum</i> . <i>Journal of Experimental Botany</i> , 2012, 63, 4887-4900.	4.9	21
99	NTRC Plays a Crucial Role in Starch Metabolism, Redox Balance, and Tomato Fruit Growth. <i>Plant Physiology</i> , 2019, 181, 976-992.	4.9	18
100	Lack of FIBRILLIN6 in <i>Arabidopsis thaliana</i> affects light acclimation and sulfate metabolism. <i>New Phytologist</i> , 2020, 225, 1715-1731.	7.4	15
101	Heterologous expression of a keto hexokinase in potato plants leads to inhibited rates of photosynthesis, severe growth retardation and abnormal leaf development. <i>Planta</i> , 2004, 218, 569-578.	3.3	12
102	Thioredoxin $h2$ and $o1$ Show Different Subcellular Localizations and Redox-Active Functions, and Are Extrachloroplastic Factors Influencing Photosynthetic Performance in Fluctuating Light. <i>Antioxidants</i> , 2021, 10, 705.	5.2	12
103	Metabolic regulation of pathways of carbohydrate oxidation in potato (<i>Solanum tuberosum</i>) tubers. <i>Physiologia Plantarum</i> , 2008, 133, 744-754.	5.2	10
104	TOM9.2 Is a Calmodulin-Binding Protein Critical for TOM Complex Assembly but Not for Mitochondrial Protein Import in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2017, 10, 575-589.	8.4	9
105	Conducting Molecular Biomarker Discovery Studies in Plants. <i>Methods in Molecular Biology</i> , 2012, 918, 127-150.	1.0	6
106	Adaptation of Storage Metabolism to Oxygen Deprivation. <i>Plant Cell Monographs</i> , 2014, , 223-244.	0.5	5
107	Plant redox biology "on the move". <i>Plant Physiology</i> , 2021, 186, 1-3.	4.9	3
108	A Cell Wall-Bound Adenosine Nucleosidase is Involved in the Salvage of Extracellular ATP in <i>Solanum tuberosum</i> . <i>Plant and Cell Physiology</i> , 2008, 49, 1765-1765.	3.2	2

#	ARTICLE	IF	CITATIONS
109	(Äœber)leben ohne Sauerstoff. Biologie in Unserer Zeit, 2016, 46, 32-40.	0.1	1
110	On the Elaborate Network of Thioredoxins in Higher Plants. Progress in Botany Fortschritte Der Botanik, 2018, , 223-251.	0.2	1
111	Editorial. Molecular Plant, 2009, 2, 201.	8.4	0
112	Editorial. Molecular Plant, 2009, 2, 369.	8.4	0