Rachael Taylor

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2162899/rachael-taylor-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers5,802
citations39
h-index72
g-index192
ext. papers6,776
ext. citations4.5
avg, IF5.67
L-index

#	Paper	IF	Citations
183	Transforming Obesity Prevention for CHILDren (TOPCHILD) Collaboration: protocol for a systematic review with individual participant data meta-analysis of behavioural interventions for the prevention of early childhood obesity <i>BMJ Open</i> , 2022 , 12, e048166	3	4
182	Unpacking the behavioural components and delivery features of early childhood obesity prevention interventions in the TOPCHILD Collaboration: a systematic review and intervention coding protocol <i>BMJ Open</i> , 2022 , 12, e048165	3	5
181	A scoping review of outcomes commonly reported in obesity prevention interventions aiming to improve obesity-related health behaviors in children to age 5 years <i>Obesity Reviews</i> , 2022 , e13427	10.6	O
180	Investigating the moderators and mediators of an effective sleep intervention in the Prevention of Overweight in Infancy (POI) randomized controlled trial: Exploratory analyses <i>Clinical Obesity</i> , 2022 , e12516	3.6	О
179	Protocol for the Letß Grow randomised controlled trial: examining efficacy, cost-effectiveness and scalability of a m-Health intervention for movement behaviours in toddlers <i>BMJ Open</i> , 2022 , 12, e057	521	O
178	Examining the sustainability of effects of early childhood obesity prevention interventions: Follow-up of the EPOCH individual participant data prospective meta-analysis <i>Pediatric Obesity</i> , 2022 , e12919	4.6	О
177	Determinants of rapid infant weight gain: A pooled analysis of seven cohorts <i>Pediatric Obesity</i> , 2022 , e12928	4.6	O
176	Sleep and parenting in ethnically diverse Pacific families in southern New Zealand: A qualitative exploration <i>Sleep Health</i> , 2021 , 8, 668	4	1
175	Pacific families navigating responsiveness and childrenß sleep in Aotearoa New Zealand. <i>Sleep Medicine: X</i> , 2021 , 3, 100039	3.1	1
174	A prediction model for childhood obesity in New Zealand. Scientific Reports, 2021, 11, 6380	4.9	1
173	Nutritional Implications of Baby-Led Weaning and Baby Food Pouches as Novel Methods of Infant Feeding: Protocol for an Observational Study. <i>JMIR Research Protocols</i> , 2021 , 10, e29048	2	O
172	Association Between Longitudinal Trajectories of Lifestyle Pattern and BMI in Early Childhood. <i>Obesity</i> , 2021 , 29, 879-887	8	1
171	Eating in the absence of hunger in children with mild sleep loss: a randomized crossover trial with learning effects. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1428-1437	7	2
170	Systematic review of randomised controlled trials to improve dietary intake for the prevention of obesity in infants aged 0-24 months. <i>Obesity Reviews</i> , 2021 , 22, e13110	10.6	3
169	Relationship between chewing features and body mass index in young adolescents. <i>Pediatric Obesity</i> , 2021 , 16, e12743	4.6	2
168	Ultra-Processed Food Intake and Associations With Demographic Factors in Young New Zealand Children. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 305-313	3.9	2
167	Bidirectional associations between sleep quality or quantity, and dietary intakes or eating behaviors in children 6-12 years old: a systematic review with evidence mapping. <i>Nutrition Reviews</i> , 2021 , 79, 1079-1099	6.4	2

166	Age- and sex-specific visceral fat reference cutoffs and their association with cardio-metabolic risk. <i>International Journal of Obesity</i> , 2021 , 45, 808-817	5.5	O
165	Energy, Sugars, Iron, and Vitamin B12 Content of Commercial Infant Food Pouches and Other Commercial Infant Foods on the New Zealand Market. <i>Nutrients</i> , 2021 , 13,	6.7	5
164	Protocol for the development of Core Outcome Sets for Early intervention trials to Prevent Obesity in CHildren (COS-EPOCH). <i>BMJ Open</i> , 2021 , 11, e048104	3	2
163	Adherence to 24-h movement behavior guidelines and psychosocial functioning in young children: a longitudinal analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 110	8.4	O
162	Slim Evidence to Suggest Preschoolers Are Emerging from the Obesity Epidemic. <i>Journal of Pediatrics</i> , 2021 , 236, 292-296	3.6	O
161	Do sleep interventions change sleep duration in children aged 0-5 years? A systematic review and meta-analysis of randomised controlled trials. <i>Sleep Medicine Reviews</i> , 2021 , 59, 101498	10.2	3
160	Reply to "Should we use the multidimensional model of sleep health to assess the outcomes of sleep health promotion interventions? A commentary on: Do sleep interventions change sleep duration in children aged 0-5 years?" by Professor Reut Gruber. <i>Sleep Medicine Reviews</i> , 2021 , 59, 10151	10.2 6	
159	Measuring short-term eating behaviour and desire to eat: Validation of the child eating behaviour questionnaire and a computerized Riesire to eatRcomputerized questionnaire. <i>Appetite</i> , 2021 , 167, 1050	6 \$ \$	1
158	Bedtime, body mass index and obesity risk in preschool-aged children. <i>Pediatric Obesity</i> , 2020 , 15, e126	5. 0.6	6
157	Cost comparison of five Australasian obesity prevention interventions for children aged from birth to two years. <i>Pediatric Obesity</i> , 2020 , 15, e12684	4.6	4
156	The cost of baby-led vs. parent-led approaches to introducing complementary foods in New Zealand. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1474-1477	5.2	3
155	Understanding, comparing and learning from the four EPOCH early childhood obesity prevention interventions: A multi-methods study. <i>Pediatric Obesity</i> , 2020 , 15, e12679	4.6	11
154	Moe Kitenga: a qualitative study of perceptions of infant and child sleep practices among MBri whBau. <i>AlterNative</i> , 2020 , 16, 153-160	1	3
153	Interventions commenced by early infancy to prevent childhood obesity-The EPOCH Collaboration: An individual participant data prospective meta-analysis of four randomized controlled trials. <i>Pediatric Obesity</i> , 2020 , 15, e12618	4.6	32
152	Prebedtime Screen Use in Adolescents: A Survey of Habits, Barriers, and Perceived Acceptability of Potential Interventions. <i>Journal of Adolescent Health</i> , 2020 , 66, 725-732	5.8	6
151	Quantity versus quality of objectively measured sleep in relation to body mass index in children: cross-sectional and longitudinal analyses. <i>International Journal of Obesity</i> , 2020 , 44, 803-811	5.5	3
150	Association between the faecal short-chain fatty acid propionate and infant sleep. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1362-1365	5.2	10
149	Teaching people to eat according to appetite - Does the method of glucose measurement matter?. <i>Appetite</i> , 2020 , 151, 104691	4.5	3

148	Using compositional principal component analysis to describe children® gut microbiota in relation to diet and body composition. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 70-78	7	8
147	Translating hunger training research to primary health: a qualitative study of nurse attitudes towards a novel weight management intervention. <i>Journal of Primary Health Care</i> , 2020 , 12, 79-87	0.8	O
146	Non-Wear Time and Presentation of Compositional 24-Hour Time-Use Analyses Influence Conclusions About Sleep and Body Mass Index in Children. <i>Journal for the Measurement of Physical Behaviour</i> , 2020 , 3, 204-210	2.3	1
145	Long-Term Follow-Up of a Randomized Controlled Trial to Reduce Excessive Weight Gain in Infancy: Protocol for the Prevention of Overweight in Infancy (POI) Follow-Up Study at 11 Years. <i>JMIR Research Protocols</i> , 2020 , 9, e24968	2	1
144	Sleep and Sensory Processing in Infants and Toddlers: A Cross-Sectional and Longitudinal Study. <i>American Journal of Occupational Therapy</i> , 2020 , 74, 7406205010p1-7406205010p12	0.4	2
143	A tool for assessing the satisfaction of a diet: Development and preliminary validation of the Diet Satisfaction Score. <i>Nutrition and Dietetics</i> , 2020 , 77, 268-273	2.5	4
142	Sleep and pre-bedtime activities in New Zealand adolescents: differences by ethnicity. <i>Sleep Health</i> , 2020 , 6, 23-31	4	11
141	Intermittent fasting, Paleolithic, or Mediterranean diets in the real world: exploratory secondary analyses of a weight-loss trial that included choice of diet and exercise. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 503-514	7	17
140	Bidirectional associations between sleep and dietary intake in 0-5 year old children: A systematic review with evidence mapping. <i>Sleep Medicine Reviews</i> , 2020 , 49, 101231	10.2	6
139	Cost-Effectiveness of a Novel Sleep Intervention in Infancy to Prevent Overweight in Childhood. <i>Obesity</i> , 2020 , 28, 2201-2208	8	3
138	Results of the 3 Pillars Study (3PS), a relationship-based programme targeting parent-child interactions, healthy lifestyle behaviours, and the home environment in parents of preschool-aged children: A pilot randomised controlled trial. <i>PLoS ONE</i> , 2020 , 15, e0238977	3.7	5
137	Do differences in compositional time use explain ethnic variation in the prevalence of obesity in children? Analyses using 24-hour accelerometry. <i>International Journal of Obesity</i> , 2020 , 44, 94-103	5.5	5
136	Why BMI should still be on the table. New Zealand Medical Journal, 2020, 133, 97-100	0.8	
135	Do young children consistently meet 24-h sleep and activity guidelines? A longitudinal analysis using actigraphy. <i>International Journal of Obesity</i> , 2019 , 43, 2555-2564	5.5	12
134	Efficacy of a compulsory homework programme for increasing physical activity and improving nutrition in children: a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 80	8.4	11
133	Feasibility of Automated Cameras to Measure Screen Use in Adolescents. <i>American Journal of Preventive Medicine</i> , 2019 , 57, 417-424	6.1	8
132	Ranked Importance of Childhood Obesity Determinants: ParentsRViews across Ethnicities in New Zealand. <i>Nutrients</i> , 2019 , 11,	6.7	4
131	A longitudinal study of parental discipline up to 5 years. <i>Journal of Family Studies</i> , 2019 , 1-18	0.8	2

130	Relative Validity and Reproducibility of a Food Frequency Questionnaire to Assess Energy Intake from Minimally Processed and Ultra-Processed Foods in Young Children. <i>Nutrients</i> , 2019 , 11,	6.7	9
129	Decomposing ethnic differences in body mass index and obesity rates among New Zealand pre-schoolers. <i>International Journal of Obesity</i> , 2019 , 43, 1951-1960	5.5	6
128	Consistent use of bedtime parenting strategies mediates the effects of sleep education on child sleep: secondary findings from an early-life randomized controlled trial. <i>Sleep Health</i> , 2019 , 5, 433-443	4	6
127	The Complexity of Food Provisioning Decisions by MBri Caregivers to Ensure the Happiness and Health of Their Children. <i>Nutrients</i> , 2019 , 11,	6.7	4
126	Effect of antenatal dietary interventions in maternal obesity on pregnancy weight-gain and birthweight: Healthy Mums and Babies (HUMBA) randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 152.e1-152.e13	6.4	37
125	Is Sleep the Answer to Child Obesity. <i>Proceedings (mdpi)</i> , 2019 , 8, 3	0.3	
124	ActiGraph GT3X+ and Actical Wrist and Hip Worn Accelerometers for Sleep and Wake Indices in Young Children Using an Automated Algorithm: Validation With Polysomnography. <i>Frontiers in Psychiatry</i> , 2019 , 10, 958	5	29
123	Family discipline practices with infants at six months of age. <i>Child Care in Practice</i> , 2019 , 25, 383-398	0.9	1
122	Fecal Microbiotas of Indonesian and New Zealand Children Differ in Complexity and Bifidobacterial Taxa during the First Year of Life. <i>Applied and Environmental Microbiology</i> , 2019 , 85,	4.8	14
121	Parental Perceptions of Obesity in School Children and Subsequent Action. <i>Childhood Obesity</i> , 2019 , 15, 459-467	2.5	5
120	Promotion of Family Routines and Positive Parent-Child Interactions for Obesity Prevention: Protocol for the 3 Pillars Study Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e12792	2	7
119	Am I really hungry?RA qualitative exploration of patientsRexperience, adherence and behaviour change during hunger training: a pilot study. <i>BMJ Open</i> , 2019 , 9, e032248	3	3
118	Stable prevalence of obesity among NgEi WhEua 4-year-old children in 2010 2016. <i>Journal of the Royal Society of New Zealand</i> , 2019 , 49, 449-458	2	
117	The effect of mild sleep deprivation on diet and eating behaviour in children: protocol for the Daily Rest, Eating, and Activity Monitoring (DREAM) randomized cross-over trial. <i>BMC Public Health</i> , 2019 , 19, 1347	4.1	6
116	Acceptability of early childhood obesity prediction models to New Zealand families. <i>PLoS ONE</i> , 2019 , 14, e0225212	3.7	4
115	Response. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 390	1.2	
114	Early maternal feeding practices: Associations with overweight later in childhood. <i>Appetite</i> , 2019 , 132, 91-96	4.5	13
113	Examining the accuracy of the New Zealand B4 School Check universal health service anthropometric measurements of children. <i>New Zealand Medical Journal</i> , 2019 , 132, 89-101	0.8	

Acceptability of early childhood obesity prediction models to New Zealand families **2019**, 14, e0225212

111	Acceptability of early childhood obesity prediction models to New Zealand families 2019 , 14, e022521	2	
110	Acceptability of early childhood obesity prediction models to New Zealand families 2019 , 14, e022521	2	
109	Acceptability of early childhood obesity prediction models to New Zealand families 2019 , 14, e022521	2	
108	High-Intensity Interval Training in the Real World: Outcomes from a 12-Month Intervention in Overweight Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1818-1826	1.2	48
107	Improving rates of overweight, obesity and extreme obesity in New Zealand 4-year-old children in 2010-2016. <i>Pediatric Obesity</i> , 2018 , 13, 766-777	4.6	23
106	A Baby-Led Approach to Complementary Feeding-Reply. JAMA Pediatrics, 2018, 172, 197-198	8.3	О
105	Precision of DXA-Derived Visceral Fat Measurements in a Large Sample of Adults of Varying Body Size. <i>Obesity</i> , 2018 , 26, 505-512	8	15
104	Self-monitoring has no adverse effect on disordered eating in adults seeking treatment for obesity. <i>Obesity Science and Practice</i> , 2018 , 4, 283-288	2.6	6
103	Physical activity and inactivity trajectories associated with body composition in pre-schoolers. <i>International Journal of Obesity</i> , 2018 , 42, 1621-1630	5.5	13
102	Parental reactions to weight screening in young children: a randomized controlled trial. <i>Pediatric Obesity</i> , 2018 , 13, 639-646	4.6	4
101	Food fussiness and early feeding characteristics of infants following Baby-Led Weaning and traditional spoon-feeding in New Zealand: An internet survey. <i>Appetite</i> , 2018 , 130, 110-116	4.5	25
100	Sleep, nutrition, and physical activity interventions to prevent obesity in infancy: follow-up of the Prevention of Overweight in Infancy (POI) randomized controlled trial at ages 3.5 and 5 y. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 228-236	7	45
99	Mediation Analysis as a Means of Identifying Dietary Components That Differentially Affect the Fecal Microbiota of Infants Weaned by Modified Baby-Led and Traditional Approaches. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	19
98	Impact of a Modified Version of Baby-Led Weaning on Infant Food and Nutrient Intakes: The BLISS Randomized Controlled Trial. <i>Nutrients</i> , 2018 , 10,	6.7	20
97	Impact of a modified version of baby-led weaning on iron intake and status: a randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e019036	3	16
96	Impact of a Modified Version of Baby-Led Weaning on Dietary Variety and Food Preferences in Infants. <i>Nutrients</i> , 2018 , 10,	6.7	16
95	A Tailored Family-Based Obesity Intervention: A Randomized Trial 2018 , 127-135		

Change of School Playground Environment on Bullying: A Randomized Controlled Trial **2018**, 86-95

93	Sleep patterns in children differ by ethnicity: cross-sectional and longitudinal analyses using actigraphy. <i>Sleep Health</i> , 2018 , 4, 81-86	4	10
92	Prediction Models for Early Childhood Obesity: Applicability and Existing Issues. <i>Hormone Research in Paediatrics</i> , 2018 , 90, 358-367	3.3	19
91	Relative Validity and Reproducibility of a Food Frequency Questionnaire to Assess Nutrients and Food Groups of Relevance to the Gut Microbiota in Young Children. <i>Nutrients</i> , 2018 , 10,	6.7	7
90	24-h movement behaviors from infancy to preschool: cross-sectional and longitudinal relationships with body composition and bone health. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 118	8.4	25
89	Who Are the Key Players Involved with Shaping Public Opinion and Policies on Obesity and Diabetes in New Zealand?. <i>Nutrients</i> , 2018 , 10,	6.7	1
88	Modifiable "Predictors" of Zinc Status in Toddlers. <i>Nutrients</i> , 2018 , 10,	6.7	3
87	Modified Version of Baby-Led Weaning Does Not Result in Lower Zinc Intake or Status in Infants: A Randomized Controlled Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 1006-1016.e1	1 ^{3.9}	10
86	Parental feeding practices associated with children® eating and weight: What are parents of toddlers and preschool children doing?. <i>Appetite</i> , 2018 , 128, 120-128	4.5	33
85	Eating frequency in relation to BMI in very young children: a longitudinal analysis. <i>Public Health Nutrition</i> , 2017 , 20, 1372-1379	3.3	8
84	Targeting Sleep, Food, and Activity in Infants for Obesity Prevention: An RCT. <i>Pediatrics</i> , 2017 , 139,	7.4	59
83	Change of School Playground Environment on Bullying: A Randomized Controlled Trial. <i>Pediatrics</i> , 2017 , 139,	7.4	10
82	Anticipatory guidance to prevent infant sleep problems within a randomised controlled trial: infant, maternal and partner outcomes at 6 months of age. <i>BMJ Open</i> , 2017 , 7, e014908	3	22
81	Gender differences in sleep hygiene practices and sleep quality in New Zealand adolescents aged 15 to 17 years. <i>Sleep Health</i> , 2017 , 3, 77-83	4	57
80	The effect of increasing risk and challenge in the school playground on physical activity and weight in children: a cluster randomised controlled trial (PLAY). <i>International Journal of Obesity</i> , 2017 , 41, 793-8	300	23
79	Parenting style and family type, but not child temperament, are associated with television viewing time in children at two years of age. <i>PLoS ONE</i> , 2017 , 12, e0188558	3.7	19
78	The Effect of Different Types of Monitoring Strategies on Weight Loss: A Randomized Controlled Trial. <i>Obesity</i> , 2017 , 25, 1490-1498	8	24
77	What did schools experience from participating in a randomised controlled study (PLAY) that prioritised risk and challenge in active play for children while at school?. <i>Journal of Adventure Education and Outdoor Learning</i> , 2017 , 17, 239-257	1.1	8

76	Effect of a Baby-Led Approach to Complementary Feeding on Infant Growth and Overweight: A Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2017 , 171, 838-846	8.3	73
75	Prediction Equations Overestimate the Energy Requirements More for Obesity-Susceptible Individuals. <i>Nutrients</i> , 2017 , 9,	6.7	3
74	Adherence to Hunger Training over 6 Months and the Effect on Weight and Eating Behaviour: Secondary Analysis of a Randomised Controlled Trial. <i>Nutrients</i> , 2017 , 9,	6.7	5
73	Criteria for nap identification in infants and young children using 24-h actigraphy and agreement with parental diary. <i>Sleep Medicine</i> , 2016 , 19, 85-92	4.6	26
72	24 h Accelerometry: impact of sleep-screening methods on estimates of sedentary behaviour and physical activity while awake. <i>Journal of Sports Sciences</i> , 2016 , 34, 679-85	3.6	46
71	Agreement between parental perception of child weight status and actual weight status is similar across different ethnic groups in New Zealand. <i>Journal of Primary Health Care</i> , 2016 , 8, 316-324	0.8	2
70	Early Intervention to Encourage Physical Activity in Infants and Toddlers: A Randomized Controlled Trial. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 2446-2453	1.2	14
69	Three-year follow-up of a randomised controlled trial to reduce excessive weight gain in the first two years of life: protocol for the POI follow-up study. <i>BMC Public Health</i> , 2016 , 16, 771	4.1	16
68	How different are baby-led weaning and conventional complementary feeding? A cross-sectional study of infants aged 6-8 months. <i>BMJ Open</i> , 2016 , 6, e010665	3	46
67	Results From New Zealandß 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016 , 13, S225-S230	2.5	15
66	A Baby-Led Approach to Eating Solids and Risk of Choking. <i>Pediatrics</i> , 2016 , 138,	7.4	39
65	Relative validity and reproducibility of a food frequency questionnaire for identifying the dietary patterns of toddlers in New Zealand. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015 , 115, 551-8	3.9	26
64	The stability of sleep patterns in children 3 to 7 years of age. <i>Journal of Pediatrics</i> , 2015 , 166, 697-702.e	13.6	35
63	Parental motivation to change body weight in young overweight children. <i>Public Health Nutrition</i> , 2015 , 18, 1807-14	3.3	5
62	Associations between parental feeding practices, problem food behaviours and dietary intake in New Zealand overweight children aged 4-8 years. <i>Public Health Nutrition</i> , 2015 , 18, 1036-43	3.3	53
61	Impact of an early-life intervention on the nutrition behaviors of 2-y-old children: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 704-12	7	38
60	Development and pilot testing of Baby-Led Introduction to SolidSa version of Baby-Led Weaning modified to address concerns about iron deficiency, growth faltering and choking. <i>BMC Pediatrics</i> , 2015 , 15, 99	2.6	35
59	A Tailored Family-Based Obesity Intervention: A Randomized Trial. <i>Pediatrics</i> , 2015 , 136, 281-9	7.4	41

(2013-2015)

58	Relative validity and reproducibility of an FFQ to determine nutrient intakes of New Zealand toddlers aged 12-24 months. <i>Public Health Nutrition</i> , 2015 , 18, 3265-71	3.3	19	
57	Adherence to hunger training using blood glucose monitoring: a feasibility study. <i>Nutrition and Metabolism</i> , 2015 , 12, 22	4.6	13	
56	Baby-Led Introduction to SolidS (BLISS) study: a randomised controlled trial of a baby-led approach to complementary feeding. <i>BMC Pediatrics</i> , 2015 , 15, 179	2.6	42	
55	Bioelectrical impedance as a measure of change in body composition in young children. <i>Pediatric Obesity</i> , 2015 , 10, 252-9	4.6	20	
54	Prediction of Fat-Free Mass in Children. Clinical Pharmacokinetics, 2015, 54, 1169-78	6.2	77	
53	Lactation Consultant Support from Late Pregnancy with an Educational Intervention at 4 Months of Age Delays the Introduction of Complementary Foods in a Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2015 , 145, 1481-90	4.1	10	
52	Determining how best to support overweight adults to adhere to lifestyle change: protocol for the SWIFT study. <i>BMC Public Health</i> , 2015 , 15, 861	4.1	15	
51	Do parents recall and understand childrenß weight status information after BMI screening? A randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e004481	3	15	
50	Do more active children sleep more? A repeated cross-sectional analysis using accelerometry. <i>PLoS ONE</i> , 2014 , 9, e93117	3.7	48	
49	Challenges and Emerging Technologies within the Field of Pediatric Actigraphy. <i>Frontiers in Psychiatry</i> , 2014 , 5, 99	5	45	
48	Using motivational interviewing for weight feedback to parents of young children. <i>Journal of Paediatrics and Child Health</i> , 2014 , 50, 461-70	1.3	25	
47	Safe sleep practices in a New Zealand community and development of a Sudden Unexpected Death in Infancy (SUDI) risk assessment instrument. <i>BMC Pediatrics</i> , 2014 , 14, 263	2.6	9	
46	Factor analysis of the Comprehensive Feeding Practices Questionnaire in a large sample of children. <i>Appetite</i> , 2013 , 62, 110-8	4.5	35	
45	Secular changes in BMI and the associations between risk factors and BMI in children born 29 years apart. <i>Pediatric Obesity</i> , 2013 , 8, 21-30	4.6	8	
44	What factors influence uptake into family-based obesity treatment after weight screening?. <i>Journal of Pediatrics</i> , 2013 , 163, 1657-1662.e1	3.6	13	
43	Parent-led or baby-led? Associations between complementary feeding practices and health-related behaviours in a survey of New Zealand families. <i>BMJ Open</i> , 2013 , 3, e003946	3	44	
42	Research priorities in 2012 for the effective management of childhood obesity. <i>Clinical Obesity</i> , 2013 , 3, 3-6	3.6	4	
41	Changes in physical activity over time in young children: a longitudinal study using accelerometers. <i>PLoS ONE</i> , 2013 , 8, e81567	3.7	41	

40	How feasible is Baby-led Weaning as an approach to infant feeding? A review of the evidence. <i>Nutrients</i> , 2012 , 4, 1575-609	6.7	97
39	Changes in fat mass and fat-free mass during the adiposity rebound: FLAME study. <i>Pediatric Obesity</i> , 2011 , 6, e243-51		29
38	Longitudinal analysis of sleep in relation to BMI and body fat in children: the FLAME study. <i>BMJ, The</i> , 2011 , 342, d2712	5.9	140
37	Predictive ability of waist-to-height in relation to adiposity in children is not improved with age and sex-specific values. <i>Obesity</i> , 2011 , 19, 1062-8	8	40
36	Prevention of Overweight in Infancy (POI.nz) study: a randomised controlled trial of sleep, food and activity interventions for preventing overweight from birth. <i>BMC Public Health</i> , 2011 , 11, 942	4.1	75
35	School playgrounds and physical activity policies as predictors of school and home time activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 38	8.4	27
34	Sex differences in regional body fat distribution from pre- to postpuberty. <i>Obesity</i> , 2010 , 18, 1410-6	8	131
33	Body mass index and waist circumference cutoffs to define obesity in indigenous New Zealanders. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 390-7	7	18
32	Economic evaluation of a community-based obesity prevention program in children: the APPLE project. <i>Obesity</i> , 2010 , 18, 131-6	8	55
31	Permanent play facilities in school playgrounds as a determinant of children® activity. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 490-6	2.5	45
30	Motivational interviewing for screening and feedback and encouraging lifestyle changes to reduce relative weight in 4-8 year old children: design of the MInT study. <i>BMC Public Health</i> , 2010 , 10, 271	4.1	32
29	The Early Prevention of Obesity in CHildren (EPOCH) Collaborationan individual patient data prospective meta-analysis. <i>BMC Public Health</i> , 2010 , 10, 728	4.1	39
28	Determining optimal approaches for weight maintenance: a randomized controlled trial. <i>Cmaj</i> , 2009 , 180, E39-46	3.5	33
27	Relationships of appendicular LMI and total body LMI to bone mass and physical activity levels in a birth cohort of New Zealand five-year olds. <i>Bone</i> , 2009 , 45, 455-9	4.7	21
26	Longitudinal study of physical activity and inactivity in preschoolers: the FLAME study. <i>Medicine and Science in Sports and Exercise</i> , 2009 , 41, 96-102	1.2	120
25	Waist circumference as a measure of trunk fat mass in children aged 3 to 5 years. <i>Pediatric Obesity</i> , 2008 , 3, 226-33		31
24	Two-year follow-up of an obesity prevention initiative in children: the APPLE project. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1371-7	7	49
23	DXA measurements confirm that parental perceptions of elevated adiposity in young children are poor. <i>Obesity</i> , 2007 , 15, 165-71	8	35

22	APPLE Project: 2-y findings of a community-based obesity prevention program in primary school age children. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 735-42	7	132
21	Reducing weight gain in children through enhancing physical activity and nutrition: the APPLE project. <i>Pediatric Obesity</i> , 2006 , 1, 146-52		51
20	The APPLE project: An investigation of the barriers and promoters of healthy eating and physical activity in New Zealand children aged 5-12 years. <i>Health Education Journal</i> , 2006 , 65, 135-148	1.5	17
19	Long-term effects of popular dietary approaches on weight loss and features of insulin resistance. <i>International Journal of Obesity</i> , 2006 , 30, 342-9	5.5	101
18	Early adiposity rebound: review of papers linking this to subsequent obesity in children and adults. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005 , 8, 607-12	3.8	127
17	Comparison of high-fat and high-protein diets with a high-carbohydrate diet in insulin-resistant obese women. <i>Diabetologia</i> , 2005 , 48, 8-16	10.3	204
16	Reply to comments on: McAuley KA, Hopkins CM, Smith KJ, McLay RT, Williams SM, Taylor RW, Mann JI (2005) Comparison of high-fat and high-protein diets with a high-carbohydrate diet in insulin-resistant obese women. Diabetologia 48:816. <i>Diabetologia</i> , 2005 , 48, 1422-1422	10.3	
15	Rate of fat gain is faster in girls undergoing early adiposity rebound. <i>Obesity</i> , 2004 , 12, 1228-30		49
14	Identifying adolescents with high percentage body fat: a comparison of BMI cutoffs using age and stage of pubertal development compared with BMI cutoffs using age alone. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 764-9	5.2	39
13	Body composition of 4- and 5-year-old New Zealand girls: a DXA study of initial adiposity and subsequent 4-year fat change. <i>International Journal of Obesity</i> , 2003 , 27, 410-5	5.5	16
12	Body fat percentages measured by dual-energy X-ray absorptiometry corresponding to recently recommended body mass index cutoffs for overweight and obesity in children and adolescents aged 3-18 y. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1416-21	7	155
11	Bone mineral density and body composition in boys with distal forearm fractures: a dual-energy x-ray absorptiometry study. <i>Journal of Pediatrics</i> , 2001 , 139, 509-15	3.6	381
10	Evaluation of waist circumference, waist-to-hip ratio, and the conicity index as screening tools for high trunk fat mass, as measured by dual-energy X-ray absorptiometry, in children aged 3-19 y. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 490-5	7	588
9	More broken bones: a 4-year double cohort study of young girls with and without distal forearm fractures. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 2011-8	6.3	304
8	Reply to RM Lazarus. American Journal of Clinical Nutrition, 1999 , 69, 158-159	7	2
7	Bone mineral density in girls with forearm fractures. <i>Journal of Bone and Mineral Research</i> , 1998 , 13, 143-8	6.3	308
6	Plasma leptin in relation to regional body fat in older New Zealand women. <i>Australian and New Zealand Journal of Medicine</i> , 1998 , 28, 316-21		5
5	Validation of a short food frequency questionnaire to assess calcium intake in children aged 3 to 6 years. <i>European Journal of Clinical Nutrition</i> , 1998 , 52, 464-5	5.2	54

4	Body mass index, waist girth, and waist-to-hip ratio as indexes of total and regional adiposity in women: evaluation using receiver operating characteristic curves. <i>American Journal of Clinical Nutrition</i> , 1998 , 67, 44-9	7	208
3	Gender differences in body fat content are present well before puberty. <i>International Journal of Obesity</i> , 1997 , 21, 1082-4	5.5	92
2	Regional body fat distribution in New Zealand girls aged 4-16 years: a cross-sectional study by dual energy X-ray absorptiometry 1996 , 20, 763-7		1
1	MBri first foods: a MBri centred approach to understanding infant complementary feeding practices within MBri whBau. <i>Kotuitui: New Zealand Journal of Social Sciences Online</i> ,1-16	0.9	