

# Rachael Taylor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2162899/publications.pdf>

Version: 2024-02-01

186  
papers

7,784  
citations

53660

45  
h-index

60497

81  
g-index

192  
all docs

192  
docs citations

192  
times ranked

8064  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Evaluation of waist circumference, waist-to-hip ratio, and the conicity index as screening tools for high trunk fat mass, as measured by dual-energy X-ray absorptiometry, in children aged 3â€“19 y. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 490-495.   | 2.2 | 739       |
| 2  | Bone mineral density and body composition in boys with distal forearm fractures: A dual-energy x-ray absorptiometry study. <i>Journal of Pediatrics</i> , 2001, 139, 509-515.  | 0.9 | 431       |
| 3  | Bone Mineral Density in Girls with Forearm Fractures. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 143-148.   | 3.1 | 369       |
| 4  | More Broken Bones: A 4-Year Double Cohort Study of Young Girls With and Without Distal Forearm Fractures. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 2011-2018.   | 3.1 | 362       |
| 5  | Comparison of high-fat and high-protein diets with a high-carbohydrate diet in insulin-resistant obese women. <i>Diabetologia</i> , 2005, 48, 8-16.  | 2.9 | 240       |
| 6  | Body mass index, waist girth, and waist-to-hip ratio as indexes of total and regional adiposity in women: evaluation using receiver operating characteristic curves. <i>American Journal of Clinical Nutrition</i> , 1998, 67, 44-49.                                      | 2.2 | 236       |
| 7  | Body fat percentages measured by dual-energy X-ray absorptiometry corresponding to recently recommended body mass index cutoffs for overweight and obesity in children and adolescents aged 3â€“18 y. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1416-1421. | 2.2 | 173       |
| 8  | Longitudinal analysis of sleep in relation to BMI and body fat in children: the FLAME study. <i>BMJ: British Medical Journal</i> , 2011, 342, d2712-d2712.   | 2.4 | 173       |
| 9  | Sex Differences in Regional Body Fat Distribution From Preâ€•to Postpuberty. <i>Obesity</i> , 2010, 18, 1410-1416.   | 1.5 | 171       |
| 10 | APPLE Project: 2-y findings of a community-based obesity prevention program in primary schoolâ€•age children. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 735-742.   | 2.2 | 161       |
| 11 | Early adiposity rebound: review of papers linking this to subsequent obesity in children and adults. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005, 8, 607-612.   | 1.3 | 145       |
| 12 | Longitudinal Study of Physical Activity and Inactivity in Preschoolers. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 96-102.   | 0.2 | 139       |
| 13 | How Feasible Is Baby-Led Weaning as an Approach to Infant Feeding? A Review of the Evidence. <i>Nutrients</i> , 2012, 4, 1575-1609.  | 1.7 | 124       |
| 14 | Gender differences in body fat content are present well before puberty. <i>International Journal of Obesity</i> , 1997, 21, 1082-1084.   | 1.6 | 122       |
| 15 | Long-term effects of popular dietary approaches on weight loss and features of insulin resistance. <i>International Journal of Obesity</i> , 2006, 30, 342-349.  | 1.6 | 118       |
| 16 | Effect of a Baby-Led Approach to Complementary Feeding on Infant Growth and Overweight. <i>JAMA Pediatrics</i> , 2017, 171, 838.   | 3.3 | 114       |
| 17 | Prediction of Fat-Free Mass in Children. <i>Clinical Pharmacokinetics</i> , 2015, 54, 1169-1178.   | 1.6 | 108       |
| 18 | Prevention of Overweight in Infancy (POL.nz) study: a randomised controlled trial of sleep, food and activity interventions for preventing overweight from birth. <i>BMC Public Health</i> , 2011, 11, 942.  | 1.2 | 88        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Gender differences in sleep hygiene practices and sleep quality in New Zealand adolescents aged 15 to 17 years. <i>Sleep Health</i> , 2017, 3, 77-83.  | 1.3 | 86        |
| 20 | How different are baby-led weaning and conventional complementary feeding? A cross-sectional study of infants aged 6â€“8â€“months. <i>BMJ Open</i> , 2016, 6, e010665.   | 0.8 | 82        |
| 21 | Baby-Led Introduction to Solids (BLISS) study: a randomised controlled trial of a baby-led approach to complementary feeding. <i>BMC Pediatrics</i> , 2015, 15, 179.   | 0.7 | 80        |
| 22 | A Baby-Led Approach to Eating Solids and Risk of Choking. <i>Pediatrics</i> , 2016, 138, .   | 1.0 | 71        |
| 23 | Targeting Sleep, Food, and Activity in Infants for Obesity Prevention: An RCT. <i>Pediatrics</i> , 2017, 139, .  | 1.0 | 68        |
| 24 | Economic Evaluation of a Communityâ€“based Obesity Prevention Program in Children: The APPLE Project. <i>Obesity</i> , 2010, 18, 131-136.  | 1.5 | 67        |
| 25 | Associations between parental feeding practices, problem food behaviours and dietary intake in New Zealand overweight children aged 4â€“8 years. <i>Public Health Nutrition</i> , 2015, 18, 1036-1043.   | 1.1 | 65        |
| 26 | Sleep, nutrition, and physical activity interventions to prevent obesity in infancy: follow-up of the Prevention of Overweight in Infancy (POI) randomized controlled trial at ages 3.5 and 5 y. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 228-236. | 2.2 | 64        |
| 27 | Parent-led or baby-led? Associations between complementary feeding practices and health-related behaviours in a survey of New Zealand families. <i>BMJ Open</i> , 2013, 3, e003946.  | 0.8 | 63        |
| 28 | Do More Active Children Sleep More? A Repeated Cross-Sectional Analysis Using Accelerometry. <i>PLoS ONE</i> , 2014, 9, e93117.  | 1.1 | 60        |
| 29 | High-Intensity Interval Training in the Real World: Outcomes from a 12-Month Intervention in Overweight Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1818-1826.  | 0.2 | 59        |
| 30 | Parental feeding practices associated with children's eating and weight: What are parents of toddlers and preschool children doing?. <i>Appetite</i> , 2018, 128, 120-128.   | 1.8 | 59        |
| 31 | Two-year follow-up of an obesity prevention initiative in children: the APPLE project. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1371-7.   | 2.2 | 59        |
| 32 | Rate of Fat Gain Is Faster in Girls Undergoing Early Adiposity Rebound. <i>Obesity</i> , 2004, 12, 1228-1230.  | 4.0 | 58        |
| 33 | Reducing weight gain in children through enhancing physical activity and nutrition: the APPLE project. <i>Pediatric Obesity</i> , 2006, 1, 146-152.  | 3.2 | 58        |
| 34 | Effect of antenatal dietary interventions in maternal obesity on pregnancy weight-gain and birthweight: Healthy Mums and Babies (HUMBA) randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 152.e1-152.e13.                          | 0.7 | 58        |
| 35 | Validation of a short food frequency questionnaire to assess calcium intake in children aged 3 to 6 years. <i>European Journal of Clinical Nutrition</i> , 1998, 52, 464-465.  | 1.3 | 56        |
| 36 | Challenges and Emerging Technologies within the Field of Pediatric Actigraphy. <i>Frontiers in Psychiatry</i> , 2014, 5, 99.   | 1.3 | 55        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | 24 h Accelerometry: impact of sleep-screening methods on estimates of sedentary behaviour and physical activity while awake. <i>Journal of Sports Sciences</i> , 2016, 34, 679-685.  | 1.0 | 55        |
| 38 | Changes in Physical Activity over Time in Young Children: A Longitudinal Study Using Accelerometers. <i>PLoS ONE</i> , 2013, 8, e81567.  | 1.1 | 54        |
| 39 | Development and pilot testing of Baby-Led Introduction to SolidS - a version of Baby-Led Weaning modified to address concerns about iron deficiency, growth faltering and choking. <i>BMC Pediatrics</i> , 2015, 15, 99.                     | 0.7 | 53        |
| 40 | A Tailored Family-Based Obesity Intervention: A Randomized Trial. <i>Pediatrics</i> , 2015, 136, 281-289.  | 1.0 | 53        |
| 41 | Impact of a Modified Version of Baby-Led Weaning on Infant Food and Nutrient Intakes: The BLISS Randomized Controlled Trial. <i>Nutrients</i> , 2018, 10, 740.   | 1.7 | 53        |
| 42 | Permanent Play Facilities in School Playgrounds as a Determinant of Children's Activity. <i>Journal of Physical Activity and Health</i> , 2010, 7, 490-496.  | 1.0 | 52        |
| 43 | Predictive Ability of Waist-to-Height in Relation to Adiposity in Children Is Not Improved With Age and Sex-specific Values. <i>Obesity</i> , 2011, 19, 1062-1068.   | 1.5 | 52        |
| 44 | ActiGraph GT3X+ and Actical Wrist and Hip Worn Accelerometers for Sleep and Wake Indices in Young Children Using an Automated Algorithm: Validation With Polysomnography. <i>Frontiers in Psychiatry</i> , 2019, 10, 958.                    | 1.3 | 51        |
| 45 | Interventions commenced by early infancy to prevent childhood obesity: The EPOCH Collaboration: An individual participant data prospective meta-analysis of four randomized controlled trials. <i>Pediatric Obesity</i> , 2020, 15, e12618.  | 1.4 | 50        |
| 46 | Factor analysis of the Comprehensive Feeding Practices Questionnaire in a large sample of children. <i>Appetite</i> , 2013, 62, 110-118.   | 1.8 | 49        |
| 47 | Food fussiness and early feeding characteristics of infants following Baby-Led Weaning and traditional spoon-feeding in New Zealand: An internet survey. <i>Appetite</i> , 2018, 130, 110-116.   | 1.8 | 48        |
| 48 | Identifying adolescents with high percentage body fat: a comparison of BMI cutoffs using age and stage of pubertal development compared with BMI cutoffs using age alone. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 764-769. | 1.3 | 47        |
| 49 | The Stability of Sleep Patterns in Children 3 to 7 Years of Age. <i>Journal of Pediatrics</i> , 2015, 166, 697-702.e1.   | 0.9 | 47        |
| 50 | Impact of an early-life intervention on the nutrition behaviors of 2-y-old children: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 704-712.  | 2.2 | 46        |
| 51 | The Early Prevention of Obesity in Children (EPOCH) Collaboration - an Individual Patient Data Prospective Meta-Analysis. <i>BMC Public Health</i> , 2010, 10, 728.  | 1.2 | 43        |
| 52 | DXA Measurements Confirm that Parental Perceptions of Elevated Adiposity in Young Children are Poor. <i>Obesity</i> , 2007, 15, 165-165.   | 1.5 | 40        |
| 53 | Waist circumference as a measure of trunk fat mass in children aged 3 to 5 years. <i>Pediatric Obesity</i> , 2008, 3, 226-233.   | 3.2 | 39        |
| 54 | Changes in fat mass and fat-free mass during the adiposity rebound: FLAME study. <i>Pediatric Obesity</i> , 2011, 6, e243-e251.  | 3.2 | 39        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Determining optimal approaches for weight maintenance: a randomized controlled trial. <i>Cmaj</i> , 2009, 180, E39-E46.   | 0.9 | 37        |
| 56 | The Effect of Different Types of Monitoring Strategies on Weight Loss: A Randomized Controlled Trial. <i>Obesity</i> , 2017, 25, 1490-1498.   | 1.5 | 37        |
| 57 | 24-h movement behaviors from infancy to preschool: cross-sectional and longitudinal relationships with body composition and bone health. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 118.              | 2.0 | 37        |
| 58 | School playgrounds and physical activity policies as predictors of school and home time activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 38.   | 2.0 | 36        |
| 59 | Mediation Analysis as a Means of Identifying Dietary Components That Differentially Affect the Fecal Microbiota of Infants Weaned by Modified Baby-Led and Traditional Approaches. <i>Applied and Environmental Microbiology</i> , 2018, 84, .    | 1.4 | 35        |
| 60 | Impact of a modified version of baby-led weaning on iron intake and status: a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e019036.  | 0.8 | 35        |
| 61 | Intermittent fasting, Paleolithic, or Mediterranean diets in the real world: exploratory secondary analyses of a weight-loss trial that included choice of diet and exercise. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 503-514. | 2.2 | 34        |
| 62 | Motivational interviewing for screening and feedback and encouraging lifestyle changes to reduce relative weight in 4-8 year old children: design of the MInT study. <i>BMC Public Health</i> , 2010, 10, 271.                                    | 1.2 | 33        |
| 63 | Improving rates of overweight, obesity and extreme obesity in New Zealand 4â€yearâ€old children in 2010â€2016. <i>Pediatric Obesity</i> , 2018, 13, 766-777.  | 1.4 | 33        |
| 64 | Criteria for nap identification in infants and young children using 24-h actigraphy and agreement with parental diary. <i>Sleep Medicine</i> , 2016, 19, 85-92.   | 0.8 | 32        |
| 65 | Parenting style and family type, but not child temperament, are associated with television viewing time in children at two years of age. <i>PLoS ONE</i> , 2017, 12, e0188558.  | 1.1 | 32        |
| 66 | Using motivational interviewing for weight feedback to parents of young children. <i>Journal of Paediatrics and Child Health</i> , 2014, 50, 461-470.   | 0.4 | 31        |
| 67 | Anticipatory guidance to prevent infant sleep problems within a randomised controlled trial: infant, maternal and partner outcomes at 6 months of age. <i>BMJ Open</i> , 2017, 7, e014908.  | 0.8 | 29        |
| 68 | The effect of increasing risk and challenge in the school playground on physical activity and weight in children: a cluster randomised controlled trial (PLAY). <i>International Journal of Obesity</i> , 2017, 41, 793-800.                      | 1.6 | 29        |
| 69 | Relative Validity and Reproducibility of a Food Frequency Questionnaire for Identifying the Dietary Patterns of Toddlers in New Zealand. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 551-558.                           | 0.4 | 28        |
| 70 | Bioelectrical impedance as a measure of change in body composition in young children. <i>Pediatric Obesity</i> , 2015, 10, 252-259.   | 1.4 | 26        |
| 71 | Impact of a Modified Version of Baby-Led Weaning on Dietary Variety and Food Preferences in Infants. <i>Nutrients</i> , 2018, 10, 1092.   | 1.7 | 26        |
| 72 | Sleep and pre-bedtime activities in New Zealand adolescents: differences by ethnicity. <i>Sleep Health</i> , 2020, 6, 23-31.  | 1.3 | 26        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Relationships of appendicular LMI and total body LMI to bone mass and physical activity levels in a birth cohort of New Zealand five-year olds. <i>Bone</i> , 2009, 45, 455-459.  | 1.4 | 25        |
| 74 | Body mass index and waist circumference cutoffs to define obesity in indigenous New Zealanders. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 390-397.  | 2.2 | 25        |
| 75 | Relative validity and reproducibility of an FFQ to determine nutrient intakes of New Zealand toddlers aged 12-24 months. <i>Public Health Nutrition</i> , 2015, 18, 3265-3271.  | 1.1 | 25        |
| 76 | Prediction Models for Early Childhood Obesity: Applicability and Existing Issues. <i>Hormone Research in Paediatrics</i> , 2018, 90, 358-367.   | 0.8 | 25        |
| 77 | Association between the faecal short-chain fatty acid propionate and infant sleep. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1362-1365.   | 1.3 | 25        |
| 78 | The APPLE project: An investigation of the barriers and promoters of healthy eating and physical activity in New Zealand children aged 5-12 years. <i>Health Education Journal</i> , 2006, 65, 135-148.   | 0.6 | 24        |
| 79 | Precision of DXA-Derived Visceral Fat Measurements in a Large Sample of Adults of Varying Body Size. <i>Obesity</i> , 2018, 26, 505-512.  | 1.5 | 24        |
| 80 | Energy, Sugars, Iron, and Vitamin B12 Content of Commercial Infant Food Pouches and Other Commercial Infant Foods on the New Zealand Market. <i>Nutrients</i> , 2021, 13, 657.  | 1.7 | 22        |
| 81 | Early maternal feeding practices: Associations with overweight later in childhood. <i>Appetite</i> , 2019, 132, 91-96.  | 1.8 | 21        |
| 82 | Understanding, comparing and learning from the four <sc>EPOCH</sc> early childhood obesity prevention interventions: A multi-methods study. <i>Pediatric Obesity</i> , 2020, 15, e12679.  | 1.4 | 21        |
| 83 | Early Intervention to Encourage Physical Activity in Infants and Toddlers. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 2446-2453.  | 0.2 | 20        |
| 84 | Three-year follow-up of a randomised controlled trial to reduce excessive weight gain in the first two years of life: protocol for the POI follow-up study. <i>BMC Public Health</i> , 2016, 16, 771.   | 1.2 | 20        |
| 85 | Physical activity and inactivity trajectories associated with body composition in pre-schoolers. <i>International Journal of Obesity</i> , 2018, 42, 1621-1630.   | 1.6 | 20        |
| 86 | Modified Version of Baby-Led Weaning Does Not Result in Lower Zinc Intake or Status in Infants: A Randomized Controlled Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1006-1016.e1.                                  | 0.4 | 20        |
| 87 | Using compositional principal component analysis to describe children's gut microbiota in relation to diet and body composition. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 70-78.  | 2.2 | 20        |
| 88 | Do young children consistently meet 24-h sleep and activity guidelines? A longitudinal analysis using actigraphy. <i>International Journal of Obesity</i> , 2019, 43, 2555-2564.  | 1.6 | 20        |
| 89 | Determining how best to support overweight adults to adhere to lifestyle change: protocol for the SWIFT study. <i>BMC Public Health</i> , 2015, 15, 861.  | 1.2 | 19        |
| 90 | Efficacy of a compulsory homework programme for increasing physical activity and improving nutrition in children: a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 80. | 2.0 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Do parents recall and understand children's weight status information after BMI screening? A randomised controlled trial. <i>BMJ Open</i> , 2014, 4, e004481-e004481.  | 0.8 | 18        |
| 92  | Fecal Microbiotas of Indonesian and New Zealand Children Differ in Complexity and Bifidobacterial Taxa during the First Year of Life. <i>Applied and Environmental Microbiology</i> , 2019, 85, .  | 1.4 | 18        |
| 93  | Results of the 3 Pillars Study (3PS), a relationship-based programme targeting parent-child interactions, healthy lifestyle behaviours, and the home environment in parents of preschool-aged children: A pilot randomised controlled trial. <i>PLoS ONE</i> , 2020, 15, e0238977. | 1.1 | 18        |
| 94  | Body composition of 4- and 5-year-old New Zealand girls: a DXA study of initial adiposity and subsequent 4-year fat change. <i>International Journal of Obesity</i> , 2003, 27, 410-415.   | 1.6 | 17        |
| 95  | Adherence to hunger training using blood glucose monitoring: a feasibility study. <i>Nutrition and Metabolism</i> , 2015, 12, 22.  | 1.3 | 17        |
| 96  | Results From New Zealand's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S225-S230.   | 1.0 | 17        |
| 97  | Prebedtime Screen Use in Adolescents: A Survey of Habits, Barriers, and Perceived Acceptability of Potential Interventions. <i>Journal of Adolescent Health</i> , 2020, 66, 725-732.   | 1.2 | 17        |
| 98  | Transforming Obesity Prevention for CHILDren (TOPCHILD) Collaboration: protocol for a systematic review with individual participant data meta-analysis of behavioural interventions for the prevention of early childhood obesity. <i>BMJ Open</i> , 2022, 12, e048166.            | 0.8 | 17        |
| 99  | What did schools experience from participating in a randomised controlled study (PLAY) that prioritised risk and challenge in active play for children while at school?. <i>Journal of Adventure Education and Outdoor Learning</i> , 2017, 17, 239-257.                           | 1.2 | 16        |
| 100 | Relative Validity and Reproducibility of a Food Frequency Questionnaire to Assess Energy Intake from Minimally Processed and Ultra-Processed Foods in Young Children. <i>Nutrients</i> , 2019, 11, 1290.   | 1.7 | 16        |
| 101 | Change of School Playground Environment on Bullying: A Randomized Controlled Trial. <i>Pediatrics</i> , 2017, 139, e20163072.  | 1.0 | 15        |
| 102 | Adherence to Hunger Training over 6 Months and the Effect on Weight and Eating Behaviour: Secondary Analysis of a Randomised Controlled Trial. <i>Nutrients</i> , 2017, 9, 1260.   | 1.7 | 15        |
| 103 | Sleep patterns in children differ by ethnicity: cross-sectional and longitudinal analyses using actigraphy. <i>Sleep Health</i> , 2018, 4, 81-86.  | 1.3 | 15        |
| 104 | The effect of mild sleep deprivation on diet and eating behaviour in children: protocol for the Daily Rest, Eating, and Activity Monitoring (DREAM) randomized cross-over trial. <i>BMC Public Health</i> , 2019, 19, 1347.  | 1.2 | 15        |
| 105 | Do sleep interventions change sleep duration in children aged 0-5 years? A systematic review and meta-analysis of randomised controlled trials. <i>Sleep Medicine Reviews</i> , 2021, 59, 101498.  | 3.8 | 15        |
| 106 | What Factors Influence Uptake into Family-Based Obesity Treatment after Weight Screening?. <i>Journal of Pediatrics</i> , 2013, 163, 1657-1662.e1.   | 0.9 | 14        |
| 107 | Eating frequency in relation to BMI in very young children: a longitudinal analysis. <i>Public Health Nutrition</i> , 2017, 20, 1372-1379.   | 1.1 | 14        |
| 108 | The Complexity of Food Provisioning Decisions by Māori Caregivers to Ensure the Happiness and Health of Their Children. <i>Nutrients</i> , 2019, 11, 994.  | 1.7 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Bidirectional associations between sleep and dietary intake in 0–5 year old children: A systematic review with evidence mapping. <i>Sleep Medicine Reviews</i> , 2020, 49, 101231.  | 3.8 | 14        |
| 110 | Unpacking the behavioural components and delivery features of early childhood obesity prevention interventions in the TOPCHILD Collaboration: a systematic review and intervention coding protocol. <i>BMJ Open</i> , 2022, 12, e048165.  | 0.8 | 14        |
| 111 | Bedtime, body mass index and obesity risk in preschool-aged children. <i>Pediatric Obesity</i> , 2020, 15, e12650.  | 1.4 | 13        |
| 112 | Lactation Consultant Support from Late Pregnancy with an Educational Intervention at 4 Months of Age Delays the Introduction of Complementary Foods in a Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2015, 145, 1481-1490. | 1.3 | 12        |
| 113 | Parental Perceptions of Obesity in School Children and Subsequent Action. <i>Childhood Obesity</i> , 2019, 15, 459-467.   | 0.8 | 12        |
| 114 | Feasibility of Automated Cameras to Measure Screen Use in Adolescents. <i>American Journal of Preventive Medicine</i> , 2019, 57, 417-424.  | 1.6 | 12        |
| 115 | Cost-Effectiveness of a Novel Sleep Intervention in Infancy to Prevent Overweight in Childhood. <i>Obesity</i> , 2020, 28, 2201-2208.   | 1.5 | 12        |
| 116 | Quantity versus quality of objectively measured sleep in relation to body mass index in children: cross-sectional and longitudinal analyses. <i>International Journal of Obesity</i> , 2020, 44, 803-811.                                 | 1.6 | 12        |
| 117 | Systematic review of randomised controlled trials to improve dietary intake for the prevention of obesity in infants aged 0–24 months. <i>Obesity Reviews</i> , 2021, 22, e13110.   | 3.1 | 12        |
| 118 | Secular changes in BMI and the associations between risk factors and BMI in children born 29 years apart. <i>Pediatric Obesity</i> , 2013, 8, 21-30.  | 1.4 | 11        |
| 119 | Safe sleep practices in a New Zealand community and development of a Sudden Unexpected Death in Infancy (SUDI) risk assessment instrument. <i>BMC Pediatrics</i> , 2014, 14, 263.   | 0.7 | 11        |
| 120 | Self-monitoring has no adverse effect on disordered eating in adults seeking treatment for obesity. <i>Obesity Science and Practice</i> , 2018, 4, 283-288.   | 1.0 | 11        |
| 121 | Do differences in compositional time use explain ethnic variation in the prevalence of obesity in children? Analyses using 24-hour accelerometry. <i>International Journal of Obesity</i> , 2020, 44, 94-103.                             | 1.6 | 11        |
| 122 | Relationship between chewing features and body mass index in young adolescents. <i>Pediatric Obesity</i> , 2021, 16, e12743.  | 1.4 | 11        |
| 123 | Adherence to 24-h movement behavior guidelines and psychosocial functioning in young children: a longitudinal analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 110.                       | 2.0 | 11        |
| 124 | Determinants of rapid infant weight gain: A pooled analysis of seven cohorts. <i>Pediatric Obesity</i> , 2022, 17, e12928.  | 1.4 | 11        |
| 125 | Relative Validity and Reproducibility of a Food Frequency Questionnaire to Assess Nutrients and Food Groups of Relevance to the Gut Microbiota in Young Children. <i>Nutrients</i> , 2018, 10, 1627.                                      | 1.7 | 10        |
| 126 | “Am I really hungry?” A qualitative exploration of patients’ experience, adherence and behaviour change during hunger training: a pilot study. <i>BMJ Open</i> , 2019, 9, e032248.  | 0.8 | 10        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A tool for assessing the satisfaction of a diet: Development and preliminary validation of the Diet Satisfaction Score. <i>Nutrition and Dietetics</i> , 2020, 77, 268-273.  | 0.9 | 10        |
| 128 | Nutritional Implications of Baby-Led Weaning and Baby Food Pouches as Novel Methods of Infant Feeding: Protocol for an Observational Study. <i>JMIR Research Protocols</i> , 2021, 10, e29048.                               | 0.5 | 10        |
| 129 | Non-Wear Time and Presentation of Compositional 24-Hour Time-Use Analyses Influence Conclusions About Sleep and Body Mass Index in Children. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 204-210.    | 0.5 | 10        |
| 130 | Cost comparison of five Australasian obesity prevention interventions for children aged from birth to two years. <i>Pediatric Obesity</i> , 2020, 15, e12684.  | 1.4 | 9         |
| 131 | Teaching people to eat according to appetite – Does the method of glucose measurement matter?. <i>Appetite</i> , 2020, 151, 104691.  | 1.8 | 9         |
| 132 | Ultra-Processed Food Intake and Associations With Demographic Factors in Young New Zealand Children. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021, 121, 305-313.  | 0.4 | 9         |
| 133 | Eating in the absence of hunger in children with mild sleep loss: a randomized crossover trial with learning effects. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1428-1437.                                  | 2.2 | 9         |
| 134 | A scoping review of outcomes commonly reported in obesity prevention interventions aiming to improve obesity-related health behaviors in children to age 5 years. <i>Obesity Reviews</i> , 2022, 23, e13427.                 | 3.1 | 9         |
| 135 | Parental motivation to change body weight in young overweight children. <i>Public Health Nutrition</i> , 2015, 18, 1807-1814.  | 1.1 | 8         |
| 136 | Decomposing ethnic differences in body mass index and obesity rates among New Zealand pre-schoolers. <i>International Journal of Obesity</i> , 2019, 43, 1951-1960.  | 1.6 | 8         |
| 137 | Consistent use of bedtime parenting strategies mediates the effects of sleep education on child sleep: secondary findings from an early-life randomized controlled trial. <i>Sleep Health</i> , 2019, 5, 433-443.            | 1.3 | 8         |
| 138 | Bidirectional associations between sleep quality or quantity, and dietary intakes or eating behaviors in children 6–12 years old: a systematic review with evidence mapping. <i>Nutrition Reviews</i> , 2021, 79, 1079-1099. | 2.6 | 8         |
| 139 | Age- and sex-specific visceral fat reference cutoffs and their association with cardio-metabolic risk. <i>International Journal of Obesity</i> , 2021, 45, 808-817.  | 1.6 | 8         |
| 140 | A prediction model for childhood obesity in New Zealand. <i>Scientific Reports</i> , 2021, 11, 6380.   | 1.6 | 8         |
| 141 | Prediction Equations Overestimate the Energy Requirements More for Obesity-Susceptible Individuals. <i>Nutrients</i> , 2017, 9, 1012.  | 1.7 | 7         |
| 142 | Parental reactions to weight screening in young children: a randomized controlled trial. <i>Pediatric Obesity</i> , 2018, 13, 639-646.   | 1.4 | 7         |
| 143 | Measuring short-term eating behaviour and desire to eat: Validation of the child eating behaviour questionnaire and a computerized ‘desire to eat’™ computerized questionnaire. <i>Appetite</i> , 2021, 167, 105661.         | 1.8 | 7         |
| 144 | Promotion of Family Routines and Positive Parent-Child Interactions for Obesity Prevention: Protocol for the 3 Pillars Study Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e12792.                  | 0.5 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Sleep and Sensory Processing in Infants and Toddlers: A Cross-Sectional and Longitudinal Study. <i>American Journal of Occupational Therapy</i> , 2020, 74, 7406205010p1-7406205010p12.  | 0.1 | 7         |
| 146 | Protocol for the Let's Grow randomised controlled trial: examining efficacy, cost-effectiveness and scalability of a m-Health intervention for movement behaviours in toddlers. <i>BMJ Open</i> , 2022, 12, e057521.                       | 0.8 | 7         |
| 147 | Plasma leptin in relation to regional body fat in older New Zealand women. <i>Australian and New Zealand Journal of Medicine</i> , 1998, 28, 316-321.  | 0.5 | 6         |
| 148 | Agreement between parental perception of child weight status and actual weight status is similar across different ethnic groups in New Zealand. <i>Journal of Primary Health Care</i> , 2016, 8, 316.                                      | 0.2 | 6         |
| 149 | Ranked Importance of Childhood Obesity Determinants: Parents' Views across Ethnicities in New Zealand. <i>Nutrients</i> , 2019, 11, 2145.  | 1.7 | 6         |
| 150 | Acceptability of early childhood obesity prediction models to New Zealand families. <i>PLoS ONE</i> , 2019, 14, e0225212.  | 1.1 | 6         |
| 151 | Hunger Training as a Self-regulation Strategy in a Comprehensive Weight Loss Program for Breast Cancer Prevention: A Randomized Feasibility Study. <i>Cancer Prevention Research</i> , 2022, 15, 193-201.                                  | 0.7 | 6         |
| 152 | Modifiable Predictors of Zinc Status in Toddlers. <i>Nutrients</i> , 2018, 10, 306.  | 1.7 | 5         |
| 153 | Association Between Longitudinal Trajectories of Lifestyle Pattern and BMI in Early Childhood Obesity. <i>Nutrients</i> , 2021, 29, 879-887.   | 1.5 | 5         |
| 154 | Protocol for the development of Core Outcome Sets for Early intervention trials to Prevent Obesity in Children (COS-EPOCH). <i>BMJ Open</i> , 2021, 11, e048104.   | 0.8 | 5         |
| 155 | Pacific families navigating responsiveness and children's sleep in Aotearoa New Zealand. <i>Sleep Medicine: X</i> , 2021, 3, 100039.   | 0.5 | 5         |
| 156 | Research priorities in 2012 for the effective management of childhood obesity. <i>Clinical Obesity</i> , 2013, 3, 3-6.   | 1.1 | 4         |
| 157 | A longitudinal study of parental discipline up to 5 years. <i>Journal of Family Studies</i> , 2021, 27, 589-606.   | 0.9 | 4         |
| 158 | The cost of baby-led vs. parent-led approaches to introducing complementary foods in New Zealand. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1474-1477.   | 1.3 | 4         |
| 159 | Moe Kitenga: a qualitative study of perceptions of infant and child sleep practices among Māori whānau. <i>AlterNative</i> , 2020, 16, 153-160.  | 0.7 | 4         |
| 160 | Slim Evidence to Suggest Preschoolers Are Emerging from the Obesity Epidemic. <i>Journal of Pediatrics</i> , 2021, 236, 292-296.   | 0.9 | 4         |
| 161 | Examining the sustainability of effects of early childhood obesity prevention interventions: Follow-up of the EPOCH individual participant data prospective meta-analysis. <i>Pediatric Obesity</i> , 2022, 17, e12919.                    | 1.4 | 4         |
| 162 | Long-Term Follow-Up of a Randomized Controlled Trial to Reduce Excessive Weight Gain in Infancy: Protocol for the Prevention of Overweight in Infancy (POI) Follow-Up Study at 11 Years. <i>JMIR Research Protocols</i> , 2020, 9, e24968. | 0.5 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Translating hunger training research to primary health: a qualitative study of nurse attitudes towards a novel weight management intervention. <i>Journal of Primary Health Care</i> , 2020, 12, 79.   | 0.2 | 3         |
| 164 | Sleep and parenting in ethnically diverse Pacific families in southern New Zealand: A qualitative exploration. <i>Sleep Health</i> , 2022, 8, 89-95.   | 1.3 | 3         |
| 165 | Reply to RM Lazarus. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 158-159.  | 2.2 | 2         |
| 166 | Family discipline practices with infants at six months of age. <i>Child Care in Practice</i> , 2019, 25, 383-398.  | 0.5 | 2         |
| 167 | Investigating the moderators and mediators of an effective sleep intervention in the Prevention of Overweight in Infancy (POI) randomized controlled trial: Exploratory analyses. <i>Clinical Obesity</i> , 2022, 12, e12516.  | 1.1 | 2         |
| 168 | Home-Based Monitoring of Eating in Adolescents: A Pilot Study. <i>Nutrients</i> , 2021, 13, 4354.  | 1.7 | 2         |
| 169 | A Baby-Led Approach to Complementary Feedingâ€”Reply. <i>JAMA Pediatrics</i> , 2018, 172, 197.   | 3.3 | 1         |
| 170 | Who Are the Key Players Involved with Shaping Public Opinion and Policies on Obesity and Diabetes in New Zealand?. <i>Nutrients</i> , 2018, 10, 1592.  | 1.7 | 1         |
| 171 | Regional body fat distribution in New Zealand girls aged 4-16 years: a cross-sectional study by dual energy X-ray absorptiometry. , 1996, 20, 763-7.   |     | 1         |
| 172 | Reply to comments on: McAuley KA, Hopkins CM, Smith KJ, McLay RT, Williams SM, Taylor RW, Mann JJ (2005) Comparison of high-fat and high-protein diets with a high-carbohydrate diet in insulin-resistant obese women. <i>Diabetologia</i> 48:8â€”16. <i>Diabetologia</i> , 2005, 48, 1422-1422.               | 2.9 | 0         |
| 173 | Is Sleep the Answer to Child Obesity. <i>Proceedings (mdpi)</i> , 2019, 8, 3.  | 0.2 | 0         |
| 174 | Stable prevalence of obesity among NgÄti WhÄtua 4-year-old children in 2010â€”2016. <i>Journal of the Royal Society of New Zealand</i> , 2019, 49, 449-458.  | 1.0 | 0         |
| 175 | Response. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 390-390.  | 0.2 | 0         |
| 176 | Reply to â€œShould we use the multidimensional model of sleep health to assess the outcomes of sleep health promotion interventions? A commentary on: Do sleep interventions change sleep duration in children aged 0â€”5 years?â€”by Professor Reut Gruber. <i>Sleep Medicine Reviews</i> , 2021, 59, 101516. | 3.8 | 0         |
| 177 | MÄori first foods: a MÄori centred approach to understanding infant complementary feeding practices within MÄori whÄnau. <i>Kotuitui: New Zealand Journal of Social Sciences Online</i> , 0, , 1-16.   | 0.7 | 0         |
| 178 | A Tailored Family-Based Obesity Intervention: A Randomized Trial. , 2018, , 127-135.   |     | 0         |
| 179 | Change of School Playground Environment on Bullying: A Randomized Controlled Trial. , 2018, , 86-95.   |     | 0         |
| 180 | Examining the accuracy of the New Zealand B4 School Check universal health service anthropometric measurements of children. <i>New Zealand Medical Journal</i> , 2019, 132, 89-101.  | 0.5 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Why BMI should still be on the table. New Zealand Medical Journal, 2020, 133, 97-100.                     | 0.5 | 0         |
| 182 | Acceptability of early childhood obesity prediction models to New Zealand families. , 2019, 14, e0225212. |     | 0         |
| 183 | Acceptability of early childhood obesity prediction models to New Zealand families. , 2019, 14, e0225212. |     | 0         |
| 184 | Acceptability of early childhood obesity prediction models to New Zealand families. , 2019, 14, e0225212. |     | 0         |
| 185 | Acceptability of early childhood obesity prediction models to New Zealand families. , 2019, 14, e0225212. |     | 0         |
| 186 | Online Parental Views of Baby Food Pouches. , 2022, 9, .  |     | 0         |