

Felice Giuliani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2163639/felice-giulianti-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129 papers	3,627 citations	31 h-index	57 g-index
137 ext. papers	4,413 ext. citations	3.8 avg, IF	4.56 L-index

#	Paper	IF	Citations
129	Pancreatico-Jejunostomy On Isolated Loop After Pancreatico-Duodenectomy: Is It Worthwhile?. <i>Journal of Gastrointestinal Surgery</i> , 2022 , 1	3.3	
128	The chance to be cured following a liver resection for hepatocellular carcinoma: How many years after? A national multicentric epidemiologic study. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022 , 26, S70-S70	1.5	
127	Mutational status of plasma exosomal KRAS predicts outcome in patients with metastatic colorectal cancer. <i>Scientific Reports</i> , 2021 , 11, 22686	4.9	1
126	Outcomes comparison of Pancreato-Gastrostomy and Isolated Jejunal Loop Pancreato-Jejunostomy following Pancreato-Duodenectomy in patients with soft pancreas and at moderate-high risk for POPF: a retrospective multicenter experience-based analysis. <i>Updates in Surgery</i> , 2021 , 1	2.9	
125	Conditional Recurrence-Free Survival after Oncologic Extended Resection for Gallbladder Cancer: An International Multicenter Analysis. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2675-2682	3.1	1
124	The Impact of Postoperative Ascites on Survival After Surgery for Hepatocellular Carcinoma: a National Study. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 2823-2834	3.3	1
123	Effect of Diameter and Number of Hepatocellular Carcinomas on Survival After Resection, Transarterial Chemoembolization, and Ablation. <i>American Journal of Gastroenterology</i> , 2021 , 116, 1698-1708	10.7	2
122	Correspondence on "Benchmark performance of laparoscopic left lateral sectionectomy and right hepatectomy in expert centers". <i>Journal of Hepatology</i> , 2021 , 74, 985-986	13.4	1
121	The Italian Consensus on minimally invasive simultaneous resections for synchronous liver metastasis and primary colorectal cancer: A Delphi methodology. <i>Updates in Surgery</i> , 2021 , 73, 1247-1265	2.9	9
120	Hepatectomy for Metabolic Associated Fatty Liver Disease (MAFLD) related HCC: Propensity case-matched analysis with viral- and alcohol-related HCC. <i>European Journal of Surgical Oncology</i> , 2021 ,	3.6	3
119	ASO Author Reflections: The Liver-First Approach: A New Standard for Patients with Multiple Bilobar Colorectal Metastases?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 8209-8210	3.1	1
118	Liver-First Approach for Synchronous Colorectal Metastases: Analysis of 7360 Patients from the LiverMetSurvey Registry. <i>Annals of Surgical Oncology</i> , 2021 , 28, 8198-8208	3.1	8
117	Preoperative predictors of liver decompensation after mini-invasive liver resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 718-727	5.2	5
116	Curative versus palliative treatments for recurrent hepatocellular carcinoma: a multicentric weighted comparison. <i>Hpb</i> , 2021 , 23, 889-898	3.8	1
115	Aggressive recurrences determine oncologic outcomes after resection of liver metastases from primary right colon cancer: Results of a case-control study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 834-841	3.6	
114	Liver resection for perihilar cholangiocarcinoma: Impact of biliary drainage failure on postoperative outcome. Results of an Italian multicenter study. <i>Surgery</i> , 2021 , 170, 383-389	3.6	1
113	ESTRO ACROP guidelines for the delineation of lymph nodal areas in upper gastrointestinal malignancies. <i>Radiotherapy and Oncology</i> , 2021 , 164, 92-97	5.3	1

112	Perspectives from Italy during the COVID-19 pandemic: nationwide survey-based focus on minimally invasive HPB surgery. <i>Updates in Surgery</i> , 2020 , 72, 241-247	2.9	9
111	ASO Author Reflections: Intrahepatic Ultrasound-Guided Approach to Portal Pedicle and Indocyanine Green for Anatomic Laparoscopic Resection of Segment 7 for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5177-5178	3.1	1
110	Laparoscopic Liver Resection of Segment 7 for Hepatocellular Carcinoma with an Ultrasound-Guided Trans-Parenchymal Approach to Segmental Pedicle. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5175-5176	3.1	1
109	Hepatocellular carcinoma surgical and oncological trends in a national multicentric population: the HERCOLES experience. <i>Updates in Surgery</i> , 2020 , 72, 399-411	2.9	6
108	Type of response to conversion chemotherapy strongly impacts survival after hepatectomy for initially unresectable colorectal liver metastases. <i>ANZ Journal of Surgery</i> , 2020 , 90, 558-563	1	2
107	Letter to the Editor: EUS-FNA for Lymph Nodes Staging in Cholangiocarcinoma: Should It Become Standard of Care?. <i>Hepatology</i> , 2020 , 72, 1496	11.2	1
106	Performance of Comprehensive Complication Index and Clavien-Dindo Complication Scoring System in Liver Surgery for Hepatocellular Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	5
105	"Primum Non Nocere" in Interventional Oncology for Liver Cancer: How to Reduce the Risk for Complications?. <i>Life</i> , 2020 , 10,	3	2
104	Targeting chemoresistant colorectal cancer via systemic administration of a BMP7 variant. <i>Oncogene</i> , 2020 , 39, 987-1003	9.2	17
103	Surgical Management of Hepatic Benign Disease: Have the Number of Liver Resections Increased in the Era of Minimally Invasive Approach? Analysis from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2233-2243	3.3	1
102	Prognostic factors value of germline and somatic brca in patients undergoing surgery for recurrent ovarian cancer with liver metastases. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2096-2102	3.6	22
101	Circulating tumor cell-related transcripts in blood as prognostic biomarkers of early recurrence after liver resection for colorectal metastases. <i>International Journal of Biological Markers</i> , 2019 , 34, 269-275	2.8	8
100	Interventional oncology treatments for unresectable early stage HCC in patients with a high risk for intraprocedural bleeding: Is a single-step combined therapy safe and feasible?. <i>European Journal of Radiology</i> , 2019 , 114, 32-37	4.7	7
99	The Italian Rare Pancreatic Exocrine Cancer Initiative. <i>Tumori</i> , 2019 , 105, 353-358	1.7	3
98	Intraoperative Ultrasound Staging for Colorectal Liver Metastases in the Era of Liver-Specific Magnetic Resonance Imaging: Is It Still Worthwhile?. <i>Journal of Oncology</i> , 2019 , 2019, 1369274	4.5	11
97	Minor Hepatectomies: Focusing a Blurred Picture: Analysis of the Outcome of 4471 Open Resections in Patients Without Cirrhosis. <i>Annals of Surgery</i> , 2019 , 270, 842-851	7.8	28
96	TACE with degradable starch microspheres (DSM-TACE) as second-line treatment in HCC patients dismissing or ineligible for sorafenib. <i>European Radiology</i> , 2019 , 29, 1285-1292	8	15
95	Undifferentiated Embryonal Sarcoma of the Liver (UESL) in Adolescents: An Unexpected Diagnosis. <i>Journal of Pediatric Hematology/Oncology</i> , 2019 , 41, e132-e134	1.2	4

94	ALPPS Versus Conventional Two-stage Hepatectomy in Patients With Advanced Colorectal Liver Metastases. <i>Annals of Surgery</i> , 2019 , 269, e15-e16	7.8	
93	The impact of R1 resection for colorectal liver metastases on local recurrence and overall survival in the era of modern chemotherapy: An analysis of 1,428 resection areas. <i>Surgery</i> , 2019 , 165, 712-720	3.6	14
92	Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 93-100	3.3	10
91	Ultra-late recurrence of gastrointestinal stromal tumour: case report and literature review. <i>ANZ Journal of Surgery</i> , 2019 , 89, E224-E225	1	3
90	RAS Mutation Clinical Risk Score to Predict Survival After Resection of Colorectal Liver Metastases. <i>Annals of Surgery</i> , 2019 , 269, 120-126	7.8	105
89	Validation of the albumin-indocyanine green evaluation model in patients with resected hepatocellular carcinoma and comparison with the albumin-bilirubin score. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 51-57	2.8	8
88	Primary hepatic angiosarcoma. <i>ANZ Journal of Surgery</i> , 2018 , 88, E75-E76	1	2
87	Mirizzi Syndrome: Diagnosis and Management of a Challenging Biliary Disease. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018 , 2018, 6962090	2.8	17
86	Comparison of the 7th and 8th editions of the American Joint Committee on Cancer Staging Systems for perihilar cholangiocarcinoma. <i>Surgery</i> , 2018 , 164, 244-250	3.6	18
85	Resection of colorectal liver metastases after second-line chemotherapy: is it worthwhile? A LiverMetSurvey analysis of 6415 patients. <i>European Journal of Cancer</i> , 2017 , 78, 7-15	7.5	30
84	Integrative Genomic Analysis of Cholangiocarcinoma Identifies Distinct IDH-Mutant Molecular Profiles. <i>Cell Reports</i> , 2017 , 18, 2780-2794	10.6	247
83	TGF- β signaling is an effective target to impair survival and induce apoptosis of human cholangiocarcinoma cells: A study on human primary cell cultures. <i>PLoS ONE</i> , 2017 , 12, e0183932	3.7	25
82	Diffusion, outcomes and implementation of minimally invasive liver surgery: a snapshot from the I Go MILS (Italian Group of Minimally Invasive Liver Surgery) Registry. <i>Updates in Surgery</i> , 2017 , 69, 271-283	3.9	35
81	Liver Resection versus Radiofrequency Ablation plus Transcatheter Arterial Chemoembolization in Cirrhotic Patients with Solitary Large Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 1512-1519	2.4	18
80	A Novel Nomogram to Predict the Prognosis of Patients Undergoing Liver Resection for Neuroendocrine Liver Metastasis: an Analysis of the Italian Neuroendocrine Liver Metastasis Database. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 41-48	3.3	28
79	HepPar1-Positive Circulating Microparticles Are Increased in Subjects with Hepatocellular Carcinoma and Predict Early Recurrence after Liver Resection. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	12
78	Reverse time-dependent effect of alpha-fetoprotein and disease control on survival of patients with Barcelona Clinic Liver Cancer stage C hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2017 , 9, 1322-1331	3.4	2
77	Posterior Right Disconnected Bile Duct 2017 , 235-244		

76	Recent Advances in Chemotherapy and Surgery for Colorectal Liver Metastases. <i>Liver Cancer</i> , 2016 , 6, 72-79	9.1	24
75	Association of Lymph Node Status With Survival in Patients After Liver Resection for Hilar Cholangiocarcinoma in an Italian Multicenter Analysis. <i>JAMA Surgery</i> , 2016 , 151, 916-922	5.4	33
74	Clinical use of plasma chitotriosidase in severe sepsis. <i>Current Medical Research and Opinion</i> , 2016 , 32, 273-6	2.5	1
73	Anatomical liver resection of segment 4a en bloc with the caudate lobe. <i>Journal of Surgical Oncology</i> , 2016 , 113, 665-7	2.8	0
72	Conversion Chemotherapy for Technically Unresectable Colorectal Liver Metastases: A Retrospective, STROBE-Compliant, Single-Center Study Comparing Chemotherapy Alone and Combination Chemotherapy With Cetuximab or Bevacizumab. <i>Medicine (United States)</i> , 2016 , 95, e3722	1.8	13
71	Liver Resection for Primary Intrahepatic Stones: Focus on Postoperative Infectious Complications. <i>World Journal of Surgery</i> , 2016 , 40, 433-9	3.3	6
70	Liver surgery in Italy. Criteria to identify the hospital units and the tertiary referral centers entitled to perform it. <i>Updates in Surgery</i> , 2016 , 68, 135-42	2.9	14
69	Radiochemotherapy with Gemcitabine in Unresectable Extrahepatic Cholangiocarcinoma: Long-term Results of a Phase II Study. <i>Anticancer Research</i> , 2016 , 36, 737-40	2.3	18
68	Minimally invasive liver surgery in a hepato-biliary unit: learning curve and indications. <i>Updates in Surgery</i> , 2015 , 67, 201-6	2.9	5
67	Liver resection for hepatocellular carcinoma in patients with metabolic syndrome: A multicenter matched analysis with HCV-related HCC. <i>Journal of Hepatology</i> , 2015 , 63, 93-101	13.4	60
66	Hepatolithiasis 2015 , 129-146		
65	Cystic Bile Duct Dilatations and Caroli's Disease 2015 , 111-127		
64	Profiles of cancer stem cell subpopulations in cholangiocarcinomas. <i>American Journal of Pathology</i> , 2015 , 185, 1724-39	5.8	65
63	Role of diffusion-weighted imaging, apparent diffusion coefficient and correlation with hepatobiliary phase findings in the differentiation of hepatocellular carcinoma from dysplastic nodules in cirrhotic liver. <i>European Radiology</i> , 2015 , 25, 1087-96	8	35
62	Sensitivity of Human Intrahepatic Cholangiocarcinoma Subtypes to Chemotherapeutics and Molecular Targeted Agents: A Study on Primary Cell Cultures. <i>PLoS ONE</i> , 2015 , 10, e0142124	3.7	26
61	Radiofrequency ablation plus drug-eluting beads transcatheter arterial chemoembolization for the treatment of single large hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2015 , 47, 242-8	3.3	36
60	Early recurrence after liver resection for colorectal metastases: risk factors, prognosis, and treatment. A LiverMetSurvey-based study of 6,025 patients. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1276-86	3.1	128
59	Impairment of hepatocellular excretory function, sepsis and liver insufficiency after liver resection. <i>Critical Care</i> , 2014 , 18, 419	10.8	1

58	Strong YB-1 expression predicts liver recurrence following resection for colorectal metastases. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 1987-93	3.3	5
57	Tumor progression during preoperative chemotherapy predicts failure to complete 2-stage hepatectomy for colorectal liver metastases: results of an Italian multicenter analysis of 130 patients. <i>Journal of the American College of Surgeons</i> , 2014 , 219, 285-94	4.4	39
56	Liver resection for hepatocellular carcinoma in patient with situs inversus viscerum. <i>Updates in Surgery</i> , 2014 , 66, 91-2	2.9	3
55	Prognostic significance of tumor doubling time in mass-forming type cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 739-47	3.3	18
54	Clinical characteristics and survival of European patients with resectable large hepatocellular carcinomas. <i>Journal of Gastrointestinal Cancer</i> , 2013 , 44, 329-35	1.6	4
53	Long-term effectiveness of resection and radiofrequency ablation for single hepatocellular carcinoma \geq 5 cm. Results of a multicenter Italian survey. <i>Journal of Hepatology</i> , 2013 , 59, 89-97	13.4	195
52	Systematic use of an intraoperative air leak test at the time of major liver resection reduces the rate of postoperative biliary complications. <i>Journal of the American College of Surgeons</i> , 2013 , 217, 1028-37	4.4	53
51	Intraoperative liver ultrasound still affects surgical strategy for patients with colorectal metastases in the modern era. <i>World Journal of Surgery</i> , 2013 , 37, 2655-63	3.3	27
50	Chance of cure following liver resection for initially unresectable colorectal metastases: analysis of actual 5-year survival. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 352-9	3.3	24
49	Right and extended-right hepatectomies for unilobar colorectal metastases: impact of portal vein embolization on long-term outcome and liver recurrence. <i>Surgery</i> , 2013 , 153, 801-10	3.6	22
48	Hepatic veins in presurgical planning of hepatic resection: what a radiologist should know. <i>Abdominal Imaging</i> , 2013 , 38, 442-60		13
47	Long-term outcome after laparoscopic fenestration of simple liver cysts. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 4670-4	5.2	20
46	Liver resection for gastric cancer metastases. <i>Hepato-Gastroenterology</i> , 2013 , 60, 557-62		10
45	Liver resection for hepatocellular carcinoma \geq 5 cm: results of an Italian multicenter study on 588 patients. <i>Journal of the American College of Surgeons</i> , 2012 , 215, 244-54	4.4	33
44	Graphical display of model for end-stage liver disease (MELD) score. <i>Liver International</i> , 2012 , 32, 1322-37	9	1
43	Re: How to avoid unnecessary laparotomies in iatrogenic bile duct injuries?. <i>American Journal of Surgery</i> , 2012 , 203, 411	2.7	
42	Effectiveness of liver metastasectomies in patients with metastatic colorectal cancer treated with FIr-B/FOx triplet chemotherapy plus bevacizumab. <i>Clinical Colorectal Cancer</i> , 2012 , 11, 119-26	3.8	27
41	Unexpected gallbladder cancer after laparoscopic cholecystectomy for acute cholecystitis: a worrisome picture. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1462-8	3.3	27

40	Improvement in perioperative and long-term outcome after surgical treatment of hilar cholangiocarcinoma: results of an Italian multicenter analysis of 440 patients. <i>Archives of Surgery</i> , 2012 , 147, 26-34		163
39	Parenteral nutrition in liver resection. <i>Journal of Nutrition and Metabolism</i> , 2012 , 2012, 508103	2.7	5
38	CD133+ stem cell mobilization after partial hepatectomy depends on resection extent and underlying disease. <i>Digestive and Liver Disease</i> , 2011 , 43, 147-54	3.3	10
37	Reappraisal of surgical indications and approach for liver hemangioma: single-center experience on 74 patients. <i>American Journal of Surgery</i> , 2011 , 201, 741-8	2.7	34
36	Giant focal nodular hyperplasia determining Budd-Chiari syndrome: an operative challenge requiring 210 min of liver ischemia. <i>Updates in Surgery</i> , 2011 , 63, 307-11	2.9	3
35	Prostate apoptosis response-4 is expressed in normal cholangiocytes, is down-regulated in human cholangiocarcinoma, and promotes apoptosis of neoplastic cholangiocytes when induced pharmacologically. <i>American Journal of Pathology</i> , 2010 , 177, 1779-90	5.8	15
34	Does hepatic pedicle clamping affect disease-free survival following liver resection for colorectal metastases?. <i>Annals of Surgery</i> , 2010 , 252, 1020-6	7.8	45
33	Intrahepatic cholangiocarcinoma: prognostic factors after liver resection. <i>Updates in Surgery</i> , 2010 , 62, 11-9	2.9	35
32	Severe hypocholesterolemia in surgical patients, sepsis, and critical illness. <i>Journal of Critical Care</i> , 2010 , 25, 361.e7-361.e12	4	35
31	Significance of hemoglobin concentration in determining blood CO2 binding capacity in critical illness. <i>Respiratory Physiology and Neurobiology</i> , 2010 , 172, 32-6	2.8	11
30	Role of the surgeon as a variable in long-term survival after liver resection for colorectal metastases. <i>Journal of Surgical Oncology</i> , 2009 , 100, 538-45	2.8	53
29	Hypocholesterolemia in critical illness. <i>Critical Care Medicine</i> , 2009 , 37, 2681-2; author reply 2682	1.4	2
28	Intrahepatic cholangiocarcinoma. <i>Annals of Surgery</i> , 2009 , 249, 541-2; author reply 542	7.8	2
27	Primary hepatic leiomyosarcoma in a young man after Hodgkin's disease: diagnostic pitfalls and therapeutic challenge. <i>Tumori</i> , 2009 , 95, 374-7	1.7	8
26	Extraparenchymal control of hepatic veins during mesohepatectomy. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 496-502	4.4	30
25	Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience. <i>Surgery</i> , 2008 , 143, 384-93	3.6	107
24	External lymphatic fistula after intra-abdominal lymphadenectomy for cancer. Treatment with total parenteral nutrition and somatostatin. <i>Nutrition</i> , 2008 , 24, 1220-3	4.8	12
23	Advantages of multidisciplinary management of bile duct injuries occurring during cholecystectomy. <i>American Journal of Surgery</i> , 2008 , 195, 763-9	2.7	53

22	Plasma bilirubin correlations in non-obstructive cholestasis after partial hepatectomy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008 , 46, 1598-601	5.9	9
21	Urgent need for a new staging system in advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4828-33	2.2	122
20	Liver resection for primary intrahepatic stones: a single-center experience. <i>Archives of Surgery</i> , 2008 , 143, 570-3; discussion 574		36
19	Sepsis-induced cholestasis. <i>Hepatology</i> , 2008 , 47, 361	11.2	3
18	Complications of Laparoscopic Cholecystectomy 2008 , 255-309		
17	Re: Role of intraoperative cholangiography in avoiding bile duct injury. <i>Journal of the American College of Surgeons</i> , 2007 , 205, e5-6; author reply e6	4.4	5
16	Liver resection for primarily unresectable colorectal metastases downsized by chemotherapy. <i>Journal of Gastrointestinal Surgery</i> , 2007 , 11, 318-24	3.3	48
15	Analysis of the components of hypertransaminasemia after liver resection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 357-60	5.9	6
14	Biochemical and clinical correlates of hypouricemia in surgical and critically ill patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1207-10	5.9	11
13	Does chemotherapy prior to liver resection increase the potential for cure in patients with metastatic colorectal cancer? A report from the European Colorectal Metastases Treatment Group. <i>European Journal of Cancer</i> , 2007 , 43, 2037-45	7.5	203
12	An extreme case of Heyde syndrome. <i>Digestive Surgery</i> , 2006 , 23, 387-8	2.5	11
11	Serum uric acid, creatinine, and the assessment of antioxidant capacity in critical illness. <i>Critical Care</i> , 2006 , 10, 421	10.8	6
10	Port-sites excision for gallbladder cancer incidentally found after laparoscopic cholecystectomy. <i>American Journal of Surgery</i> , 2006 , 191, 114-6	2.7	35
9	Hepatic resection-related hypophosphatemia is of renal origin as manifested by isolated hyperphosphaturia. <i>Annals of Surgery</i> , 2006 , 243, 429; author reply 429	7.8	4
8	Chemoradiation and brachytherapy in biliary tract carcinoma: long-term results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 483-8	4	50
7	Non-surgical management of a lymphatic fistula, after laparoscopic colorectal surgery, with total parenteral nutrition, octreotide, and somatostatin. <i>Nutrition</i> , 2005 , 21, 1065-7	4.8	27
6	Exceptional nonfatal metabolic alkalosis (blood base excess +48 mEq/l). <i>Intensive Care Medicine</i> , 2005 , 31, 166-7	14.5	2
5	Bile duct injury during laparoscopic cholecystectomy: results of an Italian national survey on 56 591 cholecystectomies. <i>Archives of Surgery</i> , 2005 , 140, 986-92		273

4	Liver resection for intrahepatic cholangiocarcinoma. <i>Tumori</i> , 2005 , 91, 487-92	1.7	5
3	Modulation of plasma fibrinogen levels in acute-phase response after hepatectomy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 261-5	5.9	14
2	pRb2/p130, vascular endothelial growth factor, p27(KIP1), and proliferating cell nuclear antigen expression in hepatocellular carcinoma: their clinical significance. <i>Clinical Cancer Research</i> , 2004 , 10, 3509-17	12.9	43
1	Liver resections with or without pedicle clamping. <i>American Journal of Surgery</i> , 2001 , 181, 238-46	2.7	257