

Dahai Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/21642/publications.pdf>

Version: 2024-02-01

104
papers

3,388
citations

147726

31
h-index

182361

51
g-index

117
all docs

117
docs citations

117
times ranked

4922
citing authors

#	ARTICLE	IF	CITATIONS
1	New insights into aging-associated characteristics of female subcutaneous adipose tissue through integrative analysis of multi-omics data. <i>Bioengineered</i> , 2022, 13, 2044-2057.	1.4	6
2	Circular RNA expression profiles following negative pressure wound therapy in burn wounds with experimental <i>Pseudomonas aeruginosa</i> infection. <i>Bioengineered</i> , 2022, 13, 4122-4136.	1.4	4
3	Focusing on Mechanoregulation Axis in Fibrosis: Sensing, Transduction and Effecting. <i>Frontiers in Molecular Biosciences</i> , 2022, 9, 804680.	1.6	7
4	Regulation of SIRT1 and Its Roles in Inflammation. <i>Frontiers in Immunology</i> , 2022, 13, 831168.	2.2	101
5	The Notch pathway attenuates burn-induced acute lung injury in rats by repressing reactive oxygen species. <i>Burns and Trauma</i> , 2022, 10, tkac008.	2.3	9
6	Functionalizing multi-component bioink with platelet-rich plasma for customized in-situ bilayer bioprinting for wound healing. <i>Materials Today Bio</i> , 2022, 16, 100334.	2.6	24
7	Letter to the Editor Regarding Microneedle-Mediated Biomimetic Cyclodextrin Metal Organic Frameworks for Active Targeting and Treatment of Hypertrophic Scars. <i>ACS Nano</i> , 2022, 16, 8507-8508.	7.3	2
8	Integrative Analysis of MicroRNAs and mRNAs in LPS-Induced Macrophage Inflammation Based on Adipose Tissue Stem Cell Therapy. <i>Inflammation</i> , 2021, 44, 407-420.	1.7	3
9	IL-10 alleviates lipopolysaccharide-induced skin scarring via IL-10R/STAT3 axis regulating TLR4/NF- κ B pathway in dermal fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1554-1567.	1.6	22
10	Based on a Self-Feeder Layer, a Novel 3D Culture Model of Human ADSCs Facilitates Trans-Differentiation of the Spheroid Cells into Neural Progenitor-Like Cells Using siEID3 with a Laminin/Poly-d-lysine Matrix. <i>Cells</i> , 2021, 10, 493.	1.8	6
11	Glucocorticoid counteracts cellular mechanoresponses by LINC01569-dependent glucocorticoid receptor-mediated mRNA decay. <i>Science Advances</i> , 2021, 7, .	4.7	11
12	Exosomes derived from human adipose mesenchymal stem cells attenuate hypertrophic scar fibrosis by miR-192-5p/IL-17RA/Smad axis. <i>Stem Cell Research and Therapy</i> , 2021, 12, 221.	2.4	93
13	Exosomes from adipose-derived stem cells alleviate the inflammation and oxidative stress via regulating Nrf2/HO-1 axis in macrophages. <i>Free Radical Biology and Medicine</i> , 2021, 165, 54-66.	1.3	94
14	Advances on Graphene-Based Nanomaterials and Mesenchymal Stem Cell-Derived Exosomes Applied in Cutaneous Wound Healing. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 2647-2665.	3.3	22
15	Overexpression of miR-101 suppresses collagen synthesis by targeting EZH2 in hypertrophic scar fibroblasts. <i>Burns and Trauma</i> , 2021, 9, tkab038.	2.3	11
16	Sirt1 Suppresses Burn Injury-Induced Inflammatory Response through Activating Autophagy in Raw264.7 Macrophages. <i>Journal of Investigative Medicine</i> , 2021, 69, 761-767.	0.7	4
17	A Novel 3D Culture Model of Human ASCs Reduces Cell Death in Spheroid Cores and Maintains Inner Cell Proliferation Compared With a Nonadherent 3D Culture. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 737275.	1.8	11
18	ING4 alleviated lipopolysaccharide-induced inflammation by regulating the NF- κ B pathway via a direct interaction with SIRT1. <i>Immunology and Cell Biology</i> , 2020, 98, 127-137.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Wnt4 negatively regulates the TGF- β 1-induced human dermal fibroblast-to-myofibroblast transition via targeting Smad3 and ERK. <i>Cell and Tissue Research</i> , 2020, 379, 537-548.	1.5	28
20	Genistein Protects Against Burn-Induced Myocardial Injury via Notch1-Mediated Suppression of Oxidative/Nitrative Stress. <i>Shock</i> , 2020, 54, 337-346.	1.0	8
21	Notch signal deficiency alleviates hypertrophic scar formation after wound healing through the inhibition of inflammation. <i>Archives of Biochemistry and Biophysics</i> , 2020, 682, 108286.	1.4	20
22	Hypoxia-inducible factor prolyl-hydroxylase inhibitor roxadustat (FG-4592) alleviates sepsis-induced acute lung injury. <i>Respiratory Physiology and Neurobiology</i> , 2020, 281, 103506.	0.7	16
23	Extracellular Vesicles From Adipose Tissue-Derived Stem Cells Affect Notch-miR148a-3p Axis to Regulate Polarization of Macrophages and Alleviate Sepsis in Mice. <i>Frontiers in Immunology</i> , 2020, 11, 1391.	2.2	34
24	Hypoxic preconditioning combined with curcumin promotes cell survival and mitochondrial quality of bone marrow mesenchymal stem cells, and accelerates cutaneous wound healing via PGC-1 β /SIRT3/HIF-1 α signaling. <i>Free Radical Biology and Medicine</i> , 2020, 159, 164-176.	1.3	58
25	Adipose mesenchymal stem cell exosomes promote wound healing through accelerated keratinocyte migration and proliferation by activating the AKT/HIF-1 α axis. <i>Journal of Molecular Histology</i> , 2020, 51, 375-383.	1.0	34
26	Encapsulation of troglitazone and AVE0991 by gelation microspheres promotes epithelial transformation of adipose-derived stem cells. <i>Molecular and Cellular Probes</i> , 2020, 51, 101543.	0.9	2
27	Testin regulates the blood-testis barrier via disturbing occludin/ZO-1 association and actin organization. <i>Journal of Cellular Physiology</i> , 2020, 235, 6127-6138.	2.0	21
28	Highly-expressed microRNA-21 in adipose derived stem cell exosomes can enhance the migration and proliferation of the HaCaT cells by increasing the MMP-9 expression through the PI3K/AKT pathway. <i>Archives of Biochemistry and Biophysics</i> , 2020, 681, 108259.	1.4	85
29	Remodeling gut microbiota by <i>Clostridium butyricum</i> (<i>C.butyricum</i>) attenuates intestinal injury in burned mice. <i>Burns</i> , 2020, 46, 1373-1380.	1.1	13
30	New Progress of Adipose-derived Stem Cells in the Therapy of Hypertrophic Scars. <i>Current Stem Cell Research and Therapy</i> , 2020, 15, 77-85.	0.6	4
31	New Insights Into the Skin Microbial Communities and Skin Aging. <i>Frontiers in Microbiology</i> , 2020, 11, 565549.	1.5	39
32	<i>Streptococcus thermophilus</i> Attenuates Inflammation in Septic Mice Mediated by Gut Microbiota. <i>Frontiers in Microbiology</i> , 2020, 11, 598010.	1.5	24
33	Transcriptome profiling in <i>Eid1</i> -KO mice brain shows that <i>Eid1</i> links cell proliferation in the brain. <i>Gene</i> , 2019, 717, 143998.	1.0	1
34	Emerging progress on the mechanism and technology in wound repair. <i>Biomedicine and Pharmacotherapy</i> , 2019, 117, 109191.	2.5	51
35	MicroRNA-130a has pro-fibroproliferative potential in hypertrophic scar by targeting <i>CYLD</i> . <i>Archives of Biochemistry and Biophysics</i> , 2019, 671, 152-161.	1.4	16
36	The Akt/FoxO/p27 ^{Kip1} axis contributes to the anti-proliferation of pentoxifylline in hypertrophic scars. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6164-6172.	1.6	18

#	ARTICLE	IF	CITATIONS
37	Smad interacting protein 1 influences transforming growth factor- β 1/Smad signaling in extracellular matrix protein production and hypertrophic scar formation. <i>Journal of Molecular Histology</i> , 2019, 50, 503-514.	1.0	16
38	Reconstruction of Deep Burn Wounds Around the Ankle With Free Fascia Flaps Transfer and Split-Thickness Skin Graft. <i>Journal of Burn Care and Research</i> , 2019, 40, 763-768.	0.2	4
39	ROR alpha protects against LPS-induced inflammation by down-regulating SIRT1/NF-kappa B pathway. <i>Archives of Biochemistry and Biophysics</i> , 2019, 668, 1-8.	1.4	22
40	MicroRNA-494 targets PTEN and suppresses PI3K/AKT pathway to alleviate hypertrophic scar formation. <i>Journal of Molecular Histology</i> , 2019, 50, 315-323.	1.0	15
41	MCPIP1 alleviated lipopolysaccharide-induced liver injury by regulating SIRT1 via modulation of microRNA-9. <i>Journal of Cellular Physiology</i> , 2019, 234, 22450-22462.	2.0	18
42	MCPIP1 regulates ROR α expression to protect against liver injury induced by lipopolysaccharide via modulation of miR-155. <i>Journal of Cellular Physiology</i> , 2019, 234, 16562-16572.	2.0	11
43	Free Vascularized Anterolateral Thigh Fascia Lata Flap for Reconstruction in Electrical Burns of the Severely Damaged Finger. <i>Journal of Burn Care and Research</i> , 2019, 40, 242-245.	0.2	3
44	Curcumin pretreatment protects against hypoxia/reoxygenation injury via improvement of mitochondrial function, destabilization of HIF-1 α and activation of Epac1-Akt pathway in rat bone marrow mesenchymal stem cells. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 1268-1275.	2.5	21
45	Acute pancreatic beta cell apoptosis by IL-1 β is responsible for postburn hyperglycemia: Evidence from humans and mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 275-284.	1.8	11
46	SIRT1 activation promotes angiogenesis in diabetic wounds by protecting endothelial cells against oxidative stress. <i>Archives of Biochemistry and Biophysics</i> , 2019, 661, 117-124.	1.4	31
47	Linagliptin inhibits high glucose-induced transdifferentiation of hypertrophic scar-derived fibroblasts to myofibroblasts via IGF/Akt/mTOR signalling pathway. <i>Experimental Dermatology</i> , 2019, 28, 19-27.	1.4	13
48	Methylation of secreted frizzled-related protein 1 (SFRP1) promoter downregulates Wnt/ β -catenin activity in keloids. <i>Journal of Molecular Histology</i> , 2018, 49, 185-193.	1.0	19
49	Intense pulsed light is effective in treating postburn hyperpigmentation and telangiectasia in Chinese patients. <i>Journal of Cosmetic and Laser Therapy</i> , 2018, 20, 436-441.	0.3	14
50	SIRT1 regulates inflammation response of macrophages in sepsis mediated by long noncoding RNA. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 784-792.	1.8	45
51	Prolonged skin grafts survival time by IFN- β in allogeneic skin transplantation model during acute rejection through IFN- β /STAT3/IDO pathway in epidermal layer. <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 436-442.	1.0	8
52	Curcumin pretreatment prevents hydrogen peroxide-induced oxidative stress through enhanced mitochondrial function and deactivation of Akt/Erk signaling pathways in rat bone marrow mesenchymal stem cells. <i>Molecular and Cellular Biochemistry</i> , 2018, 443, 37-45.	1.4	20
53	MicroRNA-146a protects against LPS-induced organ damage by inhibiting Notch1 in macrophage. <i>International Immunopharmacology</i> , 2018, 63, 220-226.	1.7	32
54	JAM-A knockdown accelerates the proliferation and migration of human keratinocytes, and improves wound healing in rats via FAK/Erk signaling. <i>Cell Death and Disease</i> , 2018, 9, 848.	2.7	23

#	ARTICLE	IF	CITATIONS
55	miR-155 inhibits the formation of hypertrophic scar fibroblasts by targeting HIF-1 α via PI3K/AKT pathway. <i>Journal of Molecular Histology</i> , 2018, 49, 377-387.	1.0	39
56	Free vascularized fascia flap combined with skin grafting for deep toe ulcer in diabetic patients. <i>Journal of Surgical Research</i> , 2018, 231, 167-172.	0.8	7
57	Klf4 Alleviates Lipopolysaccharide-Induced Inflammation by Inducing Expression of MCP-1 Induced Protein 1 to Deubiquitinate TRAF6. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 2278-2290.	1.1	19
58	Cell-free therapy based on adipose tissue stem cell-derived exosomes promotes wound healing via the PI3K/Akt signaling pathway. <i>Experimental Cell Research</i> , 2018, 370, 333-342.	1.2	234
59	IL-17 Promotes Scar Formation by Inducing Macrophage Infiltration. <i>American Journal of Pathology</i> , 2018, 188, 1693-1702.	1.9	37
60	Acute downregulation of miR-199a attenuates sepsis-induced acute lung injury by targeting SIRT1. <i>American Journal of Physiology - Cell Physiology</i> , 2018, 314, C449-C455.	2.1	75
61	Exosomal MicroRNAs Derived from Human Amniotic Epithelial Cells Accelerate Wound Healing by Promoting the Proliferation and Migration of Fibroblasts. <i>Stem Cells International</i> , 2018, 2018, 1-10.	1.2	46
62	Acetylation-Dependent Regulation of Notch Signaling in Macrophages by SIRT1 Affects Sepsis Development. <i>Frontiers in Immunology</i> , 2018, 9, 762.	2.2	51
63	Wild-type p53-modulated autophagy and autophagic fibroblast apoptosis inhibit hypertrophic scar formation. <i>Laboratory Investigation</i> , 2018, 98, 1423-1437.	1.7	28
64	Recent advances in hypertrophic scar. <i>Histology and Histopathology</i> , 2018, 33, 27-39.	0.5	41
65	Exosomes derived from human amniotic epithelial cells accelerate wound healing and inhibit scar formation. <i>Journal of Molecular Histology</i> , 2017, 48, 121-132.	1.0	141
66	IRF8 is the target of SIRT1 for the inflammation response in macrophages. <i>Innate Immunity</i> , 2017, 23, 188-195.	1.1	32
67	miR-155 promotes cutaneous wound healing through enhanced keratinocytes migration by MMP-2. <i>Journal of Molecular Histology</i> , 2017, 48, 147-155.	1.0	45
68	Endothelial deletion of mTORC1 protects against hindlimb ischemia in diabetic mice via activation of autophagy, attenuation of oxidative stress and alleviation of inflammation. <i>Free Radical Biology and Medicine</i> , 2017, 108, 725-740.	1.3	47
69	Efficient generation of functional Schwann cells from adipose-derived stem cells in defined conditions. <i>Cell Cycle</i> , 2017, 16, 841-851.	1.3	42
70	PKC α as a promising therapeutic target for TNF α -induced inflammatory disorders in chronic cutaneous wounds. <i>International Journal of Molecular Medicine</i> , 2017, 40, 1335-1346.	1.8	12
71	Abcb1a and Abcb1b genes function differentially in blood-testis barrier dynamics in the rat. <i>Cell Death and Disease</i> , 2017, 8, e3038-e3038.	2.7	6
72	MicroRNA-192 regulates hypertrophic scar fibrosis by targeting SIP1. <i>Journal of Molecular Histology</i> , 2017, 48, 357-366.	1.0	16

#	ARTICLE	IF	CITATIONS
73	Autophagy protein LC3 regulates the fibrosis of hypertrophic scar by controlling Bcl-xL in dermal fibroblasts. <i>Oncotarget</i> , 2017, 8, 93757-93770.	0.8	21
74	Disruption of the association between drug transporter and actin cytoskeleton abolishes drug resistance in hypertrophic scar. <i>Oncotarget</i> , 2017, 8, 2617-2627.	0.8	5
75	Efficacy and safety of BRAF inhibition alone versus combined BRAF and MEK inhibition in melanoma: a meta-analysis of randomized controlled trials. <i>Oncotarget</i> , 2017, 8, 32258-32269.	0.8	37
76	Notch1 Pathway Protects against Burn-Induced Myocardial Injury by Repressing Reactive Oxygen Species Production through JAK2/STAT3 Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-14.	1.9	31
77	Murine Sertoli cells promote the development of tolerogenic dendritic cells: a pivotal role of galectin-1. <i>Immunology</i> , 2016, 148, 253-265.	2.0	31
78	Adipose tissue-derived stem cells suppress hypertrophic scar fibrosis via the p38/MAPK signaling pathway. <i>Stem Cell Research and Therapy</i> , 2016, 7, 102.	2.4	90
79	Simultaneous deactivation of FAK and Src improves the pathology of hypertrophic scar. <i>Scientific Reports</i> , 2016, 6, 26023.	1.6	17
80	Expression and purification of rhIL-10-RGD from <i>Escherichia coli</i> as a potential wound healing agent. <i>Journal of Microbiological Methods</i> , 2016, 127, 62-67.	0.7	4
81	Allogeneic adipose-derived stem cells promote survival of fat grafts in immunocompetent diabetic rats. <i>Cell and Tissue Research</i> , 2016, 364, 357-367.	1.5	8
82	Cryptotanshinone downregulates the profibrotic activities of hypertrophic scar fibroblasts and accelerates wound healing: A potential therapy for the reduction of skin scarring. <i>Biomedicine and Pharmacotherapy</i> , 2016, 80, 80-86.	2.5	25
83	Src promotes cutaneous wound healing by regulating MMP-2 through the ERK pathway. <i>International Journal of Molecular Medicine</i> , 2016, 37, 639-648.	1.8	32
84	The amelioration of composite tissue allograft rejection by TIM-3-modified dendritic cell: Regulation of the balance of regulatory and effector T cells. <i>Immunology Letters</i> , 2016, 169, 15-22.	1.1	6
85	Loss of CAR promotes migration and proliferation of HaCaT cells and accelerates wound healing in rats via Src-p38 MAPK pathway. <i>Scientific Reports</i> , 2016, 6, 19735.	1.6	30
86	Guidelines for burn rehabilitation in China. <i>Burns and Trauma</i> , 2015, 3, 20.	2.3	24
87	SIRT1 protects rat lung tissue against severe burn-induced remote ALI by attenuating the apoptosis of PMVECs via p38 MAPK signaling. <i>Scientific Reports</i> , 2015, 5, 10277.	1.6	40
88	Slc15a1 is involved in the transport of synthetic F5-peptide into the seminiferous epithelium in adult rat testes. <i>Scientific Reports</i> , 2015, 5, 16271.	1.6	9
89	The challenges and promises of allogeneic mesenchymal stem cells for use as a cell-based therapy. <i>Stem Cell Research and Therapy</i> , 2015, 6, 234.	2.4	231
90	SIRT1 Is a Regulator in High Glucose-Induced Inflammatory Response in RAW264.7 Cells. <i>PLoS ONE</i> , 2015, 10, e0120849.	1.1	51

#	ARTICLE	IF	CITATIONS
91	ROS-Mediated NLRP3 Inflammasome Activity Is Essential for Burn-Induced Acute Lung Injury. Mediators of Inflammation, 2015, 2015, 1-16.	1.4	67
92	Loureirin B inhibits fibroblast proliferation and extracellular matrix deposition in hypertrophic scar via $\text{TGF}\beta_2$ /Smad pathway. Experimental Dermatology, 2015, 24, 355-360.	1.4	64
93	Selective decontamination of the digestive tract ameliorates severe burn-induced insulin resistance in rats. Burns, 2015, 41, 1076-1085.	1.1	11
94	Rho kinase inhibitor Y-27632 promotes the differentiation of human bone marrow mesenchymal stem cells into keratinocyte-like cells in xeno-free conditioned medium. Stem Cell Research and Therapy, 2015, 6, 17.	2.4	30
95	Comment on "Allogeneic mesenchymal stem cells, but not culture modified monocytes, improve burn wound healing". Burns, 2015, 41, 1894-1895.	1.1	0
96	Recovery of lost face of burn patients, perceived changes, and coping strategies in the rehabilitation stage. Burns, 2015, 41, 1855-1861.	1.1	18
97	Deletion of protein tyrosine phosphatase 1B rescues against myocardial anomalies in high fat diet-induced obesity: Role of AMPK-dependent autophagy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 299-309.	1.8	37
98	Negative Pressure Wound Therapy Decreases Mortality in a Murine Model of Burn-Wound Sepsis Involving Pseudomonas aeruginosa Infection. PLoS ONE, 2014, 9, e90494.	1.1	33
99	Anti-Fibrotic Actions of Interleukin-10 against Hypertrophic Scarring by Activation of PI3K/AKT and STAT3 Signaling Pathways in Scar-Forming Fibroblasts. PLoS ONE, 2014, 9, e98228.	1.1	79
100	Guideline for diagnosis, prophylaxis and treatment of invasive fungal infection post burn injury in China 2013. Burns and Trauma, 2014, 2, 45.	0.7	14
101	Effects of integrin $\alpha_2\beta_3$ on differentiation and collagen synthesis induced by connective tissue growth factor in human hypertrophic scar fibroblasts. International Journal of Molecular Medicine, 2014, 34, 1323-1334.	1.8	12
102	Role for Heat Shock Protein 90 α in the Proliferation and Migration of HaCaT Cells and in the Deep Second-Degree Burn Wound Healing in Mice. PLoS ONE, 2014, 9, e103723.	1.1	16
103	The role of ERK and JNK signaling in connective tissue growth factor induced extracellular matrix protein production and scar formation. Archives of Dermatological Research, 2013, 305, 433-445.	1.1	48
104	Wnt/ β -catenin pathway forms a negative feedback loop during TGF β_1 induced human normal skin fibroblast-to-myofibroblast transition. Journal of Dermatological Science, 2012, 65, 38-49.	1.0	85