

Jun Goo Kang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2166529/publications.pdf>

Version: 2024-02-01

43
papers

902
citations

687363

13
h-index

477307

29
g-index

43
all docs

43
docs citations

43
times ranked

1611
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-Obesity Drugs: A Review about Their Effects and Safety. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 13.	4.7	463
2	Synergistic cytotoxicity of BIIB021 with triptolide through suppression of PI3K/Akt/mTOR and NF- κ B signal pathways in thyroid carcinoma cells. <i>Biomedicine and Pharmacotherapy</i> , 2016, 83, 22-32.	5.6	39
3	Lipid indices as simple and clinically useful surrogate markers for insulin resistance in the U.S. population. <i>Scientific Reports</i> , 2021, 11, 2366.	3.3	32
4	The hsp70 inhibitor VER155008 induces paraptosis requiring de novo protein synthesis in anaplastic thyroid carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 454, 36-41.	2.1	31
5	The heat shock protein 90 inhibitor SNX5422 has a synergistic activity with histone deacetylase inhibitors in induction of death of anaplastic thyroid carcinoma cells. <i>Endocrine</i> , 2016, 51, 274-282.	2.3	26
6	Mechanisms of adipose tissue redistribution with rosiglitazone treatment in various adipose depots. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 46-53.	3.4	23
7	Clinical Implications of Immunoglobulin G4 to Graves' Ophthalmopathy. <i>Thyroid</i> , 2017, 27, 1185-1193.	4.5	23
8	Serum Chemerin Levels are Associated with Visceral Adiposity, Independent of Waist Circumference, in Newly Diagnosed Type 2 Diabetic Subjects. <i>Yonsei Medical Journal</i> , 2017, 58, 319.	2.2	23
9	Efficacy and safety of evogliptin monotherapy in patients with type 2 diabetes and moderately elevated glycated haemoglobin levels after diet and exercise. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1681-1687.	4.4	21
10	Effect of Sarcopenia and Body Shape on Cardiovascular Disease According to Obesity Phenotypes. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 209-218.	4.7	21
11	Underweight Increases the Risk of End-Stage Renal Diseases for Type 2 Diabetes in Korean Population: Data From the National Health Insurance Service Health Checkups 2009-2017. <i>Diabetes Care</i> , 2020, 43, 1118-1125.	8.6	19
12	Evodiamine Suppresses Survival, Proliferation, Migration and Epithelial-Mesenchymal Transition of Thyroid Carcinoma Cells. <i>Anticancer Research</i> , 2018, 38, 6339-6352.	1.1	17
13	Suppression of AKT Potentiates Synergistic Cytotoxicity of Apigenin with TRAIL in Anaplastic Thyroid Carcinoma Cells. <i>Anticancer Research</i> , 2015, 35, 6529-37.	1.1	16
14	Comparison between the Therapeutic Effect of Metformin, Glimepiride and Their Combination as an Add-On Treatment to Insulin Glargine in Uncontrolled Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e87799.	2.5	13
15	Tunicamycin induces paraptosis potentiated by inhibition of BRAFV600E in FRO anaplastic thyroid carcinoma cells. <i>Anticancer Research</i> , 2014, 34, 4857-68.	1.1	12
16	A Potential Issue with Screening Prediabetes or Diabetes Using Serum Glucose: A Delay in Diagnosis. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 414.	4.7	11
17	Enigma Plays Roles in Survival of Thyroid Carcinoma Cells through PI3K/AKT Signaling and Survivin. <i>Anticancer Research</i> , 2018, 38, 3515-3525.	1.1	10
18	Hsp70 inhibition potentiates radicicol-induced cell death in anaplastic thyroid carcinoma cells. <i>Anticancer Research</i> , 2014, 34, 4829-37.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Synergistic cytotoxicity of the dipeptidyl peptidase-IV inhibitor gemigliptin with metformin in thyroid carcinoma cells. <i>Endocrine</i> , 2018, 59, 383-394.	2.3	9
20	Evodiamine in combination with histone deacetylase inhibitors has synergistic cytotoxicity in thyroid carcinoma cells. <i>Endocrine</i> , 2019, 65, 110-120.	2.3	9
21	Fasting plasma glucose concentrations for specified HbA1c goals in Korean populations: data from the Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-2, 2011). <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 62.	2.7	7
22	Effect of body shape on the development of cardiovascular disease in individuals with metabolically healthy obesity. <i>Medicine (United States)</i> , 2020, 99, e22036.	1.0	7
23	Z-score of the log-transformed A Body Shape Index predicts low muscle mass in population with abdominal obesity: The U.S. and Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020, 15, e0242557.	2.5	7
24	Cytotoxic effect of celastrol alone or in combination with paclitaxel on anaplastic thyroid carcinoma cells. <i>Tumor Biology</i> , 2017, 39, 101042831769836.	1.8	6
25	Baseline Renal Function Predicts Hyponatremia in Liver Cirrhosis Patients Treated with Terlipressin for Variceal Bleeding. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-7.	1.5	6
26	Herbimycin A inhibits cell growth with reversal of epithelial-mesenchymal transition in anaplastic thyroid carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 455, 363-370.	2.1	5
27	Doxorubicin has a synergistic cytotoxicity with cucurbitacin B in anaplastic thyroid carcinoma cells. <i>Tumor Biology</i> , 2017, 39, 101042831769225.	1.8	5
28	The dipeptidyl peptidase-IV inhibitor gemigliptin alone or in combination with NVP-AUY922 has a cytotoxic activity in thyroid carcinoma cells. <i>Tumor Biology</i> , 2017, 39, 101042831772206.	1.8	5
29	Heat Shock Protein 90 Inhibitors AUY922, BIIB021 and SNX5422 Induce Bim-mediated Death of Thyroid Carcinoma Cells. <i>Anticancer Research</i> , 2020, 40, 6137-6150.	1.1	5
30	17-Allylamino-17-demethoxygeldanamycin and Herbimycin A Induce Cell Death by Modulating β -Catenin and PI3K/AKT Signaling in FRO Anaplastic Thyroid Carcinoma Cells. <i>Anticancer Research</i> , 2015, 35, 5453-60.	1.1	5
31	The Role of Glucagon-Like Peptide-1 Receptor Agonists in Type 2 Diabetes: Understanding How Data Can Inform Clinical Practice in Korea. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 177.	4.7	4
32	The Actions of PPAR γ Agonists on the Various Target Organs. <i>The Korean Journal of Obesity</i> , 2011, 20, 161.	0.2	4
33	Comparison of the clinical characteristics of diabetes mellitus diagnosed using fasting plasma glucose and haemoglobin A1c: The 2011 Korea National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2016, 113, 23-25.	2.8	3
34	A Case of Unilateral Exophthalmos Caused by a Dural Arteriovenous Malformation in Thyroid-Associated Ophthalmopathy. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 51.	0.1	2
35	Glycosylated Hemoglobin Threshold for Predicting Diabetes and Prediabetes from the Fifth Korea National Health and Nutrition Examination Survey. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 167.	4.7	2
36	A Case of Hyponatraemic Seizure Following Terlipressin Therapy for a Variceal Hemorrhage in a Patient with Liver Cirrhosis. <i>Korean Journal of Medicine</i> , 2014, 87, 323.	0.3	1

#	ARTICLE	IF	CITATIONS
37	A Case of Kallmann's Syndrome Mildly Presenting as Secondary Amenorrhea. Journal of Korean Endocrine Society, 2007, 22, 130.	0.1	0
38	The Clinical Significance of Retinoic Acid Receptor β Expressions in Primary and Recurred Metastatic Lymph Node Papillary Thyroid Carcinomas. Journal of Korean Endocrine Society, 2007, 22, 419.	0.1	0
39	Effects of the Serum Adiponectin to Tumor Necrosis Factor- α (TNF- α) Ratio on Carotid Intima-Media Thickness in Newly Diagnosed Type 2 Diabetic Patients. Journal of Lipid and Atherosclerosis, 2015, 4, 7.	3.5	0
40	A Case of Thyrotoxic Periodic Paralysis with Rhabdomyolysis. Journal of Korean Endocrine Society, 2008, 23, 425.	0.1	0
41	The Pathogenesis of Diabetic Retinopathy. Korean Clinical Diabetes, 2009, 10, 142.	0.1	0
42	Glucose Control of the Patients with Type 2 Diabetes Using a Long Acting Insulin and Insulin Secretagogue According to Fasting and Postprandial C-peptide. Korean Clinical Diabetes, 2010, 11, 324.	0.1	0
43	A Case of Bilateral ACTH-independent Adrenal Adenomas with Cushing's Syndrome Treated by Ipsilateral Total and Contralateral Partial Laparoscopic Adrenalectomy. The Korean Journal of Obesity, 2013, 22, 254.	0.2	0