

# Kook-Hwan Oh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2167250/publications.pdf>

Version: 2024-02-01

185  
papers

2,720  
citations

218662

26  
h-index

315719

38  
g-index

197  
all docs

197  
docs citations

197  
times ranked

3558  
citing authors

#	ARTICLE	IF	CITATIONS
1	KNOW-CKD (KoreaN cohort study for Outcome in patients With Chronic Kidney Disease): design and methods. <i>BMC Nephrology</i> , 2014, 15, 80.	1.8	156
2	Obesity, Metabolic Abnormality, and Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 400-410.	1.9	105
3	Hyperuricemia has increased the risk of progression of chronic kidney disease: propensity score matching analysis from the KNOW-CKD study. <i>Scientific Reports</i> , 2019, 9, 6681.	3.3	76
4	Intra-peritoneal interleukin-6 system is a potent determinant of the baseline peritoneal solute transport in incident peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1639-1646.	0.7	64
5	Machine learning algorithm to predict mortality in patients undergoing continuous renal replacement therapy. <i>Critical Care</i> , 2020, 24, 42.	5.8	57
6	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <i>Kidney International</i> , 2019, 96, 983-994.	5.2	51
7	Sex, Age, and the Association of Serum Phosphorus With All-Cause Mortality in Adults With Normal Kidney Function. <i>American Journal of Kidney Diseases</i> , 2016, 67, 79-88.	1.9	46
8	Clinical Correlates of Mass Effect in Autosomal Dominant Polycystic Kidney Disease. <i>PLoS ONE</i> , 2015, 10, e0144526.	2.5	43
9	Deep Learning Model for Real-Time Prediction of Intradialytic Hypotension. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 396-406.	4.5	42
10	Effect of multidisciplinary pre-dialysis education in advanced chronic kidney disease: Propensity score matched cohort analysis. <i>Nephrology</i> , 2012, 17, 472-479.	1.6	40
11	AICAR, an AMPK activator, protects against cisplatin-induced acute kidney injury through the JAK/STAT/SOCS pathway. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 680-686.	2.1	40
12	Association of Blood Pressure With the Progression of CKD: Findings From KNOW-CKD Study. <i>American Journal of Kidney Diseases</i> , 2021, 78, 236-245.	1.9	39
13	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 92-98.	2.6	38
14	Midterm eGFR and Adverse Pregnancy Outcomes: The Clinical Significance of Gestational Hyperfiltration. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1048-1056.	4.5	36
15	Safety and efficacy of immune checkpoint inhibitors for end-stage renal disease patients undergoing dialysis: a retrospective case series and literature review. <i>Investigational New Drugs</i> , 2019, 37, 579-583.	2.6	36
16	The association between soluble klotho and cardiovascular parameters in chronic kidney disease: results from the KNOW-CKD study. <i>BMC Nephrology</i> , 2018, 19, 51.	1.8	34
17	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Mayo Clinic Proceedings</i> , 2020, 95, 293-305.	3.0	34
18	Does Routine Bioimpedance-Guided Fluid Management Provide Additional Benefit to Non-Anuric Peritoneal Dialysis Patients? Results from Compass Clinical Trial. <i>Peritoneal Dialysis International</i> , 2018, 38, 131-138.	2.3	33

#	ARTICLE	IF	CITATIONS
19	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. <i>Kidney International</i> , 2019, 96, 1217-1233.	5.2	33
20	Association Between Serum High-Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019, 8, e011162.	3.7	32
21	Baseline General Characteristics of the Korean Chronic Kidney Disease: Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 221.	2.5	31
22	Renal adverse effects of sunitinib and its clinical significance: a single-center experience in Korea. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 40.	1.7	31
23	Hyperuricemia and deterioration of renal function in autosomal dominant polycystic kidney disease. <i>BMC Nephrology</i> , 2014, 15, 63.	1.8	30
24	2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , 2019, 4, 1523-1537.	0.8	29
25	The KNOW-CKD Study: What we have learned about chronic kidney diseases. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 121-135.	2.2	29
26	The Outcomes of Percutaneous Versus Open Placement of Peritoneal Dialysis Catheters. <i>World Journal of Surgery</i> , 2014, 38, 1058-1064.	1.6	28
27	Serum hepcidin may be a novel uremic toxin, which might be related to erythropoietin resistance. <i>Scientific Reports</i> , 2017, 7, 4260.	3.3	27
28	Clinical Significance of Crescent Formation in IgA Nephropathy – a Multicenter Validation Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 22-32.	2.0	27
29	Measured sodium excretion is associated with CKD progression: results from the KNOW-CKD study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 512-519.	0.7	27
30	Sex-specific Relationship of Serum Uric Acid with All-cause Mortality in Adults with Normal Kidney Function: An Observational Study. <i>Journal of Rheumatology</i> , 2017, 44, 380-387.	2.0	26
31	Incremental Peritoneal Dialysis May be Beneficial for Preserving Residual Renal Function Compared to Full-dose Peritoneal Dialysis. <i>Scientific Reports</i> , 2019, 9, 10105.	3.3	26
32	High serum adiponectin as a biomarker of renal dysfunction: Results from the KNOW-CKD study. <i>Scientific Reports</i> , 2020, 10, 5598.	3.3	26
33	Urinary N-acetyl- $\beta$ -D glucosaminidase as a surrogate marker for renal function in autosomal dominant polycystic kidney disease: 1 year prospective cohort study. <i>BMC Nephrology</i> , 2012, 13, 93.	1.8	25
34	HL156A, a novel AMP-activated protein kinase activator, is protective against peritoneal fibrosis in an in vivo and in vitro model of peritoneal fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F342-F350.	2.7	25
35	Baseline peritoneal solute transport rate is not associated with markers of systemic inflammation or comorbidity in incident Korean peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2356-2364.	0.7	24
36	Effects of Interleukin-6 T15A Single Nucleotide Polymorphism on Baseline Peritoneal Solute Transport Rate in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 81-88.	2.3	24

#	ARTICLE	IF	CITATIONS
37	Sleep Duration and Health-Related Quality of Life in Predialysis CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 858-865.	4.5	24
38	Lower Education Level Is a Risk Factor for Peritonitis and Technique Failure but Not a Risk for Overall Mortality in Peritoneal Dialysis under Comprehensive Training System. <i>PLoS ONE</i> , 2017, 12, e0169063.	2.5	24
39	Frequent patient retraining at home reduces the risks of peritoneal dialysis-related infections: A randomised study. <i>Scientific Reports</i> , 2018, 8, 12919.	3.3	23
40	Klotho ameliorates diabetic nephropathy via LKB1-AMPK-PGC1 $\alpha$ -mediated renal mitochondrial protection. <i>Biochemical and Biophysical Research Communications</i> , 2021, 534, 1040-1046.	2.1	23
41	Lower Residual Renal Function is a Risk Factor for Depression and Impaired Health-Related Quality of Life in Korean Peritoneal Dialysis Patients. <i>Journal of Korean Medical Science</i> , 2012, 27, 64.	2.5	22
42	Increased urinary Angiotensinogen/Creatinine (AGT/Cr) ratio may be associated with reduced renal function in autosomal dominant polycystic kidney disease patients. <i>BMC Nephrology</i> , 2015, 16, 86.	1.8	22
43	Baseline Cardiovascular Characteristics of Adult Patients with Chronic Kidney Disease from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 231.	2.5	22
44	Autologous arteriovenous fistula is associated with superior outcomes in elderly hemodialysis patients. <i>BMC Nephrology</i> , 2018, 19, 306.	1.8	22
45	The ratio of urinary sodium and potassium and chronic kidney disease progression. <i>Medicine (United States)</i> 2019; 98(14):e16114	1.0	21
46	Vascular Endothelial Growth Factor Expression in Peritoneal Mesothelial Cells Undergoing Transdifferentiation. <i>Peritoneal Dialysis International</i> , 2008, 28, 497-504.	2.3	20
47	Serum klotho is inversely associated with metabolic syndrome in chronic kidney disease: results from the KNOW-CKD study. <i>BMC Nephrology</i> , 2019, 20, 119.	1.8	20
48	MEST-C pathological score and long-term outcomes of child and adult patients with Henoch-Schönlein purpura nephritis. <i>BMC Nephrology</i> , 2020, 21, 33.	1.8	20
49	Chronic Kidney Disease-Mineral Bone Disorder in Korean Patients: a Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 240.	2.5	19
50	Dietary Protein Intake, Protein Energy Wasting, and the Progression of Chronic Kidney Disease: Analysis from the KNOW-CKD Study. <i>Nutrients</i> , 2019, 11, 121.	4.1	19
51	Acute kidney injury predicts all-cause mortality in patients with cancer. <i>Cancer Medicine</i> , 2019, 8, 2740-2750.	2.8	19
52	Long-term Mortality Risks Among Living Kidney Donors in Korea. <i>American Journal of Kidney Diseases</i> , 2020, 75, 919-925.	1.9	19
53	A threshold value of estimated glomerular filtration rate that predicts changes in serum 25-hydroxyvitamin D levels: 4th Korean National Health and Nutritional Examination Survey 2008. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2396-2403.	0.7	18
54	Association of Serum Osteoprotegerin Levels with Bone Loss in Chronic Kidney Disease: Insights from the KNOW-CKD Study. <i>PLoS ONE</i> , 2016, 11, e0166792.	2.5	18

#	ARTICLE	IF	CITATIONS
55	Total kidney and liver volume is a major risk factor for malnutrition in ambulatory patients with autosomal dominant polycystic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 22.	1.8	18
56	Serum adiponectin and protein energy wasting in predialysis chronic kidney disease. <i>Nutrition</i> , 2017, 33, 254-260.	2.4	18
57	Urine Osmolality and Renal Outcome in Patients with Chronic Kidney Disease: Results from the KNOW-CKD. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1089-1100.	2.0	18
58	Metabolic acidosis is associated with pulse wave velocity in chronic kidney disease: Results from the KNOW-CKD Study. <i>Scientific Reports</i> , 2019, 9, 16139.	3.3	18
59	Pregnancy in women with immunoglobulin A nephropathy: are obstetrical complications associated with renal prognosis?. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 459-465.	0.7	17
60	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE. <i>Nephrology</i> , 2020, 25, 12-45.	1.6	17
61	Baseline Fgf23 is Associated with Cardiovascular Outcome in Incident Pd Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 26-32.	2.3	16
62	Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1368-1376.	5.2	16
63	The difference between cystatin C- and creatinine-based eGFR is associated with adverse cardiovascular outcome in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2021, 335, 53-61.	0.8	16
64	Associations of urinary sodium levels with overweight and central obesity in a population with a sodium intake. <i>BMC Nutrition</i> , 2018, 4, 47.	1.6	14
65	Association between Dietary Mineral Intake and Chronic Kidney Disease: The Health Examinees (HEXA) Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1070.	2.6	14
66	Machine learning model to predict hypotension after starting continuous renal replacement therapy. <i>Scientific Reports</i> , 2021, 11, 17169.	3.3	14
67	Pharmacogenetic analysis of cinacalcet response in secondary hyperparathyroidism patients. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 2211-2225.	4.3	13
68	Sex disparities and adverse cardiovascular and kidney outcomes in patients with chronic kidney disease: results from the KNOW-CKD. <i>Clinical Research in Cardiology</i> , 2021, 110, 1116-1127.	3.3	13
69	Association between vitamin D deficiency and health-related quality of life in patients with chronic kidney disease from the KNOW-CKD study. <i>PLoS ONE</i> , 2017, 12, e0174282.	2.5	13
70	Association of ambulatory blood pressure monitoring with renal outcome in patients with chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 70-80.	2.2	13
71	Association of Left Ventricular Diastolic Dysfunction With Cardiovascular Outcomes in Patients With Pre-dialysis Chronic Kidney Disease: Findings From KNOW-CKD Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 844312.	2.4	13
72	Comparison of the Efficacy and Safety Profile of Morning Administration of Controlled-release Simvastatin Versus Evening Administration of Immediate-release Simvastatin in Chronic Kidney Disease Patients With Dyslipidemia. <i>Clinical Therapeutics</i> , 2014, 36, 1182-1190.	2.5	12

#	ARTICLE	IF	CITATIONS
73	Differentially expressed miR-3680-5p is associated with parathyroid hormone regulation in peritoneal dialysis patients. <i>PLoS ONE</i> , 2017, 12, e0170535.	2.5	12
74	Asian Pacific Society of Nephrology Clinical Practice Guideline on Diabetic Kidney Disease – An Executive Summary. <i>Nephrology</i> , 2020, 25, 809-817.	1.6	12
75	Effectiveness of Clinical Pharmacist Service on Drug-Related Problems and Patient Outcomes for Hospitalized Patients with Chronic Kidney Disease: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1788.	2.4	12
76	Dietary Micronutrients and Risk of Chronic Kidney Disease: A Cohort Study with 12 Year Follow-Up. <i>Nutrients</i> , 2021, 13, 1517.	4.1	12
77	Machine learning-based prediction of acute kidney injury after nephrectomy in patients with renal cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 15704.	3.3	12
78	Incidence of cardiovascular events and mortality in Korean patients with chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 1131.	3.3	12
79	Coronary Artery Calcification Score and the Progression of Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1590-1601.	6.1	12
80	Gestational Estimated Glomerular Filtration Rate and Adverse Maternofetal Outcomes. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1688-1698.	2.0	11
81	Arterial Stiffness as a Risk Factor for Subclinical Coronary Artery Calcification in Predialysis Chronic Kidney Disease: From the KNOW-CKD Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 426-434.	2.0	11
82	Body Mass Index, waist circumference, and health-related quality of life in adults with chronic kidney disease. <i>Quality of Life Research</i> , 2019, 28, 1075-1083.	3.1	11
83	High fibroblast growth factor 23 is associated with coronary calcification in patients with high adiponectin: analysis from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD) study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 123-129.	0.7	11
84	Discrepancies in Clinic and Ambulatory Blood Pressure in Korean Chronic Kidney Disease Patients. <i>Journal of Korean Medical Science</i> , 2017, 32, 772.	2.5	10
85	Discrepant glomerular filtration rate trends from creatinine and cystatin C in patients with chronic kidney disease: results from the KNOW-CKD cohort. <i>BMC Nephrology</i> , 2020, 21, 280.	1.8	10
86	Kidney VISTA prevents IFN- $\gamma$ /IL-9 axis-mediated tubulointerstitial fibrosis after acute glomerular injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	10
87	Relationship between brachial-ankle and heart-femoral pulse wave velocities and the rapid decline of kidney function. <i>Scientific Reports</i> , 2018, 8, 821.	3.3	9
88	HL156A, a novel pharmacological agent with potent adenosine-monophosphate-activated protein kinase (AMPK) activator activity ameliorates renal fibrosis in a rat unilateral ureteral obstruction model. <i>PLoS ONE</i> , 2018, 13, e0201692.	2.5	9
89	ST2 blockade mitigates peritoneal fibrosis induced by TGF $\beta$ 2 and high glucose. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6872-6884.	3.6	9
90	Bioelectrical impedance analysis as a nutritional assessment tool in Autosomal Dominant Polycystic Kidney Disease. <i>PLoS ONE</i> , 2019, 14, e0214912.	2.5	9

#	ARTICLE	IF	CITATIONS
91	Association Between High-Sensitivity Cardiac Troponin T and Echocardiographic Parameters in Chronic Kidney Disease: Results From the KNOW-CKD Cohort Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013357.	3.7	9
92	eGFR and coronary artery calcification in chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13101.	3.4	9
93	Genetic risk score raises the risk of incidence of chronic kidney disease in Korean general population-based cohort. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 995-1003.	1.6	9
94	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE – EXECUTIVE SUMMARY. <i>Nephrology</i> , 2020, 25, 3-11.	1.6	9
95	Apolipoprotein B is a risk factor for end-stage renal disease. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 617-623.	2.9	9
96	Renal outcomes in adult patients with horseshoe kidney. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 498-503.	0.7	9
97	Rapid Weight Change Over Time Is a Risk Factor for Adverse Outcomes in Patients With Predialysis Chronic Kidney Disease: A Prospective Cohort Study. , 2021, 31, 569-578.		9
98	Metabolic Acidosis Is an Independent Risk Factor of Renal Progression in Korean Chronic Kidney Disease Patients: The KNOW-CKD Study Results. <i>Frontiers in Medicine</i> , 2021, 8, 707588.	2.6	9
99	Inflammation Alters Relationship Between High-Density Lipoprotein Cholesterol and Cardiovascular Risk in Patients With Chronic Kidney Disease: Results From KNOW-CKD. <i>Journal of the American Heart Association</i> , 2021, 10, e021731.	3.7	9
100	The association between socioeconomic disparities and left ventricular hypertrophy in chronic kidney disease: results from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>BMC Nephrology</i> , 2018, 19, 203.	1.8	8
101	The Role of Cathepsin B in Peritoneal Fibrosis due to Peritoneal Dialysis. <i>International Journal of Nephrology</i> , 2019, 2019, 1-7.	1.3	8
102	Low-dose aspirin was associated with an increased risk of cardiovascular events in patients with chronic kidney disease and low bodyweight: results from KNOW-CKD study. <i>Scientific Reports</i> , 2021, 11, 6691.	3.3	8
103	Clinical and genetic characteristics of Korean autosomal dominant polycystic kidney disease patients. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 767-779.	1.7	8
104	Albuminuria as a Risk Factor for Anemia in Chronic Kidney Disease: Result from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>PLoS ONE</i> , 2015, 10, e0139747.	2.5	8
105	Association of serum mineral parameters with mortality in hemodialysis patients: Data from the Korean end-stage renal disease registry. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 266-276.	2.2	8
106	Low-density lipoprotein cholesterol levels and adverse clinical outcomes in chronic kidney disease: Results from the KNOW-CKD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 410-419.	2.6	8
107	Complete remission induced by tacrolimus and low-dose prednisolone in adult minimal change nephrotic syndrome: A pilot study. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 112-117.	2.2	7
108	Identification of differentially expressed miRNAs associated with chronic kidney disease – mineral bone disorder. <i>Frontiers of Medicine</i> , 2017, 11, 378-385.	3.4	7

#	ARTICLE	IF	CITATIONS
109	Association of serum adiponectin concentration with aortic arterial stiffness in chronic kidney disease: from the KNOW-CKD study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 608-616.	1.6	7
110	Genetic Characteristics of Korean Patients with Autosomal Dominant Polycystic Kidney Disease by Targeted Exome Sequencing. <i>Scientific Reports</i> , 2019, 9, 16952.	3.3	7
111	Smoking Cessation and Coronary Artery Calcification in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 870-879.	4.5	7
112	Low bone mineral density is associated with coronary arterial calcification progression and incident cardiovascular events in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 119-127.	2.9	7
113	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Hypertension</i> , 2021, 78, 1355-1364.	2.7	7
114	Association of blood pressure with cardiovascular outcome and mortality: results from the KNOW-CKD study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1722-1730.	0.7	7
115	Genetic identification of inherited cystic kidney diseases for implementing precision medicine: a study protocol for a 3-year prospective multicenter cohort study. <i>BMC Nephrology</i> , 2021, 22, 2.	1.8	7
116	The effect of interactions between proteinuria, activity of fibroblast growth factor 23 and serum phosphate on renal progression in patients with chronic kidney disease: a result from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 438-446.	0.7	6
117	Urinary chloride concentration and progression of chronic kidney disease: results from the KoreaN cohort study for Outcomes in patients With Chronic Kidney Disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 673-680.	0.7	6
118	Target value of mean arterial pressure in patients undergoing continuous renal replacement therapy due to acute kidney injury. <i>BMC Nephrology</i> , 2021, 22, 20.	1.8	6
119	Soluble $\beta$ -klotho anchors TRPV5 to the distal tubular cell membrane independent of FGFR1 by binding TRPV5 and galectin-1 simultaneously. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F559-F568.	2.7	6
120	Use of Deep Learning to Predict Acute Kidney Injury After Intravenous Contrast Media Administration: Prediction Model Development Study. <i>JMIR Medical Informatics</i> , 2021, 9, e27177.	2.6	6
121	Better health-related quality of life in kidney transplant patients compared to chronic kidney disease patients with similar renal function. <i>PLoS ONE</i> , 2021, 16, e0257981.	2.5	6
122	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 93-102.	2.2	6
123	Korean Society of Nephrology 2021 Clinical Practice Guideline for Optimal Hemodialysis Treatment. <i>Kidney Research and Clinical Practice</i> , 2021, 40, S1-S37.	2.2	6
124	Mayo imaging classification is a good predictor of rapid progress among Korean patients with autosomal dominant polycystic kidney disease: results from the KNOW-CKD study. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 432-441.	2.2	6
125	Comparison of vascular calcification scoring systems using plain radiographs to predict vascular stiffness in peritoneal dialysis patients. <i>Nephrology</i> , 2011, 16, no-no.	1.6	5
126	Age, sex, and the association of chronic kidney disease with all-cause mortality in Buddhist priests. <i>Medicine (United States)</i> , 2018, 97, e13099.	1.0	5



#	ARTICLE	IF	CITATIONS
127	Ratio of triglyceride to high-density lipoprotein cholesterol and risk of major cardiovascular events in kidney transplant recipients. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1407-1417.	1.6	5
128	Foods contributing to nutrients intake and assessment of nutritional status in pre-dialysis patients: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 301.	1.8	5
129	Mediation of the relationship between proteinuria and serum phosphate: Insight from the KNOW-CKD study. <i>PLoS ONE</i> , 2020, 15, e0235077.	2.5	5
130	Serum uric acid is associated with coronary artery calcification in early chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2021, 22, 247.	1.8	5
131	Association of autosomal dominant polycystic kidney disease with cerebral small vessel disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 3365-3377.	4.3	5
132	Expression and secretion of CXCL12 are enhanced in autosomal dominant polycystic kidney disease. <i>BMB Reports</i> , 2019, 52, 463-468.	2.4	5
133	Urinary Angiotensinogen in addition to Imaging Classification in the Prediction of Renal Outcome in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Korean Medical Science</i> , 2020, 35, e165.	2.5	5
134	Association of High Serum Adiponectin Level With Adverse Cardiovascular Outcomes and Progression of Coronary Artery Calcification in Patients With Pre-dialysis Chronic Kidney Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 789488.	2.4	5
135	Association between serum osteoprotegerin level and renal prognosis in nondialysis patients with chronic kidney disease in the Korean Cohort Study for Outcomes in Patients with Chronic Kidney Disease (the KNOW-CKD Study). <i>Kidney Research and Clinical Practice</i> , 2022, 41, 200-208.	2.2	5
136	Association Between Left Ventricular Geometry and Renal Outcomes in Patients With Chronic Kidney Disease: Findings From Korean Cohort Study for Outcomes in Patients With Chronic Kidney Disease Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 848692.	2.4	5
137	Association of coronary artery calcium with adverse cardiovascular outcomes and death in patients with chronic kidney disease: results from the KNOW-CKD. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 712-721.	0.7	5
138	Cystatin C is Better than Serum Creatinine for Estimating Glomerular Filtration Rate to Detect Osteopenia in Chronic Kidney Disease Patients. <i>Yonsei Medical Journal</i> , 2017, 58, 380.	2.2	4
139	Development of model to predict end-stage renal disease after coronary artery bypass grafting. <i>Medicine (United States)</i> , 2019, 98, e15789.	1.0	4
140	Indexation of left ventricular mass to predict adverse clinical outcomes in pre-dialysis patients with chronic kidney disease: KoreaN cohort study of the outcome in patients with chronic kidney disease. <i>PLoS ONE</i> , 2020, 15, e0233310.	2.5	4
141	Effect of urinary angiotensinogen and high-salt diet on blood pressure in patients with chronic kidney disease: results from the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease (KNOW-CKD). <i>Korean Journal of Internal Medicine</i> , 2021, 36, 659-667.	1.7	4
142	Low serum adiponectin level is associated with better physical health-related quality of life in chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 10928.	3.3	4
143	Effects of blood urea nitrogen independent of the estimated glomerular filtration rate on the development of anemia in non-dialysis chronic kidney disease: The results of the KNOW-CKD study. <i>PLoS ONE</i> , 2021, 16, e0257305.	2.5	4
144	Polypharmacy and the Progression of Chronic Kidney Disease: Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 460-468.	2.0	4

#	ARTICLE	IF	CITATIONS
145	Abdominal Aortic Calcification and Cardiovascular Outcomes in Chronic Kidney Disease: Findings from KNOW-CKD Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1157.	2.4	4
146	Association of Urinary Potassium Excretion with Blood Pressure Variability and Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. <i>Nutrients</i> , 2021, 13, 4443.	4.1	4
147	Biobanking for glomerular diseases: a study design and protocol for KOREA Renal biobank NETWORK System TOWard NExt-generation analysis (KORNERSTONE). <i>BMC Nephrology</i> , 2020, 21, 367.	1.8	3
148	Persistent Resistant Hypertension Has Worse Renal Outcomes in Chronic Kidney Disease than that Resolved in Two Years: Results from the KNOW-CKD Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3998.	2.4	3
149	Evolving outcomes of peritoneal dialysis: secular trends at a single large center over three decades. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 472-483.	2.2	3
150	Association of Body Weight Variability with Adverse Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. <i>Nutrients</i> , 2021, 13, 3381.	4.1	3
151	Synergistic Antiproliferative Effects of All-Trans Retinoic Acid and Paclitaxel on Autosomal Dominant Polycystic Kidney Disease Epithelial Cells. <i>BioMed Research International</i> , 2021, 2021, 1-12.	1.9	3
152	Association of Body Weight Variability With Progression of Coronary Artery Calcification in Patients With Predialysis Chronic Kidney Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 794957.	2.4	3
153	Predictive Model for High Coronary Artery Calcium Score in Young Patients with Non-Dialysis Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 1372.	2.5	3
154	System of integrating biosignals during hemodialysis: the CONTINUAL (Continuous mOnitoriNg viTal) Tj ETQq0 0 0 rgBT /Overlock 10 TF	2.2	3
155	A case of reninoma with variant angina. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 106-108.	2.2	2
156	Calculation of the clearance requirements for the development of a hemodialysisâ€­based wearable artificial kidney. <i>Hemodialysis International</i> , 2016, 20, 226-234.	0.9	2
157	Effect of Liver Cirrhosis on the Outcomes of Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2019, 39, 502-508.	2.3	2
158	Greater adherence to the dietary approaches to stop hypertension dietary pattern is associated with preserved muscle strength in patients with autosomal dominant polycystic kidney disease: a single-center cross-sectional study. <i>Nutrition Research</i> , 2021, 93, 99-110.	2.9	2
159	Hyperchloremia is associated with poor renal outcome after coronary artery bypass grafting. <i>BMC Nephrology</i> , 2021, 22, 343.	1.8	2
160	Outcomes of the surgical management of encapsulating peritoneal sclerosis: A case series from a single center in Korea. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 499-508.	2.2	2
161	Patient education and care for end-stage kidney disease: one size never fits all. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 384-386.	2.2	2
162	The Association between Health-Enhancing Physical Activity and Quality of Life in Patients with Chronic Kidney Disease: Propensity Score Matching Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1318.	2.6	2

#	ARTICLE	IF	CITATIONS
163	Executive Summary of the Korean Society of Nephrology 2021 Clinical Practice Guideline for Optimal Hemodialysis Treatment. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 578-595.	2.2	2
164	Peritoneal Dialysisâ€”Moving from Current Status to the Future. <i>International Journal of Nephrology</i> , 2013, 2013, 1-1.	1.3	1
165	Predictive value of cardio-ankle vascular index for the risk of end-stage renal disease. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 255-260.	2.9	1
166	Moderateâ€”Vigorous Physical Activity and Clinical Outcomes in Adults with Nondialysis Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 3365.	2.4	1
167	Dietary Assessment of Korean Non-dialysis Chronic Kidney Disease Patients with or without Diabetes. <i>Journal of Korean Medical Science</i> , 2020, 35, e181.	2.5	1
168	Clozapine Induced Neuroleptic Malignant Syndrome. <i>Korean Journal of Critical Care Medicine</i> , 2017, 32, 291-294.	0.1	1
169	Effect of ambulatory blood pressure monitoring guided antihypertensive treatment on renal progression in patients with chronic kidney disease: a randomized comparative study. <i>Journal of Hypertension</i> , 2021, 39, 325-332.	0.5	1
170	<i>De novo</i> major cardiovascular events in kidney transplant recipients: a comparative matched cohort study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 499-506.	0.7	1
171	Association of Circulating Osteoprotegerin Level with Blood Pressure Variability in Patients with Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 178.	2.4	1
172	Stroke in Korean Dialysis Population: Another Health Threat Never to Be Underestimated. <i>Journal of Korean Medical Science</i> , 2017, 32, 1383.	2.5	0
173	SP274OBESITY AND HEALTH-RELATED QUALITY OF LIFE IN ADULTS WITH PREDIALYSIS CKD. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i435-i436.	0.7	0
174	SP297THE ASSOCIATION OF URINARY SODIUM, POTASSIUM AND CHRONIC KIDNEY DISEASE PROGRESSION: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENT WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i444-i444.	0.7	0
175	FO056HIGH-SENSITIVITY CARDIAC TROPONIN T AND LEFT VENTRICULAR STRUCTURE AND FUNCTION IN CHRONIC KIDNEY DISEASE: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENTS WITH CHRONIC KIDNEY DISEASE (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
176	SP057Association between asymptomatic hyperuricemia and apparent treatment resistant hypertension in chronic kidney disease in Korea : KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
177	SP330Pulse wave velocity: an independent risk factor of chronic kidney disease progression and mortality. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
178	FP343THE EFFECTS OF DAILY URINARY EXCRETION OF UREA ON RENAL SURVIVAL IN PATIENTS WITH PRE-DIALYSIS CHRONIC KIDNEY DISEASE: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENTS WITH CHRONIC KIDNEY DISEASE (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
179	P0912THE SERUM CREATININE TO CYSTATIN C RATIO AND CLINICAL OUTCOMES IN PATIENTS WITH NON-DIALYSIS CHRONIC KIDNEY DISEASE: THE KNOW-CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
180	P0502BIOBANKING FOR GLOMERULAR DISEASES: A STUDY DESIGN AND PROTOCOL FOR KOREA RENAL BIOBANK NETWORK SYSTEM TOWARD NEXT-GENERATION ANALYSIS (KORNERSTONE). <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0

#	ARTICLE	IF	CITATIONS
181	P0784 RAPID WEIGHT CHANGE OVER TIME IS A RISK FACTOR FOR ADVERSE OUTCOMES IN PREDIALYSIS CHRONIC KIDNEY DISEASE: RESULTS FROM KNOW-CKD STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
182	Increasing prescription of renin-angiotensin-aldosterone system blockers associated with improved kidney prognosis in Korean IgA nephropathy patients. CKJ: Clinical Kidney Journal, 2021, 14, 1673-1680.	2.9	0
183	Association between the transtubular potassium gradient and progression of chronic kidney disease: results from KNOW-CKD. Journal of Nephrology, 2021, 34, 2063-2072.	2.0	0
184	The authors' reply. Kidney Research and Clinical Practice, 2018, 37, 421-422.	2.2	0
185	Quality of life in patients with diabetic nephropathy: findings from the KNOW-CKD (Korean Cohort) Tj ETQq1 1 0.784314 rgBT /Overl Practice, 2021, , .	2.2	0