

Kook-Hwan Oh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2167250/publications.pdf>

Version: 2024-02-01

185
papers

2,720
citations

218662

26
h-index

315719

38
g-index

197
all docs

197
docs citations

197
times ranked

3558
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>De novo</i> major cardiovascular events in kidney transplant recipients: a comparative matched cohort study. Nephrology Dialysis Transplantation, 2023, 38, 499-506.	0.7	1
2	Association of coronary artery calcium with adverse cardiovascular outcomes and death in patients with chronic kidney disease: results from the KNOW-CKD. Nephrology Dialysis Transplantation, 2023, 38, 712-721.	0.7	5
3	Low bone mineral density is associated with coronary arterial calcification progression and incident cardiovascular events in patients with chronic kidney disease. CKJ: Clinical Kidney Journal, 2022, 15, 119-127.	2.9	7
4	Association of blood pressure with cardiovascular outcome and mortality: results from the KNOW-CKD study. Nephrology Dialysis Transplantation, 2022, 37, 1722-1730.	0.7	7
5	Low-density lipoprotein cholesterol levels and adverse clinical outcomes in chronic kidney disease: Results from the KNOW-CKD. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 410-419.	2.6	8
6	Kidney VISTA prevents IFN- γ /IL-9 axis-mediated tubulointerstitial fibrosis after acute glomerular injury. Journal of Clinical Investigation, 2022, 132, .	8.2	10
7	The Association between Health-Enhancing Physical Activity and Quality of Life in Patients with Chronic Kidney Disease: Propensity Score Matching Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 1318.	2.6	2
8	Abdominal Aortic Calcification and Cardiovascular Outcomes in Chronic Kidney Disease: Findings from KNOW-CKD Study. Journal of Clinical Medicine, 2022, 11, 1157.	2.4	4
9	Association of Left Ventricular Diastolic Dysfunction With Cardiovascular Outcomes in Patients With Pre-dialysis Chronic Kidney Disease: Findings From KNOW-CKD Study. Frontiers in Cardiovascular Medicine, 2022, 9, 844312.	2.4	13
10	Mayo imaging classification is a good predictor of rapid progress among Korean patients with autosomal dominant polycystic kidney disease: results from the KNOW-CKD study. Kidney Research and Clinical Practice, 2022, 41, 432-441.	2.2	6
11	Association between serum osteoprotegerin level and renal prognosis in nondialysis patients with chronic kidney disease in the Korean Cohort Study for Outcomes in Patients with Chronic Kidney Disease (the KNOW-CKD Study). Kidney Research and Clinical Practice, 2022, 41, 200-208.	2.2	5
12	Association of Circulating Osteoprotegerin Level with Blood Pressure Variability in Patients with Chronic Kidney Disease. Journal of Clinical Medicine, 2022, 11, 178.	2.4	1
13	Association Between Left Ventricular Geometry and Renal Outcomes in Patients With Chronic Kidney Disease: Findings From Korean Cohort Study for Outcomes in Patients With Chronic Kidney Disease Study. Frontiers in Cardiovascular Medicine, 2022, 9, 848692.	2.4	5
14	System of integrating biosignals during hemodialysis: the CONTINUAL (Continuous mOnitoriNg viTal) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	2.2	3
15	Coronary Artery Calcification Score and the Progression of Chronic Kidney Disease. Journal of the American Society of Nephrology: JASN, 2022, 33, 1590-1601.	6.1	12
16	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. Nicotine and Tobacco Research, 2021, 23, 92-98.	2.6	38
17	Measured sodium excretion is associated with CKD progression: results from the KNOW-CKD study. Nephrology Dialysis Transplantation, 2021, 36, 512-519.	0.7	27
18	Predictive value of cardio-ankle vascular index for the risk of end-stage renal disease. CKJ: Clinical Kidney Journal, 2021, 14, 255-260.	2.9	1

#	ARTICLE	IF	CITATIONS
19	Apolipoprotein B is a risk factor for end-stage renal disease. CKJ: Clinical Kidney Journal, 2021, 14, 617-623.	2.9	9
20	Increasing prescription of renin-angiotensin-aldosterone system blockers associated with improved kidney prognosis in Korean IgA nephropathy patients. CKJ: Clinical Kidney Journal, 2021, 14, 1673-1680.	2.9	0
21	Klotho ameliorates diabetic nephropathy via LKB1-AMPK-PGC1 β -mediated renal mitochondrial protection. Biochemical and Biophysical Research Communications, 2021, 534, 1040-1046.	2.1	23
22	Renal outcomes in adult patients with horseshoe kidney. Nephrology Dialysis Transplantation, 2021, 36, 498-503.	0.7	9
23	Urinary chloride concentration and progression of chronic kidney disease: results from the Korean cohort study for Outcomes in patients With Chronic Kidney Disease. Nephrology Dialysis Transplantation, 2021, 36, 673-680.	0.7	6
24	Target value of mean arterial pressure in patients undergoing continuous renal replacement therapy due to acute kidney injury. BMC Nephrology, 2021, 22, 20.	1.8	6
25	Deep Learning Model for Real-Time Prediction of Intradialytic Hypotension. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 396-406.	4.5	42
26	Association between the transtubular potassium gradient and progression of chronic kidney disease: results from KNOW-CKD. Journal of Nephrology, 2021, 34, 2063-2072.	2.0	0
27	Low-dose aspirin was associated with an increased risk of cardiovascular events in patients with chronic kidney disease and low bodyweight: results from KNOW-CKD study. Scientific Reports, 2021, 11, 6691.	3.3	8
28	Rapid Weight Change Over Time Is a Risk Factor for Adverse Outcomes in Patients With Predialysis Chronic Kidney Disease: A Prospective Cohort Study. , 2021, 31, 569-578.		9
29	Soluble β -klotho anchors TRPV5 to the distal tubular cell membrane independent of FGFR1 by binding TRPV5 and galectin-1 simultaneously. American Journal of Physiology - Renal Physiology, 2021, 320, F559-F568.	2.7	6
30	Smoking Cessation and Coronary Artery Calcification in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 870-879.	4.5	7
31	Effectiveness of Clinical Pharmacist Service on Drug-Related Problems and Patient Outcomes for Hospitalized Patients with Chronic Kidney Disease: A Randomized Controlled Trial. Journal of Clinical Medicine, 2021, 10, 1788.	2.4	12
32	Dietary Micronutrients and Risk of Chronic Kidney Disease: A Cohort Study with 12 Year Follow-Up. Nutrients, 2021, 13, 1517.	4.1	12
33	Sex disparities and adverse cardiovascular and kidney outcomes in patients with chronic kidney disease: results from the KNOW-CKD. Clinical Research in Cardiology, 2021, 110, 1116-1127.	3.3	13
34	Effect of urinary angiotensinogen and high-salt diet on blood pressure in patients with chronic kidney disease: results from the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease (KNOW-CKD). Korean Journal of Internal Medicine, 2021, 36, 659-667.	1.7	4
35	Low serum adiponectin level is associated with better physical health-related quality of life in chronic kidney disease. Scientific Reports, 2021, 11, 10928.	3.3	4
36	Metabolic Acidosis Is an Independent Risk Factor of Renal Progression in Korean Chronic Kidney Disease Patients: The KNOW-CKD Study Results. Frontiers in Medicine, 2021, 8, 707588.	2.6	9

#	ARTICLE	IF	CITATIONS
37	Moderateâ€“Vigorous Physical Activity and Clinical Outcomes in Adults with Nondialysis Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 3365.	2.4	1
38	Serum uric acid is associated with coronary artery calcification in early chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2021, 22, 247.	1.8	5
39	Clinical and genetic characteristics of Korean autosomal dominant polycystic kidney disease patients. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 767-779.	1.7	8
40	Association of autosomal dominant polycystic kidney disease with cerebral small vessel disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 3365-3377.	4.3	5
41	Association of Blood Pressure With the Progression of CKD: Findings From KNOW-CKD Study. <i>American Journal of Kidney Diseases</i> , 2021, 78, 236-245.	1.9	39
42	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Hypertension</i> , 2021, 78, 1355-1364.	2.7	7
43	Machine learning-based prediction of acute kidney injury after nephrectomy in patients with renal cell carcinoma. <i>Scientific Reports</i> , 2021, 11, 15704.	3.3	12
44	Inflammation Alters Relationship Between Highâ€“Density Lipoprotein Cholesterol and Cardiovascular Risk in Patients With Chronic Kidney Disease: Results From KNOWâ€“CKD. <i>Journal of the American Heart Association</i> , 2021, 10, e021731.	3.7	9
45	Machine learning model to predict hypotension after starting continuous renal replacement therapy. <i>Scientific Reports</i> , 2021, 11, 17169.	3.3	14
46	Persistent Resistant Hypertension Has Worse Renal Outcomes in Chronic Kidney Disease than that Resolved in Two Years: Results from the KNOW-CKD Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3998.	2.4	3
47	Greater adherence to the dietary approaches to stop hypertension dietary pattern is associated with preserved muscle strength in patients with autosomal dominant polycystic kidney disease: a single-center cross-sectional study. <i>Nutrition Research</i> , 2021, 93, 99-110.	2.9	2
48	Evolving outcomes of peritoneal dialysis: secular trends at a single large center over three decades. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 472-483.	2.2	3
49	Association of Body Weight Variability with Adverse Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. <i>Nutrients</i> , 2021, 13, 3381.	4.1	3
50	Effects of blood urea nitrogen independent of the estimated glomerular filtration rate on the development of anemia in non-dialysis chronic kidney disease: The results of the KNOW-CKD study. <i>PLoS ONE</i> , 2021, 16, e0257305.	2.5	4
51	The difference between cystatin C- and creatinine-based eGFR is associated with adverse cardiovascular outcome in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2021, 335, 53-61.	0.8	16
52	Use of Deep Learning to Predict Acute Kidney Injury After Intravenous Contrast Media Administration: Prediction Model Development Study. <i>JMIR Medical Informatics</i> , 2021, 9, e27177.	2.6	6
53	Genetic identification of inherited cystic kidney diseases for implementing precision medicine: a study protocol for a 3-year prospective multicenter cohort study. <i>BMC Nephrology</i> , 2021, 22, 2.	1.8	7
54	Polypharmacy and the Progression of Chronic Kidney Disease: Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 460-468.	2.0	4

#	ARTICLE	IF	CITATIONS
55	Incidence of cardiovascular events and mortality in Korean patients with chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 1131.	3.3	12
56	Better health-related quality of life in kidney transplant patients compared to chronic kidney disease patients with similar renal function. <i>PLoS ONE</i> , 2021, 16, e0257981.	2.5	6
57	Synergistic Antiproliferative Effects of All-Trans Retinoic Acid and Paclitaxel on Autosomal Dominant Polycystic Kidney Disease Epithelial Cells. <i>BioMed Research International</i> , 2021, 2021, 1-12.	1.9	3
58	Hyperchloremia is associated with poor renal outcome after coronary artery bypass grafting. <i>BMC Nephrology</i> , 2021, 22, 343.	1.8	2
59	Quality of life in patients with diabetic nephropathy: findings from the KNOW-CKD (Korean Cohort) Tj ETQq1 1 0.784314 rgBT /Overl Practice, 2021, , .	2.2	0
60	Effect of ambulatory blood pressure monitoring guided antihypertensive treatment on renal progression in patients with chronic kidney disease: a randomized comparative study. <i>Journal of Hypertension</i> , 2021, 39, 325-332.	0.5	1
61	Association of High Serum Adiponectin Level With Adverse Cardiovascular Outcomes and Progression of Coronary Artery Calcification in Patients With Pre-dialysis Chronic Kidney Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 789488.	2.4	5
62	Association of Body Weight Variability With Progression of Coronary Artery Calcification in Patients With Predialysis Chronic Kidney Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 794957.	2.4	3
63	Korean Society of Nephrology 2021 Clinical Practice Guideline for Optimal Hemodialysis Treatment. <i>Kidney Research and Clinical Practice</i> , 2021, 40, S1-S37.	2.2	6
64	Predictive Model for High Coronary Artery Calcium Score in Young Patients with Non-Dialysis Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 1372.	2.5	3
65	Executive Summary of the Korean Society of Nephrology 2021 Clinical Practice Guideline for Optimal Hemodialysis Treatment. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 578-595.	2.2	2
66	Association of Urinary Potassium Excretion with Blood Pressure Variability and Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. <i>Nutrients</i> , 2021, 13, 4443.	4.1	4
67	The effect of interactions between proteinuria, activity of fibroblast growth factor 23 and serum phosphate on renal progression in patients with chronic kidney disease: a result from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 438-446.	0.7	6
68	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Mayo Clinic Proceedings</i> , 2020, 95, 293-305.	3.0	34
69	Long-term Mortality Risks Among Living Kidney Donors in Korea. <i>American Journal of Kidney Diseases</i> , 2020, 75, 919-925.	1.9	19
70	Discrepant glomerular filtration rate trends from creatinine and cystatin C in patients with chronic kidney disease: results from the KNOW-CKD cohort. <i>BMC Nephrology</i> , 2020, 21, 280.	1.8	10
71	Foods contributing to nutrients intake and assessment of nutritional status in pre-dialysis patients: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 301.	1.8	5
72	P0912THE SERUM CREATININE TO CYSTATIN C RATIO AND CLINICAL OUTCOMES IN PATIENTS WITH NON-DIALYSIS CHRONIC KIDNEY DISEASE: THE KNOW-CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0

#	ARTICLE	IF	CITATIONS
73	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE. <i>Nephrology</i> , 2020, 25, 12-45.	1.6	17
74	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE “ EXECUTIVE SUMMARY. <i>Nephrology</i> , 2020, 25, 3-11.	1.6	9
75	Asian Pacific Society of Nephrology Clinical Practice Guideline on Diabetic Kidney Disease “ An Executive Summary. <i>Nephrology</i> , 2020, 25, 809-817.	1.6	12
76	Biobanking for glomerular diseases: a study design and protocol for KOrea Renal biobank NETwoRk System TOWard NExt-generation analysis (KORNERSTONE). <i>BMC Nephrology</i> , 2020, 21, 367.	1.8	3
77	P0502BIOBANKING FOR GLOMERULAR DISEASES: A STUDY DESIGN AND PROTOCOL FOR KOREA RENAL BIOBANK NETWORK SYSTEM TOWARD NEXT-GENERATION ANALYSIS (KORNERSTONE). <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
78	P0784RAPID WEIGHT CHANGE OVER TIME IS A RISK FACTOR FOR ADVERSE OUTCOMES IN PREDIALYSIS CHRONIC KIDNEY DISEASE: RESULTS FORM KNOW-CKD STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
79	Indexation of left ventricular mass to predict adverse clinical outcomes in pre-dialysis patients with chronic kidney disease: KoreaN cohort study of the outcome in patients with chronic kidney disease. <i>PLoS ONE</i> , 2020, 15, e0233310.	2.5	4
80	Mediation of the relationship between proteinuria and serum phosphate: Insight from the KNOW-CKD study. <i>PLoS ONE</i> , 2020, 15, e0235077.	2.5	5
81	Machine learning algorithm to predict mortality in patients undergoing continuous renal replacement therapy. <i>Critical Care</i> , 2020, 24, 42.	5.8	57
82	High serum adiponectin as a biomarker of renal dysfunction: Results from the KNOW-CKD study. <i>Scientific Reports</i> , 2020, 10, 5598.	3.3	26
83	MEST-C pathological score and long-term outcomes of child and adult patients with Henoch-SchÅ¶nlein purpura nephritis. <i>BMC Nephrology</i> , 2020, 21, 33.	1.8	20
84	Association of ambulatory blood pressure monitoring with renal outcome in patients with chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 70-80.	2.2	13
85	The KNOW-CKD Study: What we have learned about chronic kidney diseases. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 121-135.	2.2	29
86	Dietary Assessment of Korean Non-dialysis Chronic Kidney Disease Patients with or without Diabetes. <i>Journal of Korean Medical Science</i> , 2020, 35, e181.	2.5	1
87	Urinary Angiotensinogen in addition to Imaging Classification in the Prediction of Renal Outcome in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Korean Medical Science</i> , 2020, 35, e165.	2.5	5
88	Patient education and care for end-stage kidney disease: one size never fits all. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 384-386.	2.2	2
89	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 93-102.	2.2	6
90	ST2 blockade mitigates peritoneal fibrosis induced by TGFâ€² and high glucose. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6872-6884.	3.6	9

#	ARTICLE	IF	CITATIONS
91	FO056HIGH-SENSITIVITY CARDIAC TROPONIN T AND LEFT VENTRICULAR STRUCTURE AND FUNCTION IN CHRONIC KIDNEY DISEASE: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENTS WITH CHRONIC KIDNEY DISEASE (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
92	Incremental Peritoneal Dialysis May be Beneficial for Preserving Residual Renal Function Compared to Full-dose Peritoneal Dialysis. <i>Scientific Reports</i> , 2019, 9, 10105.	3.3	26
93	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <i>Kidney International</i> , 2019, 96, 983-994.	5.2	51
94	Effect of Liver Cirrhosis on the Outcomes of Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2019, 39, 502-508.	2.3	2
95	SP057Association between asymptomatic hyperuricemia and apparent treatment resistant hypertension in chronic kidney disease in Korea : KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
96	SP330Pulse wave velocity: an independent risk factor of chronic kidney disease progression and mortality. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
97	FP343THE EFFECTS OF DAILY URINARY EXCRETION OF UREA ON RENAL SURVIVAL IN PATIENTS WITH PRE-DIALYSIS CHRONIC KIDNEY DISEASE: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENTS WITH CHRONIC KIDNEY DISEASE (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
98	Urine Osmolality and Renal Outcome in Patients with Chronic Kidney Disease: Results from the KNOW-CKD. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1089-1100.	2.0	18
99	Dietary Protein Intake, Protein Energy Wasting, and the Progression of Chronic Kidney Disease: Analysis from the KNOW-CKD Study. <i>Nutrients</i> , 2019, 11, 121.	4.1	19
100	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. <i>Kidney International</i> , 2019, 96, 1217-1233.	5.2	33
101	Bioelectrical impedance analysis as a nutritional assessment tool in Autosomal Dominant Polycystic Kidney Disease. <i>PLoS ONE</i> , 2019, 14, e0214912.	2.5	9
102	Ratio of triglyceride to high-density lipoprotein cholesterol and risk of major cardiovascular events in kidney transplant recipients. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1407-1417.	1.6	5
103	Association Between High-Sensitivity Cardiac Troponin T and Echocardiographic Parameters in Chronic Kidney Disease: Results From the KNOW-CKD Cohort Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013357.	3.7	9
104	2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease "Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , 2019, 4, 1523-1537.	0.8	29
105	Arterial Stiffness as a Risk Factor for Subclinical Coronary Artery Calcification in Predialysis Chronic Kidney Disease: From the KNOW-CKD Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 426-434.	2.0	11
106	Hyperuricemia has increased the risk of progression of chronic kidney disease: propensity score matching analysis from the KNOW-CKD study. <i>Scientific Reports</i> , 2019, 9, 6681.	3.3	76
107	Clinical Significance of Crescent Formation in IgA Nephropathy – a Multicenter Validation Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 22-32.	2.0	27
108	Association Between Serum High-Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019, 8, e011162.	3.7	32

#	ARTICLE	IF	CITATIONS
109	eGFR and coronary artery calcification in chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13101.	3.4	9
110	Serum klotho is inversely associated with metabolic syndrome in chronic kidney disease: results from the KNOW-CKD study. <i>BMC Nephrology</i> , 2019, 20, 119.	1.8	20
111	Acute kidney injury predicts all-cause mortality in patients with cancer. <i>Cancer Medicine</i> , 2019, 8, 2740-2750.	2.8	19
112	Genetic risk score raises the risk of incidence of chronic kidney disease in Korean general population-based cohort. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 995-1003.	1.6	9
113	Metabolic acidosis is associated with pulse wave velocity in chronic kidney disease: Results from the KNOW-CKD Study. <i>Scientific Reports</i> , 2019, 9, 16139.	3.3	18
114	Genetic Characteristics of Korean Patients with Autosomal Dominant Polycystic Kidney Disease by Targeted Exome Sequencing. <i>Scientific Reports</i> , 2019, 9, 16952.	3.3	7
115	Development of model to predict end-stage renal disease after coronary artery bypass grafting. <i>Medicine (United States)</i> , 2019, 98, e15789.	1.0	4
116	The Role of Cathepsin B in Peritoneal Fibrosis due to Peritoneal Dialysis. <i>International Journal of Nephrology</i> , 2019, 2019, 1-7.	1.3	8
117	Body Mass Index, waist circumference, and health-related quality of life in adults with chronic kidney disease. <i>Quality of Life Research</i> , 2019, 28, 1075-1083.	3.1	11
118	AICAR, an AMPK activator, protects against cisplatin-induced acute kidney injury through the JAK/STAT/SOCS pathway. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 680-686.	2.1	40
119	Safety and efficacy of immune checkpoint inhibitors for end-stage renal disease patients undergoing dialysis: a retrospective case series and literature review. <i>Investigational New Drugs</i> , 2019, 37, 579-583.	2.6	36
120	High fibroblast growth factor 23 is associated with coronary calcification in patients with high adiponectin: analysis from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD) study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 123-129.	0.7	11
121	Expression and secretion of CXCL12 are enhanced in autosomal dominant polycystic kidney disease. <i>BMB Reports</i> , 2019, 52, 463-468.	2.4	5
122	Outcomes of the surgical management of encapsulating peritoneal sclerosis: A case series from a single center in Korea. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 499-508.	2.2	2
123	Does Routine Bioimpedance-Guided Fluid Management Provide Additional Benefit to Non-Anuric Peritoneal Dialysis Patients? Results from Compass Clinical Trial. <i>Peritoneal Dialysis International</i> , 2018, 38, 131-138.	2.3	33
124	Relationship between brachial-ankle and heart-femoral pulse wave velocities and the rapid decline of kidney function. <i>Scientific Reports</i> , 2018, 8, 821.	3.3	9
125	Obesity, Metabolic Abnormality, and Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 400-410.	1.9	105
126	The association between soluble klotho and cardiovascular parameters in chronic kidney disease: results from the KNOW-CKD study. <i>BMC Nephrology</i> , 2018, 19, 51.	1.8	34

#	ARTICLE	IF	CITATIONS
127	Sleep Duration and Health-Related Quality of Life in Predialysis CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 858-865.	4.5	24
128	Pregnancy in women with immunoglobulin A nephropathy: are obstetrical complications associated with renal prognosis?. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 459-465.	0.7	17
129	The ratio of urinary sodium and potassium and chronic kidney disease progression. <i>Medicine (United States)</i> 2018, 97, e13099.	1.0	5
130	Associations of urinary sodium levels with overweight and central obesity in a population with a sodium intake. <i>BMC Nutrition</i> , 2018, 4, 47.	1.6	14
131	Age, sex, and the association of chronic kidney disease with all-cause mortality in Buddhist priests. <i>Medicine (United States)</i> , 2018, 97, e13099.	1.0	5
132	SP274OBESITY AND HEALTH-RELATED QUALITY OF LIFE IN ADULTS WITH PREDIALYSIS CKD. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i435-i436.	0.7	0
133	Autologous arteriovenous fistula is associated with superior outcomes in elderly hemodialysis patients. <i>BMC Nephrology</i> , 2018, 19, 306.	1.8	22
134	Gestational Estimated Glomerular Filtration Rate and Adverse Maternofetal Outcomes. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1688-1698.	2.0	11
135	SP297THE ASSOCIATION OF URINARY SODIUM, POTASSIUM AND CHRONIC KIDNEY DISEASE PROGRESSION: RESULTS FROM THE KOREAN COHORT STUDY FOR OUTCOMES IN PATIENT WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i444-i444.	0.7	0
136	Association between Dietary Mineral Intake and Chronic Kidney Disease: The Health Examinees (HEXA) Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1070.	2.6	14
137	Frequent patient retraining at home reduces the risks of peritoneal dialysis-related infections: A randomised study. <i>Scientific Reports</i> , 2018, 8, 12919.	3.3	23
138	HL156A, a novel pharmacological agent with potent adenosine-monophosphate-activated protein kinase (AMPK) activator activity ameliorates renal fibrosis in a rat unilateral ureteral obstruction model. <i>PLoS ONE</i> , 2018, 13, e0201692.	2.5	9
139	The association between socioeconomic disparities and left ventricular hypertrophy in chronic kidney disease: results from the Korean Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>BMC Nephrology</i> , 2018, 19, 203.	1.8	8
140	Association of serum mineral parameters with mortality in hemodialysis patients: Data from the Korean end-stage renal disease registry. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 266-276.	2.2	8
141	The authors' reply. <i>Kidney Research and Clinical Practice</i> , 2018, 37, 421-422.	2.2	0
142	Sex-specific Relationship of Serum Uric Acid with All-cause Mortality in Adults with Normal Kidney Function: An Observational Study. <i>Journal of Rheumatology</i> , 2017, 44, 380-387.	2.0	26
143	Total kidney and liver volume is a major risk factor for malnutrition in ambulatory patients with autosomal dominant polycystic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 22.	1.8	18
144	Identification of differentially expressed miRNAs associated with chronic kidney disease-related mineral bone disorder. <i>Frontiers of Medicine</i> , 2017, 11, 378-385.	3.4	7

#	ARTICLE	IF	CITATIONS
145	Midterm eGFR and Adverse Pregnancy Outcomes: The Clinical Significance of Gestational Hyperfiltration. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1048-1056.	4.5	36
146	Serum hepcidin may be a novel uremic toxin, which might be related to erythropoietin resistance. <i>Scientific Reports</i> , 2017, 7, 4260.	3.3	27
147	Serum adiponectin and protein energy wasting in predialysis chronic kidney disease. <i>Nutrition</i> , 2017, 33, 254-260.	2.4	18
148	Association of serum adiponectin concentration with aortic arterial stiffness in chronic kidney disease: from the KNOW-CKD study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 608-616.	1.6	7
149	Baseline Cardiovascular Characteristics of Adult Patients with Chronic Kidney Disease from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 231.	2.5	22
150	Chronic Kidney Disease-Mineral Bone Disorder in Korean Patients: a Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 240.	2.5	19
151	Differentially expressed miR-3680-5p is associated with parathyroid hormone regulation in peritoneal dialysis patients. <i>PLoS ONE</i> , 2017, 12, e0170535.	2.5	12
152	Stroke in Korean Dialysis Population: Another Health Threat Never to Be Underestimated. <i>Journal of Korean Medical Science</i> , 2017, 32, 1383.	2.5	0
153	Cystatin C is Better than Serum Creatinine for Estimating Glomerular Filtration Rate to Detect Osteopenia in Chronic Kidney Disease Patients. <i>Yonsei Medical Journal</i> , 2017, 58, 380.	2.2	4
154	Baseline General Characteristics of the Korean Chronic Kidney Disease: Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 221.	2.5	31
155	Discrepancies in Clinic and Ambulatory Blood Pressure in Korean Chronic Kidney Disease Patients. <i>Journal of Korean Medical Science</i> , 2017, 32, 772.	2.5	10
156	Lower Education Level Is a Risk Factor for Peritonitis and Technique Failure but Not a Risk for Overall Mortality in Peritoneal Dialysis under Comprehensive Training System. <i>PLoS ONE</i> , 2017, 12, e0169063.	2.5	24
157	Association between vitamin D deficiency and health-related quality of life in patients with chronic kidney disease from the KNOW-CKD study. <i>PLoS ONE</i> , 2017, 12, e0174282.	2.5	13
158	Clozapine Induced Neuroleptic Malignant Syndrome. <i>Korean Journal of Critical Care Medicine</i> , 2017, 32, 291-294.	0.1	1
159	Baseline Fgf23 is Associated with Cardiovascular Outcome in Incident Pd Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 26-32.	2.3	16
160	Pharmacogenetic analysis of cinacalcet response in secondary hyperparathyroidism patients. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 2211-2225.	4.3	13
161	Association of Serum Osteoprotegerin Levels with Bone Loss in Chronic Kidney Disease: Insights from the KNOW-CKD Study. <i>PLoS ONE</i> , 2016, 11, e0166792.	2.5	18
162	HL156A, a novel AMP-activated protein kinase activator, is protective against peritoneal fibrosis in an in vivo and in vitro model of peritoneal fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F342-F350.	2.7	25

#	ARTICLE	IF	CITATIONS
163	Calculation of the clearance requirements for the development of a hemodialysis-based wearable artificial kidney. <i>Hemodialysis International</i> , 2016, 20, 226-234.	0.9	2
164	Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1368-1376.	5.2	16
165	Sex, Age, and the Association of Serum Phosphorus With All-Cause Mortality in Adults With Normal Kidney Function. <i>American Journal of Kidney Diseases</i> , 2016, 67, 79-88.	1.9	46
166	Clinical Correlates of Mass Effect in Autosomal Dominant Polycystic Kidney Disease. <i>PLoS ONE</i> , 2015, 10, e0144526.	2.5	43
167	Increased urinary Angiotensinogen/Creatinine (AGT/Cr) ratio may be associated with reduced renal function in autosomal dominant polycystic kidney disease patients. <i>BMC Nephrology</i> , 2015, 16, 86.	1.8	22
168	Albuminuria as a Risk Factor for Anemia in Chronic Kidney Disease: Result from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>PLoS ONE</i> , 2015, 10, e0139747.	2.5	8
169	The Outcomes of Percutaneous Versus Open Placement of Peritoneal Dialysis Catheters. <i>World Journal of Surgery</i> , 2014, 38, 1058-1064.	1.6	28
170	Hyperuricemia and deterioration of renal function in autosomal dominant polycystic kidney disease. <i>BMC Nephrology</i> , 2014, 15, 63.	1.8	30
171	KNOW-CKD (KoreaN cohort study for Outcome in patients With Chronic Kidney Disease): design and methods. <i>BMC Nephrology</i> , 2014, 15, 80.	1.8	156
172	Comparison of the Efficacy and Safety Profile of Morning Administration of Controlled-release Simvastatin Versus Evening Administration of Immediate-release Simvastatin in Chronic Kidney Disease Patients With Dyslipidemia. <i>Clinical Therapeutics</i> , 2014, 36, 1182-1190.	2.5	12
173	A case of reninoma with variant angina. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 106-108.	2.2	2
174	Renal adverse effects of sunitinib and its clinical significance: a single-center experience in Korea. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 40.	1.7	31
175	Peritoneal Dialysis—Moving from Current Status to the Future. <i>International Journal of Nephrology</i> , 2013, 2013, 1-1.	1.3	1
176	A threshold value of estimated glomerular filtration rate that predicts changes in serum 25-hydroxyvitamin D levels: 4th Korean National Health and Nutritional Examination Survey 2008. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2396-2403.	0.7	18
177	Urinary N-acetyl- β -D glucosaminidase as a surrogate marker for renal function in autosomal dominant polycystic kidney disease: 1 year prospective cohort study. <i>BMC Nephrology</i> , 2012, 13, 93.	1.8	25
178	Complete remission induced by tacrolimus and low-dose prednisolone in adult minimal change nephrotic syndrome: A pilot study. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 112-117.	2.2	7
179	Lower Residual Renal Function is a Risk Factor for Depression and Impaired Health-Related Quality of Life in Korean Peritoneal Dialysis Patients. <i>Journal of Korean Medical Science</i> , 2012, 27, 64.	2.5	22
180	Effect of multidisciplinary pre-dialysis education in advanced chronic kidney disease: Propensity score matched cohort analysis. <i>Nephrology</i> , 2012, 17, 472-479.	1.6	40

#	ARTICLE	IF	CITATIONS
181	Comparison of vascular calcification scoring systems using plain radiographs to predict vascular stiffness in peritoneal dialysis patients. <i>Nephrology</i> , 2011, 16, no-no.	1.6	5
182	Intra-peritoneal interleukin-6 system is a potent determinant of the baseline peritoneal solute transport in incident peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1639-1646.	0.7	64
183	Effects of Interleukin-6 T15A Single Nucleotide Polymorphism on Baseline Peritoneal Solute Transport Rate in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 81-88.	2.3	24
184	Baseline peritoneal solute transport rate is not associated with markers of systemic inflammation or comorbidity in incident Korean peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2356-2364.	0.7	24
185	Vascular Endothelial Growth Factor Expression in Peritoneal Mesothelial Cells Undergoing Transdifferentiation. <i>Peritoneal Dialysis International</i> , 2008, 28, 497-504.	2.3	20