Sarita Gajbhiye Meshram

List of Publications by Citations

Source: https://exaly.com/author-pdf/216784/sarita-gajbhiye-meshram-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,183 31 79 21 h-index g-index citations papers 83 5.48 1,578 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
79	Prioritizing erosion-prone area through morphometric analysis: an RS and GIS perspective. <i>Applied Water Science</i> , 2014 , 4, 51-61	5	90
78	Prioritization of watershed through morphometric parameters: a PCA-based approach. <i>Applied Water Science</i> , 2017 , 7, 1505-1519	5	85
77	Trend analysis of rainfall time series for Sindh river basin in India. <i>Theoretical and Applied Climatology</i> , 2016 , 125, 593-608	3	59
76	Comparison of AHP and fuzzy AHP models for prioritization of watersheds. <i>Soft Computing</i> , 2019 , 23, 13615-13625	3.5	49
75	Long-term trend and variability of precipitation in Chhattisgarh State, India. <i>Theoretical and Applied Climatology</i> , 2017 , 129, 729-744	3	48
74	Trend analysis of precipitation in Jharkhand State, India. <i>Theoretical and Applied Climatology</i> , 2017 , 130, 261-274	3	44
73	Application of SAW and TOPSIS in Prioritizing Watersheds. Water Resources Management, 2020, 34, 71	5-₹ <i>3</i> ⁄2	43
72	River flow prediction using hybrid PSOGSA algorithm based on feed-forward neural network. <i>Soft Computing</i> , 2019 , 23, 10429-10438	3.5	38
71	Relationship between SCS-CN and Sediment Yield. <i>Applied Water Science</i> , 2014 , 4, 363-370	5	33
70	Statistical evaluation of rainfall time series in concurrence with agriculture and water resources of Ken River basin, Central India (1901\(\textbf{0}\) 1010). <i>Theoretical and Applied Climatology</i> , 2018 , 134, 1231-1243	3	31
69	Spatio-temporal analysis of daily, seasonal and annual precipitation concentration in Jharkhand state, India. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018 , 32, 1085-1097	3.5	31
68	New Approach for Sediment Yield Forecasting with a Two-Phase Feedforward Neuron Network-Particle Swarm Optimization Model Integrated with the Gravitational Search Algorithm. <i>Water Resources Management</i> , 2019 , 33, 2335-2356	3.7	30
67	Simplified sediment yield index model incorporating parameter curve number. <i>Arabian Journal of Geosciences</i> , 2015 , 8, 1993-2004	1.8	30
66	Long-term temperature trend analysis associated with agriculture crops. <i>Theoretical and Applied Climatology</i> , 2020 , 140, 1139-1159	3	29
65	Monthly long-term rainfall estimation in Central India using M5Tree, MARS, LSSVR, ANN and GEP models. <i>Neural Computing and Applications</i> , 2019 , 31, 6843-6862	4.8	28
64	An efficient online/offline ID-based short signature procedure using extended chaotic maps. <i>Soft Computing</i> , 2019 , 23, 747-753	3.5	26
63	Trend analysis of rainfall pattern over the Central India during 1901\(\mathbb{Q}\)010. Arabian Journal of Geosciences, 2018, 11, 1	1.8	24

(2018-2019)

62	An efficient ID-based cryptographic transformation model for extended chaotic-map-based cryptosystem. <i>Soft Computing</i> , 2019 , 23, 6937-6946	3.5	24	
61	Estimation of design runoff curve numbers for Narmada watersheds (India). <i>Journal of Applied Water Engineering and Research</i> , 2013 , 1, 69-79	1.2	24	
60	Fractional chaotic maps based short signature scheme under human-centered IoT environments. Journal of Advanced Research, 2021 , 32, 139-148	13	24	
59	What Is the Potential of Integrating Phase Space Reconstruction with SVM-FFA Data-Intelligence Model? Application of Rainfall Forecasting over Regional Scale. <i>Water Resources Management</i> , 2018 , 32, 3935-3959	3.7	23	
58	Application of Artificial Neural Networks, Support Vector Machine and Multiple Model-ANN to Sediment Yield Prediction. <i>Water Resources Management</i> , 2020 , 34, 4561-4575	3.7	21	
57	Pragmatic approach for prioritization of flood and sedimentation hazard potential of watersheds. <i>Soft Computing</i> , 2020 , 24, 15701-15714	3.5	17	
56	An identity-based encryption technique using subtree for fuzzy user data sharing under cloud computing environment. <i>Soft Computing</i> , 2019 , 23, 13127-13138	3.5	16	
55	Hypsometric analysis of Shakkar river catchment through geographical information system. <i>Journal of the Geological Society of India</i> , 2014 , 84, 192-196	1.3	16	
54	An IND-ID-CPA Secure ID-Based Cryptographic Protocol using GDLP and IFP. <i>Informatica</i> , 2017 , 28, 471	-4 8.	16	
53	Iterative classifier optimizer-based pace regression and random forest hybrid models for suspended sediment load prediction. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 11637-11	649 ¹	15	
52	OOS-SSS: An Efficient Online/Offline Subtree-Based Short Signature Scheme Using Chebyshev Chaotic Maps for Wireless Sensor Network. <i>IEEE Access</i> , 2020 , 8, 80063-80073	3.5	13	
51	Application of remote sensing and geographical information system for generation of runoff curve number. <i>Applied Water Science</i> , 2017 , 7, 1773-1779	5	12	
50	Drought analysis in the Tons River Basin, India during 1969-2008. <i>Theoretical and Applied Climatology</i> , 2018 , 132, 939-951	3	12	
49	The Feasibility of Multi-Criteria Decision Making Approach for Prioritization of Sensitive Area at Risk of Water Erosion. <i>Water Resources Management</i> , 2020 , 34, 4665-4685	3.7	12	
48	Comparison of cubic, quadratic, and quintic splines for soil erosion modeling. <i>Applied Water Science</i> , 2018 , 8, 1	5	12	
47	Development of a geomorphological erosion index for Shakkar watershed. <i>Journal of the Geological Society of India</i> , 2015 , 86, 361-370	1.3	11	
46	A subtree-based transformation model for cryptosystem using chaotic maps under cloud computing environment for fuzzy user data sharing. <i>International Journal of Communication Systems</i> , 2020 , 33, e4307	1.7	11	
45	Application of cubic spline in soil erosion modeling from Narmada Watersheds, India. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	11	

44	Efficient online/offline IBSS protocol using partial discrete logarithm for WSNs. <i>IET Networks</i> , 2018 , 7, 363-367	2.8	11
43	Modelling soil erosion from a watershed using cubic splines. <i>Arabian Journal of Geosciences</i> , 2017 , 10, 1	1.8	10
42	A robust smart card and remote user password-based authentication protocol using extended chaotic maps under smart cities environment. <i>Soft Computing</i> , 2021 , 25, 10037-10051	3.5	10
41	Application of Principal Component Analysis for Grouping of Morphometric Parameters and Prioritization of Watershed. <i>Water Science and Technology Library</i> , 2018 , 447-458	0.3	8
40	An effective mobile-healthcare emerging emergency medical system using conformable chaotic maps. <i>Soft Computing</i> , 2021 , 25, 8905-8920	3.5	8
39	Mapping of soil sensitivity to water erosion by RUSLE model: case of the Inaouene watershed (Northeast Morocco). <i>Arabian Journal of Geosciences</i> , 2020 , 13, 1	1.8	7
38	Application of entropy weighting method for urban flood hazard mapping. <i>Acta Geophysica</i> , 2021 , 69, 841-854	2.2	7
37	Comparative implementation between neuro-emotional genetic algorithm and novel ensemble computing techniques for modelling dissolved oxygen concentration. <i>Hydrological Sciences Journal</i> , 2021 , 66, 1584-1596	3.5	7
36	Predicting the Impacts of Optimal Residential Development Scenario on Soil Loss Caused by Surface Runoff and Raindrops Using TOPSIS and WetSpa Models. <i>Water Resources Management</i> , 2020 , 34, 3257-3277	3.7	6
35	Predicting reservoir volume reduction using artificial neural network. <i>Arabian Journal of Geosciences</i> , 2020 , 13, 1	1.8	6
34	Streamflow Prediction Based on Artificial Intelligence Techniques. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> ,1	1.1	6
33	Using Improved TOPSIS and Best Worst Method in prioritizing management scenarios for the watershed management in arid and semi-arid environments. <i>Soft Computing</i> , 2021 , 25, 11363-11375	3.5	6
32	A Provably Secure Lightweight Subtree-Based Short Signature Scheme With Fuzzy User Data Sharing for Human-Centered IoT. <i>IEEE Access</i> , 2021 , 9, 3649-3659	3.5	6
31	An Efficient Mobile-Healthcare Emergency Framework. <i>Journal of Medical Systems</i> , 2020 , 44, 58	5.1	5
30	Identification of the Groundwater Potential Recharge Zones Using MCDM Models: Full Consistency Method (FUCOM), Best Worst Method (BWM) and Analytic Hierarchy Process (AHP). <i>Water Resources Management</i> , 2021 , 35, 4727	3.7	5
29	Relationship between landslide and morpho-structural analysis: a case study in Northeast of Morocco. <i>Applied Water Science</i> , 2020 , 10, 1	5	5
28	A comparative study between dynamic and soft computing models for sediment forecasting. <i>Soft Computing</i> , 2021 , 25, 11005-11017	3.5	5
27	Identification of Critical Watershed for Soil Conservation Using Game Theory-Based Approaches. Water Resources Management, 2021, 35, 3105-3120	3.7	5

26	An efficient authentication with key agreement procedure using Mittagleffler@hebyshev summation chaotic map under the multi-server architecture. <i>Journal of Supercomputing</i> ,1	2.5	5
25	. IEEE Systems Journal, 2020 , 1-9	4.3	4
24	Hybrid modelling approach for water body change detection at Chalan Beel area in northern Bangladesh. <i>Environmental Earth Sciences</i> , 2020 , 79, 1	2.9	4
23	Flood Mapping Using Multi-temporal Sentinel-1 SAR Images: A Case StudyIhaouene Watershed from Northeast of Morocco. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> ,1	1.1	4
22	An efficient key authentication procedure for IND-CCA2 secure Paillier-based cryptosystem. <i>Soft Computing</i> , 2020 , 24, 6531-6537	3.5	3
21	Piecewise Regression Using Cubic Spline-A Case Study. <i>International Journal of Hybrid Information Technology</i> , 2017 , 10, 75-84		3
20	River channel migration and land-use/land-cover change for Padma River at Bangladesh: a RS- and GIS-based approach. <i>International Journal of Environmental Science and Technology</i> , 2021 , 18, 3109-3126	53.3	3
19	Simplified sediment yield index incorporating parameter stream length. <i>Environmental Earth Sciences</i> , 2021 , 80, 1	2.9	3
18	An Efficient, Robust, and Lightweight Subtree-Based Three-Factor Authentication Procedure for Large-Scale DWSN in Random Oracle. <i>IEEE Systems Journal</i> , 2021 , 1-12	4.3	3
17	Combined use of Sentinel-2 and Landsat-8 to monitor water surface area and evaluated drought risk severity using Google Earth Engine. <i>Earth Science Informatics</i> ,1	2.5	3
16	Assessing erosion prone areas in a watershed using interval rough-analytical hierarchy process (IR-AHP) and fuzzy logic (FL). Stochastic Environmental Research and Risk Assessment, 2022, 36, 297	3.5	2
15	A Multi-Layer Perceptron (MLP)-Fire Fly Algorithm (FFA)-based model for sediment prediction. <i>Soft Computing</i> ,1	3.5	2
14	An effective dynamic runoff-sediment yield modeling for Shakkar watershed, Central India. <i>Arabian Journal of Geosciences</i> , 2020 , 13, 1	1.8	2
13	Soil erosion modeling of watershed using cubic, quadratic and quintic splines. <i>Natural Hazards</i> , 2021 , 108, 2701-2719	3	2
12	Impact of roof rain water harvesting of runoff capture and household consumption. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 49529-49540	5.1	2
11	Identification of critical watershed at risk of soil erosion using morphometric and geographic information system analysis. <i>Applied Water Science</i> , 2022 , 12, 1	5	2
10	Probabilistic estimation of design runoff curve number: a case study for Shakkar river watershed, India. <i>International Journal of Hydrology Science and Technology</i> , 2020 , 10, 302	1.5	1
9	To assess the impacts of climate change on runoff in Golestan Province, Iran. <i>Natural Hazards</i> ,1	3	1

8	Conformal Chebyshev chaotic map-based remote user password authentication protocol using smart card. <i>Complex & Intelligent Systems</i> ,1	7.1	1
7	Role and Concept of Rooftop Disconnection in Terms of Runoff Volume and Flood Peak Quantity. International Journal of Environmental Research,1	2.9	1
6	Comparison of land use/land cover change of fused image and multispectral image of landsat mission: a case study of Rajshahi, Bangladesh. <i>Environmental Earth Sciences</i> , 2021 , 80, 1	2.9	1
5	An efficient ID-based cryptographic technique using IFP and GDLP. Security and Privacy, 2020, 3, e119	1.8	O
4	An efficient remote user authentication with key agreement procedure based on convolution-Chebyshev chaotic maps using biometric. <i>Journal of Supercomputing</i> ,1	2.5	O
3	Assessing and mapping recreation value as an ecosystem service in central part of Esfahan Province, Iran. <i>Arabian Journal of Geosciences</i> , 2022 , 15, 1	1.8	O
2	A New Remote Fuzzy User Password Authentication Scheme Using Sub-tree for Cloud Computing. <i>International Journal of Circuits, Systems and Signal Processing</i> , 2021 , 15, 92-105	1.3	
1	CGST: Provably Secure Lightweight Certificateless Group Signcryption Technique based on Fractional Chaotic Maps. <i>IEEE Access</i> , 2022 , 1-1	3.5	