

Katja Borodulin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2169209/katja-borodulin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

3,618
citations

27
h-index

59
g-index

75
ext. papers

5,538
ext. citations

4.1
avg, IF

5.14
L-index

#	Paper	IF	Citations
74	Adiposity Markers as Predictors of 11-Year Decline in Maximal Walking Speed in Late Midlife. <i>Journal of Applied Gerontology</i> , 2021 , 40, 1110-1115	3.3	3
73	A Web Portal for Communicating Polygenic Risk Score Results for Health Care Use-The P5 Study. <i>Frontiers in Genetics</i> , 2021 , 12, 763159	4.5	1
72	Associations between physical activity types and reaching the physical activity guidelines: The FinHealth 2017 Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 418-426	4.6	1
71	Joint association between education and polygenic risk score for incident coronary heart disease events: a longitudinal population-based study of 26 203 men and women. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1	2
70	Associations of physical activity with positive mental health: A population-based study. <i>Mental Health and Physical Activity</i> , 2020 , 18, 100319	5	20
69	Change and determinants of total and context specific sitting in adults: A 7-year longitudinal study. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 596-602	4.4	3
68	Estimating expected life-years and risk factor associations with mortality in Finland: cohort study. <i>BMJ Open</i> , 2020 , 10, e033741	3	5
67	World Health Organization 2020 guidelines on physical activity and sedentary behaviour. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1451-1462	10.3	1192
66	The Finnish National Dietary Survey in Adults and Elderly (FinDiet 2017). <i>EFSA Supporting Publications</i> , 2020 , 17, 1914E	1.1	2
65	Role of inflammation markers in the prediction of weight gain and development of obesity in adults - A prospective study. <i>Metabolism Open</i> , 2019 , 3, 100016	2.8	3
64	Individual and environmental factors associated with green exercise in urban and suburban areas. <i>Health and Place</i> , 2019 , 55, 20-28	4.6	13
63	Gender, age and socioeconomic variation in 24-hour physical activity by wrist-worn accelerometers: the FinHealth 2017 Survey. <i>Scientific Reports</i> , 2019 , 9, 6534	4.9	24
62	Food neophobia associates with poorer dietary quality, metabolic risk factors, and increased disease outcome risk in population-based cohorts in a metabolomics study. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 233-245	7	23
61	Visualisation and network analysis of physical activity and its determinants: Demonstrating opportunities in analysing baseline associations in the Let's Move It trial. <i>Health Psychology and Behavioral Medicine</i> , 2019 , 7, 269-289	2.2	7
60	Machine learning of human plasma lipidomes for obesity estimation in a large population cohort. <i>PLoS Biology</i> , 2019 , 17, e3000443	9.7	28
59	From monitoring to action: utilising health survey data in national policy development and implementation in Finland. <i>Archives of Public Health</i> , 2019 , 77, 48	2.6	2
58	Associations of increased physical performance and change in body composition with molecular pathways of heart disease and diabetes risk. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E221-E229	6	3

57	Differences in participation rates between urban and rural areas are diminishing in Finland. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 755-757	3	2
56	Cohort Profile: The National FINRISK Study. <i>International Journal of Epidemiology</i> , 2018 , 47, 696-696i	7.8	115
55	Self-rated physical fitness and estimated maximal oxygen uptake in relation to all-cause and cause-specific mortality. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 532-540	4.6	7
54	Language as a determinant of participation rates in Finnish health examination surveys. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 240-243	3	4
53	Participation rates by educational levels have diverged during 25 years in Finnish health examination surveys. <i>European Journal of Public Health</i> , 2018 , 28, 237-243	2.1	18
52	Social climate on tobacco control in an advanced tobacco control country: A population-based study in Finland. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2018 , 35, 152-164	1.1	4
51	Subjects with cardiovascular disease or high disease risk are more sedentary and less active than their healthy peers. <i>BMJ Open Sport and Exercise Medicine</i> , 2018 , 4, e000363	3.4	13
50	Leisure-Time Physical Activity Reduces Total and Cardiovascular Mortality and Cardiovascular Disease Incidence in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 504-510	5.6	49
49	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. <i>Nature Communications</i> , 2017 , 8, 744	17.4	37
48	What explains the socioeconomic status gap in activity? Educational differences in determinants of physical activity and screentime. <i>BMC Public Health</i> , 2017 , 17, 144	4.1	72
47	Leisure Time Physical Activity and Sleep Predict Mortality in Men Irrespective of Background in Competitive Sports. <i>Progress in Preventive Medicine (New York, N Y)</i> , 2017 , 2, e0009	0.7	8
46	Socio-demographic and behavioral variation in barriers to leisure-time physical activity. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 62-9	3	42
45	Smoking status and abdominal obesity among normal- and overweight/obese adults: Population-based FINRISK study. <i>Preventive Medicine Reports</i> , 2016 , 4, 324-30	2.6	24
44	Primary prevention and risk factor reduction in coronary heart disease mortality among working aged men and women in eastern Finland over 40 years: population based observational study. <i>BMJ, The</i> , 2016 , 352, i721	5.9	63
43	The contribution of travel-related urban zones, cycling and pedestrian networks and green space to commuting physical activity among adults - a cross-sectional population-based study using geographical information systems. <i>BMC Public Health</i> , 2016 , 16, 760	4.1	25
42	Let's Move It! - a school-based multilevel intervention to increase physical activity and reduce sedentary behaviour among older adolescents in vocational secondary schools: a study protocol for a cluster-randomised trial. <i>BMC Public Health</i> , 2016 , 16, 451	4.1	73
41	Time trends in physical activity from 1982 to 2012 in Finland. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 93-100	4.6	47
40	Where to Sit? Type of Sitting Matters for the Framingham Cardiovascular Risk Score. <i>AIMS Public Health</i> , 2016 , 3, 577-591	1.9	4

39	Secular trends and educational differences in the incidence of type 2 diabetes in Finland, 1972-2007. <i>European Journal of Epidemiology</i> , 2015 , 30, 649-59	12.1	13
38	Interrelationships of Physical Activity and Sleep with Cardiovascular Risk Factors: a Person-Oriented Approach. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 735-47	2.6	5
37	Social capital and all-cause mortality among Finnish men and women aged 30-79. <i>European Journal of Public Health</i> , 2015 , 25, 972-8	2.1	12
36	Relationships between exposure to urban green spaces, physical activity and self-rated health. <i>Journal of Outdoor Recreation and Tourism</i> , 2015 , 10, 44-54	2.7	93
35	Evening typology and morning tiredness associates with low leisure time physical activity and high sitting. <i>Chronobiology International</i> , 2015 , 32, 1090-100	3.6	28
34	Daily Sedentary Time and Risk of Cardiovascular Disease: The National FINRISK 2002 Study. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 904-8	2.5	23
33	Childhood adversities and socioeconomic position as predictors of leisure-time physical inactivity in early adulthood. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 193-9	2.5	8
32	Finnish version of the Tampa Scale of Kinesiophobia: Reference values in the Finnish general population and associations with leisure-time physical activity. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 249-55	3.4	20
31	Forty-year trends in cardiovascular risk factors in Finland. <i>European Journal of Public Health</i> , 2015 , 25, 539-46	2.1	168
30	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. <i>BMJ Open</i> , 2015 , 5, e008808	3	39
29	The association between physical activity and maternal sleep during the postpartum period. <i>Maternal and Child Health Journal</i> , 2014 , 18, 2106-14	2.4	8
28	Physical activity and sleep profiles in Finnish men and women. <i>BMC Public Health</i> , 2014 , 14, 82	4.1	25
27	Analyzing the mediators between nature-based outdoor recreation and emotional well-being. <i>Journal of Environmental Psychology</i> , 2014 , 37, 1-7	6.7	119
26	Stratification by smoking status reveals an association of CHRNA5-A3-B4 genotype with body mass index in never smokers. <i>PLoS Genetics</i> , 2014 , 10, e1004799	6	40
25	Prevalence of cold-related musculoskeletal pain according to self-reported threshold temperature among the Finnish adult population. <i>European Journal of Pain</i> , 2014 , 18, 288-98	3.7	11
24	Increasing health examination survey participation rates by SMS reminders and flexible examination times. <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 712-7	3	11
23	Educational differences in self-rated physical fitness among Finns. <i>BMC Public Health</i> , 2013 , 13, 163	4.1	5
22	Educational differences in estimated and measured physical fitness. <i>European Journal of Public Health</i> , 2013 , 23, 998-1002	2.1	8

21	Health behaviours as mediating pathways between socioeconomic position and body mass index. <i>International Journal of Behavioral Medicine</i> , 2012 , 19, 14-22	2.6	23
20	Leisure time physical activity in a 22-year follow-up among Finnish adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 121	8.4	19
19	Explaining educational differences in leisure-time physical activity in Europe: the contribution of work-related factors. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012 , 22, 439-47	4.6	30
18	Body fat measured by a near-infrared interactance device as a predictor of cardiovascular events: the FINRISK92 cohort. <i>Obesity</i> , 2011 , 19, 848-52	8	24
17	Physical activity and sleep among pregnant women. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 45-52	7	45
16	Sleep-related factors and mobility in older men and women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 649-57	6.4	58
15	The effects of adolescence sports and exercise on adulthood leisure-time physical activity in educational groups. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 27	8.4	14
14	Effects of childhood socio-economic conditions on educational differences in leisure-time physical activity. <i>European Journal of Public Health</i> , 2010 , 20, 346-53	2.1	13
13	Occupational class differences in leisure-time physical inactivity--contribution of past and current physical workload and other working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 62-70	4.3	36
12	Physical activity beliefs, barriers, and enablers among postpartum women. <i>Journal of Women's Health</i> , 2009 , 18, 1925-34	3	89
11	Physical activity patterns during pregnancy through postpartum. <i>BMC Women's Health</i> , 2009 , 9, 32	2.9	95
10	Twenty-five year socioeconomic trends in leisure-time and commuting physical activity among employed Finns. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2009 , 19, 188-97	4.6	25
9	Thirty-year trends of physical activity in relation to age, calendar time and birth cohort in Finnish adults. <i>European Journal of Public Health</i> , 2008 , 18, 339-44	2.1	71
8	Association of age and education with different types of leisure-time physical activity among 4437 Finnish adults. <i>Journal of Physical Activity and Health</i> , 2008 , 5, 242-51	2.5	25
7	Physical activity patterns during pregnancy. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1901-8	1.2	153
6	The joint associations of occupational, commuting, and leisure-time physical activity, and the Framingham risk score on the 10-year risk of coronary heart disease. <i>European Heart Journal</i> , 2007 , 28, 492-8	9.5	96
5	Trends and socioeconomic differences in overweight among physically active and inactive Finns in 1978-2002. <i>Preventive Medicine</i> , 2007 , 45, 157-62	4.3	22
4	Occupational, commuting and leisure-time physical activity in relation to coronary heart disease among middle-aged Finnish men and women. <i>Atherosclerosis</i> , 2007 , 194, 490-7	3.1	123

3	Associations of leisure time physical activity, self-rated physical fitness, and estimated aerobic fitness with serum C-reactive protein among 3,803 adults. <i>Atherosclerosis</i> , 2006 , 185, 381-7	3.1	56
2	Association of leisure time physical activity and abdominal obesity with fasting serum insulin and 2-h postchallenge plasma glucose levels. <i>Diabetic Medicine</i> , 2006 , 23, 1025-8	3.5	14
1	Associations of Self-rated Fitness and Different Types of Leisure Time Physical Activity With Predicted Aerobic Fitness in 5979 Finnish Adults. <i>Journal of Physical Activity and Health</i> , 2004 , 1, 142-153 ^{2.5}	2.5	12