## **Danny Schuring**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2172209/publications.pdf Version: 2024-02-01



#	Article	IF	CITATION
1	Accuracy of dose calculations on kV cone beam CT images of lung cancer patients. Medical Physics, 2016, 43, 5934-5941.	3.0	41
2	Probabilistic evaluation of target dose deterioration in dose painting by numbers for stage II/III lung cancer. Practical Radiation Oncology, 2015, 5, e375-e382.	2.1	7
3	Quality assurance for the EORTC 22071–26071 study: dummy run prospective analysis. Radiation Oncology, 2014, 9, 248.	2.7	12
4	Multi-institutional comparison of volumetric modulated arc therapy vs. intensity-modulated radiation therapy for head-and-neck cancer: a planning study. Radiation Oncology, 2013, 8, 26.	2.7	62
5	High precision bladder cancer irradiation by integrating a library planning procedure of 6 prospectively generated SIB IMRT plans with image guidance using lipiodol markers. Radiotherapy and Oncology, 2012, 105, 174-179.	0.6	75
6	Dose painting by contours versus dose painting by numbers for stage II/III lung cancer: Practical implications of using a broad or sharp brush. Radiotherapy and Oncology, 2011, 100, 396-401.	0.6	41
7	Quality Assurance of 4D-CT Scan Techniques in Multicenter Phase III Trial of Surgery Versus Stereotactic Radiotherapy (Radiosurgery or Surgery for Operable Early Stage (Stage 1A)) Tj ETQq1 1 0.784314 rg Physics 2011 80 918-927	BT /Overlo	ock 10 Tf 5(
8	Recommendations for implementing stereotactic radiotherapy in peripheral stage IA non-small cell lung cancer: report from the Quality Assurance Working Party of the randomised phase III ROSEL study. Radiation Oncology, 2009, 4, 1.	2.7	226
9	In Reply to Dr. Xiao et al International Journal of Radiation Oncology Biology Physics, 2009, 75, 318.	0.8	4
10	Developing and evaluating stereotactic lung RT trials: what we should know about the influence of inhomogeneity corrections on dose. Radiation Oncology, 2008, 3, 21.	2.7	53
11	Dose calculations accounting for breathing motion in stereotactic lung radiotherapy based on 4D-CT and the internal target volume. Radiotherapy and Oncology, 2008, 86, 55-60	0.6	106