

Michel Boulvain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2172552/publications.pdf>

Version: 2024-02-01

94
papers

5,494
citations

108046

37
h-index

97045

71
g-index

99
all docs

99
docs citations

99
times ranked

4912
citing authors

#	ARTICLE	IF	CITATIONS
1	Induction of labour at or near term for suspected fetal macrosomia. The Cochrane Library, 2022, 2022, CD000938.	1.5	49
2	Outcomes of robotically assisted laparoscopic lateral suspension (RALLS) with mesh for anterior and apical prolapse. Journal of Robotic Surgery, 2022, 16, 287-294.	1.0	6
3	The distribution of pelvic organ support defects in women undergoing pelvic organ prolapse surgery and compartment specific risk factors. International Urogynecology Journal, 2022, 33, 405-409.	0.7	2
4	A cross-sectional study on pelvic floor symptoms in women living with Female Genital Mutilation/Cutting. Reproductive Health, 2021, 18, 39.	1.2	6
5	Operative Complications and Outcomes Comparing Small and Large Uterine Weight in Case of Laparoscopic Hysterectomy for a Benign Indication. Frontiers in Surgery, 2021, 8, 755781.	0.6	1
6	Physical activity and urinary incontinence during pregnancy and postpartum: A systematic review and meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 267, 262-268.	0.5	6
7	Membrane sweeping for induction of labour. The Cochrane Library, 2020, 2, CD000451.	1.5	15
8	Augmentation of labour. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2020, 67, 80-89.	1.4	9
9	Is female genital mutilation associated with eclampsia? Evidence from a nationally representative survey data. Reproductive Health, 2020, 17, 68.	1.2	3
10	Insulin-producing organoids engineered from islet and amniotic epithelial cells to treat diabetes. Nature Communications, 2019, 10, 4491.	5.8	106
11	Mechanical methods for induction of labour. The Cochrane Library, 2019, 2019, CD001233.	1.5	43
12	Consequences of the Adoption of the IADPSG versus Carpenter and Coustan Criteria to Diagnose Gestational Diabetes: A Before-After Comparison. Experimental and Clinical Endocrinology and Diabetes, 2019, 127, 473-476.	0.6	3
13	Prevalence of Hypertensive Phenotypes After Preeclampsia. Hypertension, 2018, 71, 103-109.	1.3	55
14	Inflammatory Syndrome as the Initial Manifestation of Retroperitoneal Tuberculosis in a Pregnant Woman. European Journal of Case Reports in Internal Medicine, 2018, 5, 1.	0.2	0
15	Single versus double-layer uterine closure at cesarean: impact on lower uterine segment thickness at next pregnancy. American Journal of Obstetrics and Gynecology, 2017, 217, 65.e1-65.e5.	0.7	31
16	Self-sampling to improve cervical cancer screening coverage in Switzerland: a randomised controlled trial. British Journal of Cancer, 2017, 116, 1382-1388.	2.9	18
17	Lower uterine segment thickness to prevent uterine rupture and adverse perinatal outcomes: a multicenter prospective study. American Journal of Obstetrics and Gynecology, 2016, 215, 604.e1-604.e6.	0.7	35
18	How does delivery method influence factors that contribute to women's childbirth experiences?. Midwifery, 2016, 43, 21-28.	1.0	61

#	ARTICLE	IF	CITATIONS
19	Obstetric care of women with female genital mutilation attending a specialized clinic in a tertiary center. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 132, 174-178.	1.0	21
20	Do laparoscopic pelvic trainer exercises improve residents'™ surgical skills? A randomized controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, 177-180.	0.5	14
21	Health education and clinical care of immigrant women with female genital mutilation/cutting who request postpartum reinfibulation. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 69-72.	1.0	21
22	Incidence and risk factors for mesh erosion after laparoscopic repair of pelvic organ prolapse by lateral suspension with mesh. <i>International Urogynecology Journal</i> , 2016, 27, 1347-1355.	0.7	25
23	Education efforts may contribute to wider acceptance of human papillomavirus self-sampling. <i>International Journal of Women's Health</i> , 2015, 7, 149.	1.1	45
24	Fetal macrosomia: induction of labour or expectant management? " Authors' reply. <i>Lancet, The</i> , 2015, 386, 1629-1630.	6.3	2
25	Moderate and extended neonatal resuscitations occur in one in 10 births and require specialist cover 24 hours a day. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 589-595.	0.7	3
26	Induction of labour versus expectant management for large-for-date fetuses: a randomised controlled trial. <i>Lancet, The</i> , 2015, 385, 2600-2605.	6.3	217
27	HPV self-sampling as primary screening test in sub-Saharan Africa: Implication for a triaging strategy. <i>International Journal of Cancer</i> , 2014, 135, 1911-1917.	2.3	37
28	Missed opportunities for diagnosis of female genital mutilation. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 125, 256-260.	1.0	32
29	Strategies for implementing the WHO diagnostic criteria and classification of hyperglycaemia first detected in pregnancy. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 364-372.	1.1	93
30	Potential avoidability of planned cesarean sections in a French national database. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 905-912.	1.3	24
31	Impact of mode of delivery on the birth experience in first-time mothers: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 254.	0.9	58
32	Maternal positioning to correct occipito-posterior fetal position in labour: a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 83.	0.9	14
33	Effect of physical activity during pregnancy on mode of delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 401.e1-401.e11.	0.7	100
34	Controversies in the mammography screening programme in Switzerland. <i>Swiss Medical Weekly</i> , 2014, 144, w13969.	0.8	1
35	Incidence and risk factors for reoperation of surgically treated urinary incontinence. <i>International Urogynecology Journal</i> , 2013, 24, 991-997.	0.7	2
36	Hypnosis for the Control of Pain Associated with External Cephalic Version: A Comparative Study. <i>Journal of Alternative and Complementary Medicine</i> , 2013, 19, 820-825.	2.1	6

#	ARTICLE	IF	CITATIONS
37	How to report and interpret fetal mortality. American Journal of Obstetrics and Gynecology, 2013, 209, 499-500.	0.7	0
38	Human Papillomavirus Self-Sampling in Cameroon. Journal of Lower Genital Tract Disease, 2013, 17, 235-241.	0.9	58
39	Increased Salt Sensitivity of Ambulatory Blood Pressure in Women With a History of Severe Preeclampsia. Hypertension, 2013, 62, 802-808.	1.3	33
40	Recourse to Alternative Medicine During Pregnancy: Motivations of Women and Impact of Research Findings. Journal of Alternative and Complementary Medicine, 2012, 18, 1147-1153.	2.1	4
41	Validity of Clinical and Ultrasound Variables to Predict the Risk of Cesarean Delivery After Induction of Labor. Obstetrics and Gynecology, 2012, 120, 53-59.	1.2	8
42	Reconstructive surgery for female genital mutilation. Lancet, The, 2012, 380, 90-92.	6.3	17
43	Mechanical methods for induction of labour. The Cochrane Library, 2012, , CD001233.	1.5	209
44	BARD1: An independent predictor of survival in non-small cell lung cancer. International Journal of Cancer, 2012, 131, 83-94.	2.3	44
45	Incidence and risk factors for reoperation of surgically treated pelvic organ prolapse. International Urogynecology Journal, 2012, 23, 35-41.	0.7	33
46	Breech presentation and choice of mode of childbirth: A qualitative study of women's experiences. Midwifery, 2011, 27, e208-e213.	1.0	32
47	Awareness of HPV and cervical cancer prevention among Cameroonian healthcare workers. BMC Women's Health, 2011, 11, 45.	0.8	58
48	Techniques for the interruption of tubal patency for female sterilisation. , 2011, , CD003034.		12
49	Magnetic resonance imaging of the cervix in women at high risk for preterm delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 1392-1397.	0.7	12
50	Care of women with female genital mutilation/cutting. Swiss Medical Weekly, 2011, 140, w13137.	0.8	49
51	Effects of recommended levels of physical activity on pregnancy outcomes. American Journal of Obstetrics and Gynecology, 2010, 202, 266.e1-266.e6.	0.7	88
52	Thromboprophylaxis with low-molecular-weight heparin after cesarean delivery. Thrombosis and Haemostasis, 2010, 103, 129-137.	1.8	30
53	Prepregnancy Body Mass Index and Resting Metabolic Rate during Pregnancy. Annals of Nutrition and Metabolism, 2010, 57, 221-227.	1.0	13
54	Antibiotics for preterm rupture of membranes. , 2010, , CD001058.		142

#	ARTICLE	IF	CITATIONS
55	Development of a Rapid PCR Assay for Screening of Maternal Colonization by Group B <i>Streptococcus</i> and Neonatal Invasive <i>Escherichia coli</i> during Labor. <i>Gynecologic and Obstetric Investigation</i> , 2010, 70, 250-255.	0.7	19
56	Physical Activity and Pregnancy. <i>Sports Medicine</i> , 2010, 40, 493-507.	3.1	208
57	Incidence of Early Neonatal Mortality and Morbidity After Late-Preterm and Term Cesarean Delivery. <i>Pediatrics</i> , 2009, 123, e1064-e1071.	1.0	150
58	Moxibustion for Breech Version. <i>Obstetrics and Gynecology</i> , 2009, 114, 1034-1040.	1.2	40
59	Incidence rate and risk factors for vaginal vault prolapse repair after hysterectomy. <i>International Urogynecology Journal</i> , 2008, 19, 1623-1629.	0.7	71
60	Side-Effects of Moxibustion for Cephalic Version of Breech Presentation. <i>Journal of Alternative and Complementary Medicine</i> , 2008, 14, 1231-1233.	2.1	20
61	Intracervical prostaglandins for induction of labour. <i>The Cochrane Library</i> , 2008, , CD006971.	1.5	64
62	Is screening for fetal anomalies reliable in HIV-infected pregnant women? A multicentre study. <i>Aids</i> , 2008, 22, 2013-2017.	1.0	15
63	Risk Factors for Pelvic Organ Prolapse Repair After Hysterectomy. <i>Obstetrics and Gynecology</i> , 2007, 110, 625-632.	1.2	92
64	Analgesia in the second stage of labour. <i>BMJ: British Medical Journal</i> , 2006, 333, 108-109.	2.4	1
65	Women's health 18 years after rupture of the anal sphincter during childbirth: II. Urinary incontinence, sexual function, and physical and mental health. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1260-1265.	0.7	33
66	Women's health 18 years after rupture of the anal sphincter during childbirth: I. Fecal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1255-1259.	0.7	78
67	Progesterone/Progestagens to Prevent Preterm Birth: When and How. <i>Current Women's Health Reviews</i> , 2006, 2, 165-171.	0.1	3
68	Diagnosis of Anal Sphincter Tears to Prevent Fecal Incontinence: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2005, 106, 1109.	1.2	1
69	Diagnosis of Anal Sphincter Tears to Prevent Fecal Incontinence. <i>Obstetrics and Gynecology</i> , 2005, 106, 6-13.	1.2	120
70	Endoscopic Laser Surgery versus Serial Amnioreduction for Severe Twin-to-Twin Transfusion Syndrome. <i>New England Journal of Medicine</i> , 2004, 351, 136-144.	13.9	1,213
71	Home-based care after a shortened hospital stay versus hospital-based care postpartum: an economic evaluation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 800-806.	1.1	34
72	Home-based versus hospital-based postnatal care: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 807-813.	1.1	75

#	ARTICLE	IF	CITATIONS
73	Spontaneous delivery or manual removal of the placenta during caesarean section: a randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 908-912.	1.1	31
74	Medical researchers evaluate their methodological skills. Journal of Clinical Epidemiology, 2004, 57, 1323-1329.	2.4	12
75	Antibiotics for Preterm Rupture of the Membranes: A Systematic Review. Obstetrics and Gynecology, 2004, 104, 1051-1057.	1.2	74
76	Oral misoprostol or vaginal dinoprostone for labor induction: A randomized controlled trial. American Journal of Obstetrics and Gynecology, 2003, 188, 162-167.	0.7	44
77	Human Chorionic Gonadotropin Follow-up in Patients With Molar Pregnancy. Obstetrics and Gynecology, 2003, 102, 642-643.	1.2	0
78	Use of Automated Primary Screening on Liquid-Based, Thin-Layer Preparations. Acta Cytologica, 2002, 46, 291-295.	0.7	27
79	Fetal bradycardia due to intrathecal opioids for labour analgesia: a systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 274-281.	1.1	147
80	Does a second delivery increase the risk of anal incontinence?. British Journal of Obstetrics and Gynaecology, 2001, 108, 684-688.	0.9	62
81	Choosing a strategy to prevent neonatal early-onset group B streptococcal sepsis: economic evaluation. British Journal of Obstetrics and Gynaecology, 2001, 108, 840-847.	0.9	15
82	Mechanical methods for induction of labour. , 2001, , CD001233.		65
83	Maternal height and external pelvimetry to predict cephalopelvic disproportion in nulliparous African women: a cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 947-952.	1.1	60
84	Emotional, physical and sexual violence against women before or during pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 1306-1308.	1.1	15
85	Multicenter, randomized, controlled trial of delayed pushing for nulliparous women in the second stage of labor with continuous epidural analgesia. American Journal of Obstetrics and Gynecology, 2000, 182, 1165-1172.	0.7	261
86	Diagnosis of Anal Sphincter Tears by Postpartum Endosonography to Predict Fecal Incontinence. Obstetrics and Gynecology, 2000, 95, 643-647.	1.2	12
87	Diagnosis of anal sphincter tears by postpartum endosonography to predict fecal incontinence. Obstetrics and Gynecology, 2000, 95, 643-647.	1.2	138
88	Sweeping of the membranes to prevent post-term pregnancy and to induce labour: a systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 1999, 106, 481-485.	1.1	26
89	Does sweeping of the membranes reduce the need for formal induction of labour? A randomized controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 34-40.	1.1	39
90	Prediction of preterm delivery by fetal fibronectin: A meta-analysis. Obstetrics and Gynecology, 1998, 92, 153-158.	1.2	48

#	ARTICLE	IF	CITATIONS
91	Induction of labour for suspected fetal macrosomia. , 1998, , CD000938.		65
92	Measurement of endometrial thickness with transvaginal ultrasonography: is it reproducible?. Journal of Ultrasound in Medicine, 1998, 17, 481-484.	0.8	42
93	Trial of labour after caesarean section in sub-Saharan Africa: ameta-analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 1385-1390.	1.1	43
94	A single cervical fetal fibronectin screening test in; population at low risk for preterm delivery: an improvement on clinical indicators?. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 697-701.	1.1	23