

Didier le Cerf

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2173272/didier-le-cerf-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139 papers	3,249 citations	32 h-index	48 g-index
146 ext. papers	3,669 ext. citations	6.3 avg, IF	5.21 L-index

#	Paper	IF	Citations
139	Optimized extraction of pectin-like polysaccharide from Suaeda fruticosa leaves: Characterization, antioxidant, anti-inflammatory and analgesic activities. <i>Carbohydrate Polymers</i> , 2018 , 185, 127-137	10.3	104
138	Residual solvent effect on the permeation properties of fluorinated polyimide films. <i>Separation and Purification Technology</i> , 1999 , 16, 47-54	8.3	103
137	Solution properties of gum exudates from Sterculia urens (Karaya gum). <i>Carbohydrate Polymers</i> , 1990 , 13, 375-386	10.3	100
136	Comparison of polysaccharide degradations by dynamic high-pressure homogenization. <i>Food Hydrocolloids</i> , 2012 , 27, 278-286	10.6	92
135	Prickly pear nopals pectin from Opuntia ficus-indica physico-chemical study in dilute and semi-dilute solutions. <i>Carbohydrate Polymers</i> , 2001 , 46, 69-79	10.3	90
134	Hyaluronan hydrogel: an appropriate three-dimensional model for evaluation of anticancer drug sensitivity. <i>Acta Biomaterialia</i> , 2008 , 4, 256-63	10.8	80
133	High-resolution nuclear magnetic resonance spectroscopy studies of polysaccharides crosslinked by sodium trimetaphosphate: a proposal for the reaction mechanism. <i>Carbohydrate Research</i> , 2007 , 342, 943-53	2.9	79
132	Structural characterization and antioxidant activity of water-soluble polysaccharides from the Tunisian brown seaweed Cystoseira compressa. <i>Carbohydrate Polymers</i> , 2018 , 198, 589-600	10.3	73
131	Optimization extraction of polysaccharide from Tunisian Zizyphus lotus fruit by response surface methodology: Composition and antioxidant activity. <i>Food Chemistry</i> , 2016 , 212, 476-84	8.5	70
130	New amphiphilic and pH-sensitive hydrogel for controlled release of a model poorly water-soluble drug. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2009 , 73, 345-50	5.7	69
129	Hyaluronan-based hydrogels particles prepared by crosslinking with trisodium trimetaphosphate. Synthesis and characterization. <i>Carbohydrate Polymers</i> , 2004 , 57, 1-6	10.3	65
128	Trisodium trimetaphosphate crosslinked xanthan networks: synthesis, swelling, loading and releasing behaviour. <i>Polymer Bulletin</i> , 2009 , 62, 525-538	2.4	61
127	Hydrogels Based on Pullulan Crosslinked with sodium trimetaphosphate (STMP): Rheological study. <i>Polymer Bulletin</i> , 2004 , 52, 429-436	2.4	58
126	Entrapment and release of sodium polystyrene sulfonate (SPS) from calcium alginate gel beads. <i>European Polymer Journal</i> , 2004 , 40, 2709-2715	5.2	55
125	Reticulated hyaluronan hydrogels: a model for examining cancer cell invasion in 3D. <i>Matrix Biology</i> , 2004 , 23, 183-93	11.4	52
124	New amphiphilic modified polysaccharides with original solution behaviour in salt media. <i>Carbohydrate Polymers</i> , 2009 , 75, 454-462	10.3	51
123	Amphiphilic polysaccharides. Evidence for a competition between intra and intermolecular associations in dilute system. <i>Polymer</i> , 2003 , 44, 7917-7924	3.9	50

122	Physico-chemical characterization and pharmacological evaluation of sulfated polysaccharides from three species of Mediterranean brown algae of the genus <i>Cystoseira</i> . <i>DARU, Journal of Pharmaceutical Sciences</i> , 2015 , 23, 1	3.9	46
121	Depolymerization of polysaccharides from <i>Opuntia ficus indica</i> : Antioxidant and antiglycated activities. <i>International Journal of Biological Macromolecules</i> , 2015 , 79, 779-86	7.9	45
120	Analysis of arabic gum: Study of degradation and water desorption processes. <i>Food Hydrocolloids</i> , 2009 , 23, 1930-1934	10.6	43
119	Composition, structure and solution properties of polysaccharides extracted from leaves of <i>Mesembryanthemum crystallinum</i> . <i>European Polymer Journal</i> , 2006 , 42, 786-795	5.2	42
118	Aggregation of hydrophobically modified polysaccharides in solution and at the air-water interface. <i>Journal of Colloid and Interface Science</i> , 2005 , 281, 316-24	9.3	42
117	Synthesis and characterization of thermosensitive and pH-sensitive block copolymers based on polyetheramine and pullulan with different length. <i>Carbohydrate Polymers</i> , 2011 , 86, 304-312	10.3	41
116	Associative pullulan gels and their interaction with biological active substances. <i>Journal of Controlled Release</i> , 2002 , 83, 41-51	11.7	41
115	Aggregation of amphiphilic pullulan derivatives evidenced by on-line flow field flow fractionation/multi-angle laser light scattering. <i>Biomedical Applications</i> , 2001 , 753, 115-22		41
114	Amphiphilic and thermosensitive copolymers based on pullulan and Jeffamine® : Synthesis, characterization and physicochemical properties. <i>Carbohydrate Polymers</i> , 2012 , 87, 1522-1531	10.3	40
113	Physicochemical properties and biological activities of novel blend films using oxidized pectin/chitosan. <i>International Journal of Biological Macromolecules</i> , 2017 , 97, 348-356	7.9	39
112	Synthesis, physicochemical, structural and rheological characterizations of carboxymethyl xanthan derivatives. <i>Carbohydrate Polymers</i> , 2016 , 154, 267-75	10.3	39
111	Production and characterization of new families of polyglucuronic acids from TEMPO-NaOCl oxidation of curdlan. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 458-62	7.9	37
110	Carboxymethylpullulan hydrogels with a ionic and/or amphiphilic behavior: Swelling properties and entrapment of cationic and/or hydrophobic molecules. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 274, 163-169	5.1	35
109	Structural characterization and rheological behavior of a heteroxylan extracted from <i>Plantago notata</i> Lagasca (Plantaginaceae) seeds. <i>Carbohydrate Polymers</i> , 2017 , 175, 96-104	10.3	33
108	Glucose-sensitive polyelectrolyte microcapsules based on (alginate/chitosan) pair. <i>Carbohydrate Polymers</i> , 2018 , 184, 144-153	10.3	32
107	Adsorption of cellulose derivatives onto montmorillonite: a SEC-MALLS study of molar masses influence. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 203, 77-86	5.1	32
106	Synthesis of new associative gel microspheres from carboxymethyl pullulan and their interactions with lysozyme. <i>European Polymer Journal</i> , 2004 , 40, 283-289	5.2	31
105	Effect of chitosan coating on the swelling and controlled release of a poorly water-soluble drug from an amphiphilic and pH-sensitive hydrogel. <i>International Journal of Biological Macromolecules</i> , 2010 , 47, 120-5	7.9	30

104	Enhancement of the solubility and efficacy of poorly water-soluble drugs by hydrophobically-modified polysaccharide derivatives. <i>Pharmaceutical Research</i> , 2007 , 24, 2317-26	4.5	30
103	Extraction and characterization of an alginate from the Iranian brown seaweed <i>Nizimuddin</i> zanardini. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 1073-1081	7.9	30
102	Preparation and characterization of anionic pullulan thermoassociative nanoparticles for drug delivery. <i>Carbohydrate Polymers</i> , 2014 , 111, 892-900	10.3	29
101	Multi-responsive carboxymethyl polysaccharide crosslinked hydrogels containing Jeffamine side-chains. <i>Carbohydrate Polymers</i> , 2012 , 89, 578-85	10.3	29
100	Influence of the uronic acid composition on the gastroprotective activity of alginates from three different genus of Tunisian brown algae. <i>Food Chemistry</i> , 2018 , 239, 165-171	8.5	27
99	Direct effect of bevacizumab on glioblastoma cell lines in vitro. <i>NeuroMolecular Medicine</i> , 2014 , 16, 752-761	7.1	27
98	New anionic crosslinked multi-responsive pullulan hydrogels. <i>Carbohydrate Polymers</i> , 2012 , 87, 1440-1446	10.3	27
97	A complete set of hyaluronan fragments obtained from hydrolysis catalyzed by hyaluronidase: Application to studies of hyaluronan mass distribution by simple HPLC devices. <i>Analytical Biochemistry</i> , 2006 , 348, 232-42	3.1	27
96	Rheological study of in-situ crosslinkable hydrogels based on hyaluronan acid, collagen and sericin. <i>Materials Science and Engineering C</i> , 2016 , 69, 388-97	8.3	25
95	Thermo sensitive behavior of cellulose derivatives in dilute aqueous solutions: from macroscopic to mesoscopic scale. <i>Journal of Colloid and Interface Science</i> , 2011 , 357, 372-8	9.3	24
94	Stiffness xanthan hydrogels: synthesis, swelling characteristics and controlled release properties. <i>Polymer Bulletin</i> , 2008 , 61, 631-641	2.4	24
93	Effect of extraction conditions on the antioxidant and antiglycation capacity of carbohydrates from <i>Opuntia robusta</i> cladodes. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 929-937	3.8	23
92	Pullulan- β -TMP hydrogels: a way to correlate crosslinking mechanism, structure and physicochemical properties. <i>Polymer Bulletin</i> , 2011 , 67, 455-466	2.4	23
91	A novel amphiphilic pH-sensitive hydrogel based on pullulan. <i>Colloid and Polymer Science</i> , 2007 , 285, 1085-1091	2.4	23
90	Effect of extraction condition on the antioxidant, antiglycation and α -amylase inhibitory activities of <i>Opuntia macrorhiza</i> fruit peels polysaccharides. <i>LWT - Food Science and Technology</i> , 2020 , 127, 109411	5.4	22
89	Physico-chemical characterization and pharmacological activities of sulfated polysaccharide from sea urchin, <i>Paracentrotus lividus</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 97, 8-15	7.9	21
88	Partial characterization and antitumor activity of a polysaccharide isolated from watermelon rinds. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 632-641	7.9	21
87	Hyaluronan-based hydrogels as versatile tumor-like models: Tunable ECM and stiffness with genipin-crosslinking. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 1256-1268	5.4	21

86	Structural characterization and rheological properties of a galactomannan from Astragalus gombo Bunge seeds harvested in Algerian Sahara. <i>Carbohydrate Polymers</i> , 2017 , 175, 387-394	10.3	21
85	Unusual rheological properties of a new associative polysaccharide in salt media. <i>Carbohydrate Polymers</i> , 2009 , 77, 743-749	10.3	21
84	Adsorption of amphiphilic polysaccharides onto polystyrene latex particles. <i>Polymer</i> , 2005 , 46, 3700-3707.	9	21
83	Influence of solvent and non-solvent on polyimide asymmetric membranes formation in relation to gas permeation. <i>Separation and Purification Technology</i> , 2001 , 22-23, 277-285	8.3	21
82	Characterization, antioxidant and antiglycation properties of polysaccharides extracted from the medicinal halophyte <i>Carpobrotus edulis</i> L. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 833-842	7.9	19
81	Influence of alkyl chains length on the conformation and solubilization properties of amphiphilic carboxymethylpullulans. <i>Colloid and Polymer Science</i> , 2008 , 286, 1299-1305	2.4	19
80	Structural characterization and thermal behavior of a gum extracted from <i>Ferula assa foetida</i> L. <i>Carbohydrate Polymers</i> , 2018 , 181, 426-432	10.3	18
79	Formation of polyelectrolyte complexes with diethylaminoethyl dextran: charge ratio and molar mass effect. <i>Carbohydrate Polymers</i> , 2014 , 113, 217-24	10.3	18
78	Association states of multisensitive smart polysaccharide-block-polyetheramine copolymers. <i>Carbohydrate Polymers</i> , 2013 , 95, 41-9	10.3	18
77	New anionic amphiphilic thermosensitive pullulan derivatives. <i>Carbohydrate Polymers</i> , 2011 , 84, 276-281	10.3	18
76	Saccharide effect on the LCST property of a polyether: Influence of structure and length. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 428, 25-31	5.1	17
75	Anionic polysaccharide hydrogels with thermosensitive properties. <i>Carbohydrate Polymers</i> , 2011 , 83, 52-59	10.3	17
74	Antioxidant properties and bioactivity of Carboxymethylpullulan grafted with ferulic acid and of their hydrogels obtained by enzymatic reaction. <i>Food Chemistry</i> , 2018 , 262, 21-29	8.5	16
73	Physico-chemical characterization and pharmacological activities of polysaccharides from <i>Opuntia microdasys</i> var. <i>rufida</i> cladodes. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 1330-1338	7.9	16
72	Novel cationic and amphiphilic pullulan derivatives II: pH dependant physicochemical properties. <i>Carbohydrate Polymers</i> , 2010 , 80, 123-129	10.3	16
71	Enzymatic cross-linking of carboxymethylpullulan grafted with ferulic acid. <i>Carbohydrate Polymers</i> , 2016 , 151, 78-87	10.3	15
70	Effect of pH during Extraction on the Antioxidant and Antiglycated Activities of Polysaccharides from <i>Opuntia Ficus Indica</i> . <i>Journal of Food Biochemistry</i> , 2016 , 40, 316-325	3.3	15
69	New semi-IPN scaffolds based on HEMA and collagen modified with itaconic anhydride. <i>Materials Letters</i> , 2012 , 67, 95-98	3.3	15

68	Survival of cord blood haematopoietic stem cells in a hyaluronan hydrogel for ex vivo biomimicry. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013 , 7, 901-10	4.4	15
67	Effect of ultrasonic degradation of hyaluronic acid extracted from rooster comb on antioxidant and antiglycation activities. <i>Pharmaceutical Biology</i> , 2017 , 55, 156-163	3.8	15
66	Molecular size characterization and kinetics studies on hydrolysis of pullulan by pullulanase in an entangled alginate medium. <i>Biomacromolecules</i> , 2013 , 14, 2234-41	6.9	15
65	Water Retention Capacity of Polysaccharides from Prickly Pear Nopals of <i>Opuntia Ficus Indica</i> and <i>Opuntia Litoralis</i> : Physical/Chemical Approach. <i>Journal of Polymers and the Environment</i> , 2010 , 18, 451-458	4.5	15
64	Novel cationic and amphiphilic pullulan derivatives I: Synthesis and characterization. <i>European Polymer Journal</i> , 2007 , 43, 4940-4950	5.2	15
63	Contribution of flow field flow fractionation with on line static and dynamic light scattering to the study of hydrosoluble polyelectrolyte complexes. <i>Analytica Chimica Acta</i> , 2007 , 604, 2-8	6.6	15
62	Partial characterization of the edible <i>Spinacia oleracea</i> polysaccharides: Cytoprotective and antioxidant potentials against Cd induced toxicity in HCT116 and HEK293 cells. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 332-340	7.9	14
61	Collagens, stromal cell-derived factor-1alpha and basic fibroblast growth factor increase cancer cell invasiveness in a hyaluronan hydrogel. <i>Cell Proliferation</i> , 2008 , 41, 348-64	7.9	14
60	pH-dependent stability of scleroglucan borate gels. <i>Carbohydrate Polymers</i> , 2007 , 69, 65-71	10.3	14
59	Synthesis and physicochemical characterization of a novel ampholytic pullulan derivative with amphiphilic behavior in alkaline media. <i>Journal of Colloid and Interface Science</i> , 2007 , 313, 108-16	9.3	14
58	A biomimetic hydrogel functionalized with adipose ECM components as a microenvironment for the 3D culture of human and murine adipocytes. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 1813-1824	4.9	13
57	Characterization of polysaccharides from <i>Prunus amygdalus</i> peels: Antioxidant and antiproliferative activities. <i>International Journal of Biological Macromolecules</i> , 2018 , 119, 198-206	7.9	13
56	Effect of carboxymethyl groups on degradation of modified pullulan by pullulanase from <i>Klebsiella pneumoniae</i> . <i>Carbohydrate Polymers</i> , 2013 , 93, 109-15	10.3	13
55	Covalent immobilization of pullulanase on alginate and study of its hydrolysis of pullulan. <i>Biotechnology Progress</i> , 2015 , 31, 883-9	2.8	13
54	Cyclodextrin-anionic polysaccharide hydrogels: Synthesis, characterization, and interaction with some organic molecules (water pollutants, drugs, proteins). <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1175-1183	2.9	13
53	Curdlan microspheres. Synthesis, characterization and interaction with proteins (enzymes, vaccines). <i>International Journal of Biological Macromolecules</i> , 2009 , 44, 215-21	7.9	13
52	Structural features and rheological behavior of a water-soluble polysaccharide extracted from the seeds of <i>Plantago ciliata</i> Desf. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 1333-1341	7.9	12
51	Tuning the Thermo-Sensitivity of Micellar Systems through a Blending Approach. <i>Macromolecules</i> , 2016 , 49, 4307-4315	5.5	12

50	Microwave-assisted extraction and pharmacological evaluation of polysaccharides from <i>Posidonia oceanica</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2017 , 81, 1917-1925	2.1	11
49	Solvent effect on the conformation in solution of two polyimides. <i>Polymer International</i> , 1997 , 44, 497-503	9.3	11
48	New Polysaccharide-based Microparticles Crosslinked with Siloxane: Interactions with Biologically Active Substances. <i>Journal of Bioactive and Compatible Polymers</i> , 2008 , 23, 82-94	2	11
47	Fractionation and characterization of gum from . Effect of enzymatic and alkaline treatments. <i>Carbohydrate Polymers</i> , 2005 , 62, 239-244	10.3	11
46	Three Dimensional Tumor Engineering by Co-Culture of Breast Tumor and Endothelial Cells Using a Hyaluronic Acid Hydrogel Model. <i>Journal of Clinical & Experimental Oncology</i> , 2017 , 06,		11
45	Optimization of antioxidant and antiglycated activities of polysaccharides from <i>Arthrocnemum indicum</i> leaves. <i>International Journal of Biological Macromolecules</i> , 2018 , 113, 774-782	7.9	10
44	Organization of "Pullulan"-block-polyether copolymers at the aqueous solution/air interface. <i>Journal of Colloid and Interface Science</i> , 2013 , 398, 134-41	9.3	10
43	Rheological behavior and non-enzymatic degradation of a sulfated galactan from <i>Halymenia durvillei</i> (Halymeniales, Rhodophyta). <i>Applied Biochemistry and Biotechnology</i> , 2012 , 167, 1303-13	3.2	10
42	New polysaccharide-based microparticles crosslinked with siloxanic units. I. Synthesis and characterization. <i>Reactive and Functional Polymers</i> , 2007 , 67, 60-66	4.6	10
41	Polyimide asymmetric membranes: Elaboration, morphology, and gas permeation performance. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 1838-1848	2.9	10
40	Antibody-Conjugated Nanocarriers for Targeted Antibiotic Delivery: Application in the Treatment of Bacterial Biofilms. <i>Biomacromolecules</i> , 2021 , 22, 1639-1653	6.9	10
39	Thermo-controlled rheology of electro-assembled polyanionic polysaccharide (alginate) and polycationic thermo-sensitive polymers. <i>Carbohydrate Polymers</i> , 2016 , 139, 67-74	10.3	9
38	Collagen functionalized with unsaturated cyclic anhydrides-interactions in solution and solid state. <i>Biopolymers</i> , 2014 , 101, 228-36	2.2	9
37	Thermo- and pH-sensitive triblock copolymers with tunable hydrophilic/hydrophobic properties. <i>Journal of Polymer Science Part A</i> , 2015 , 53, 2606-2616	2.5	9
36	Alginate grafted with poly(ϵ -caprolactone): effect of enzymatic degradation on physicochemical properties. <i>Polymer International</i> , 2012 , 61, 1456-1461	3.3	9
35	Acacia macracantha gum as a possible source of arabinogalactan-protein. <i>Carbohydrate Polymers</i> , 2008 , 72, 88-94	10.3	9
34	Access to new anticoagulant by sulfation of pectin-like polysaccharides isolated from <i>Opuntia ficus indica</i> cladodes. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 1794-1800	7.9	9
33	Surfactants Synthesis Using Petroleum Fractions and Crude Oil: Application in Microemulsion Formulation. <i>Journal of Dispersion Science and Technology</i> , 2010 , 31, 877-882	1.5	8

32	Mechanical spectroscopy of karaya gumAlginate mixed dispersions. <i>Carbohydrate Polymers</i> , 1994 , 23, 241-246	10.3	8
31	Biomimetic hydrogel by enzymatic crosslinking of pullulan grafted with ferulic acid. <i>Carbohydrate Polymers</i> , 2020 , 250, 116967	10.3	8
30	Structural Features and Rheological Properties of a Sulfated Xylogalactan-Rich Fraction Isolated from Tunisian Red Seaweed <i>Jania adhaerens</i> . <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1655	2.6	7
29	Ozone treatment of polysaccharides from <i>Arthrocnemum indicum</i> : Physico-chemical characterization and antiproliferative activity. <i>International Journal of Biological Macromolecules</i> , 2017 , 105, 1315-1323	7.9	7
28	Optimization of Exopolysaccharides Production by and Their Potential to Induce Defense Responses in against. <i>Biomolecules</i> , 2021 , 11,	5.9	7
27	Organotin-bridged ionic liquid as a solvent-free, leaching-resistive catalyst for ring opening polymerization of ϵ -caprolactone. <i>New Journal of Chemistry</i> , 2019 , 43, 5872-5878	3.6	6
26	Gd(DOTA)-grafted submicronic polysaccharide-based particles functionalized with fucoidan as potential MR contrast agent able to target human activated platelets. <i>Carbohydrate Polymers</i> , 2020 , 245, 116457	10.3	6
25	Anionic Polysaccharide Hydrogels with Charges Provided by the Polysaccharide or the Crosslinking Agent. <i>Drug Delivery Letters</i> , 2012 , 2, 240-250	0.8	6
24	GC-MS identification data of neutral sugars of polysaccharides extracted from fruit. <i>Data in Brief</i> , 2018 , 18, 680-683	1.2	5
23	Hydrolysis of pullulan by entrapped pullulanase in Ca/alginate beads. <i>Biopolymers</i> , 2014 , 101, 938-44	2.2	4
22	Evolution of the water monomer dynamic interfacial properties during methyl methacrylate radical polymerization in a single monomer droplet: dependence on the chemical structure of the surfactant. <i>Polymer International</i> , 2013 , 62, n/a-n/a	3.3	4
21	Self-organization of Water Soluble and Amphiphile Crosslinked Carboxymethylpullulan. <i>Polymer Journal</i> , 2008 , 40, 1132-1139	2.7	4
20	Thermosensitive behavior of amphiphilic triblock copolymers based on poly(acrylic acid) and poly(propylene oxide). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016 , 54, 1507-1514	2.6	4
19	Metastable Amphiphilic Hydrogels Based on Crosslinked Carboxymethylpullulan. <i>Polymer Journal</i> , 2008 , 40, 233-240	2.7	3
18	Optimization of extraction with salicylic acid, rheological behavior and antiproliferative activity of pectin from <i>Citrus sinensis</i> peels. <i>International Journal of Biological Macromolecules</i> , 2020 , 159, 547-556	7.9	3
17	Antibacterial Activity of Ciprofloxacin-Loaded Poly(lactic-co-glycolic acid)-Nanoparticles Against <i>Staphylococcus aureus</i> . <i>Particle and Particle Systems Characterization</i> , 2021 , 38, 2000253	3.1	3
16	Pharmacological Investigations in Traditional Utilization of Medik. in Saharan Algeria: In Vitro Study of Anti-Inflammatory and Antihyperglycemic Activities of Water-Soluble Polysaccharides Extracted from the Seeds.. <i>Plants</i> , 2021 , 10,	4.5	3
15	The effect of gamma irradiation on the water-swelling properties of karaya gum. <i>Food Hydrocolloids</i> , 1991 , 5, 155-157	10.6	2

14	Hyaluronic Acid Functionalization with Jeffamine M2005: A Comparison of the Thermo-Responsiveness Properties of the Hydrogel Obtained through Two Different Synthesis Routes. <i>Gels</i> , 2021 , 7,	4.2	2
13	Optimization of polysaccharides extraction from quince peels: partial characterization, antioxidant and antiproliferative properties. <i>Natural Product Research</i> , 2020 , 34, 1470-1474	2.3	2
12	A mild and straightforward one-pot hyaluronic acid functionalization through termination of poly-(2-alkyl-2-oxazoline). <i>Polymer</i> , 2021 , 230, 124059	3.9	2
11	Polyelectrolyte complexes of hyaluronic acid and diethylaminoethyl dextran: Formation, stability and hydrophobicity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 629, 127485	5.1	2
10	A Novel Sulfated Glycoprotein Elicitor Extracted from the Moroccan Green Seaweed <i>Codium decortatum</i> Induces Natural Defenses in Tomato. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3643	2.6	2
9	Ultrasonication of Polysaccharides from Tunisian <i>Zizyphus lotus</i> Fruit: Emulsifying Capacities, Rheological Properties and Antioxidant activities. <i>Chemistry Africa</i> , 2020 , 3, 667-678	2.2	1
8	Effect of the Addition of Biopolymers in Micellar Systems 2015 ,		1
7	Pullulan-Based Polymer Surfactants for Vinyl Acetate Miniemulsion Polymerization: Kinetics and Colloidal Stability Investigations. <i>Macromolecular Chemistry and Physics</i> , 2015 , 216, 1879-1887	2.6	1
6	Characterization of dextran particle size: How frit-inlet asymmetrical flow field-flow fractionation (FI-AF4) coupled online with dynamic light scattering (DLS) leads to enhanced size distribution. <i>Journal of Chromatography A</i> , 2021 , 1653, 462404	4.5	1
5	Thermo-responsive hydrogels from hyaluronic acid functionalized with poly(2-alkyl-2-oxazoline) copolymers with tuneable transition temperature. <i>Polymer</i> , 2022 , 244, 124643	3.9	1
4	Application of Polymeric Nanocarriers for Enhancing the Bioavailability of Antibiotics at the Target Site and Overcoming Antimicrobial Resistance. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10695	2.6	0
3	Effect of biopolymer addition on the formulation and properties of an oil-in-water microemulsion. <i>Research on Chemical Intermediates</i> , 2015 , 41, 5665-5679	2.8	
2	Microgels Based on Carboxymethylpullulan Grafted with Ferulic Acid Obtained by Enzymatic Crosslinking in Emulsion for Drug Delivery Systems. <i>Macromolecular Bioscience</i> , 2021 , 21, e2100165	5.5	
1	Hydrophobically controlled self-association of pH- and thermo-sensitive triblock copolymers based on poly(acrylic acid-co-tert-butyl acrylate) and poly(propylene oxide). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016 , 54, 1944-1949	2.6	