

Carol Johnston

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2174659/carol-johnston-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

3,647
citations

34
h-index

56
g-index

145
ext. papers

4,214
ext. citations

4.7
avg, IF

5.58
L-index

#	Paper	IF	Citations
137	Vitamin B6 Supplementation Reduces Symptoms of Depression in College Women Taking Oral Contraceptives: A Randomized, Double-Blind Crossover Trial.. <i>Journal of Dietary Supplements</i> , 2022 , 1-13 ^{2,3}		0
136	Using Nutrition Knowledge and Diet Quality Questionnaires as Screening Tools to Identify Female Collegiate Athletes in Need of Dietitian Referral.. <i>Canadian Journal of Dietetic Practice and Research</i> , 2022 , 1-6	1.3	1
135	Evidence That Daily Vinegar Ingestion May Contribute to Erosive Tooth Wear in Adults. <i>Journal of Medicinal Food</i> , 2021 , 24, 894-896	2.8	2
134	Daily Vinegar Ingestion Improves Depression Scores and Alters the Metabolome in Healthy Adults: A Randomized Controlled Trial. <i>Nutrients</i> , 2021 , 13,	6.7	1
133	A Novel Mobile App (Heali) for Disease Treatment in Participants With Irritable Bowel Syndrome: Randomized Controlled Pilot Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e24134	7.6	5
132	No Significant Differences in Muscle Growth and Strength Development When Consuming Soy and Whey Protein Supplements Matched for Leucine Following a 12 Week Resistance Training Program in Men and Women: A Randomized Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	11
131	Commercial Vinegar Tablets Do Not Display the Same Physiological Benefits for Managing Postprandial Glucose Concentrations as Liquid Vinegar. <i>Journal of Nutrition and Metabolism</i> , 2020 , 2020, 9098739	2.7	1
130	Integrating Protein Quality and Quantity with Environmental Impacts in Life Cycle Assessment. <i>Sustainability</i> , 2019 , 11, 2747	3.6	15
129	Hydration Status and Fluid Needs of Division I Female Collegiate Athletes Exercising Indoors and Outdoors. <i>Sports</i> , 2019 , 7,	3	5
128	High-nitrate salad increased plasma nitrates/nitrites and brachial artery flow-mediated dilation in postmenopausal women: A pilot study. <i>Nutrition Research</i> , 2019 , 65, 99-104	4	5
127	Health Biomarkers in Adults Are More Closely Linked to Diet Quality Attributes Than to Plant-Based Diet Categorization. <i>Nutrients</i> , 2019 , 11,	6.7	5
126	Mung Bean Protein Supplement Improves Muscular Strength in Healthy, Underactive Vegetarian Adults. <i>Nutrients</i> , 2019 , 11,	6.7	8
125	Daily red wine vinegar ingestion for eight weeks improves glucose homeostasis and affects the metabolome but does not reduce adiposity in adults. <i>Food and Function</i> , 2019 , 10, 7343-7355	6.1	14
124	A Comparison of Dietary Protein Digestibility, Based on DIAAS Scoring, in Vegetarian and Non-Vegetarian Athletes. <i>Nutrients</i> , 2019 , 11,	6.7	15
123	A comparison of liquid vinegar and commercial vinegar pills for managing insulin resistance and postprandial glucose concentrations. <i>FASEB Journal</i> , 2018 , 32, 925.10	0.9	
122	Plant-Based Diets: Considerations for Environmental Impact, Protein Quality, and Exercise Performance. <i>Nutrients</i> , 2018 , 10,	6.7	57
121	Rapid Eating Assessment for Participants [shortened version] scores are associated with Healthy Eating Index-2010 scores and other indices of diet quality in healthy adult omnivores and vegetarians. <i>Nutrition Journal</i> , 2018 , 17, 89	4.3	20

120	Nitrate-Rich Fruit and Vegetable Supplement Reduces Blood Pressure in Normotensive Healthy Young Males without Significantly Altering Flow-Mediated Vasodilation: A Randomized, Double-Blinded, Controlled Trial. <i>Journal of Nutrition and Metabolism</i> , 2018 , 2018, 1729653	2.7	12
119	Adherence to Diet Applications Using a Smartphone Was Associated With Weight Loss in Healthy Overweight Adults Irrespective of the Application. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 184-185	4.1	8
118	Ground flaxseed increased nitric oxide levels in adults with type 2 diabetes: A randomized comparative effectiveness study of supplemental flaxseed and psyllium fiber. <i>Obesity Medicine</i> , 2017 , 5, 16-24	2.6	16
117	Almond ingestion contributes to improved cardiovascular health in sedentary older adults participating in a walking intervention: A pilot study. <i>Journal of Functional Foods</i> , 2017 , 39, 58-62	5.1	4
116	Commercially available gluten-free pastas elevate postprandial glycemia in comparison to conventional wheat pasta in healthy adults: a double-blind randomized crossover trial. <i>Food and Function</i> , 2017 , 8, 3139-3144	6.1	19
115	Examining the Impact of Adherence to a Vegan Diet on Acid-Base Balance in Healthy Adults. <i>Plant Foods for Human Nutrition</i> , 2017 , 72, 308-313	3.9	9
114	Plant-Based Nutraceutical Increases Plasma Catalase Activity in Healthy Participants: A Small Double-Blind, Randomized, Placebo-Controlled, Proof of Concept Trial. <i>Journal of Dietary Supplements</i> , 2017 , 14, 200-213	2.3	5
113	Smartphone technology facilitates dietary change in healthy adults. <i>Nutrition</i> , 2017 , 33, 343-347	4.8	44
112	Vegetarian Diet and Possible Mechanisms for Impact on Mood 2017 , 493-509		2
111	Use of Novel High-Protein Functional Food Products as Part of a Calorie-Restricted Diet to Reduce Insulin Resistance and Increase Lean Body Mass in Adults: A Randomized Controlled Trial. <i>Nutrients</i> , 2017 , 9,	6.7	12
110	Cardiorespiratory Fitness and Peak Torque Differences between Vegetarian and Omnivore Endurance Athletes: A Cross-Sectional Study. <i>Nutrients</i> , 2016 , 8,	6.7	27
109	Vitamin D Supplementation Appears to Increase Plasma A β 0 in Vitamin D Insufficient Older Adults: A Pilot Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 843-7	4.3	19
108	Eating in the absence of hunger in college students. <i>Appetite</i> , 2015 , 92, 51-6	4.5	8
107	Examining the utility of a laser device for measuring height in free-living adults and children. <i>Nutrition Journal</i> , 2015 , 14, 93	4.3	4
106	Comparison of correlates of bone mineral density in individuals adhering to lacto-ovo, vegan, or omnivore diets: a cross-sectional investigation. <i>Nutrients</i> , 2015 , 7, 3416-26	6.7	24
105	Dietary self-monitoring, but not dietary quality, improves with use of smartphone app technology in an 8-week weight loss trial. <i>Journal of Nutrition Education and Behavior</i> , 2014 , 46, 440-4	2	117
104	Almond supplementation in the absence of dietary advice significantly reduces C-reactive protein in subjects with type 2 diabetes. <i>Journal of Functional Foods</i> , 2014 , 10, 252-259	5.1	28
103	Sodium benzoate-rich beverage consumption is associated with increased reporting of ADHD symptoms in college students: a pilot investigation. <i>Journal of Attention Disorders</i> , 2014 , 18, 236-41	3.7	27

102	Vitamin C supplementation slightly improves physical activity levels and reduces cold incidence in men with marginal vitamin C status: a randomized controlled trial. <i>Nutrients</i> , 2014 , 6, 2572-83	6.7	38
101	Agreement in participant-coded and investigator-coded food-record analysis in overweight research participants: an examination of interpretation bias. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014 , 114, 796-801	3.9	4
100	Environmental cues have the greatest impact on eating in the absence of hunger in college students (811.19). <i>FASEB Journal</i> , 2014 , 28, 811.19	0.9	
99	Almond supplementation without dietary advice significantly reduces C-reactive protein in subjects with poorly-controlled type 2 diabetes (830.24). <i>FASEB Journal</i> , 2014 , 28, 830.24	0.9	1
98	The effect of peanut and grain bar preloads on postmeal satiety, glycemia, and weight loss in healthy individuals: an acute and a chronic randomized intervention trial. <i>Nutrition Journal</i> , 2013 , 12, 35	4.3	19
97	Vinegar ingestion at mealtime reduced fasting blood glucose concentrations in healthy adults at risk for type 2 diabetes. <i>Journal of Functional Foods</i> , 2013 , 5, 2007-2011	5.1	24
96	Vitamin C status and perception of effort during exercise in obese adults adhering to a calorie-reduced diet. <i>Nutrition</i> , 2013 , 29, 42-5	4.8	6
95	Efficacy of an Evidence-based Food Guide for Vegetarians and Vegans. <i>FASEB Journal</i> , 2013 , 27, 1062.6	0.9	1
94	Thoracic Cavity Fluid Accumulation: A Possible Novel Biomarker in Hemodialysis Patients. <i>FASEB Journal</i> , 2013 , 27, 615.24	0.9	
93	Investigating the Effects of 12 Week Almond Consumption in Type 2 Diabetes.. <i>FASEB Journal</i> , 2013 , 27, lb424	0.9	1
92	Almond consumption reduces diastolic blood pressure in men with type 2 diabetes. <i>FASEB Journal</i> , 2013 , 27, lb422	0.9	1
91	Ingestion of nutrition bars high in protein or carbohydrate does not impact 24-h energy intakes in healthy young adults. <i>Appetite</i> , 2012 , 59, 778-81	4.5	5
90	Restriction of meat, fish, and poultry in omnivores improves mood: a pilot randomized controlled trial. <i>Nutrition Journal</i> , 2012 , 11, 9	4.3	56
89	Lifestyle Measures to Reduce Inflammation. <i>American Journal of Lifestyle Medicine</i> , 2012 , 6, 4-13	1.9	9
88	Vitamin C: Overview and Update. <i>Journal of Evidence-Based Complementary & Alternative Medicine</i> , 2011 , 16, 49-57		34
87	Almond ingestion at mealtime reduces postprandial glycemia and chronic ingestion reduces hemoglobin A(1c) in individuals with well-controlled type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 1312-7	12.7	67
86	Protein dietary reference intakes may be inadequate for vegetarians if low amounts of animal protein are consumed. <i>Nutrition</i> , 2011 , 27, 727-30	4.8	32
85	Vegetarian diets are associated with healthy mood states: a cross-sectional study in seventh day adventist adults. <i>Nutrition Journal</i> , 2010 , 9, 26	4.3	81

84	Examination of the antiglycemic properties of vinegar in healthy adults. <i>Annals of Nutrition and Metabolism</i> , 2010 , 56, 74-9	4.5	60
83	An evaluation of the protein adequacy of typical U.S. vegetarian diets. <i>FASEB Journal</i> , 2010 , 24, 944.5	0.9	
82	Medicinal Uses of Vinegar 2009 , 433-443		2
81	Functional Foods as Modifiers of Cardiovascular Disease. <i>American Journal of Lifestyle Medicine</i> , 2009 , 3, 39S-43S	1.9	32
80	Preliminary evidence that regular vinegar ingestion favorably influences hemoglobin A1c values in individuals with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2009 , 84, e15-7	7.4	29
79	Vinegar lacks antiglycemic action on enteral carbohydrate absorption in human subjects. <i>Nutrition Research</i> , 2009 , 29, 846-9	4	34
78	Insulin sensitivity is normalized in the third generation (F3) offspring of developmentally programmed insulin resistant (F2) rats fed an energy-restricted diet. <i>Nutrition and Metabolism</i> , 2008 , 5, 26	4.6	20
77	A preliminary evaluation of the safety and tolerance of medicinally ingested vinegar in individuals with type 2 diabetes. <i>Journal of Medicinal Food</i> , 2008 , 11, 179-83	2.8	16
76	Reply to NJ Krilanovich. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 239-240	7	1
75	Blood ketones are directly related to fatigue and perceived effort during exercise in overweight adults adhering to low-carbohydrate diets for weight loss: a pilot study. <i>Journal of the American Dietetic Association</i> , 2007 , 107, 1792-6		34
74	Vinegar ingestion at bedtime moderates waking glucose concentrations in adults with well-controlled type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 2814-5	14.6	43
73	Plasma vitamin C is inversely related to body mass index and waist circumference but not to plasma adiponectin in nonsmoking adults. <i>Journal of Nutrition</i> , 2007 , 137, 1757-62	4.1	66
72	Pinto bean consumption reduces biomarkers for heart disease risk. <i>Journal of the American College of Nutrition</i> , 2007 , 26, 243-9	3.5	70
71	Vinegar ingestion at bedtime appears to moderate waking hyperglycemia in adults with type 2 diabetes. <i>FASEB Journal</i> , 2007 , 21, A49	0.9	
70	Mild dietary restriction of vitamin C does not attenuate the rise in adiponectin associated with weight loss in adults. <i>FASEB Journal</i> , 2007 , 21, A349	0.9	
69	Glucose metabolism is altered in the adequately-nourished grand-offspring (F3 generation) of rats malnourished during gestation and perinatal life. <i>Diabetologia</i> , 2006 , 49, 1117-9	10.3	179
68	Maternal weight gain is associated with infant insulin concentrations during the 1st year of life. <i>Diabetes Care</i> , 2006 , 29, 949	14.6	2
67	Marginal vitamin C status is associated with reduced fat oxidation during submaximal exercise in young adults. <i>Nutrition and Metabolism</i> , 2006 , 3, 35	4.6	36

66	Ketogenic low-carbohydrate diets have no metabolic advantage over nonketogenic low-carbohydrate diets. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1055-61	7	99
65	Low-carbohydrate, high-protein diets that restrict potassium-rich fruits and vegetables promote calciuria. <i>Osteoporosis International</i> , 2006 , 17, 1820-1	5.3	5
64	Vinegar: medicinal uses and antiglycemic effect. <i>MedGenMed: Medscape General Medicine</i> , 2006 , 8, 61		46
63	Effects of an 8-week high-protein or high-carbohydrate diet in adults with hyperinsulinemia. <i>MedGenMed: Medscape General Medicine</i> , 2006 , 8, 39		7
62	Impact of daily vinegar consumption on body composition and insulin sensitivity in overweight, healthy adults. <i>FASEB Journal</i> , 2006 , 20, A579	0.9	
61	Long-term black-eye pea intake reduces fasting plasma glucose values in generally healthy, mildly insulin resistant adults. <i>FASEB Journal</i> , 2006 , 20, A430	0.9	3
60	Vitamins E and C are safe across a broad range of intakes. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 736-45	7	219
59	Oxidation of ascorbic acid in stored orange juice is associated with reduced plasma vitamin C concentrations and elevated lipid peroxides. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 106-9		15
58	Soy isoflavone and ascorbic acid supplementation alone or in combination minimally affect plasma lipid peroxides in healthy postmenopausal women. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 1134-7		7
57	Vinegar and peanut products as complementary foods to reduce postprandial glycemia. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 1939-42		63
56	Hypertensive crisis associated with high dose soy isoflavone supplementation in a post-menopausal woman: a case report [ISRCTN98074661]. <i>BMC Women's Health</i> , 2005 , 5, 9	2.9	10
55	Strategies for healthy weight loss: from vitamin C to the glycemic response. <i>Journal of the American College of Nutrition</i> , 2005 , 24, 158-65	3.5	44
54	Project GLEAN: Evaluation of a School-Based, Gleaned-Food Distribution Project. <i>Agroecology and Sustainable Food Systems</i> , 2005 , 25, 5-15		1
53	Uncle Sam's diet sensation: MyPyramid--an overview and commentary. <i>MedGenMed: Medscape General Medicine</i> , 2005 , 7, 78		
52	Vinegar improves insulin sensitivity to a high-carbohydrate meal in subjects with insulin resistance or type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 281-2	14.6	92
51	Post-natal diet determines insulin resistance in fetally malnourished, low birthweight rats (F1) but diet does not modify the insulin resistance of their offspring (F2). <i>Life Sciences</i> , 2004 , 74, 3033-41	6.8	28
50	High-protein, low-fat diets are effective for weight loss and favorably alter biomarkers in healthy adults. <i>Journal of Nutrition</i> , 2004 , 134, 586-91	4.1	133
49	Vitamin C deficiency and depletion in the United States: the Third National Health and Nutrition Examination Survey, 1988 to 1994. <i>American Journal of Public Health</i> , 2004 , 94, 870-5	5.1	135

48 Orange Juice **2004**, 79-91

47	Orange juice ingestion and supplemental vitamin C are equally effective at reducing plasma lipid peroxidation in healthy adult women. <i>Journal of the American College of Nutrition</i> , 2003 , 22, 519-23	3.5	33
46	Stability of ascorbic acid in commercially available orange juices. <i>Journal of the American Dietetic Association</i> , 2002 , 102, 525-9		39
45	Response to JX Wilson and to PA Murphy. <i>Journal of the American Dietetic Association</i> , 2002 , 102, 1224-1225		1
44	Postprandial thermogenesis is increased 100% on a high-protein, low-fat diet versus a high-carbohydrate, low-fat diet in healthy, young women. <i>Journal of the American College of Nutrition</i> , 2002 , 21, 55-61	3.5	135
43	Modified food guide pyramid for lactovegetarians and vegans. <i>Journal of Nutrition</i> , 2002 , 132, 1050-4	4.1	27
42	Creatine supplementation influences substrate utilization at rest. <i>Journal of Applied Physiology</i> , 2002 , 93, 2018-22	3.7	11
41	Plasma-Saturating intakes of vitamin C confer maximal antioxidant protection to plasma. <i>Journal of the American College of Nutrition</i> , 2001 , 20, 623-7	3.5	19
40	Scourge of black-leg (scurvy) on the Mormon trail. <i>Nutrition</i> , 2001 , 17, 416-8	4.8	5
39	A reconsideration of the origins of the type 2 diabetes epidemic among Native Americans and the implications for intervention policy. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , 2001 , 20, 25-64	3	60
38	Low intakes of vegetables and fruits, especially citrus fruits, lead to inadequate vitamin C intakes among adults. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 573-8	5.2	45
37	Nutritional origins of insulin resistance: a rat model for diabetes-prone human populations. <i>Journal of Nutrition</i> , 2000 , 130, 741-4	4.1	61
36	More Americans are eating "5 a day" but intakes of dark green and cruciferous vegetables remain low. <i>Journal of Nutrition</i> , 2000 , 130, 3063-7	4.1	80
35	Infant formula ingestion is associated with the development of diabetes in the BB/Wor rat. <i>Life Sciences</i> , 2000 , 66, 1501-7	6.8	4
34	Substrate utilization and work efficiency during submaximal exercise in vitamin C depleted-repleted adults. <i>International Journal for Vitamin and Nutrition Research</i> , 1999 , 69, 41-4	1.7	11
33	Recommendations for Vitamin C Intake. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 282, 2118	27.4	2
32	Tissue carnitine fluxes in vitamin C depleted-repleted guinea pigs. <i>Journal of Nutritional Biochemistry</i> , 1999 , 10, 696-9	6.3	5
31	Biomarkers for establishing a tolerable upper intake level for vitamin C. <i>Nutrition Reviews</i> , 1999 , 57, 71-76.4		60

30	People with marginal vitamin C status are at high risk of developing vitamin C deficiency. <i>Journal of the American Dietetic Association</i> , 1999 , 99, 854-6		18
29	Intakes of vitamin C, vegetables and fruits: which schoolchildren are at risk?. <i>Journal of the American College of Nutrition</i> , 1999 , 18, 582-90	3.5	37
28	Vitamin C status of a campus population: college students get a C minus. <i>Journal of American College Health</i> , 1998 , 46, 209-13	2.2	31
27	Vitamin C status of an outpatient population. <i>Journal of the American College of Nutrition</i> , 1998 , 17, 366-70	3.9	69
26	Holotranscobalamin II levels in plasma are related to dementia in older people. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 779-80	5.6	7
25	Production of red meat should be curbed in order to conserve natural resources. <i>Journal of the American Dietetic Association</i> , 1997 , 97, 1249		1
24	Vitamin C depletion is associated with alterations in blood histamine and plasma free carnitine in adults. <i>Journal of the American College of Nutrition</i> , 1996 , 15, 586-91	3.5	34
23	Role of undergraduate dietetics programs in providing nutrition education to premedical students. <i>Journal of the American Dietetic Association</i> , 1996 , 96, 799-800		1
22	The antihistamine action of ascorbic acid. <i>Sub-Cellular Biochemistry</i> , 1996 , 25, 189-213	5.5	14
21	Association of exposure to cow's milk protein and beta-cell autoimmunity. <i>JAMA - Journal of the American Medical Association</i> , 1996 , 276, 1799-800; author reply 1800-1	27.4	
20	Megadose of vitamin C delays insulin response to a glucose challenge in normoglycemic adults. <i>American Journal of Clinical Nutrition</i> , 1994 , 60, 735-8	7	18
19	Comparison of the absorption and excretion of three commercially available sources of vitamin C. <i>Journal of the American Dietetic Association</i> , 1994 , 94, 779-81		21
18	Bovine serum albumin detected in infant formula is a possible trigger for insulin-dependent diabetes mellitus. <i>Journal of the American Dietetic Association</i> , 1994 , 94, 314-6		4
17	A comparison of L-ascorbic acid and L-ascorbyl 6-palmitate utilization in Guinea Pigs and humans. <i>Nutrition Research</i> , 1994 , 14, 1465-1471	4	5
16	Vitamin C elevates red blood cell glutathione in healthy adults. <i>American Journal of Clinical Nutrition</i> , 1993 , 58, 103-5	7	88
15	Antihistamine effect of supplemental ascorbic acid and neutrophil chemotaxis. <i>Journal of the American College of Nutrition</i> , 1992 , 11, 172-6	3.5	45
14	Antihistamine effects and complications of supplemental vitamin C. <i>Journal of the American Dietetic Association</i> , 1992 , 92, 988-9		10
13	Antihistamine effects and complications of supplemental vitamin C. <i>Journal of the American Dietetic Association</i> , 1992 , 92, 988-989		14

12	Antihistamine Effect of Supplemental Ascorbic Acid and Neutrophil Chemotaxis. <i>Journal of the American College of Nutrition</i> , 1992 , 11, 172-176	3.5	54
11	Multivariate analysis of the Eating Disorders Inventory: Examination of basic statistical assumptions. <i>Journal of the American Dietetic Association</i> , 1992 , 92, 605-607		
10	Prepregnancy weight and rate of maternal weight gain In adolescents and young adults. <i>Journal of the American Dietetic Association</i> , 1992 , 92, 1515-1517		1
9	Pregnancy weight gain in adolescents and young adults. <i>Journal of the American College of Nutrition</i> , 1991 , 10, 185-9	3.5	10
8	Complement component C1q unaltered by ascorbate supplementation in healthy men and women. <i>Journal of Nutritional Biochemistry</i> , 1991 , 2, 499-501	6.3	7
7	Anorexic-like behaviors in dietetic majors and other student populations. <i>Journal of Nutrition Education and Behavior</i> , 1991 , 23, 148-153		14
6	Complement component C1q activity and ascorbic acid nutriture in guinea pigs. <i>American Journal of Clinical Nutrition</i> , 1991 , 54, 1228S-1230S	7	11
5	Effect of ascorbic acid nutriture on blood histamine and neutrophil chemotaxis in guinea pigs. <i>Journal of Nutrition</i> , 1991 , 121, 126-30	4.1	32
4	Effect of a single oral dose of ascorbic acid on body temperature and trace mineral fluxes in healthy men and women. <i>Journal of the American College of Nutrition</i> , 1990 , 9, 150-4	3.5	0
3	Effect of single oral doses of ascorbic acid on body temperature in healthy guinea pigs. <i>Journal of Nutrition</i> , 1989 , 119, 425-7	4.1	4
2	The effect of vitamin C nutriture on complement component C1q concentrations in guinea pig plasma. <i>Journal of Nutrition</i> , 1987 , 117, 764-8	4.1	25
1	Effect of ascorbic acid nutriture on protein-bound hydroxyproline in guinea pig plasma. <i>Journal of Nutrition</i> , 1985 , 115, 1089-93	4.1	11