

Diederick Stoffers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2174785/publications.pdf>

Version: 2024-02-01

34
papers

3,402
citations

201385

27
h-index

377514

34
g-index

35
all docs

35
docs citations

35
times ranked

4415
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced dynamic functional connectivity between salience and executive brain networks in insomnia disorder. <i>Journal of Sleep Research</i> , 2020, 29, e12953.	1.7	25
2	Consistent altered internal capsule white matter microstructure in insomnia disorder. <i>Sleep</i> , 2020, 43, .	0.6	11
3	Haunted by the past: old emotions remain salient in insomnia disorder. <i>Brain</i> , 2019, 142, 1783-1796.	3.7	46
4	Increased hippocampal-prefrontal functional connectivity in insomnia. <i>Neurobiology of Learning and Memory</i> , 2019, 160, 144-150.	1.0	44
5	Wake High-Density Electroencephalographic Spatospectral Signatures of Insomnia. <i>Sleep</i> , 2016, 39, 1015-1027.	0.6	48
6	I Keep a Close Watch on This Heart of Mine: Increased Interoception in Insomnia. <i>Sleep</i> , 2016, 39, 2113-2124.	0.6	62
7	Resting-State fMRI Functional Connectivity Is Associated with Sleepiness, Imagery, and Discontinuity of Mind. <i>PLoS ONE</i> , 2015, 10, e0142014.	1.1	42
8	The ARSQ 2.0 reveals age and personality effects on mind-wandering experiences. <i>Frontiers in Psychology</i> , 2014, 5, 271.	1.1	64
9	The caudate: a key node in the neuronal network imbalance of insomnia?. <i>Brain</i> , 2014, 137, 610-620.	3.7	128
10	Predicting dementia in Parkinson disease by combining neurophysiologic and cognitive markers. <i>Neurology</i> , 2014, 82, 263-270.	1.5	80
11	Disrupted brain network topology in Parkinson's disease: a longitudinal magnetoencephalography study. <i>Brain</i> , 2014, 137, 197-207.	3.7	224
12	Cognitive decline in Parkinson's disease is associated with slowing of resting-state brain activity: a longitudinal study. <i>Neurobiology of Aging</i> , 2013, 34, 408-418.	1.5	130
13	Resting-state functional connectivity as a marker of disease progression in Parkinson's disease: A longitudinal MEG study. <i>NeuroImage: Clinical</i> , 2013, 2, 612-619.	1.4	74
14	The Amsterdam Resting-State Questionnaire reveals multiple phenotypes of resting-state cognition. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 446.	1.0	130
15	Orbitofrontal Gray Matter Relates to Early Morning Awakening: A Neural Correlate of Insomnia Complaints?. <i>Frontiers in Neurology</i> , 2012, 3, 105.	1.1	113
16	Early-stage cognitive impairment in Parkinson's disease and the influence of dopamine replacement therapy. <i>European Journal of Neurology</i> , 2012, 19, 510-516.	1.7	28
17	Evaluating imaging biomarkers for neurodegeneration in pre-symptomatic Huntington's disease using machine learning techniques. <i>NeuroImage</i> , 2011, 56, 788-796.	2.1	83
18	Automated structural imaging analysis detects premanifest Huntington's disease neurodegeneration within 1 year. <i>Movement Disorders</i> , 2011, 26, 1481-1488.	2.2	22

#	ARTICLE	IF	CITATIONS
19	Basal ganglia atrophy in prodromal Huntington's disease is detectable over one year using automated segmentation. <i>Movement Disorders</i> , 2011, 26, 2544-2551.	2.2	51
20	Olfactory testing combined with dopamine transporter imaging as a method to detect prodromal Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 396-399.	0.9	91
21	Hyposmia and executive dysfunction as predictors of future Parkinson's disease: A prospective study. <i>Movement Disorders</i> , 2009, 24, 1060-1065.	2.2	109
22	MEG resting state functional connectivity in Parkinson's disease related dementia. <i>Journal of Neural Transmission</i> , 2009, 116, 193-202.	1.4	81
23	Cholinergic modulation of MEG resting-state oscillatory activity in Parkinson's disease related dementia. <i>Clinical Neurophysiology</i> , 2009, 120, 910-915.	0.7	45
24	Loss of thalamic serotonin transporters in early drug-naïve Parkinson's disease patients is associated with tremor: an [¹²³ I]β-CIT SPECT study. <i>Journal of Neural Transmission</i> , 2008, 115, 721-729.	1.4	53
25	Dopaminergic modulation of cortico-cortical functional connectivity in Parkinson's disease: An MEG study. <i>Experimental Neurology</i> , 2008, 213, 191-195.	2.0	71
26	Increased cortico-cortical functional connectivity in early-stage Parkinson's disease: An MEG study. <i>NeuroImage</i> , 2008, 41, 212-222.	2.1	158
27	Slowing of oscillatory brain activity is a stable characteristic of Parkinson's disease without dementia. <i>Brain</i> , 2007, 130, 1847-1860.	3.7	232
28	Resting state oscillatory brain dynamics in Parkinson's disease: An MEG study. <i>Clinical Neurophysiology</i> , 2006, 117, 2521-2531.	0.7	173
29	Abnormal susceptibility to distracters hinders perception in early stage Parkinson's disease: a controlled study. <i>BMC Neurology</i> , 2006, 6, 43.	0.8	14
30	Early-stage [¹²³ I]β-CIT SPECT and long-term clinical follow-up in patients with an initial diagnosis of Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 689-695.	3.3	31
31	Cognitive dysfunction and dementia in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2004, 111, 1303-1315.	1.4	238
32	Idiopathic hyposmia as a preclinical sign of Parkinson's disease. <i>Annals of Neurology</i> , 2004, 56, 173-181.	2.8	672
33	Deficits on Corsi's block-tapping task in early stage Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2003, 10, 107-111.	1.1	23
34	The influence of computer experience on visuo-motor control: implications for visuo-motor testing in Parkinson's disease. <i>Neuropsychologia</i> , 2002, 40, 1779-1785.	0.7	6