Valter Torri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2175237/publications.pdf

Version: 2024-02-01

4432 6254 32,355 323 80 172 citations h-index g-index papers 333 333 333 32026 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A Definitive Prognostication System for Patients With Thoracic Malignancies Diagnosed With Coronavirus Disease 2019: An Update From the TERAVOLT Registry. Journal of Thoracic Oncology, 2022, 17, 661-674.	1.1	9
2	Tumorâ€associated macrophages and risk of recurrence in stage <scp>III</scp> colorectal cancer. Journal of Pathology: Clinical Research, 2022, 8, 307-312.	3.0	5
3	Coronavirus Disease 2019 Outcomes, Patient Vaccination Status, and Cancer-Related Delays During the Omicron Wave: A Brief Report From the TERAVOLT Analysis. JTO Clinical and Research Reports, 2022, 3, 100335.	1.1	7
4	Trabectedin in Malignant Pleural Mesothelioma: Results From the Multicentre, Single Arm, Phase II ATREUS Study. Clinical Lung Cancer, 2021, 22, 361-370.e3.	2.6	8
5	Allogeneic transplantation after PD-1 blockade for classic Hodgkin lymphoma. Leukemia, 2021, 35, 2672-2683.	7.2	45
6	Heme catabolism by tumor-associated macrophages controls metastasis formation. Nature Immunology, 2021, 22, 595-606.	14.5	59
7	Prognostic value of CT integrated with clinical and laboratory data during the first peak of the COVID-19 pandemic in Northern Italy: A nomogram to predict unfavorable outcome. European Journal of Radiology, 2021, 137, 109612.	2.6	18
8	Poziotinib for EGFR and HER2 exon 20 insertion mutation in advanced NSCLC: Results from the expanded access program. European Journal of Cancer, 2021, 149, 235-248.	2.8	46
9	SARS-CoV-2 serology in 4000 health care and administrative staff across seven sites in Lombardy, Italy. Scientific Reports, 2021, 11, 12312.	3.3	17
10	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. BMJ Evidence-Based Medicine, 2021, 26, 121-126.	3.5	23
11	Is There Still a Role for Endocrine Therapy Alone in HR+/HER2– Advanced Breast Cancer Patients? Results from the Analysis of Two Data Sets of Patients Treated with High-Dose Fulvestrant as First-Line Therapy in the Real-World Setting: The EVA and GIM-13 AMBRA Studies. Breast Care, 2020, 15, 30-37.	1.4	0
12	To Continue or Not to Continue? That Is the Question. Journal of Clinical Oncology, 2020, 38, 3830-3832.	1.6	2
13	Pertuzumab and trastuzumab emtansine in patients with HER2-amplified metastatic colorectal cancer: the phase II HERACLES-B trial. ESMO Open, 2020, 5, e000911.	4.5	94
14	Supporting Clinical Decision-Making during the SARS-CoV-2 Pandemic through a Global Research Commitment: The TERAVOLT Experience. Cancer Cell, 2020, 38, 602-604.	16.8	6
15	Integrating clinical and biological prognostic biomarkers in patients with advanced NSCLC treated with immunotherapy: the DEMo score system. Translational Lung Cancer Research, 2020, 9, 617-628.	2.8	8
16	Effect of duration of adjuvant chemotherapy for patients with stage III colon cancer (IDEA) Tj ETQq0 0 0 rgBT /Ov Lancet Oncology, The, 2020, 21, 1620-1629.	verlock 10 10.7) Tf 50 147 Td 152
17	Expression levels of circulating miRNAs as biomarkers during multimodal treatment of rectal cancer - TiMiSNAR-mirna: a substudy of the TiMiSNAR Trial (NCT03962088). Trials, 2020, 21, 678.	1.6	2
18	Immunometabolic Status of COVID-19 Cancer Patients. Physiological Reviews, 2020, 100, 1839-1850.	28.8	20

#	Article	IF	CITATIONS
19	LKB1 mutations are not associated with the efficacy of first-line and second-line chemotherapy in patients with advanced non-small-cell lung cancer (NSCLC): a post hoc analysis of the TAILOR trial. ESMO Open, 2020, 5, e000748.	4.5	2
20	Factors Affecting Mortality in 1022 COVID-19 Patients Referred to an Emergency Department in Bergamo during the Peak of the Pandemic. SN Comprehensive Clinical Medicine, 2020, 2, 1313-1318.	0.6	3
21	Implementing clinical practice guidelines: time to assess it. ESMO Open, 2020, 5, e001130.	4.5	0
22	TERAVOLT: Thoracic Cancers International COVID-19 Collaboration. Cancer Cell, 2020, 37, 742-745.	16.8	51
23	Propranolol for familial cerebral cavernous malformation (Treat_CCM): study protocol for a randomized controlled pilot trial. Trials, 2020, 21, 401.	1.6	37
24	COVID-19 in patients with thoracic malignancies (TERAVOLT): first results of an international, registry-based, cohort study. Lancet Oncology, The, 2020, 21, 914-922.	10.7	503
25	Evaluation of a Primary Open-Angle Glaucoma Prediction Model Using Long-term Intraocular Pressure Variability Data. JAMA Ophthalmology, 2020, 138, 780.	2.5	12
26	DiM: Prognostic Score for Second- or Further-line Immunotherapy in Advanced Non–Small-Cell Lung Cancer: An External Validation. Clinical Lung Cancer, 2020, 21, e337-e348.	2.6	6
27	Long-term Clinical Outcome of Trastuzumab and Lapatinib for HER2-positive Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2020, 19, 256-262.e2.	2.3	56
28	Early progression of disease predicts shorter survival in MALT lymphoma patients receiving systemic treatment. Haematologica, 2020, 105, 2592-2597.	3.5	29
29	Diagnostic and prognostic values of PBMC proteins in amyotrophic lateral sclerosis. Neurobiology of Disease, 2020, 139, 104815.	4.4	19
30	Turn off pain: What has changed 4Âyears later?. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2428-2429.	1.5	0
31	Prospective observational study on the impact of the 21-gene assay on treatment decisions and resources optimization in breast cancer patients in Lombardy: The BONDX study. Breast, 2020, 52, 1-7.	2.2	8
32	Thoracic Cancers International COVID-19 Collaboration (TERAVOLT): Impact of type of cancer therapy and COVID therapy on survival Journal of Clinical Oncology, 2020, 38, LBA111-LBA111.	1.6	34
33	Late Breaking Abstract - Thoracic Cancers International COVID-19 Collaboration (TERAVOLT): Impact of type of cancer therapy and COVID therapy on survival. , 2020, , .		0
34	Neoadjuvant eribulin mesylate following anthracycline and taxane in triple negative breast cancer: Results from the HOPE study. PLoS ONE, 2019, 14, e0220644.	2.5	6
35	The 41-gene classifier TRAR predicts response of HER2 positive breast cancer patients in the NeoALTTO study. European Journal of Cancer, 2019, 118, 1-9.	2.8	11
36	Metronomic chemotherapy for advanced breast cancer patients in the real world practice: Final results of the VICTOR-6 study. Breast, 2019, 48, 7-16.	2.2	37

#	Article	IF	CITATIONS
37	Multicenter, randomised, open-label, non-comparative phase 2 trial on the efficacy and safety of the combination of bevacizumab and trabectedin with or without carboplatin in women with partially platinum-sensitive recurrent ovarian cancer. British Journal of Cancer, 2019, 121, 744-750.	6.4	10
38	RE: Presence of Circulating Tumor Cells in High-Risk Early Breast Cancer During Follow-Up and Prognosis. Journal of the National Cancer Institute, 2019, 111, 1232-1233.	6.3	0
39	Gadoxetate Disodium–Enhanced MR Cholangiography for Evaluation of Biliary-Enteric Anastomoses: Added Value Beyond Conventional T2-Weighted Images. American Journal of Roentgenology, 2019, 213, W123-W133.	2.2	4
40	Assessing assumptions for statistical analyses in randomised clinical trials. BMJ Evidence-Based Medicine, 2019, 24, 185-189.	3.5	23
41	Modulation of peripheral blood immune cells by early use of steroids and its association with clinical outcomes in patients with metastatic non-small cell lung cancer treated with immune checkpoint inhibitors. ESMO Open, 2019, 4, e000457.	4.5	151
42	Prognostic nutritional index as a prognostic marker in glioblastoma: Data from a cohort of 282 Italian patients. Journal of the Neurological Sciences, 2019, 400, 175-179.	0.6	16
43	Choosing wisely first line immunotherapy in non-small cell lung cancer (NSCLC): what to add and what to leave out. Cancer Treatment Reviews, 2019, 75, 39-51.	7.7	124
44	Oral maintenance metronomic vinorelbine versus best supportive care in advanced non-small-cell lung cancer after platinum-based chemotherapy: The MA.NI.LA. multicenter, randomized, controlled, phase II trial. Lung Cancer, 2019, 132, 17-23.	2.0	12
45	The prognostic impact of primary tumour location in patients with stage II and stage III colon cancer receiving adjuvant therapy. A GISCAD analysis from three large randomised trials. European Journal of Cancer, 2019, 111, 1-7.	2.8	12
46	Multicenter, single arm, phase II trial on the efficacy of ortataxel in recurrent glioblastoma. Journal of Neuro-Oncology, 2019, 142, 455-462.	2.9	17
47	Combined Low Densities of FoxP3+ and CD3+ Tumor-Infiltrating Lymphocytes Identify Stage II Colorectal Cancer at High Risk of Progression. Cancer Immunology Research, 2019, 7, 751-758.	3.4	29
48	HER2 Positivity Predicts Unresponsiveness to EGFR-Targeted Treatment in Metastatic Colorectal Cancer. Oncologist, 2019, 24, 1395-1402.	3.7	95
49	Standard (8 weeks) vs long (12 weeks) timing to minimally-invasive surgery after NeoAdjuvant Chemoradiotherapy for rectal cancer: a multicenter randomized controlled parallel group trial (TiMiSNAR). BMC Cancer, 2019, 19, 1215.	2.6	10
50	EPSILoN: A Prognostic Score for Immunotherapy in Advanced Non-Small-Cell Lung Cancer: A Validation Cohort. Cancers, 2019, 11, 1954.	3.7	57
51	Turn off pain evaluates the quality of pain care provided for paediatric inpatients. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 16-18.	1.5	1
52	Antibody–Fc/FcR Interaction on Macrophages as a Mechanism for Hyperprogressive Disease in Non–small Cell Lung Cancer Subsequent to PD-1/PD-L1 Blockade. Clinical Cancer Research, 2019, 25, 989-999.	7.0	315
53	Pan-European Expert Meeting on the Use of Metronomic Chemotherapy in Advanced Breast Cancer Patients: The PENELOPE Project. Advances in Therapy, 2019, 36, 381-406.	2.9	19
54	Metastatic or locally advanced breast cancer patients: towards an expert consensus on nab-paclitaxel treatment in HER2-negative tumoursâ€"the MACBETH project. Cancer Chemotherapy and Pharmacology, 2019, 83, 301-318.	2.3	1

#	Article	IF	CITATIONS
55	Exploiting FAsting-mimicking Diet and MEtformin to Improve the Efficacy of Platinum-pemetrexed Chemotherapy in Advanced LKB1-inactivated Lung Adenocarcinoma: The FAME Trial. Clinical Lung Cancer, 2019, 20, e413-e417.	2.6	27
56	Safety and Efficacy of Allogeneic Hematopoietic Stem Cell Transplant after Programmed Cell Death 1 (PD-1) / Programmed Cell Death Ligand 1 (PD-L1) Blockade for Classical Hodgkin Lymphoma: Analysis of a Large International Cohort. Blood, 2019, 134, 775-775.	1.4	5
57	Prospective pooled analysis of four randomized trials investigating duration of adjuvant (adj) oxaliplatin-based therapy (3 vs 6 months {m}) for patients (pts) with high-risk stage II colorectal cancer (CC) Journal of Clinical Oncology, 2019, 37, 3501-3501.	1.6	30
58	Adjuvant anastrozole versus exemestane versus letrozole, upfront or after 2 years of tamoxifen, in endocrine-sensitive breast cancer (FATA-GIM3): a randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 474-485.	10.7	59
59	Antiepileptic treatment and survival in newly diagnosed glioblastoma patients: Retrospective multicentre study in 285 Italian patients. Journal of the Neurological Sciences, 2018, 390, 14-19.	0.6	7
60	Safety and efficacy of preoperative or postoperative chemotherapy for resectable pancreatic adenocarcinoma (PACT-15): a randomised, open-label, phase 2–3 trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 413-423.	8.1	180
61	Brain Gliomas: Multicenter Standardized Assessment of Dynamic Contrast-enhanced and Dynamic Susceptibility Contrast MR Images. Radiology, 2018, 287, 933-943.	7.3	70
62	Visual field loss and vision-related quality of life in the Italian Primary Open Angle Glaucoma Study. Scientific Reports, 2018, 8, 619.	3.3	36
63	Duration of Adjuvant Chemotherapy for Stage III Colon Cancer. New England Journal of Medicine, 2018, 378, 1177-1188.	27.0	699
64	Durvalumab as third-line or later treatment for advanced non-small-cell lung cancer (ATLANTIC): an open-label, single-arm, phase 2 study. Lancet Oncology, The, 2018, 19, 521-536.	10.7	486
65	Gender influence on professional satisfaction and gender issue perception among young oncologists. A survey of the Young Oncologists Working Group of the Italian Association of Medical Oncology (AIOM). ESMO Open, 2018, 3, e000389.	4.5	4
66	The Glaucoma Italian Pediatric Study (GIPSy): 3-Year Results. Journal of Glaucoma, 2018, 27, 856-863.	1.6	14
67	Assessment of proportional hazard assumption in aggregate data: a systematic review on statistical methodology in clinical trials using time-to-event endpoint. British Journal of Cancer, 2018, 119, 1456-1463.	6.4	43
68	Best practices for the management of thymic epithelial tumors: A position paper by the Italian collaborative group for ThYmic MalignanciEs (TYME). Cancer Treatment Reviews, 2018, 71, 76-87.	7.7	38
69	Chemotherapy versus erlotinib as second-line treatment in patients with advanced non-small cell lung cancer and wild-type epidermal growth factor receptor: an individual patient data (IPD) analysis. ESMO Open, 2018, 3, e000327.	4.5	2
70	Choosing the Best Chemotherapy Agent to Boost Immune Checkpoint Inhibition Activity. Cancer Research, 2018, 78, 5729-5730.	0.9	11
71	Soluble stromaâ€related biomarkers of pancreaticÂcancer. EMBO Molecular Medicine, 2018, 10, .	6.9	56
72	A phase II randomised (calibrated design) study on the activity of the single-agent trabectedin in metastatic or locally relapsed uterine leiomyosarcoma. British Journal of Cancer, 2018, 119, 565-571.	6.4	15

#	Article	IF	CITATIONS
73	RELEVENT Trial: Phase II Trial of Ramucirumab, Carboplatin, and Paclitaxel in Previously Untreated Thymic Carcinoma/B3 Thymoma With Area of Carcinoma. Clinical Lung Cancer, 2018, 19, e811-e814.	2.6	15
74	International harmonization of diagnostic criteria for HER2-amplified metastatic colorectal cancer and application of targeted next-generation sequencing panel as a diagnostic method Journal of Clinical Oncology, 2018, 36, 3594-3594.	1.6	5
75	Effect of age, gender, and performance status (PS) on the duration results of adjuvant chemotherapy for stage III colon cancer: The IDEA collaboration Journal of Clinical Oncology, 2018, 36, 3599-3599.	1.6	6
76	Clinicopathological characteristics and HER2 status in metastatic colorectal cancer patients: Results of a diagnostic model development study Journal of Clinical Oncology, 2018, 36, 581-581.	1.6	3
77	Everolimus (EVE) and exemestane (EXE) in patients with advanced breast cancer aged ≥ 65 years: new lessons for clinical practice from the EVA study. Oncotarget, 2018, 9, 31877-31887.	1.8	4
78	Metronomic chemotherapy (mCHT) in HER2-ve advanced breast cancer (ABC) patients (pts): Final results of the VICTOR-6 study Journal of Clinical Oncology, 2018, 36, e13076-e13076.	1.6	0
79	A randomized phase II trial of maintenance oral metronomic vinorelbine versus close observation in advanced non-small cell lung cancer (NSCLC) following platinum-based chemotherapy: MA.NI.LA. trial Journal of Clinical Oncology, 2018, 36, e21101-e21101.	1.6	0
80	Best practices for the management of local-regional recurrent chordoma: a position paper by the Chordoma Global Consensus Group. Annals of Oncology, 2017, 28, 1230-1242.	1.2	168
81	Sudden Death in End Stage Renal Disease: Comparing Hemodialysis versus Peritoneal Dialysis. Blood Purification, 2017, 44, 77-88.	1.8	22
82	Nab-Paclitaxel in Advanced HER2-negative Breast Cancer Patients: Efficacy and Safety Beyond Clinical Trials. Clinical Breast Cancer, 2017, 17, 433-440.	2.4	6
83	Randomized Phase III Trial of Erlotinib versus Docetaxel in Patients with Advanced Squamous Cell Non–Small Cell Lung Cancer Failing First-Line Platinum-Based Doublet Chemotherapy Stratified byÂVeriStrat Good versus VeriStrat Poor. The EuropeanÂThoracic Oncology Platform (ETOP) EMPHASIS-lung Trial. Journal of Thoracic Oncology, 2017, 12, 752-762.	1.1	17
84	Prognostic factors in 868 advanced gastric cancer patients treated with second-line chemotherapy in the real world. Gastric Cancer, 2017, 20, 825-833.	5.3	32
85	The Glaucoma Italian Pediatric Study (GIPSy): 1-Year Results. Journal of Glaucoma, 2017, 26, 987-994.	1.6	7
86	Whole-brain radiotherapy or autologous stem-cell transplantation as consolidation strategies after high-dose methotrexate-based chemoimmunotherapy in patients with primary CNS lymphoma: results of the second randomisation of the International Extranodal Lymphoma Study Group-32 phase 2 trial. Lancet Haematology, the, 2017, 4, e510-e523.	4.6	258
87	A MALT lymphoma prognostic index. Blood, 2017, 130, 1409-1417.	1.4	149
88	Treatment sequence with either irinotecan/cetuximab followed by FOLFOX-4 or the reverse strategy in metastatic colorectal cancer patients progressing after first-line FOLFIRI/bevacizumab: An Italian Group for the Study of Gastrointestinal Cancer phase III, randomised trial comparing two sequences of therapy in colorectal metastatic patients. European Journal of Cancer, 2017, 83, 106-115.	2.8	25
89	Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. Lancet Oncology, The, 2017, 18, 1221-1237.	10.7	226
90	Efficacy and safety of Everolimus and Exemestane in hormone-receptor positive (HR+) human-epidermal-growth-factor negative (HER2â^') advanced breast cancer patients: New insights beyond clinical trials. The EVA study. Breast, 2017, 35, 115-121.	2.2	21

#	Article	IF	Citations
91	Prognostic factors in Merkel cell carcinoma patients undergoing sentinel node biopsy. European Journal of Surgical Oncology, 2017, 43, 1536-1541.	1.0	13
92	Metronomic Chemotherapy (mCHT) in HER2-ve Advanced Breast Cancer (ABC) Patients (PTS): When Care Objectives Meet Patients' Need. Preliminary Results of the Victor-6 Study. Breast, 2017, 36, S48-S49.	2.2	0
93	Stereotactic Body Radiation Therapy for Locally Advanced Pancreatic Cancer: A Systematic Review and Pooled Analysis of 19 Trials. International Journal of Radiation Oncology Biology Physics, 2017, 97, 313-322.	0.8	134
94	Efficacy and Safety of Bevacizumab Combined With Fluoropyrimidine Monotherapy for Unfit or Older Patients With Metastatic Colorectal Cancer: A Systematic Review and Meta-Analysis. Clinical Colorectal Cancer, 2017, 16, e61-e72.	2.3	18
95	Efficacy and Safety of Vinorelbine-Capecitabine Oral Metronomic Combination in Elderly Metastatic Breast Cancer Patients: VICTOR-1 Study. Tumori, 2017, 103, e4-e8.	1.1	17
96	Final Results of the IELSG-19 Randomized Trial of Mucosa-Associated Lymphoid Tissue Lymphoma: Improved Event-Free and Progression-Free Survival With Rituximab Plus Chlorambucil Versus Either Chlorambucil or Rituximab Monotherapy. Journal of Clinical Oncology, 2017, 35, 1905-1912.	1.6	143
97	Prospective pooled analysis of six phase III trials investigating duration of adjuvant (adjuv) oxaliplatin-based therapy (3 vs 6 months) for patients (pts) with stage III colon cancer (CC): The IDEA (International Duration Evaluation of Adjuvant chemotherapy) collaboration Journal of Clinical Oncology. 2017. 35. LBA1-LBA1.	1.6	17
98	Prospective pooled analysis of six phase III trials investigating duration of adjuvant (adjuv) oxaliplatin-based therapy (3 vs 6 months) for patients (pts) with stage III colon cancer (CC): The IDEA (International Duration Evaluation of Adjuvant chemotherapy) collaboration Journal of Clinical Oncology, 2017, 35, LBA1-LBA1.	1.6	31
99	The prognostic role of tumor size in early breast cancer in the era of molecular biology. PLoS ONE, 2017, 12, e0189127.	2.5	24
100	<scp>ACROSCORE</scp> : a new and simple tool for the diagnosis of acromegaly, a rare and underdiagnosed disease. Clinical Endocrinology, 2016, 84, 380-385.	2.4	24
101	Radiological imaging markers predicting clinical outcome in patients with metastatic colorectal carcinoma treated with regorafenib: post hoc analysis of the CORRECT phase III trial (RadioCORRECT) Tj ETQq1	l 04 7.8 431	4 r gВ Т /Оver
102	Methodological issues in the choice among different drugs approved for the same therapeutic indication: a position paper by the Italian Association of Medical Oncology (AIOM). ESMO Open, 2016, 1, e000109.	4.5	2
103	The Third Italian Consensus Conference for Malignant Pleural Mesothelioma: State of the art and recommendations. Critical Reviews in Oncology/Hematology, 2016, 104, 9-20.	4.4	87
104	Waiting for Godot: Predictive factors for adjuvant treatment of patients with luminal breast cancer. Breast, 2016, 27, 187-188.	2.2	1
105	Chemoimmunotherapy with methotrexate, cytarabine, thiotepa, and rituximab (MATRix regimen) in patients with primary CNS lymphoma: results of the first randomisation of the International Extranodal Lymphoma Study Group-32 (IELSG32) phase 2 trial. Lancet Haematology, the, 2016, 3, e217-e227.	4.6	442
106	Dual-targeted therapy with trastuzumab and lapatinib in treatment-refractory, KRAS codon 12/13 wild-type, HER2-positive metastatic colorectal cancer (HERACLES): a proof-of-concept, multicentre, open-label, phase 2 trial. Lancet Oncology, The, 2016, 17, 738-746.	10.7	778
107	HER2 loss in HER2â€positive gastric or gastroesophageal cancer after trastuzumab therapy: Implication for further clinical research. International Journal of Cancer, 2016, 139, 2859-2864.	5.1	94
108	Postoperative radiotherapy for non-small cell lung cancer. , 2016, 9, CD002142.		25

#	Article	IF	CITATIONS
109	Latanoprost and Dorzolamide for the Treatment of Pediatric Glaucoma: The Glaucoma Italian Pediatric Study (Gipsy), Design and Baseline Characteristics. Advances in Therapy, 2016, 33, 1305-1315.	2.9	6
110	Metronomic chemotherapy with oral vinorelbine (mVNR) and capecitabine (mCAPE) in advanced HER2-negative breast cancer patients: is it a way to optimize disease control? Final results of the VICTOR-2 study. Breast Cancer Research and Treatment, 2016, 160, 501-509.	2.5	49
111	Oral Chemotherapy and Patient Perspective in Solid Tumors: A National Survey by the Italian Association of Medical Oncology. Tumori, 2016, 102, 108-113.	1.1	4
112	Non-clinical factors influencing pain intensity in cancer patients: Socio-cultural–economic status, awareness of disease and the relation with the oncologist. European Journal of Internal Medicine, 2016, 33, e18-e19.	2.2	4
113	Reply to the letter to the editor â€~A randomized trial of intensive versus minimal surveillance of patients with resected Dukes B2-C colorectal carcinoma' by Hines et al Annals of Oncology, 2016, 27, 1171.	1.2	0
114	A randomized trial of intensive versus minimal surveillance of patients with resected Dukes B2-C colorectal carcinoma. Annals of Oncology, 2016, 27, 274-280.	1.2	111
115	Effects on Survival and Neurocognitive Functions of Whole-Brain Radiotherapy (WBRT) and Autologous Stem Cell Transplantation (ASCT) as Consolidation Options after High-Dose Methotrexate-Based Chemoimmunotherapy in Patients with Newly Diagnosed Primary CNS Lymphoma (PCNSL): Results of the Second Randomization of the IELSG32 Trial, Blood, 2016, 128, 511-511.	1.4	13
116	Efficacy and safety of bevacizumab combined with fluoropyrimidine monotherapy in unfit or older metastatic colorectal cancer patients: A systematic review and pooled-analysis Journal of Clinical Oncology, 2016, 34, 705-705.	1.6	0
117	Efficacy and safety of bevacizumab in elderly or unfit patients with metastatic colorectal cancer: A systematic review and meta-analysis Journal of Clinical Oncology, 2016, 34, e15029-e15029.	1.6	0
118	Abstract 3943: Baseline LDH serum level as predictive value of activity in patients treated with anti PD-1 and PDL-1 monoclonal antibodies. , 2016 , , .		0
119	Hyperfractionated or accelerated radiotherapy for head and neck cancer. The Cochrane Library, 2015, 2015, .	2.8	52
120	Oral prevalence and clearance of oncogenic human papilloma virus in a rehabilitation community for substance abusers in Italy: a case of behavioral correction? Journal of Oral Pathology and Medicine, 2015, 44, 728-733.	2.7	3
121	Safety of Abiraterone Acetate in Castration-resistant Prostate Cancer Patients With Concomitant Cardiovascular Risk Factors. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 479-482.	1.3	26
122	The value of lactate dehydrogenase serum levels as a prognostic and predictive factor for advanced pancreatic cancer patients receiving sorafenib. Oncotarget, 2015, 6, 35087-35094.	1.8	40
123	EGFR mutations and EGFR tyrosine kinase inhibitors. Lancet Oncology, The, 2015, 16, 746-748.	10.7	3
124	Adjuvant chemotherapy for resected early-stage non-small cell lung cancer. The Cochrane Library, 2015, 2015, CD011430.	2.8	158
125	Predictive Value of Heidelberg Retina Tomograph Parameters for the Development of Glaucoma in the European Glaucoma Prevention Study. American Journal of Ophthalmology, 2015, 159, 265-276.e1.	3.3	8
126	Disease progression pattern in metastatic breast cancer patients treated with anti-HER2 therapies. Clinical and Translational Oncology, 2015, 17, 530-538.	2.4	2

#	Article	IF	CITATIONS
127	Is there evidence for different effects among EGFR-TKIs? Systematic review and meta-analysis of EGFR tyrosine kinase inhibitors (TKIs) versus chemotherapy as first-line treatment for patients harboring EGFR mutations. Critical Reviews in Oncology/Hematology, 2015, 94, 213-227.	4.4	51
128	Rare Cancers Europe (RCE) methodological recommendations for clinical studies in rare cancers: a European consensus position paper. Annals of Oncology, 2015, 26, 300-306.	1.2	77
129	Mortality, sudden death and indication for cardioverter defibrillator implantation in a dialysis population. International Journal of Cardiology, 2015, 186, 170-177.	1.7	10
130	Value of KRAS as prognostic or predictive marker in NSCLC: results from the TAILOR trial. Annals of Oncology, 2015, 26, 2079-2084.	1.2	42
131	Sustained Inhibition of HER3 and EGFR Is Necessary to Induce Regression of <i>HER2</i> -Amplified Gastrointestinal Carcinomas. Clinical Cancer Research, 2015, 21, 5519-5531.	7. O	84
132	Prospective, mono-institutional study of the impact of a systematic prevention program on incidence and outcome of osteonecrosis of the jaw in patients treated with bisphosphonates for bone metastases. Journal of Bone and Mineral Metabolism, 2015, 33, 119-124.	2.7	31
133	Olfactory System of Highly Trained Dogs Detects Prostate Cancer in Urine Samples. Journal of Urology, 2015, 193, 1382-1387.	0.4	96
134	Trastuzumab and lapatinib in HER2-amplified metastatic colorectal cancer patients (mCRC): The HERACLES trial Journal of Clinical Oncology, 2015, 33, 3508-3508.	1.6	27
135	Individual patients data analysis (IPD) of three randomized studies comparing erlotinib (E) with chemotherapy (CT) in patients with advanced wild-type epidermal growth factor receptor (wtEGFR) non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2015, 33, 8048-8048.	1.6	1
136	Does Surgery Improve Survival of Patients with Malignant Pleural Mesothelioma?: A Multicenter Retrospective Analysis of 1365 Consecutive Patients. Journal of Thoracic Oncology, 2014, 9, 390-396.	1.1	123
137	Targeted therapies in advanced renal cell carcinoma: the role of metastatic sites as a prognostic factor. Future Oncology, 2014, 10, 1361-1372.	2.4	9
138	Bone sarcomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2014, 25, iii113-iii123.	1.2	212
139	Efficacy and Safety of the All-Oral Schedule of Metronomic Vinorelbine and Capecitabine in Locally Advanced or Metastatic Breast Cancer Patients: The Phase I-II VICTOR-1 Study. International Journal of Breast Cancer, 2014, 2014, 1-7.	1.2	42
140	Use of adjuvant chemotherapy (CT) and radiotherapy (RT) in incompletely resected (R1) early stage Non-Small Cell Lung Cancer (NSCLC): A European survey conducted by the European Society for Medical Oncology (ESMO) Young Oncologists Committee. Lung Cancer, 2014, 85, 74-80.	2.0	12
141	Predictive value of a proteomic signature in patients with non-small-cell lung cancer treated with second-line erlotinib or chemotherapy (PROSE): a biomarker-stratified, randomised phase 3 trial. Lancet Oncology, The, 2014, 15, 713-721.	10.7	157
142	Afatinib for lung cancer: let there be light?. Lancet Oncology, The, 2014, 15, 133-134.	10.7	4
143	DRAGO (KIAA0247), a New DNA Damage–Responsive, p53-Inducible Gene That Cooperates With p53 as Oncosuppressor. Journal of the National Cancer Institute, 2014, 106, dju053.	6.3	19
144	The impact of personalized medicine on survival: Comparisons of results in metastatic breast, colorectal and non-small-cell lung cancers. Cancer Treatment Reviews, 2014, 40, 485-494.	7.7	21

#	Article	IF	Citations
145	Do We Really Need Another Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor in First-Line Treatment for Patients With Non–Small-Cell Lung Cancer andEGFRMutations?. Journal of Clinical Oncology, 2014, 32, 859-863.	1.6	3
146	Secondary analyses from a randomized clinical trial: age as the key prognostic factor in endometrial carcinoma. American Journal of Obstetrics and Gynecology, 2014, 210, 363.e1-363.e10.	1.3	62
147	Clinical Outcome of HER2-positive Breast Cancer Patients after Failure on Adjuvant Trastuzumab: The Potential of the Time to Relapse. Clinical Oncology, 2014, 26, 174.	1.4	2
148	Efficacy of biological agents in metastatic triple-negative breast cancer. Cancer Treatment Reviews, 2014, 40, 605-613.	7.7	43
149	HER2-positive (HER2+) metastatic breast cancer (MBC) presentation and patterns of progression Journal of Clinical Oncology, 2014, 32, e11591-e11591.	1.6	0
150	The natural history of HER2-overexpressing (HER2+) metastatic breast cancer (MBC) treated with trastuzumab (T): Practical points to consider in developing treatment strategies Journal of Clinical Oncology, 2014, 32, e11565-e11565.	1.6	0
151	Efficacy of trastuzumab in unselected patients with HER2-positive metastatic breast cancer: a retrospective analysis. Tumori, 2014, 100, 426-31.	1.1	0
152	Erlotinib versus docetaxel as second-line treatment of patients with advanced non-small-cell lung cancer and wild-type EGFR tumours (TAILOR): a randomised controlled trial. Lancet Oncology, The, 2013, 14, 981-988.	10.7	472
153	Platinum versus platinum-combination chemotherapy in platinum-sensitive recurrent ovarian cancer: a meta-analysis using individual patient data. Annals of Oncology, 2013, 24, 3028-3034.	1.2	66
154	Resistance to platinum-based chemotherapy is associated with epithelial to mesenchymal transition in epithelial ovarian cancer. European Journal of Cancer, 2013, 49, 520-530.	2.8	141
155	Second Italian Consensus Conference on Malignant Pleural Mesothelioma: State of the art and recommendations. Cancer Treatment Reviews, 2013, 39, 328-339.	7.7	51
156	The Heidelberg retina tomograph ancillary study to the European glaucoma prevention study: study design and baseline factors. Acta Ophthalmologica, 2013, 91, e612-e619.	1.1	11
157	To Target or Not to Target, That Is the Question. Journal of Clinical Oncology, 2013, 31, 1254-1254.	1.6	3
158	DNA-damage response gene polymorphisms and therapeutic outcomes in ovarian cancer. Pharmacogenomics Journal, 2013, 13, 159-172.	2.0	16
159	Randomised Phase II Trial (NCT00637975) Evaluating Activity and Toxicity of Two Different Escalating Strategies for Pregabalin and Oxycodone Combination Therapy for Neuropathic Pain in Cancer Patients. PLoS ONE, 2013, 8, e59981.	2.5	28
160	Meta-Analysis on the Effects of Octreotide on Tumor Mass in Acromegaly. PLoS ONE, 2012, 7, e36411.	2.5	167
161	Randomized Phase III Study of Surgery Alone or Surgery Plus Preoperative Cisplatin and Gemcitabine in Stages IB to IIIA Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2012, 30, 172-178.	1.6	223
162	Standardisation of EGFR FISH in colorectal cancer: results of an international interlaboratory reproducibility ring study. Journal of Clinical Pathology, 2012, 65, 218-223.	2.0	35

#	Article	IF	CITATIONS
163	Incidence, risk factors and clinical implications of venous thromboembolism in cancer patients treated within the context of phase I studies: the â€~SENDO experience'. Annals of Oncology, 2012, 23, 1416-1421.	1.2	78
164	Reply to FOLFIRI plus cetuximab versus FOLFIRI plus bevacizumab as first-line treatment for patients with metastatic colorectal cancer–subgroup analysis of patients with KRAS-mutated tumours in the randomised German AlO study KRK-0306. Annals of Oncology, 2012, 23, 2771-2772.	1,2	1
165	SAA1 is over-expressed in plasma of non small cell lung cancer patients with poor outcome after treatment with epidermal growth factor receptor tyrosine-kinase inhibitors. Journal of Proteomics, 2012, 76, 91-101.	2.4	67
166	Evidence-based guidelines: Improving AGREEment on consistence evaluation. Journal of Bone Oncology, 2012, 1, 30-34.	2.4	0
167	The effect of changes in intraocular pressure on the risk of primary open-angle glaucoma in patients with ocular hypertension: an application of latent class analysis. BMC Medical Research Methodology, 2012, 12, 151.	3.1	9
168	Comment on: "Dose-effect study of Gelsemium sempervirens in high dilutions on anxiety-related responses in mice―(Magnani P, Conforti A, Zanolin E, Marzotto M and Bellavite P,) Tj ETQq0 0 0 rgBT /Overlock	₹ 1 9.T f 50	53 7 Td (Psyc
169	Risk/benefit profile of bevacizumab in metastatic colon cancer: A systematic review and meta-analysis. Digestive and Liver Disease, 2011, 43, 286-294.	0.9	39
170	Outcomes of small-cell lung cancer patients treated with second-line chemotherapy: A multi-institutional retrospective analysis. Lung Cancer, 2011, 72, 378-383.	2.0	56
171	A double-blind, randomised, placebo-controlled phase III intergroup study of gefitinib in patients with advanced NSCLC, non-progressing after first line platinum-based chemotherapy (EORTC 08021/ILCP) Tj ETQq1 1	0. 7.8 431	4 rgBB/Overl
172	Antibiotics versus surgery for appendicitis. Lancet, The, 2011, 378, 1067-1068.	13.7	2
173	Amyotrophic Lateral Sclerosis Multiprotein Biomarkers in Peripheral Blood Mononuclear Cells. PLoS ONE, 2011, 6, e25545.	2.5	123
174	Switch Maintenance versus Second-Line Treatment in Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2011, 6, 1298.	1.1	1
175	Dipyridamole stress echocardiography in diagnosis and prognosis of hemodialysis patients with asymptomatic coronary disease. Hemodialysis International, 2011, 15, 468-476.	0.9	2
176	Phase II study of panitumumab, oxaliplatin, 5-fluorouracil, and concurrent radiotherapy as preoperative treatment in high-risk locally advanced rectal cancer patients (StarPan/STAR-02 Study). Annals of Oncology, 2011, 22, 2424-2430.	1.2	57
177	A Joint Model for Prognostic Effect of Biomarker Variability on Outcomes: long-term intraocular pressure (IOP) fluctuation on the risk of developing primary open-angle glaucoma (POAG). JP Journal of Biostatistics, 2011, 5, 73-96.	0.0	4
178	Performance of imaging modalities in diagnosis of liver metastases from colorectal cancer: A systematic review and metaâ€analysis. Journal of Magnetic Resonance Imaging, 2010, 31, 19-31.	3.4	219
179	Looking for efficiency rather than efficacy in randomized controlled trials in oncology. Annals of Oncology, 2010, 21, 1391-1393.	1.2	2
180	Defective Mismatch Repair As a Predictive Marker for Lack of Efficacy of Fluorouracil-Based Adjuvant Therapy in Colon Cancer. Journal of Clinical Oncology, 2010, 28, 3219-3226.	1.6	1,352

#	Article	IF	Citations
181	Malignant peritoneal mesothelioma: a multicenter study on 81 cases. Annals of Oncology, 2010, 21, 348-353.	1.2	101
182	Maintenance or consolidation therapy in small-cell lung cancer: A systematic review and meta-analysis. Lung Cancer, 2010, 70, 119-128.	2.0	58
183	Do we need biopsies of metastases for colorectal cancer patients?. British Journal of Cancer, 2009, 101, 374-375.	6.4	2
184	Effects of Somatostatin Analogs on Glucose Homeostasis: A Metaanalysis of Acromegaly Studies. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 1500-1508.	3.6	191
185	High-Grade Soft-Tissue Sarcomas: Tumor Response Assessmentâ€"Pilot Study to Assess the Correlation between Radiologic and Pathologic Response by Using RECIST and Choi Criteria. Radiology, 2009, 251, 447-456.	7.3	198
186	Level of HER2/neu gene amplification as a predictive factor of response to trastuzumab-based therapy in patients with HER2-positive metastatic breast cancer. Investigational New Drugs, 2009, 27, 179-183.	2.6	20
187	Antibiotic prophylaxis to reduce respiratory tract infections and mortality in adults receiving intensive care. The Cochrane Library, 2009, , CD000022.	2.8	121
188	A phase II, randomized trial of neo-adjuvant chemotherapy comparing a three-drug combination of paclitaxel, ifosfamide, and cisplatin (TIP) versus paclitaxel and cisplatin (TP) followed by radical surgery in patients with locally advanced squamous cell cervical carcinoma: the Snap-02 Italian Collaborative Study. Annals of Oncology, 2009, 20, 660-665.	1.2	114
189	Autoimmune disorders in patients affected by celiac sprue and inflammatory bowel disease. Annals of Medicine, 2009, 41, 139-143.	3.8	30
190	CD3+ cells at the invasive margin of deeply invading (pT3–T4) colorectal cancer and risk of post-surgical metastasis: a longitudinal study. Lancet Oncology, The, 2009, 10, 877-884.	10.7	226
191	Exenatide for type 2 diabetes. Lancet, The, 2009, 373, 122.	13.7	0
192	Differential diagnosis and management of focal ground-glass opacities. European Respiratory Journal, 2009, 33, 821-827.	6.7	72
193	Effects of Transdermal Buprenorphine on Patients-reported Outcomes in Cancer Patients. Clinical Journal of Pain, 2009, 25, 671-682.	1.9	8
194	Biological and clinical features in predicting efficacy of epidermal growth factor receptor tyrosine kinase inhibitors: a systematic review and meta-analysis. Anticancer Research, 2009, 29, 2691-701.	1.1	27
195	Approaches to interim analysis of cancer randomised clinical trials with time to event endpoints: A survey from the Italian National Monitoring Centre for Clinical Trials. Trials, 2008, 9, 46.	1.6	4
196	Pemetrexed plus carboplatin in elderly patients with malignant pleural mesothelioma: combined analysis of two phase II trials. British Journal of Cancer, 2008, 99, 51-56.	6.4	107
197	Systematic Pelvic Lymphadenectomy vs No Lymphadenectomy in Early-Stage Endometrial Carcinoma: Randomized Clinical Trial. Journal of the National Cancer Institute, 2008, 100, 1707-1716.	6.3	1,316
198	Lung Adjuvant Cisplatin Evaluation: A Pooled Analysis by the LACE Collaborative Group. Journal of Clinical Oncology, 2008, 26, 3552-3559.	1.6	2,119

#	Article	IF	CITATIONS
199	Analysis of Gene Expression in Early-Stage Ovarian Cancer. Clinical Cancer Research, 2008, 14, 7850-7860.	7.0	43
200	Impact of recent legislative bills regarding clinical research on Italian ethics committee activity. Journal of Medical Ethics, 2008, 34, 747-750.	1.8	11
201	Should <i>KRAS</i> Mutations Be Considered an Independent Prognostic Factor in Patients With Advanced Colorectal Cancer Treated With Cetuximab?. Journal of Clinical Oncology, 2008, 26, 2600-2600.	1.6	5
202	A phase II randomised clinical trial comparing cisplatin, paclitaxel and ifosfamide with cisplatin, paclitaxel and epirubicin in newly diagnosed advanced epithelial ovarian cancer: long-term survival analysis. British Journal of Cancer, 2008, 98, 720-727.	6.4	8
203	Adjuvant Chemotherapy After Potentially Curative Resection of Metastases From Colorectal Cancer: A Pooled Analysis of Two Randomized Trials. Journal of Clinical Oncology, 2008, 26, 4906-4911.	1.6	530
204	Adjuvant Chemotherapy in Completely Resected Gastric Cancer: A Randomized Phase III Trial Conducted by GOIRC. Journal of the National Cancer Institute, 2008, 100, 388-398.	6.3	123
205	Predicting response of molecular targeted therapies: a still possible challenge?. Annals of Oncology, 2008, 19, 829-830.	1.2	3
206	Paclitaxel plus Bevacizumab for Metastatic Breast Cancer. New England Journal of Medicine, 2008, 358, 1637-1638.	27.0	14
207	Venous thromboembolism predicts poor prognosis in irresectable pancreatic cancer patients. Annals of Oncology, 2007, 18, 1660-1665.	1.2	116
208	Bevacizumab for Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2007, 356, 1373-1375.	27.0	12
209	Reduced Likelihood of Metastases in Patients with Microsatellite-Unstable Colorectal Cancer. Clinical Cancer Research, 2007, 13, 3831-3839.	7.0	221
210	Adjuvant Treatment of High-Risk, Radically Resected Gastric Cancer Patients With 5-Fluorouracil, Leucovorin, Cisplatin, and Epidoxorubicin in a Randomized Controlled Trial. Journal of the National Cancer Institute, 2007, 99, 601-607.	6.3	96
211	Predictive Factors for Open-Angle Glaucoma among Patients with Ocular Hypertension in the European Glaucoma Prevention Study. Ophthalmology, 2007, 114, 3-9.	5.2	291
212	Central Corneal Thickness in the European Glaucoma Prevention Study. Ophthalmology, 2007, 114, 454-459.	5.2	56
213	Validated Prediction Model for the Development of Primary Open-Angle Glaucoma in Individuals with Ocular Hypertension. Ophthalmology, 2007, 114, 10-19.e2.	5. 2	295
214	Intercurrent Factors Associated with the Development of Open-Angle Glaucoma in the European Glaucoma Prevention Study. American Journal of Ophthalmology, 2007, 144, 266-275.e1.	3.3	166
215	An Oxaliplatin + 5-Fluorouracil Bolus + Folinic Acid (BFOL) Regimen as First-Line Treatment in Metastatic Colorectal Cancer Patients. Tumori, 2007, 93, 557-561.	1.1	0
216	Pain in cancer. An outcome research project to evaluate the epidemiology, the quality and the effects of pain treatment in cancer patients. Health and Quality of Life Outcomes, 2006, 4, 7.	2.4	23

#	Article	IF	CITATIONS
217	Randomised study of systematic lymphadenectomy in patients with epithelial ovarian cancer macroscopically confined to the pelvis. British Journal of Cancer, 2006, 95, 699-704.	6.4	268
218	Cisplatin plus gemcitabine on days 1 and 4 every 21 days for solid tumors: Result of a dose-intensity study. Investigational New Drugs, 2006, 25, 57-62.	2.6	5
219	Methodology of clinical research: an overview. Drug Development Research, 2006, 67, 183-187.	2.9	0
220	Methylenetetrahydrofolate reductase 677C/T gene polymorphism, gastric cancer susceptibility and genomic DNA hypomethylation in an at-risk Italian population. International Journal of Cancer, 2006, 118, 628-632.	5.1	57
221	Diagnosis, Management and Clinical Outcome of Bone Metastases in Breast Cancer Patients: Results from a Prospective, Multicenter Study. Oncology, 2006, 71, 374-381.	1.9	14
222	Sampling variability of computer-aided fractal-corrected measures of liver fibrosis in needle biopsy specimens. World Journal of Gastroenterology, 2006, 12, 7660.	3.3	9
223	Differentiation of Small Adnexal Masses Based on Morphologic Characteristics of Transvaginal Sonographic Imaging. Journal of Ultrasound in Medicine, 2005, 24, 1467-1473.	1.7	20
224	Cost of Insurance Policies for Investigator-Initiated Cancer Clinical Trials in Italy. Tumori, 2005, 91, 373-379.	1,1	4
225	Effect of spinal degenerative changes on volumetric bone mineral density of the central skeleton as measured by quantitative computed tomography. Acta Radiologica, 2005, 46, 269-275.	1.1	61
226	Vinorelbine and prednisone in frail elderly patients with intermediate-high grade non-Hodgkin's lymphomas. Annals of Oncology, 2005, 16, 1352-1358.	1.2	48
227	Randomized Trial of Neoadjuvant Chemotherapy Comparing Paclitaxel, Ifosfamide, and Cisplatin With Ifosfamide and Cisplatin Followed by Radical Surgery in Patients With Locally Advanced Squamous Cell Cervical Carcinoma: The SNAP01 (Studio Neo-Adjuvante Portio) Italian Collaborative Study. Journal of Clinical Oncology, 2005, 23, 4137-4145.	1.6	189
228	Results of the European Glaucoma Prevention Study. Ophthalmology, 2005, 112, 366-375.	5.2	301
229	European Glaucoma Prevention Study. Ophthalmology, 2005, 112, 1642-1643.	5.2	27
230	European Glaucoma Prevention Study: Author reply. Ophthalmology, 2005, 112, 1643-1645.	5.2	131
231	The Impact of Definition of Primary Open-angle Glaucoma on the Cross-sectional Assessment of Diagnostic Validity of Heidelberg Retinal Tomography. American Journal of Ophthalmology, 2005, 139, 878-887.	3.3	16
232	Effects of Gefitinib on Serum Epidermal Growth Factor Receptor and HER2 in Patients with Advanced Non-Small Cell Lung Cancer. Clinical Cancer Research, 2004, 10, 6006-6012.	7.0	40
233	Patterns of Relapse and Modalities of Treatment of Breast Cancer: The â€IRIS' Project, a Multicenter Observational Study. Oncology, 2004, 66, 260-268.	1.9	8
234	Insurance for independent cancer trials. Annals of Oncology, 2004, 15, 1722-1723.	1.2	3

#	Article	IF	Citations
235	Epidermal growth factor receptor overexpression correlates with a poor prognosis in completely resected non-small-cell lung cancer. Annals of Oncology, 2004, 15, 28-32.	1.2	239
236	Randomized Trial of Intraportal and/or Systemic Adjuvant Chemotherapy in Patients With Colon Carcinoma. Journal of the National Cancer Institute, 2004, 96, 750-758.	6.3	24
237	Letter to the Editor. International Journal of Gynecological Cancer, 2004, 14, 697-697.	2.5	0
238	Randomised controlled trial comparing single agent paclitaxel vs epidoxorubicin plus paclitaxel in patients with advanced ovarian cancer in early progression after platinum-based chemotherapy: an Italian Collaborative Study from the â€~Mario Negri' Institute, Milan, G.O.N.O. (Gruppo Oncologico Nord) Tj E	ET@qD 0 0	rg B T Overlo
239	2112-2117. Antibiotic prophylaxis to reduce respiratory tract infections and mortality in adults receiving intensive care., 2004, , CD000022.		169
240	Cisplatin versus carboplatin in combination with mitomycin and vinblastine in advanced non small cell lung cancer. A multicenter, randomized phase III trial. Lung Cancer, 2004, 43, 83-91.	2.0	58
241	Endometrial evaluation with transvaginal ultrasound during hormone therapy: a prospective multicenter study. Fertility and Sterility, 2004, 81, 1632-1637.	1.0	25
242	Locoregionally advanced carcinoma of the oropharynx: conventional radiotherapy vs. accelerated hyperfractionated radiotherapy vs. concomitant radiotherapy and chemotherapyâ€"a multicenter randomized trial. International Journal of Radiation Oncology Biology Physics, 2003, 55, 78-92.	0.8	112
243	Randomized Study of Adjuvant Chemotherapy for Completely Resected Stage I, II, or IIIA Non-Small-Cell Lung Cancer. Journal of the National Cancer Institute, 2003, 95, 1453-1461.	6.3	550
244	ICON4/AGO-OVAR-2.2: questions about trial design, cost-effectiveness, and clinical benefit. Lancet, The, 2003, 362, 1333.	13.7	2
245	ICON4/AGO-OVAR-2.2: questions about trial design, cost-effectiveness, and clinical benefit. Lancet, The, 2003, 362, 1334.	13.7	1
246	Reproducibility of evaluation of optic disc change for glaucoma with stereo optic disc photographs. Ophthalmology, 2003, 110, 340-344.	5.2	58
247	Expression levels of vascular endothelial growth factor, matrix metalloproteinases 2 and 9 and tissue inhibitor of metalloproteinases 1 and 2 in the plasma of patients with ovarian carcinoma. European Journal of Cancer, 2003, 39, 1948-1956.	2.8	87
248	Using the Expected Survival to Explain Differences Between the Results of Randomized Trials: A Case in Advanced Ovarian Cancer. Journal of Clinical Oncology, 2003, 21, 1682-1687.	1.6	12
249	International Collaborative Ovarian Neoplasm Trial 1: A Randomized Trial of Adjuvant Chemotherapy in Women With Early-Stage Ovarian Cancer. Journal of the National Cancer Institute, 2003, 95, 125-132.	6.3	256
250	Effectiveness of Adjuvant Fluorouracil in Elderly Colon Cancer Patients: The Internal and External Validity of Nonrandomized Research Design. Journal of Clinical Oncology, 2003, 21, 1892-1892.	1.6	2
251	Phase II Study of Taxol Combined With Ifosfamide and Carboplatin in the Treatment of Stage IIIb–IV Non-Small-Cell Lung Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2003, 26, 84-88.	1.3	8
252	Randomized Controlled Trial of Single-Agent Paclitaxel Versus Cyclophosphamide, Doxorubicin, and Cisplatin in Patients With Recurrent Ovarian Cancer Who Responded to First-Line Platinum-Based Regimens. Journal of Clinical Oncology, 2002, 20, 1232-1237.	1.6	86

#	Article	IF	Citations
253	Postoperative Hyperprolactinemia Could Predict Longer Disease-Free and Overall Survival in Node-Negative Breast Cancer Patients. Oncology, 2002, 63, 370-377.	1.9	7
254	Paclitaxel plus carboplatin versus standard chemotherapy with either single-agent carboplatin or cyclophosphamide, doxorubicin, and cisplatin in women with ovarian cancer: the ICON3 randomised trial. Lancet, The, 2002, 360, 505-515.	13.7	514
255	Simple, shared guidelines raise the quality of antihypertensive treatment in routine care. American Heart Journal, 2002, 144, 726-732.	2.7	11
256	The European glaucoma prevention study design and baseline description of the participants. Ophthalmology, 2002, 109, 1612-1621.	5.2	88
257	Simple, shared guidelines raise the quality of antihypertensive treatment in routine care. American Heart Journal, 2002, 144, 726-732.	2.7	12
258	HER-2/neu overexpression in patients with radically resected nonsmall cell lung carcinoma. Cancer, 2002, 94, 2669-2674.	4.1	44
259	First-line treatment for advanced ovarian cancer: paclitaxel, platinum and the evidence. British Journal of Cancer, 2002, 87, 815-824.	6.4	112
260	Circulating levels of the long pentraxin PTX3 correlate with severity of infection in critically ill patients. Critical Care Medicine, 2001, 29, 1404-1407.	0.9	302
261	Meta-analyses of randomized trials of adjuvant chemotherapy in gastric cancer. Annals of Oncology, 2001, 12, 1179-1180.	1.2	38
262	Early stage ovarian cancer: the Italian contribution to clinical research. An update. International Journal of Gynecological Cancer, 2001, 11, 12-19.	2.5	14
263	Efficacy of adjuvant chemotherapy after curative resection for gastric cancer: A meta-analysis of published randomised trials. Annals of Oncology, 2000, $11,837-843$.	1.2	339
264	Survey on the treatment of non-small-cell lung cancer in Italy. Annals of Oncology, 2000, 11, 807-813.	1.2	11
265	Efficacy of Adjuvant Fluorouracil and Folinic Acid in B2 Colon Cancer. Journal of Clinical Oncology, 1999, 17, 1356-1356.	1.6	531
266	Long-term follow-up of isolated optic neuritis: the risk of developing multiple sclerosis, its outcome, and the prognostic role of paraclinical tests. Journal of Neurology, 1999, 246, 770-775.	3.6	105
267	ICON2 trial. Lancet, The, 1999, 353, 587.	13.7	4
268	The Long-term Prognostic Significance of Repeated Blood Pressure Measurements in the Elderly. Archives of Internal Medicine, 1999, 159, 1205.	3.8	49
269	Inconclusive messages from equivalence trials in thrombolysis. Heart, 1999, 81, 675-676.	2.9	9
270	First-line chemotherapy for advanced ovarian cancer: paclitaxel, cisplatin and the evidence. British Journal of Cancer, 1998, 78, 1471-1478.	6.4	32

#	Article	IF	CITATIONS
271	Chemotherapy in advanced ovarian cancer: four systematic meta-analyses of individual patient data from 37 randomized trials. British Journal of Cancer, 1998, 78, 1479-1487.	6.4	210
272	GIVIO-SITAC 01., 1998, 82, 2135-2144.		59
273	The multi-centre assessment of quality of life: the Interdisciplinary Group for Cancer Care Evaluation (GIVIO) experience in Italy., 1998, 17, 577-585.		13
274	Extracting summary statistics to perform meta-analyses of the published literature for survival endpoints. Statistics in Medicine, 1998, 17, 2815-2834.	1.6	4,325
275	Cyclophosphamide in chronic progressive multiple sclerosis: a comparative study. Italian Journal of Neurological Sciences, 1998, 19, 32-36.	0.1	16
276	ICON2: randomised trial of single-agent carboplatin against three-drug combination of CAP (cyclophosphamide, doxorubicin, and cisplatin) in women with ovarian cancer. Lancet, The, 1998, 352, 1571-1576.	13.7	171
277	Postoperative radiotherapy in non-small-cell lung cancer: systematic review and meta-analysis of individual patient data from nine randomised controlled trials. Lancet, The, 1998, 352, 257-263.	13.7	816
278	Hematotoxicity on human bone marrow- and umbilical cord blood-derived progenitor cells and in vitro therapeutic index of methoxymorpholinyldoxorubicin and its metabolites. Cancer Chemotherapy and Pharmacology, 1998, 42, 235-240.	2.3	20
279	Effectiveness of antibiotic prophylaxis in critically ill adult patients: systematic review of randomised controlled trials. BMJ: British Medical Journal, 1998, 316, 1275-1285.	2.3	377
280	Elevated cerebrospinal fluid levels of monocyte chemotactic protein-1 correlate with HIV-1 encephalitis and local viral replication. Aids, 1998, 12, 1327-1332.	2.2	226
281	Cytotoxic and hormonal treatment for metastatic breast cancer: a systematic review of published randomized trials involving 31,510 women Journal of Clinical Oncology, 1998, 16, 3439-3460.	1.6	535
282	Cerebrospinal fluid HIV-1 RNA levels. Aids, 1998, 12, 389-394.	2.2	116
283	The accuracy of staging: An important prognostic determinator in stage I ovarian carcinoma. Annals of Oncology, 1998, 9, 1097-1101.	1.2	85
284	How CA 125 Is Used in the Routine Follow-Up of Ovarian Cancer: A Survey of 29 Italian Hospitals. Tumor Biology, 1998, 19, 269-274.	1.8	3
285	Assessing the effectiveness of follow-up care for colorectal cancer: A great conceptual and methodological challenge for clinical oncology. Annals of Oncology, 1997, 8, 1059-1062.	1.2	6
286	Estimation of the haematological toxicity of minor groove alkylators using tests on human cord blood cells. British Journal of Cancer, 1997, 75, 878-883.	6.4	28
287	Expression of Genes of Potential Importance in the Response to Chemotherapy and DNA Repair in Patients with Ovarian Cancer. Gynecologic Oncology, 1997, 65, 130-137.	1.4	53
288	Conservative surgery for Stage I ovarian carcinoma in women of childbearing age. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 1030-1035.	2.3	186

#	Article	IF	CITATIONS
289	Beware of Surrogate Outcome Measures. International Journal of Technology Assessment in Health Care, 1996, 12, 238-246.	0.5	94
290	Isolated optic neuritis and its prognosis for multiple sclerosis: a clinical and paraclinical study with evoked potentials. CSF examination and brain MRI. Italian Journal of Neurological Sciences, 1996, 17, 325-332.	0.1	11
291	Sonographic endometrial thickness: a useful test to predict atrophy in patients with postmenopausal bleeding. An Italian multicenter study. Ultrasound in Obstetrics and Gynecology, 1996, 7, 315-321.	1.7	153
292	Clinical Profile of Ioversol. Investigative Radiology, 1996, 31, 479-491.	6.2	4
293	Role of puncture and aspiration in expectant management of simple ovarian cysts: a randomised study. BMJ: British Medical Journal, 1996, 313, 1110-1113.	2.3	65
294	Epidemic HIV-related Kaposi's sarcoma: A retrospective analysis and validation of TIS staging. Annals of Oncology, 1995, 6, 383-387.	1.2	10
295	A proposal for a new approach to intergroup cancer trials. European Journal of Cancer, 1995, 31, 1921-1923.	2.8	2
296	Factors Predicting Response to Chemotherapy and Survival in Patients with Metastatic or Recurrent Squamous Cell Cervical Carcinoma: A Multivariate Analysis. Gynecologic Oncology, 1995, 58, 58-63.	1.4	22
297	Double-Blind Trial of Dexamethasone versus Methylprednisolone in Multiple Sclerosis Acute Relapses. European Neurology, 1994, 34, 199-203.	1.4	80
298	Controversial Issues in the Management of Early Epithelial Ovarian Cancer: Conservative Surgery and Role of Adjuvant Therapy. Gynecologic Oncology, 1994, 55, S47-S51.	1.4	101
299	Antihypertensive efficacy and tolerability of different drug regimens in isolated systolic hypertension in the elderly. European Heart Journal, 1994, 15, 206-212.	2.2	21
300	A limited sampling model for the pharmacokinetics of etoposide given orally. Cancer Chemotherapy and Pharmacology, 1993, 32, 482-486.	2.3	29
301	Clinical Considerations on Side-Locked Unilaterality in Long-Lasting Primary Headaches. Headache, 1993, 33, 381-384.	3.9	55
302	Cell kinetics in management of ovarian cancer. European Journal of Cancer, 1993, 29, 169.	2.8	0
303	Randomized Clinical Trials on Medical Treatment of Glaucoma. JAMA Ophthalmology, 1993, 111, 96.	2.4	90
304	Dose intensity analysis in advanced ovarian cancer patients. British Journal of Cancer, 1993, 67, 190-197.	6.4	16
305	Inappropriate Halsted mastectomy and patient volume in Italian hospitals American Journal of Public Health, 1993, 83, 1762-1764.	2.7	15
306	Relationship Between Response and Survival in Patients With Advanced Ovarian Cancer. Journal of the National Cancer Institute, 1992, 84, 899-899.	6.3	6

#	Article	lF	Citations
307	Statistical Model to Determine the Relationship of Response and Survival in Patients With Advanced Ovarian Cancer Treated With Chemotherapy. Journal of the National Cancer Institute, 1992, 84, 407-413.	6.3	55
308	Effect of selective decontamination of the digestive tract (SSD) upon mortality. Contemporary Clinical Trials, 1992, 13, 391.	1.9	0
309	Randomized clinical trials on medical treatment of glaucoma: Are they appropriate to guide clinical practice?. Contemporary Clinical Trials, 1992, 13, 421.	1.9	2
310	Methodological issues in screening for relapse in early breast cancer. Contemporary Clinical Trials, 1992, 13, 426.	1.9	0
311	Selective decontamination of digestive tract. Lancet, The, 1991, 338, 1389-1390.	13.7	1
312	Efficacy of intraportal infusion for colon cancer: a fair assessment?. Journal of Clinical Oncology, 1991, 9, 888-889.	1.6	0
313	The role of attitudes, beliefs, and personal characteristics of Italian physicians in the surgical treatment of early breast cancer American Journal of Public Health, 1991, 81, 38-42.	2.7	68
314	A SURVEY OF THE NECESSITY OF THE HOSPITALIZATION DAY IN AN ITALIAN TEACHING HOSPITAL. International Journal for Quality in Health Care, 1991, 3, 1-9.	1.8	19
315	Valproate, Carnitine Metabolism, and Biochemical Indicators of Liver Function. Epilepsia, 1990, 31, 346-352.	5.1	62
316	Prognostic factors in advanced epithelial ovarian cancer. British Journal of Cancer, 1990, 62, 444-450.	6.4	73
317	\hat{A} -P-35 The impact of management guidelines on quality of breast, colorectal and ovarian cancer in community hospitals. Contemporary Clinical Trials, 1990, 11, 291.	1.9	0
318	Trends in Patterns of Care for Breast Cancer in Italy (1979-1987). Tumori, 1990, 76, 184-189.	1.1	7
319	The impact of cancer treatment guidelines on actual practice in Italian general hospitals: The case of ovarian cancer. Annals of Oncology, 1990, 1, 112-118.	1.2	17
320	Quality, Evolution, and Clinical Implications of Randomized, Controlled Trials on the Treatment of Lung Cancer. JAMA - Journal of the American Medical Association, 1989, 262, 2101.	7.4	50
321	Flow cytometric analysis of DNA content in human ovarian cancers. British Journal of Cancer, 1989, 60, 45-50.	6.4	62
322	Randomized Trial in Advanced Ovarian Cancer Comparing Cisplatin and Carboplatin. Journal of the National Cancer Institute, 1989, 81, 1464-1471.	6.3	135
323	What doctors tell patients with breast cancer about diagnosis and treatment: Findings from a study in general hospitals. GIVIO (Interdisciplinary Group for Cancer Care Evaluation) Italy. British Journal of Cancer, 1986, 54, 319-326.	6.4	52