

Manuel Snchez-Luna

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2176107/manuel-sanchez-luna-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

3,698
citations

28
h-index

58
g-index

183
ext. papers

4,754
ext. citations

3.5
avg, IF

5.04
L-index

#	Paper	IF	Citations
130	Neonatal Resuscitation Practices in Europe: A Survey of the Union of European Neonatal and Perinatal Societies.. <i>Neonatology</i> , 2022 , 1-9	4	0
129	Prognostic value of somatosensory-evoked potentials in the newborn with hypoxic-ischemic encephalopathy after the introduction of therapeutic hypothermia.. <i>European Journal of Pediatrics</i> , 2022 , 181, 1609	4.1	0
128	Impact of Gestational COVID-19 on Neonatal Outcomes: Is Vertical Infection Possible?. <i>Pediatric Infectious Disease Journal</i> , 2022 ,	3.4	2
127	The use of antenatal corticosteroids for fetal maturation: clinical practice guideline by the WAPM-World Association of Perinatal Medicine and the PMF-Perinatal Medicine foundation.. <i>Journal of Perinatal Medicine</i> , 2022 ,	2.7	2
126	Draeger VN 800/600/500 2022 , 433-441		
125	Surfactant Replacement Therapy 2022 , 557-569		
124	Nasal Intermittent Positive Pressure Ventilation and Bronchopulmonary Dysplasia Among Very Preterm Infants Never Intubated During the First Neonatal Admission: A Multicenter Cohort Study.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 896331	3.4	
123	LÍMITE DE VIABILIDAD: ¿DÓNDE ESTAMOS Y HACIA DÓNDE VAMOS?. <i>Revista Médica Clínica Las Condes</i> , 2021 , 32, 656-663	0.2	
122	Neonatal pneumothoraces with atypical location: the role of lung ultrasound. <i>European Journal of Pediatrics</i> , 2021 , 1	4.1	0
121	High-frequency Ventilation. <i>Clinics in Perinatology</i> , 2021 , 48, 855-868	2.8	0
120	SARS-COV-2 infection in pregnant women and newborns in a Spanish cohort (GESNEO-COVID) during the first wave. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 326	3.2	9
119	Patient care, right to information and consent for minors in situations of parental conflict. Clinical guidelines in the context of Spanish legislation. <i>Anales De Pediatr�a (English Edition)</i> , 2021 , 94, 338.e1-338.e7	0.4	
118	Target volume-guarantee in high-frequency oscillatory ventilation for preterm respiratory distress syndrome: Low volumes and high frequencies lead to adequate ventilation. <i>Pediatric Pulmonology</i> , 2021 , 56, 2597-2603	3.5	2
117	Human milk bank and personalized nutrition in the NICU: a narrative review. <i>European Journal of Pediatrics</i> , 2021 , 180, 1327-1333	4.1	5
116	Long-term outcomes of preterm infants treated with less invasive surfactant technique (LISA). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 1919-1924	2	8
115	Neonates Born to Mothers With COVID-19: Data From the Spanish Society of Neonatology Registry. <i>Pediatrics</i> , 2021 , 147,	7.4	19
114	Epidemiology, management and risk of SARS-CoV-2 transmission in a cohort of newborns born to mothers diagnosed with COVID-19 infection. <i>Anales De Pediatr�a (English Edition)</i> , 2021 , 94, 173-178	0.4	0

113	Temporal trends in respiratory care and bronchopulmonary dysplasia in very preterm infants over a 10-year period in Spain. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021 ,	4.7	4
112	Encuesta de satisfacci3n sobre atenci3n hospitalaria tras el nacimiento y seguimiento al alta del reci3n nacido sano. <i>Anales De Pediatr3a</i> , 2021 , 95, 197-199	0.2	
111	Satisfaction survey on hospital care after birth and follow-up at discharge of the healthy newborn. <i>Anales De Pediatr3a (English Edition)</i> , 2021 , 95, 197-199	0.4	
110	Risk factors and bronchopulmonary dysplasia severity: data from the Spanish Bronchopulmonary Dysplasia Research Network. <i>European Journal of Pediatrics</i> , 2021 , 1	4.1	0
109	Effect of a new respiratory care bundle on bronchopulmonary dysplasia in preterm neonates. <i>European Journal of Pediatrics</i> , 2020 , 179, 1833-1842	4.1	6
108	Beractant and poractant alfa in premature neonates with respiratory distress syndrome: a systematic review of real-world evidence studies and randomized controlled trials. <i>Journal of Perinatology</i> , 2020 , 40, 1121-1134	3.1	7
107	Evaluation of specific quality metrics to assess the performance of a specialised newborn transport programme. <i>European Journal of Pediatrics</i> , 2020 , 179, 919-928	4.1	1
106	Factors affecting early-life intestinal microbiota development. <i>Nutrition</i> , 2020 , 78, 110812	4.8	48
105	Inhaled nitric oxide (iNO) for preventing prematurity-related bronchopulmonary dysplasia (BPD): 7-year follow-up of the European Union Nitric Oxide (EUNO) trial. <i>Journal of Perinatal Medicine</i> , 2020 , 49, 104-110	2.7	3
104	Lung ultrasound in preterm infants with respiratory distress: experience in a neonatal intensive care unit. <i>European Journal of Pediatrics</i> , 2020 , 179, 81-89	4.1	25
103	DCO/PaCO correlation on high-frequency oscillatory ventilation combined with volume guarantee using increasing frequencies in an animal model. <i>European Journal of Pediatrics</i> , 2020 , 179, 499-506	4.1	4
102	Skimmed breast milk in newborns with chylothorax: Options with a personalised nutrition unit. <i>Anales De Pediatr3a (English Edition)</i> , 2020 , 93, 194-195	0.4	
101	Cerebral air embolism in neonates. <i>Anales De Pediatr3a (English Edition)</i> , 2020 , 93, 54-57	0.4	
100	Neonatal Infection Due to SARS-CoV-2: An Epidemiological Study in Spain. <i>Frontiers in Pediatrics</i> , 2020 , 8, 580584	3.4	12
99	New indicators for optimal lung recruitment during high frequency oscillator ventilation. <i>Pediatric Pulmonology</i> , 2020 , 55, 3525-3531	3.5	1
98	Antenatal corticosteroids and the influence of sex on morbidity and mortality of preterm infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-8	2	3
97	Expert consensus on palivizumab use for respiratory syncytial virus in developed countries. <i>Paediatric Respiratory Reviews</i> , 2020 , 33, 35-44	4.8	25
96	Three-year perinatal outcomes of less invasive beractant administration in preterm infants with respiratory distress syndrome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 2704-2710	2	4

95	Recommendations for the care of the umbilical cord in the newborn. <i>Anales De Pediatr� (English Edition)</i> , 2019 , 90, 401.e1-401.e5	0.4	0
94	Bodyweight-adjusted rivaroxaban for children with venous thromboembolism (EINSTEIN-Jr): results from three multicentre, single-arm, phase 2 studies. <i>Lancet Haematology</i> , 2019 , 6, e500-e509	14.6	27
93	Use of very low tidal volumes during high-frequency ventilation reduces ventilator lung injury. <i>Journal of Perinatology</i> , 2019 , 39, 730-736	3.1	13
92	An update of the recommendations of the spanish neonatology society for the use of paivizumab as prophylaxis for severe infections due to syncytial respiratory virus in high risk infants. <i>Anales De Pediatr� (English Edition)</i> , 2019 , 91, 348-350	0.4	1
91	New Strategies of Pulmonary Protection of Preterm Infants in the Delivery Room with the Respiratory Function Monitoring. <i>American Journal of Perinatology</i> , 2019 , 36, 1368-1376	3.3	5
90	Fungaemia caused by rare yeasts: incidence, clinical characteristics and outcome over 10 years. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 823-825	5.1	2
89	Spanish population-study shows that healthy late preterm infants had worse outcomes one year after discharge than term-born infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1529	3.1	2
88	The satisfactory growth and development at 2 years of age of the INTERGROWTH-21 Fetal Growth Standards cohort support its appropriateness for constructing international standards. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, S841-S854.e2	6.4	29
87	Pulse oximetry screening of critical congenital heart defects in the neonatal period. The Spanish National Neonatal Society recommendation. <i>Anales De Pediatr� (English Edition)</i> , 2018 , 88, 112.e1-112.e6	0.4	0
86	Infantile hemangiopericytoma leading to hypovolemic shock in a neonate. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e26950	3	4
85	New Ventilator Strategies: High-Frequency Oscillatory Ventilation Combined with Volume Guarantee. <i>American Journal of Perinatology</i> , 2018 , 35, 545-548	3.3	10
84	Transcatheter Occlusion of Patent Ductus Arteriosus in Preterm Infants Weighing Less Than 2 kg With the Amplatzer Duct Occluder II Additional Sizes Device. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 865-866	0.7	3
83	Congenital Critical Heart Defect Screening in a Health Area of the Community of Valencia (Spain): A Prospective Observational Study. <i>International Journal of Neonatal Screening</i> , 2018 , 4, 3	2.6	0
82	Human Milk Oligosaccharides: 2RFucosyllactose (2RFL) and Lacto-N-Neotetraose (LNnT) in Infant Formula. <i>Nutrients</i> , 2018 , 10,	6.7	124
81	Electrical velocimetry for non-invasive monitoring of the closure of the ductus arteriosus in preterm infants. <i>European Journal of Pediatrics</i> , 2018 , 177, 229-235	4.1	8
80	Surgical Ligation Versus Percutaneous Closure of Patent Ductus Arteriosus in Very Low-Weight Preterm Infants: Which are the Real Benefits of the Percutaneous Approach?. <i>Pediatric Cardiology</i> , 2018 , 39, 398-410	2.1	35
79	Cierre percut�neo de ductus arterioso en reci�n nacidos pret�rmino de menos de 2 kg mediante dispositivo Amplatzer Duct Occluder II Additional Size. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 865-866	1.5	3
78	Risks factors associated with intra-partum foetal mortality in pre-term infants. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 86, 127-134	0.4	

77	International estimated fetal weight standards of the INTERGROWTH-21 Project. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 478-486	5.8	159
76	Kaposiform Hemangioendothelioma Presenting as Hydrops Fetalis. <i>Pediatric Dermatology</i> , 2017 , 34, e128-e129	1.9	4
75	Guidelines for prevention, detection and management of hyperbilirubinaemia in newborns of 35 or more weeks of gestation. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 87, 294.e1-294.e8	0.4	0
74	Recommendations for the unequivocal identification of the newborn. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 87, 235.e1-235.e4	0.4	
73	Cost-utility analysis of Palivizumab for Respiratory Syncytial Virus infection prophylaxis in preterm infants: update based on the clinical evidence in Spain. <i>BMC Infectious Diseases</i> , 2017 , 17, 687	4	17
72	Improving patient safety: Usefulness of safety checklists in a neonatal unit. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 87, 191-200	0.4	1
71	Pulse oximetry screening for critical congenital heart defects: a European consensus statement. <i>The Lancet Child and Adolescent Health</i> , 2017 , 1, 88-90	14.5	20
70	Hospital discharge criteria for very low birth weight newborns. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 87, 54.e1-54.e8	0.4	0
69	Criteria for hospital discharge of the healthy term newborn after delivery. <i>Anales De Pediatr� (English Edition)</i> , 2017 , 86, 289.e1-289.e6	0.4	1
68	Performance of a Quantitative PCR-Based Assay and Beta-d-Glucan Detection for Diagnosis of Invasive Candidiasis in Very-Low-Birth-Weight Preterm Neonatal Patients (CANDINEO Study). <i>Journal of Clinical Microbiology</i> , 2017 , 55, 2752-2764	9.7	15
67	Down syndrome as risk factor for respiratory syncytial virus hospitalization: A prospective multicenter epidemiological study. <i>Influenza and Other Respiratory Viruses</i> , 2017 , 11, 157-164	5.6	28
66	Draeger VN500 2017 , 381-389		
65	Response to "Targeting supernormal frequencies and very low tidal volumes in high-frequency oscillatory ventilation: can Rvolume guaranteeRdeliver?". <i>Journal of Perinatology</i> , 2016 , 36, 795	3.1	1
64	A Rare Complex Case of Congenital Umbilical Arteriovenous Malformation and Review of Literature. <i>AJP Reports</i> , 2016 , 6, e216-21	1.2	3
63	Synchronized Nasal Intermittent Positive Pressure Ventilation of the Newborn: Technical Issues and Clinical Results. <i>Neonatology</i> , 2016 , 109, 359-65	4	15
62	Ultrasound-based gestational-age estimation in late pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 719-726	5.8	72
61	Using very high frequencies with very low lung volumes during high-frequency oscillatory ventilation to protect the immature lung. A pilot study. <i>Journal of Perinatology</i> , 2016 , 36, 306-10	3.1	20
60	Survival estimations at the limit of viability. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 3660-4	2	5

59	Trends in respiratory syncytial virus bronchiolitis hospitalizations in children less than 1 year: 2004-2012. <i>Current Medical Research and Opinion</i> , 2016 , 32, 693-8	2.5	33
58	Less invasive beractant administration in preterm infants: a pilot study. <i>Clinics</i> , 2016 , 71, 128-34	2.3	8
57	Preeclampsia: Long-term effects on pediatric disability. <i>Journal of Neonatal-Perinatal Medicine</i> , 2016 , 9, 41-8	1.3	2
56	Effect of the I/E ratio on CO2 removal during high-frequency oscillatory ventilation with volume guarantee in a neonatal animal model of RDS. <i>European Journal of Pediatrics</i> , 2016 , 175, 1343-51	4.1	3
55	Stridor in neonates with hypoxic-ischaemic encephalopathy subject to selective cerebral or whole body hypothermia. <i>Anales De Pediatria (English Edition)</i> , 2016 , 85, 128-133	0.4	1
54	Effectiveness of Synchronized Noninvasive Ventilation to Prevent Intubation in Preterm Infants. <i>AJP Reports</i> , 2016 , 6, e264-71	1.2	8
53	Providing parents with individualised support in a neonatal intensive care unit reduced stress, anxiety and depression. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, e300-5	3.1	35
52	Postnatal growth standards for preterm infants: the Preterm Postnatal Follow-up Study of the INTERGROWTH-21(st) Project. <i>The Lancet Global Health</i> , 2015 , 3, e681-91	13.6	151
51	Providing parents with individualised support in a neonatal intensive care unit reduced stress, anxiety and depression. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, e476	3.1	2
50	The distribution of clinical phenotypes of preterm birth syndrome: implications for prevention. <i>JAMA Pediatrics</i> , 2015 , 169, 220-9	8.3	98
49	International standards for newborn weight, length, and head circumference by gestational age and sex: the Newborn Cross-Sectional Study of the INTERGROWTH-21st Project. <i>Lancet, The</i> , 2014 , 384, 857-68	40	964
48	Infecciones intrauterinas. <i>Anales De Pediatria Continuada</i> , 2014 , 12, 157-164		
47	Bringing back the old: time to reevaluate the high-frequency ventilation strategy. <i>Journal of Perinatology</i> , 2014 , 34, 464-7	3.1	20
46	Ceramide mediates acute oxygen sensing in vascular tissues. <i>Antioxidants and Redox Signaling</i> , 2014 , 20, 1-14	8.4	29
45	Social, economic, and health impact of the respiratory syncytial virus: a systematic search. <i>BMC Infectious Diseases</i> , 2014 , 14, 544	4	52
44	Implementation of the INTERGROWTH-21st Project in India. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 94-9, v	3.7	2
43	Anthropometric standardisation and quality control protocols for the construction of new, international, fetal and newborn growth standards: the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 48-55, v	3.7	38
42	Translating research into practice: the introduction of the INTERGROWTH-21st package of clinical standards, tools and guidelines into policies, programmes and services. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 139-42, v	3.7	20

41	Pulse oximetry screening for congenital heart defects. <i>Lancet, The</i> , 2013 , 382, 856-7	4.0	21
40	Two-year outcomes of a randomized controlled trial of inhaled nitric oxide in premature infants. <i>Pediatrics</i> , 2013 , 132, e695-703	7.4	10
39	Neonatal lung disease and respiratory failure. <i>Critical Care Research and Practice</i> , 2013 , 2013, 238909	1.5	1
38	Implementation of the INTERGROWTH-21st Project in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 117-22, v	3.7	9
37	Implementation of the INTERGROWTH-21st Project in the United States. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 123-8, v	3.7	3
36	Ethical issues arising from the INTERGROWTH-21st Fetal Growth Longitudinal Study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 77-80, v	3.7	3
35	Implementation of the INTERGROWTH-21st Project in China. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 87-93, v	3.7	4
34	Implementation of the INTERGROWTH-21st Project in Kenya. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 105-10, v	3.7	6
33	Anthropometric protocols for the construction of new international fetal and newborn growth standards: the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 42-7, v	3.7	37
32	Statistical considerations for the development of prescriptive fetal and newborn growth standards in the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 71-6, v	3.7	41
31	In the absence of such comparative benchmark(s), there have even been calls for local growth standards and, indeed, a redefinition of the cut-offs for low birthweight. Introduction. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 1-2, v	3.7	1
30	Conceptual basis for prescriptive growth standards from conception to early childhood: present and future. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 3-8, v	3.7	14
29	Implementation of the INTERGROWTH-21st Project in Oman. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 111-6, v	3.7	4
28	A rapid questionnaire assessment of environmental exposures to pregnant women in the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 129-38, v	3.7	23
27	The objectives, design and implementation of the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 9-26, v	3.7	170
26	Standardisation and quality control of ultrasound measurements taken in the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 33-7, v	3.7	53
25	Managing data for the international, multicentre INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 64-70, v	3.7	23
24	Implementation of the INTERGROWTH-21st Project in Brazil. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 81-6, v	3.7	11

23	Ultrasound methodology used to construct the fetal growth standards in the INTERGROWTH-21st Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120 Suppl 2, 27-32, v	3.7	58
22	High-frequency oscillatory ventilation combined with volume guarantee in a neonatal animal model of respiratory distress syndrome. <i>Critical Care Research and Practice</i> , 2013 , 2013, 593915	1.5	16
21	Changes in the expression of vascular endothelial growth factor after fetal tracheal occlusion in an experimental model of congenital diaphragmatic hernia. <i>Critical Care Research and Practice</i> , 2013 , 2013, 958078	1.5	12
20	Aggressive parenteral nutrition and growth velocity in preterm infants. <i>Nutricion Hospitalaria</i> , 2013 , 28, 2128-34	1	3
19	Guidelines for preventing catheter infection: assessment of knowledge and practice among paediatric and neonatal intensive care healthcare workers. <i>Journal of Hospital Infection</i> , 2012 , 81, 123-7	6.9	14
18	Prevençió de la infecció perinatal por estreptococo del grupo B. Recomendaciones españolas revisadas 2012. <i>Progresos En Obstetricia Y Ginecologia</i> , 2012 , 55, 337-346	0	2
17	Impact on knowledge and practice of an intervention to control catheter infection in the ICU. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 2799-808	5.3	20
16	Therapeutic strategies in pulmonary hypertension of the newborn: where are we now?. <i>Current Medicinal Chemistry</i> , 2012 , 19, 4640-53	4.3	10
15	Neurodevelopmental and Respiratory Outcomes at 2 Years of Age in Preterm Infants Treated with Inhaled Nitric Oxide: the Euno Trial Follow Up. <i>Pediatric Research</i> , 2011 , 70, 132-132	3.2	
14	Ethical charter of Union of European Neonatal and Perinatal Societies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 855-8	2	10
13	Initial respiratory management in preterm infants and bronchopulmonary dysplasia. <i>Clinics</i> , 2011 , 66, 823-7	2.3	10
12	Inhaled nitric oxide for prevention of bronchopulmonary dysplasia in premature babies (EUNO): a randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 346-54	4.0	147
11	Inhaled nitric oxide for premature babies [Authors'Reply]. <i>Lancet, The</i> , 2010 , 376, 1985-1986	4.0	1
10	Medicines used in respiratory diseases only seen in children. <i>European Respiratory Journal</i> , 2009 , 34, 531-536	5.16	34
9	Contaminated feeding bottles: the source of an outbreak of Pseudomonas aeruginosa infections in a neonatal intensive care unit. <i>American Journal of Infection Control</i> , 2009 , 37, 150-4	3.8	31
8	FLIP-2 Study: risk factors linked to respiratory syncytial virus infection requiring hospitalization in premature infants born in Spain at a gestational age of 32 to 35 weeks. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 788-93	3.4	101
7	Probable early-onset group B streptococcal neonatal sepsis: a serious clinical condition related to intrauterine infection. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008 , 93, F85-9	4.7	25
6	Evaluation of procalcitonin for diagnosis of neonatal sepsis of vertical transmission. <i>BMC Pediatrics</i> , 2007 , 7, 9	2.6	39

5	Procalcitonin is not sufficiently reliable to be the sole marker of neonatal sepsis of nosocomial origin. <i>BMC Pediatrics</i> , 2006 , 6, 16	2.6	32
4	A multicenter, randomized, controlled trial of lucinactant versus poractant alfa among very premature infants at high risk for respiratory distress syndrome. <i>Pediatrics</i> , 2005 , 115, 1030-8	7.4	168
3	Trends in the epidemiology of neonatal sepsis of vertical transmission in the era of group B streptococcal prevention 2005 , 94, 451		3
2	Inhaled nitric oxide therapy in neonates and children: reaching a European consensus. <i>Intensive Care Medicine</i> , 2004 , 30, 372-80	14.5	65
1	Polydactyly in 22q11 syndrome: should it be taken into account?. <i>Clinical Genetics</i> , 2000 , 58, 84-5	4	1