Laerke ValsÃ, e Bruhn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2177341/publications.pdf

Version: 2024-02-01

46 935
papers citations h-i

14 29
h-index g-index

47 47 all docs citations

47 times ranked 2654 citing authors

#	Article	IF	CITATIONS
1	Use of primary health care and radiological imaging preceding a diagnosis of rheumatoid arthritis: a nationwide cohort study in Denmark. Rheumatology, 2023, 62, 555-564.	0.9	1
2	Association of weight loss and weight loss maintenance following diabetes diagnosis by screening and incidence of cardiovascular disease and all ause mortality: An observational analysis of the ADDITIONâ€Europe trial. Diabetes, Obesity and Metabolism, 2021, 23, 730-741.	2.2	6
3	Organophosphate and carbamate insecticide exposure is related to lung function change among smallholder farmers: a prospective study. Thorax, 2021, 76, 780-789.	2.7	10
4	Effectiveness of a Female Community Health Volunteer–Delivered Intervention in Reducing Blood Glucose Among Adults With Type 2 Diabetes. JAMA Network Open, 2021, 4, e2035799.	2.8	15
5	Diabetic Polyneuropathy Early in Type 2 Diabetes Is Associated With Higher Incidence Rate of Cardiovascular Disease: Results From Two Danish Cohort Studies. Diabetes Care, 2021, 44, 1714-1721.	4.3	8
6	Association Between Bipolar Disorder or Schizophrenia and Oral Anticoagulation Use in Danish Adults With Incident or Prevalent Atrial Fibrillation. JAMA Network Open, 2021, 4, e2110096.	2.8	14
7	Potentially inappropriate medications (PIMs): frequency and extent of GP-related variation in PIMs: a register-based cohort study. BMJ Open, 2021, 11, e046756.	0.8	4
8	Pesticide exposure and diabetes mellitus in a semi-urban Nepali population: a cross-sectional study. International Archives of Occupational and Environmental Health, 2020, 93, 513-524.	1.1	5
9	Factors associated with attendance at clinical follow-up of a cohort with screen-detected type 2 diabetes: ADDITION-Denmark. Primary Care Diabetes, 2020, 14, 239-245.	0.9	3
10	Exposure to cholinesterase inhibiting insecticides and blood glucose level in a population of Ugandan smallholder farmers. Occupational and Environmental Medicine, 2020, 77, 713-720.	1.3	9
11	Lung function in adults and future burden of obstructive lung diseases in a long-term follow-up. Npj Primary Care Respiratory Medicine, 2020, 30, 10.	1.1	5
12	Predictive value of spirometry in early detection of lung disease in adults: a cohort study. BJGP Open, 2020, 4, bjgpopen20X101059.	0.9	O
13	HemoDownloader: Open source software utility to extract data from HemoCue HbA1c 501 devices in epidemiological studies of diabetes mellitus. PLoS ONE, 2020, 15, e0242087.	1.1	O
14	Title is missing!. , 2020, 15, e0242087.		0
15	Title is missing!. , 2020, 15, e0242087.		O
16	Title is missing!. , 2020, 15, e0242087.		0
17	Title is missing!. , 2020, 15, e0242087.		O
18	The effect on participation rates of including focused spirometry information in a health check invitation: a cluster-randomised trial in Denmark. BMC Public Health, 2019, 19, 1183.	1.2	1

#	Article	IF	Citations
19	NT-proBNP to exclude heart failure in primary care – a pragmatic, cluster-randomized study. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 334-340.	0.6	1
20	Exposure to neuroactive non-organochlorine insecticides, and diabetes mellitus and related metabolic disturbances: Protocol for a systematic review and meta-analysis. Environment International, 2019, 127, 664-670.	4.8	4
21	Long-term effects of intensive multifactorial therapy in individuals with screen-detected type 2 diabetes in primary care: 10-year follow-up of the ADDITION-Europe cluster-randomised trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 925-937.	5 . 5	39
22	The effect of cardiorespiratory fitness assessment in preventive health checks: a randomised controlled trial. European Journal of Public Health, 2018, 28, 173-179.	0.1	4
23	<scp>HPV</scp> â€testing versus <scp>HPV</scp> â€cytology coâ€testing to predict the outcome after conization. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 758-765.	1.3	15
24	Mental health assessment in health checks of participants aged 30–49 years: A large-scale cohort study. Preventive Medicine Reports, 2018, 9, 72-79.	0.8	4
25	Initiation and cessation of mental healthcare after mental health screening in primary care: a prospective cohort study. BMC Family Practice, 2018, 19, 176.	2.9	22
26	Awareness, prevalence, treatment, and control of type 2 diabetes in a semi-urban area of Nepal: Findings from a cross-sectional study conducted as a part of COBIN-D trial. PLoS ONE, 2018, 13, e0206491.	1.1	37
27	Community-based intervention for management of diabetes in Nepal (COBIN-D trial): study protocol for a cluster-randomized controlled trial. Trials, 2018, 19, 579.	0.7	14
28	The role of physical activity in the development of first cardiovascular disease event: a tree-structured survival analysis of the Danish ADDITION-PRO cohort. Cardiovascular Diabetology, 2018, 17, 126.	2.7	18
29	Diabetes management training for female community health volunteers in Western Nepal: an implementation experience. BMC Public Health, 2018, 18, 641.	1.2	22
30	High prevalence of poor fitness among Danish adults, especially among those with high cardiovascular mortality risk. European Journal of Public Health, 2017, 27, ckw215.	0.1	3
31	Does training of general practitioners for intensive treatment of people with screen-detected diabetes have a spillover effect on mortality and cardiovascular morbidity in †at risk†individuals with normoglycaemia? Results from the ADDITION-Denmark cluster-randomised controlled trial. Diabetologia, 2017, 60, 1016-1021.	2.9	5
32	Patterns of attendance to health checks in a municipality setting: the Danish â€~Check Your Health Preventive Program'. Preventive Medicine Reports, 2017, 5, 175-182.	0.8	27
33	Effect of screening for type 2 diabetes on risk of cardiovascular disease and mortality: a controlled trial among 139,075 individuals diagnosed with diabetes in Denmark between 2001 and 2009. Diabetologia, 2017, 60, 2192-2199.	2.9	51
34	Effect of population screening for type 2 diabetes and cardiovascular risk factors on mortality rate and cardiovascular events: a controlled trial among 1,912,392 Danish adults. Diabetologia, 2017, 60, 2183-2191.	2.9	35
35	Does Training and Support of General Practitioners in Intensive Treatment of People with Screen-Detected Diabetes Improve Medication, Morbidity and Mortality in People with Clinically-Diagnosed Diabetes? Investigation of a Spill-Over Effect in a Cluster RCT. PLoS ONE, 2017, 12, e0170697.	1.1	1
36	Soluble CD163, adiponectin, C-reactive protein and progression of dysglycaemia in individuals at high risk of type 2 diabetes mellitus: the ADDITION-PRO cohort. Diabetologia, 2016, 59, 2467-2476.	2.9	19

#	Article	IF	CITATIONS
37	Effect on attendance by including focused information on spirometry in preventive health checks: study protocol for a randomized controlled trial. Trials, 2016, 17, 571.	0.7	2
38	A randomised trial of the effect and cost-effectiveness of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with screen-detected type 2 diabetes: the Anglo–Danish–Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION-Europe) study. Health Technology Assessment, 2016, 20, 1-86.	1.3	12
39	Relationship of HbA1c variability, absolute changes in HbA1c, and all-cause mortality in type 2 diabetes: a Danish population-based prospective observational study. BMJ Open Diabetes Research and Care, 2015, 3, e000060.	1.2	57
40	Association of self-perceived body image with body mass index and type 2 diabetesâ€"The ADDITION-PRO study. Preventive Medicine, 2015, 75, 64-69.	1.6	10
41	Impact of intensive treatment on serum methylglyoxal levels among individuals with screen-detected type 2 diabetes: the ADDITION-Denmark study. Acta Diabetologica, 2015, 52, 929-936.	1.2	8
42	Stability of the Associations between Early Life Risk Indicators and Adolescent Overweight over the Evolving Obesity Epidemic. PLoS ONE, 2014, 9, e95314.	1.1	6
43	A Combined Analysis of 48 Type 2 Diabetes Genetic Risk Variants Shows No Discriminative Value to Predict Time to First Prescription of a Glucose Lowering Drug in Danish Patients with Screen Detected Type 2 Diabetes. PLoS ONE, 2014, 9, e104837.	1.1	9
44	Effect of Early Multifactorial Therapy Compared With Routine Care on Microvascular Outcomes at 5 Years in People With Screen-Detected Diabetes: A Randomized Controlled Trial. Diabetes Care, 2014, 37, 2015-2023.	4.3	56
45	Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. Nature Genetics, 2014, 46, 294-298.	9.4	294
46	General practitioners trained in motivational interviewing can positively affect the attitude to behaviour change in people with type 2 diabetes. Scandinavian Journal of Primary Health Care, 2009, 27, 172-179.	0.6	79