
Thiago D CorrÃ^aa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2177392/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between Type of Fluid Received Prior to Enrollment, Type of Admission, and Effect of Balanced Crystalloid in Critically III Adults: A Secondary Exploratory Analysis of the BaSICS Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 1419-1428.	2.5	27
2	Antimicrobial Stewardship Programs: A Review of Strategies to Avoid Polymyxins and Carbapenems Misuse in Low Middle-Income Countries. Antibiotics, 2022, 11, 378.	1.5	4
3	Acute Kidney Injury and Renal Replacement Therapy in Critically Ill COVID-19 Patients: Risk Factors and Outcomes: A Single-Center Experience in Brazil. Blood Purification, 2021, 50, 520-530.	0.9	43
4	The effects of acute kidney injury in a multicenter cohort of high-risk surgical patients. Renal Failure, 2021, 43, 1338-1348.	0.8	3
5	The Perme Mobility Index: A new concept to assess mobility level in patients with coronavirus (COVID-19) infection. PLoS ONE, 2021, 16, e0250180.	1.1	7
6	Effect of spontaneous breathing on ventilator-free days in critically ill patients—an analysis of patients in a large observational cohort. Annals of Translational Medicine, 2021, 9, 783-783.	0.7	1
7	Effect of Slower vs Faster Intravenous Fluid Bolus Rates on Mortality in Critically Ill Patients. JAMA - Journal of the American Medical Association, 2021, 326, 830.	3.8	35
8	Impact of intensive care unit admission during handover on mortality: propensity matched cohort study. Einstein (Sao Paulo, Brazil), 2021, 19, eAO5748.	0.3	1
9	TELE-critical Care verSus usual Care On ICU PErformance (TELESCOPE): protocol for a cluster-randomised clinical trial on adult general ICUs in Brazil. BMJ Open, 2021, 11, e042302.	0.8	0
10	Postoperative hypothermia following non-cardiac high-risk surgery: A prospective study of temporal patterns and risk factors. PLoS ONE, 2021, 16, e0259789.	1.1	2
11	Cancer-Related Characteristics Associated With Invasive Mechanical Ventilation or In-Hospital Mortality in Patients With COVID-19 Admitted to ICU: A Cohort Multicenter Study. Frontiers in Oncology, 2021, 11, 746431.	1.3	2
12	Clinical characteristics and outcomes of COVID-19 patients admitted to the intensive care unit during the first year of the pandemic in Brazil: a single center retrospective cohort study. Einstein (Sao) Tj ETQq0 0 0 rgE	3Tø Qs verlo	ck1120 Tf 50 2
13	Comparison of three transfusion protocols prior to central venous catheterization in patients with cirrhosis: A randomized controlled trial. Journal of Thrombosis and Haemostasis, 2020, 18, 560-570.	1.9	30
14	Assessment of the peripheral microcirculation in patients with and without shock: a pilot study on different methods. Journal of Clinical Monitoring and Computing, 2020, 34, 1167-1176.	0.7	8
15	Defense mechanisms to increasing back pressure for hepatic oxygen transport and venous return in porcine fecal peritonitis. American Journal of Physiology - Renal Physiology, 2020, 319, G289-G302.	1.6	4
16	Intensive care unit patients'Âopinion on enrollment in clinical research: A multicenter survey. PLoS ONE, 2020, 15, e0236675.	1.1	2
17	Azithromycin in addition to standard of care versus standard of care alone in the treatment of patients admitted to the hospital with severe COVID-19 in Brazil (COALITION II): a randomised clinical trial. Lancet, The, 2020, 396, 959-967.	6.3	278
18	Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS. Chest, 2020, 158, 1947-1957.	0.4	12

#	Article	IF	CITATIONS
19	Reply to "Comment on â€~Comparison of three transfusion protocols prior to central venous catheterization in patients with cirrhosis; a randomized controlled trial'â€: Journal of Thrombosis and Haemostasis, 2020, 18, 754-755.	1.9	1
20	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. PLoS ONE, 2020, 15, e0230971.	1.1	22
21	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. PLoS ONE, 2020, 15, e0243604.	1.1	44
22	Intensive support recommendations for critically-ill patients with suspected or confirmed COVID-19 infection. Einstein (Sao Paulo, Brazil), 2020, 18, eAE5793.	0.3	8
23	Posicionamento para Ressuscitação Cardiopulmonar de Pacientes com Diagnóstico ou Suspeita de COVID-19 – 2020. Arquivos Brasileiros De Cardiologia, 2020, 114, 1078-1087.	0.3	11
24	Epidemiology and outcome of high-surgical-risk patients admitted to an intensive care unit in Brazil. Revista Brasileira De Terapia Intensiva, 2020, 32, 17-27.	0.1	7
25	Comment to: Intensive support recommendations for critically-ill patients with suspected or confirmed COVID-19 infection. Einstein (Sao Paulo, Brazil), 2020, 18, eCE5931.	0.3	3
26	Regional venous–arterial CO2 to arterial–venous O2 content difference ratio in experimental circulatory shock and hypoxia. Intensive Care Medicine Experimental, 2020, 8, 64.	0.9	2
27	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		Ο
28	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		0
29	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		0
30	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		0
31	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		Ο
32	Mobilization practices in the ICU: A nationwide 1-day point- prevalence study in Brazil. , 2020, 15, e0230971.		0
33	Intensive care unit patients' opinion on enrollment in clinical research: A multicenter survey. , 2020, 15, e0236675.		Ο
34	Intensive care unit patients' opinion on enrollment in clinical research: A multicenter survey. , 2020, 15, e0236675.		0
35	Intensive care unit patients' opinion on enrollment in clinical research: A multicenter survey. , 2020, 15, e0236675.		0
36	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		0

#	Article	IF	CITATIONS
37	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		Ο
38	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		0
39	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		Ο
40	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		0
41	Coagulation profile of COVID-19 patients admitted to the ICU: An exploratory study. , 2020, 15, e0243604.		Ο
42	ICU staffing feature phenotypes and their relationship with patients' outcomes: an unsupervised machine learning analysis. Intensive Care Medicine, 2019, 45, 1599-1607.	3.9	46
43	Would you like to be admitted to the ICU? The preferences of intensivists and general public according to different outcomes. Journal of Critical Care, 2019, 53, 193-197.	1.0	5
44	Near-infrared spectroscopy parameters in patients undergoing continuous venovenous hemodiafiltration. Einstein (Sao Paulo, Brazil), 2019, 17, eAO4439.	0.3	4
45	Role of organisational factors on the â€`weekend effect' in critically ill patients in Brazil: a retrospective cohort analysis. BMJ Open, 2018, 8, e018541.	0.8	14
46	Assessment of fluid responsiveness in spontaneously breathing patients: a systematic review of literature. Annals of Intensive Care, 2018, 8, 21.	2.2	42
47	Low- Versus High-Chloride Content Intravenous Solutions for Critically III and Perioperative Adult Patients: A Systematic Review and Meta-analysis. Anesthesia and Analgesia, 2018, 126, 513-521.	1.1	24
48	Muscle membrane properties in A pig sepsis model: Effect of norepinephrine. Muscle and Nerve, 2018, 57, 808-813.	1.0	10
49	Nighttime intensive care unit discharge and outcomes: A propensity matched retrospective cohort study. PLoS ONE, 2018, 13, e0207268.	1.1	4
50	Mechanical power of ventilation is associated with mortality in critically ill patients: an analysis of patients in two observational cohorts. Intensive Care Medicine, 2018, 44, 1914-1922.	3.9	323
51	Association of frailty with short-term outcomes, organ support and resource use in critically ill patients. Intensive Care Medicine, 2018, 44, 1512-1520.	3.9	94
52	Thromboelastometry profile in critically ill patients: A single-center, retrospective, observational study. PLoS ONE, 2018, 13, e0192965.	1.1	16
53	Thromboelastometry versus standard coagulation tests versus restrictive protocol to guide blood transfusion prior to central venous catheterization in cirrhosis: study protocol for a randomized controlled trial. Trials, 2017, 18, 85.	0.7	12
54	Time course of blood lactate levels, inflammation, and mitochondrial function in experimental sepsis. Critical Care, 2017, 21, 105.	2.5	18

#	Article	IF	CITATIONS
55	Readmission to the Intensive Care Unit: Incidence, Risk Factors, Resource Use, and Outcomes. A Retrospective Cohort Study. Annals of the American Thoracic Society, 2017, 14, 1312-1319.	1.5	73
56	Vasodilators in Septic Shock Resuscitation. Shock, 2017, 47, 269-275.	1.0	13
57	Thromboelastometryâ€guided blood transfusion in septic shock complicated with disseminated intravascular coagulation: a case report. Clinical Case Reports (discontinued), 2017, 5, 701-706.	0.2	0
58	Thromboelastometry analysis of thrombocytopenic dengue patients: a cross-sectional study. BMC Infectious Diseases, 2017, 17, 89.	1.3	9
59	A new era of thromboelastometry. Einstein (Sao Paulo, Brazil), 2017, 15, 380-385.	0.3	39
60	Outcomes of patients with altered level of consciousness and abnormal electroencephalogram: A retrospective cohort study. PLoS ONE, 2017, 12, e0184050.	1.1	2
61	Study protocol for the Balanced Solution versus Saline in Intensive Care Study (BaSICS): a factorial randomised trial. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2017, 19, 175-182.	0.0	19
62	Blood Lactate Levels Cutoff and Mortality Prediction in Sepsis—Time for a Reappraisal? a Retrospective Cohort Study. Shock, 2016, 46, 480-485.	1.0	87
63	Defining and treating acute kidney injury patients in Brazilian intensive care units: Results from a cross-sectional nationwide survey. Journal of Critical Care, 2016, 34, 33-37.	1.0	8
64	Effects of Organizational Characteristics on Outcomes and Resource Use in Patients With Cancer Admitted to Intensive Care Units. Journal of Clinical Oncology, 2016, 34, 3315-3324.	0.8	96
65	Performance of noninvasive ventilation in acute respiratory failure in critically ill patients: a prospective, observational, cohort study. BMC Pulmonary Medicine, 2015, 15, 144.	0.8	62
66	Arterial blood pressure targets in septic shock: is it time to move to an individualized approach?. Critical Care, 2015, 19, 264.	2.5	10
67	Thromboelastometry-guided hemostatic therapy: an efficacious approach to manage bleeding risk in acute fatty liver of pregnancy: a case report. Journal of Medical Case Reports, 2015, 9, 202.	0.4	10
68	Comparative analysis of survival between elderly and non-elderly severe sepsis and septic shock resuscitated patients. Einstein (Sao Paulo, Brazil), 2015, 13, 357-363.	0.3	11
69	How to choose the therapeutic goals to improve tissue perfusion in septic shock. Einstein (Sao Paulo,) Tj ETQq1	1 0.78431 0.3	.4 ggBT /Ove
70	Fluid therapy for septic shock resuscitation: which fluid should be used?. Einstein (Sao Paulo, Brazil), 2015, 13, 462-468.	0.3	15
71	Inaccuracy of Venous Point-of-Care Glucose Measurements in Critically III Patients: A Cross-Sectional Study. PLoS ONE, 2015, 10, e0129568.	1.1	16
72	Current concepts on hemodynamic support and therapy in septic shock. Brazilian Journal of Anesthesiology (Elsevier), 2015, 65, 395-402.	0.2	6

#	Article	IF	CITATIONS
73	Angiotensin II in septic shock. Critical Care, 2015, 19, 98.	2.5	78
74	Is lactate clearance impaired in septic shock?. Critical Care, 2015, 19, 306.	2.5	0
75	Organizational characteristics, outcomes, and resource use in 78 Brazilian intensive care units: the ORCHESTRA study. Intensive Care Medicine, 2015, 41, 2149-2160.	3.9	119
76	Angiotensin II in Septic Shock. Critical Care Medicine, 2014, 42, e550-e559.	0.4	61
77	Effect of treatment delay on disease severity and need for resuscitation in porcine fecal peritonitis. Critical Care Medicine, 2012, 40, 2841-2849.	0.4	53
78	Avaliação da percepção de enfermeiros sobre três protocolos para controle glicêmico em pacientes crÃŧicos. Einstein (Sao Paulo, Brazil), 2012, 10, 347-353.	0.3	7
79	Catheter Related Bloodstream Infection (CR-BSI) in ICU Patients: Making the Decision to Remove or Not to Remove the Central Venous Catheter. PLoS ONE, 2012, 7, e32687.	1.1	17
80	A randomized controlled trial comparing a computer-assisted insulin infusion protocol with a strict and a conventional protocol for glucose control in critically ill patients. Journal of Critical Care, 2009, 24, 371-378.	1.0	52
81	Acute coronary syndromes: treatment and risk stratification. Revista Brasileira De Terapia Intensiva, 2008, 20, 197-204.	0.1	1
82	Antibiotic prophylaxis in prostate biopsy: a comparative randomized clinical assay between ciprofloxacin, norfloxacin and chloramphenicol. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2003, 29, 313-319.	0.7	20