

Thomas Brner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2178304/thomas-borner-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

8,182
citations

53
h-index

89
g-index

117
ext. papers

8,986
ext. citations

6.8
avg, IF

5.75
L-index

#	Paper	IF	Citations
112	., Is a Strong Candidate Gene for Barley Variegation Mutant as Revealed by Genetic Mapping and Genomic Re-sequencing. <i>Frontiers in Plant Science</i> , 2021 , 12, 664085	6.2	0
111	The Arabidopsis AAC Proteins CIL and CIA2 Are Sub-functionalized Paralogs Involved in Chloroplast Development. <i>Frontiers in Plant Science</i> , 2021 , 12, 681375	6.2	4
110	Mutation of the Ohnologous Gene Impairs Chloroplast Development and Thylakoid Architecture in Barley. <i>Frontiers in Plant Science</i> , 2021 , 12, 732608	6.2	2
109	Chloroplast nucleoids are highly dynamic in ploidy, number, and structure during angiosperm leaf development. <i>Plant Journal</i> , 2020 , 102, 730-746	6.9	15
108	Leaf Variegation and Impaired Chloroplast Development Caused by a Truncated CCT Domain Gene in Barley. <i>Plant Cell</i> , 2019 , 31, 1430-1445	11.6	31
107	Transcription of Plastid Genes 2018 , 184-224		
106	The discovery of plastid-to-nucleus retrograde signaling-a personal perspective. <i>Protoplasma</i> , 2017 , 254, 1845-1855	3.4	23
105	In vitro promoter recognition by the catalytic subunit of plant phage-type RNA polymerases. <i>Plant Molecular Biology</i> , 2016 , 92, 357-69	4.6	2
104	Chloroplast RNA polymerases: Role in chloroplast biogenesis. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015 , 1847, 761-9	4.6	133
103	Identification of Early Nuclear Target Genes of Plastidial Redox Signals that Trigger the Long-Term Response of Arabidopsis to Light Quality Shifts. <i>Molecular Plant</i> , 2015 , 8, 1237-52	14.4	26
102	Abscisic acid affects transcription of chloroplast genes via protein phosphatase 2C-dependent activation of nuclear genes: repression by guanosine-3'5'-bisphosphate and activation by sigma factor 5. <i>Plant Journal</i> , 2015 , 82, 1030-1041	6.9	53
101	Transcriptomic response to prolonged ethanol production in the cyanobacterium <i>Synechocystis</i> sp. PCC6803. <i>Biotechnology for Biofuels</i> , 2014 , 7, 21	7.8	49
100	Inhibition of the electron transport strongly affects transcription and transcript levels in Arabidopsis mitochondria. <i>Mitochondrion</i> , 2014 , 19 Pt B, 222-30	4.9	9
99	Chloroplast Gene Expression RNA Synthesis and Processing 2014 , 3-47		5
98	Mitochondrial atp9 genes from petaloid male-sterile and male-fertile carrots differ in their status of heteroplasmy, recombination involvement, post-transcriptional processing as well as accumulation of RNA and protein product. <i>Theoretical and Applied Genetics</i> , 2014 , 127, 1689-701	6	18
97	Chloroplast DNA in mature and senescing leaves: a reappraisal. <i>Plant Cell</i> , 2014 , 26, 847-54	11.6	38
96	A third mitochondrial RNA polymerase in the moss <i>Physcomitrella patens</i> . <i>Current Genetics</i> , 2014 , 60, 25-34	2.9	4

95	Mutation of the pentatricopeptide repeat-SMR protein SVR7 impairs accumulation and translation of chloroplast ATP synthase subunits in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Research</i> , 2013 , 126, 403-14	2.6	40
94	Biparental inheritance of organelles in <i>Pelargonium</i> : evidence for intergenomic recombination of mitochondrial DNA. <i>Planta</i> , 2013 , 237, 509-15	4.7	9
93	Development-Dependent Changes in the Amount and Structural Organization of Plastid DNA. <i>Advances in Photosynthesis and Respiration</i> , 2013 , 215-237	1.7	13
92	Abscisic acid represses the transcription of chloroplast genes. <i>Journal of Experimental Botany</i> , 2013 , 64, 4491-502	7	42
91	Transcription and Transcription Regulation in Chloroplasts and Mitochondria of Higher Plants 2012 , 297-325		4
90	Protein-mediated protection as the predominant mechanism for defining processed mRNA termini in land plant chloroplasts. <i>Nucleic Acids Research</i> , 2012 , 40, 3092-105	20.1	97
89	The primary transcriptome of barley chloroplasts: numerous noncoding RNAs and the dominating role of the plastid-encoded RNA polymerase. <i>Plant Cell</i> , 2012 , 24, 123-36	11.6	155
88	The cyanobacterial hepatotoxin microcystin binds to proteins and increases the fitness of microcystis under oxidative stress conditions. <i>PLoS ONE</i> , 2011 , 6, e17615	3.7	269
87	The transcription machineries of plant mitochondria and chloroplasts: Composition, function, and regulation. <i>Journal of Plant Physiology</i> , 2011 , 168, 1345-60	3.6	172
86	Methyl jasmonate, gibberellic acid, and auxin affect transcription and transcript accumulation of chloroplast genes in barley. <i>Journal of Plant Physiology</i> , 2011 , 168, 1335-44	3.6	30
85	Reverse protection assay: a tool to analyze transcriptional rates from individual promoters. <i>Plant Methods</i> , 2011 , 7, 47	5.8	5
84	Measurement of transcription rates in <i>Arabidopsis</i> chloroplasts. <i>Methods in Molecular Biology</i> , 2011 , 774, 171-82	1.4	8
83	Transcription in Plant Mitochondria 2011 , 85-105		7
82	A mitochondrial rRNA dimethyladenosine methyltransferase in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2010 , 61, 558-69	6.9	28
81	Fewer genes than organelles: extremely low and variable gene copy numbers in mitochondria of somatic plant cells. <i>Plant Journal</i> , 2010 , 64, 948-59	6.9	107
80	An organellar maturase associates with multiple group II introns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 3245-50	11.5	119
79	Evolution of plant phage-type RNA polymerases: the genome of the basal angiosperm <i>Nuphar advena</i> encodes two mitochondrial and one plastid phage-type RNA polymerases. <i>BMC Evolutionary Biology</i> , 2010 , 10, 379	3	17
78	Phage-type RNA polymerase RPOTmp performs gene-specific transcription in mitochondria of <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2009 , 21, 2762-79	11.6	116

77	Biparental inheritance of plastidial and mitochondrial DNA and hybrid variegation in <i>Pelargonium</i> . <i>Molecular Genetics and Genomics</i> , 2009 , 282, 587-93	3.1	33
76	Evolution of phage-type RNA polymerases in higher plants: characterization of the single phage-type RNA polymerase gene from <i>Selaginella moellendorffii</i> . <i>Journal of Molecular Evolution</i> , 2009 , 68, 528-38	3.1	15
75	An extracellular glycoprotein is implicated in cell-cell contacts in the toxic cyanobacterium <i>Microcystis aeruginosa</i> PCC 7806. <i>Journal of Bacteriology</i> , 2008 , 190, 2871-9	3.5	56
74	Cytokinin stimulates chloroplast transcription in detached barley leaves. <i>Plant Physiology</i> , 2008 , 148, 1082-93	6.6	92
73	The barley plastome mutant CL2 affects expression of nuclear and chloroplast housekeeping genes in a cell-age dependent manner. <i>Molecular Genetics and Genomics</i> , 2008 , 279, 403-14	3.1	9
72	Complex chloroplast RNA metabolism: just debugging the genetic programme?. <i>BMC Biology</i> , 2008 , 6, 36	7.3	74
71	Impaired function of the phage-type RNA polymerase RpoTp in transcription of chloroplast genes is compensated by a second phage-type RNA polymerase. <i>Nucleic Acids Research</i> , 2008 , 36, 785-92	20.1	58
70	Biosynthesis and structure of aeruginoside 126A and 126B, cyanobacterial peptide glycosides bearing a 2-carboxy-6-hydroxyoctahydroindole moiety. <i>Chemistry and Biology</i> , 2007 , 14, 565-576		85
69	Involvement of Cyanobacterial Phytochromes in Growth Under Different Light Qualities and Quantities. <i>Photochemistry and Photobiology</i> , 2007 , 79, 551-555	3.6	
68	Towards clarification of the biological role of microcystins, a family of cyanobacterial toxins. <i>Environmental Microbiology</i> , 2007 , 9, 965-70	5.2	160
67	From seedling to mature plant: arabidopsis plastidial genome copy number, RNA accumulation and transcription are differentially regulated during leaf development. <i>Plant Journal</i> , 2007 , 50, 710-22	6.9	145
66	High diversity of plastidial promoters in <i>Arabidopsis thaliana</i> . <i>Molecular Genetics and Genomics</i> , 2007 , 277, 725-34	3.1	68
65	<i>Arabidopsis</i> phage-type RNA polymerases: accurate in vitro transcription of organellar genes. <i>Plant Cell</i> , 2007 , 19, 959-71	11.6	57
64	Transcription and transcriptional regulation in plastids. <i>Topics in Current Genetics</i> , 2007 , 121-174		63
63	Faithful transcription initiation from a mitochondrial promoter in transgenic plastids. <i>Nucleic Acids Research</i> , 2007 , 35, 7256-66	20.1	19
62	Transposons inactivate biosynthesis of the nonribosomal peptide microcystin in naturally occurring <i>Planktothrix</i> spp. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 117-23	4.8	68
61	Relaxed transcription in <i>Arabidopsis</i> mitochondria is counterbalanced by RNA stability control mediated by polyadenylation and polynucleotide phosphorylase. <i>Molecular and Cellular Biology</i> , 2006 , 26, 2869-76	4.8	91
60	Development- and tissue-specific expression of the RpoT gene family of <i>Arabidopsis</i> encoding mitochondrial and plastid RNA polymerases. <i>Planta</i> , 2006 , 223, 998-1009	4.7	33

59	Multiple promoters are a common feature of mitochondrial genes in Arabidopsis. <i>Nucleic Acids Research</i> , 2005 , 33, 337-46	20.1	108
58	Mitochondrial effects on flower and pollen development. <i>Mitochondrion</i> , 2005 , 5, 389-402	4.9	90
57	Red and far-red light alter the transcript profile in the cyanobacterium <i>Synechocystis</i> sp. PCC 6803: impact of cyanobacterial phytochromes. <i>FEBS Letters</i> , 2005 , 579, 1613-8	3.8	31
56	Molecular Biology of Cyanobacterial Toxins 2005 , 25-40		20
55	Ingestion of microcystins by <i>Daphnia</i> : Intestinal uptake and toxic effects. <i>Limnology and Oceanography</i> , 2005 , 50, 440-448	4.8	78
54	Phototaxis in the cyanobacterium <i>Synechocystis</i> sp. PCC 6803: role of different photoreceptors. <i>Photochemistry and Photobiology</i> , 2005 , 81, 1481-8	3.6	60
53	Genetic contributions to the risk assessment of microcystin in the environment. <i>Toxicology and Applied Pharmacology</i> , 2005 , 203, 192-200	4.6	78
52	Inactivation of an ABC transporter gene, <i>mcyH</i> , results in loss of microcystin production in the cyanobacterium <i>Microcystis aeruginosa</i> PCC 7806. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6370-8	4.8	130
51	Overexpression of phage-type RNA polymerase RpoTp in tobacco demonstrates its role in chloroplast transcription by recognizing a distinct promoter type. <i>Nucleic Acids Research</i> , 2004 , 32, 1159-65	20.1	49
50	Abundance of active and inactive microcystin genotypes in populations of the toxic cyanobacterium <i>Planktothrix</i> spp. <i>Environmental Microbiology</i> , 2004 , 6, 831-41	5.2	149
49	Phylogenetic evidence for the early evolution of microcystin synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 568-73	11.5	372
48	Chloroplast development affects expression of phage-type RNA polymerases in barley leaves. <i>Plant Journal</i> , 2004 , 38, 460-72	6.9	82
47	The white barley mutant <i>albostrians</i> shows enhanced resistance to the biotroph <i>Blumeria graminis</i> f. sp. <i>hordei</i> . <i>Molecular Plant-Microbe Interactions</i> , 2004 , 17, 374-82	3.6	16
46	Involvement of cyanobacterial phytochromes in growth under different light qualities and quantities. <i>Photochemistry and Photobiology</i> , 2004 , 79, 551-5	3.6	24
45	The <i>mcyF</i> gene of the microcystin biosynthetic gene cluster from <i>Microcystis aeruginosa</i> encodes an aspartate racemase. <i>Biochemical Journal</i> , 2003 , 373, 909-16	3.8	47
44	PCR-based identification of microcystin-producing genotypes of different cyanobacterial genera. <i>Archives of Microbiology</i> , 2003 , 180, 402-10	3	192
43	Flower development in carrot CMS plants: mitochondria affect the expression of MADS box genes homologous to <i>GLOBOSA</i> and <i>DEFICIENS</i> . <i>Plant Journal</i> , 2003 , 34, 27-37	6.9	86
42	Metabolic control of the tetrapyrrole biosynthetic pathway for porphyrin distribution in the barley mutant <i>albostrians</i> . <i>Plant Journal</i> , 2003 , 35, 512-22	6.9	46

41	Microcystin biosynthesis in planktothrix: genes, evolution, and manipulation. <i>Journal of Bacteriology</i> , 2003 , 185, 564-72	3.5	277
40	Detection of hepatotoxic <i>Microcystis</i> strains by PCR with intact cells from both culture and environmental samples. <i>Archives of Microbiology</i> , 2002 , 178, 421-7	3	57
39	The cyanobacterial phytochrome Cph2 inhibits phototaxis towards blue light. <i>Molecular Microbiology</i> , 2002 , 44, 981-8	4.1	94
38	Six active phage-type RNA polymerase genes in <i>Nicotiana tabacum</i> . <i>Plant Journal</i> , 2002 , 30, 625-37	6.9	87
37	Chloroplasts affect the leaf response to cytokinin. <i>Journal of Plant Physiology</i> , 2002 , 159, 1309-1316	3.6	25
36	Two RpoT genes of <i>Physcomitrella patens</i> encode phage-type RNA polymerases with dual targeting to mitochondria and plastids. <i>Gene</i> , 2002 , 290, 95-105	3.8	89
35	Characterization of the Cph1 holo-phytochrome from <i>Synechocystis</i> sp. PCC 6803. <i>FEBS Journal</i> , 2001 , 268, 2055-63		72
34	Altered expression of two light-dependent genes in a microcystin-lacking mutant of <i>Microcystis aeruginosa</i> PCC 7806. <i>Microbiology (United Kingdom)</i> , 2001 , 147, 3113-9	2.9	90
33	Structural organization of microcystin biosynthesis in <i>Microcystis aeruginosa</i> PCC7806: an integrated peptide-polyketide synthetase system. <i>Chemistry and Biology</i> , 2000 , 7, 753-64		671
32	Phage T4-like intermediates of DNA replication and recombination in the mitochondria of the higher plant <i>Chenopodium album</i> (L.). <i>Current Genetics</i> , 2000 , 37, 304-14	2.9	87
31	One RNA polymerase serving two genomes. <i>EMBO Reports</i> , 2000 , 1, 435-40	6.5	186
30	Green fluorescent protein as a marker to investigate targeting of organellar RNA polymerases of higher plants in vivo. <i>Plant Journal</i> , 1999 , 17, 557-61	6.9	61
29	Inter-organellar crosstalk in higher plants: impaired chloroplast development affects mitochondrial gene and transcript levels. <i>Plant Journal</i> , 1999 , 19, 635-43	6.9	87
28	Cloning and characterization of three cDNAs encoding chloroplast RNA-binding proteins from barley (<i>Hordeum vulgare</i> L.): differential regulation of expression by light and plastid development. <i>Current Genetics</i> , 1999 , 36, 173-81	2.9	26
27	Transcription and the architecture of promoters in chloroplasts. <i>Trends in Plant Science</i> , 1999 , 4, 169-170 _{13.1}		58
26	Organellar RNA polymerases of higher plants. <i>International Review of Cytology</i> , 1999 , 190, 1-59		198
25	A gene family encoding glutathione peroxidase homologues in <i>Hordeum vulgare</i> (barley). <i>FEBS Letters</i> , 1999 , 459, 33-8	3.8	51
24	Characterisation of transcript initiation sites in ribosome-deficient barley plastids. <i>Plant Molecular Biology</i> , 1998 , 36, 493-6	4.6	53

23	Analysis of randomly selected cDNAs reveals the expression of stress- and defence-related genes in the barley mutant albobstrians. <i>Plant Science</i> , 1998 , 133, 191-201	5.3	22
22	Cloning and expression of a new cDNA from monocotyledonous plants coding for a diadenosine 5'5'PPP1,P4-tetraphosphate hydrolase from barley (<i>Hordeum vulgare</i>). <i>FEBS Letters</i> , 1998 , 431, 481-5	3.8	6
21	Splicing and intron-internal RNA editing of trnK-matK transcripts in barley plastids: support for MatK as an essential splice factor. <i>Journal of Molecular Biology</i> , 1997 , 270, 179-87	6.5	78
20	The mystery of the rings: structure and replication of mitochondrial genomes from higher plants. <i>Trends in Plant Science</i> , 1997 , 2, 477-483	13.1	126
19	Disruption of a <i>Synechocystis</i> sp. PCC 6803 gene with partial similarity to phytochrome genes alters growth under changing light qualities. <i>FEBS Letters</i> , 1997 , 406, 89-92	3.8	85
18	A putative cytochrome c biogenesis gene in <i>Synechocystis</i> sp. PCC 6803. <i>FEBS Letters</i> , 1997 , 408, 201-5	3.8	13
17	Decrease in glycolate pathway enzyme activities in plastids and peroxisomes of the albobstrians mutant of barley (<i>Hordeum vulgare</i> L.). <i>Plant Science</i> , 1997 , 124, 33-40	5.3	15
16	A prokaryotic phytochrome. <i>Nature</i> , 1997 , 386, 663	50.4	293
15	High content, size and distribution of single-stranded DNA in the mitochondria of <i>Chenopodium album</i> (L.). <i>Plant Molecular Biology</i> , 1997 , 33, 1037-50	4.6	31
14	Insertional mutagenesis of a peptide synthetase gene that is responsible for hepatotoxin production in the cyanobacterium <i>Microcystis aeruginosa</i> PCC 7806. <i>Molecular Microbiology</i> , 1997 , 26, 779-87	4.1	312
13	Impaired splicing of the rps12 transcript in ribosome-deficient plastids. <i>Plant Molecular Biology</i> , 1996 , 30, 109-23	4.6	48
12	Toxic and non-toxic strains of the cyanobacterium <i>Microcystis aeruginosa</i> contain sequences homologous to peptide synthetase genes. <i>FEMS Microbiology Letters</i> , 1996 , 135, 295-303	2.9	76
11	Cloning and sequencing of mutant <i>psbB</i> genes of the cyanobacterium <i>Synechocystis</i> PCC 6803. <i>Photosynthesis Research</i> , 1993 , 37, 139-46	3.7	21
10	Chlorophyll Synthetase and Chloroplast tRNA ^{glu} are Present in Heat-Bleached, Ribosome-Deficient Plastids. <i>Journal of Plant Physiology</i> , 1992 , 139, 427-430	3.6	14
9	Components of chlorophyll biosynthesis in a barley albina mutant unable to synthesize δ -aminolevulinic acid by utilizing the transfer RNA for glutamic acid. <i>Planta</i> , 1992 , 188, 19-27	4.7	9
8	Plastome mutants. <i>Plant Molecular Biology Reporter</i> , 1986 , 4, 69-92	1.7	43
7	Polar lipid composition of a plastid ribosome-deficient barley mutant. <i>Plant Physiology</i> , 1982 , 69, 1467-70.6	7.6	34
6	Hybrid variegation in the genus <i>Pelargonium</i> . <i>Current Genetics</i> , 1982 , 5, 245-9	2.9	32

5	Enzymes of Plastid Ribosome-deficient Mutants. Ferredoxin-NADP+ Reductase. <i>Biochemie Und Physiologie Der Pflanzen</i> , 1981 , 176, 737-743		3
4	Cytoplasmic synthesis of plastid polypeptides may be controlled by plastid-synthesised RNA. <i>Nature</i> , 1979 , 279, 816-817	50.4	173
3	Transcription of Plastid Genes 184-224		19
2	Leaf Variegation and Impaired Chloroplast Development Caused by a Truncated CCT Domain gene in albobstrians Barley		1
1	Mutation of the ALBOSTRIANS Ohnologous Gene HvCMF3 Impairs Chloroplast Development and Thylakoid Architecture in Barley due to Reduced Plastid Translation		4