Thomas Börner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2178304/publications.pdf

Version: 2024-02-01

		28242	37183
110	9,762	55	96
papers	citations	h-index	g-index
117	117	117	6193
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	ATP-Dependent Clp Protease Subunit C1, HvClpC1, Is a Strong Candidate Gene for Barley Variegation Mutant luteostrians as Revealed by Genetic Mapping and Genomic Re-sequencing. Frontiers in Plant Science, 2021, 12, 664085.	1.7	2
2	The Arabidopsis AAC Proteins CIL and CIA2 Are Sub-functionalized Paralogs Involved in Chloroplast Development. Frontiers in Plant Science, 2021, 12, 681375.	1.7	6
3	Mutation of the ALBOSTRIANS Ohnologous Gene HvCMF3 Impairs Chloroplast Development and Thylakoid Architecture in Barley. Frontiers in Plant Science, 2021, 12, 732608.	1.7	7
4	Chloroplast nucleoids are highly dynamic in ploidy, number, and structure during angiosperm leaf development. Plant Journal, 2020, 102, 730-746.	2.8	43
5	Leaf Variegation and Impaired Chloroplast Development Caused by a Truncated CCT Domain Gene in <i>albostrians</i> Barley. Plant Cell, 2019, 31, 1430-1445.	3.1	52
6	The discovery of plastid-to-nucleus retrograde signalingâ€"a personal perspective. Protoplasma, 2017, 254, 1845-1855.	1.0	37
7	In vitro promoter recognition by the catalytic subunit of plant phage-type RNA polymerases. Plant Molecular Biology, 2016, 92, 357-369.	2.0	2
8	Abscisic acid affects transcription of chloroplast genes via protein phosphatase 2Câ€dependent activation of nuclear genes: repression by guanosineâ€3′â€5′â€bisdiphosphate and activation by sigma factor Plant Journal, 2015, 82, 1030-1041.	O2.5.	79
9	Chloroplast RNA polymerases: Role in chloroplast biogenesis. Biochimica Et Biophysica Acta - Bioenergetics, 2015, 1847, 761-769.	0.5	191
10	Identification of Early Nuclear Target Genes of Plastidial Redox Signals that Trigger the Long-Term Response of Arabidopsis to Light Quality Shifts. Molecular Plant, 2015, 8, 1237-1252.	3.9	38
11	Chloroplast DNA in Mature and Senescing Leaves: A Reappraisal Â. Plant Cell, 2014, 26, 847-854.	3.1	65
12	A third mitochondrial RNA polymerase in the moss Physcomitrella patens. Current Genetics, 2014, 60, 25-34.	0.8	4
13	Transcriptomic response to prolonged ethanol production in the cyanobacterium Synechocystis sp. PCC6803. Biotechnology for Biofuels, 2014, 7, 21.	6.2	54
14	Inhibition of the electron transport strongly affects transcription and transcript levels in Arabidopsis mitochondria. Mitochondrion, 2014, 19, 222-230.	1.6	11
15	Chloroplast Gene Expressionâ€"RNA Synthesis and Processing. , 2014, , 3-47.		10
16	Mitochondrial atp9 genes from petaloid male-sterile and male-fertile carrots differ in their status of heteroplasmy, recombination involvement, post-transcriptional processing as well as accumulation of RNA and protein product. Theoretical and Applied Genetics, 2014, 127, 1689-1701.	1.8	23
17	Mutation of the pentatricopeptide repeat-SMR protein SVR7 impairs accumulation and translation of chloroplast ATP synthase subunits in Arabidopsis thaliana. Journal of Plant Research, 2013, 126, 403-414.	1.2	55
18	Biparental inheritance of organelles in Pelargonium: evidence for intergenomic recombination of mitochondrial DNA. Planta, 2013, 237, 509-515.	1.6	22

#	Article	IF	Citations
19	Development-Dependent Changes in the Amount and Structural Organization of Plastid DNA. Advances in Photosynthesis and Respiration, 2013, , 215-237.	1.0	15
20	Abscisic acid represses the transcription of chloroplast genes*. Journal of Experimental Botany, 2013, 64, 4491-4502.	2.4	49
21	Protein-mediated protection as the predominant mechanism for defining processed mRNA termini in land plant chloroplasts. Nucleic Acids Research, 2012, 40, 3092-3105.	6.5	116
22	The Primary Transcriptome of Barley Chloroplasts: Numerous Noncoding RNAs and the Dominating Role of the Plastid-Encoded RNA Polymerase Â. Plant Cell, 2012, 24, 123-136.	3.1	186
23	Transcription and Transcription Regulation in Chloroplasts and Mitochondria of Higher Plants. , 2012, , 297-325.		9
24	The Cyanobacterial Hepatotoxin Microcystin Binds to Proteins and Increases the Fitness of Microcystis under Oxidative Stress Conditions. PLoS ONE, 2011, 6, e17615.	1,1	367
25	The transcription machineries of plant mitochondria and chloroplasts: Composition, function, and regulation. Journal of Plant Physiology, 2011, 168, 1345-1360.	1.6	192
26	Methyl jasmonate, gibberellic acid, and auxin affect transcription and transcript accumulation of chloroplast genes in barley. Journal of Plant Physiology, 2011, 168, 1335-1344.	1.6	36
27	Regulation of plant primary metabolism. Journal of Plant Physiology, 2011, 168, 1309-1310.	1.6	1
28	Reverse protection assay: a tool to analyze transcriptional rates from individual promoters. Plant Methods, 2011, 7, 47.	1.9	6
29	Transcription in Plant Mitochondria. , 2011, , 85-105.		8
30	Measurement of Transcription Rates in Arabidopsis Chloroplasts. Methods in Molecular Biology, 2011, 774, 171-182.	0.4	8
31	Evolution of plant phage-type RNA polymerases: the genome of the basal angiosperm Nuphar advena encodes two mitochondrial and one plastid phage-type RNA polymerases. BMC Evolutionary Biology, 2010, 10, 379.	3.2	19
32	A mitochondrial rRNA dimethyladenosine methyltransferase in Arabidopsis. Plant Journal, 2010, 61, 558-569.	2.8	31
33	Fewer genes than organelles: extremely low and variable gene copy numbers in mitochondria of somatic plant cells. Plant Journal, 2010, 64, 948-959.	2.8	160
34	An organellar maturase associates with multiple group II introns. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 3245-3250.	3.3	161
35	Phage-Type RNA Polymerase RPOTmp Performs Gene-Specific Transcription in Mitochondria of Arabidopsis thaliana Â. Plant Cell, 2009, 21, 2762-2779.	3.1	134
36	Biparental inheritance of plastidial and mitochondrial DNA and hybrid variegation in Pelargonium. Molecular Genetics and Genomics, 2009, 282, 587-593.	1.0	41

#	Article	IF	CITATIONS
37	Evolution of Phage-Type RNA Polymerases in Higher Plants: Characterization of the Single Phage-Type RNA Polymerase Gene from Selaginella moellendorffii. Journal of Molecular Evolution, 2009, 68, 528-538.	0.8	15
38	The barley plastome mutant CL2 affects expression of nuclear and chloroplast housekeeping genes in a cell-age dependent manner. Molecular Genetics and Genomics, 2008, 279, 403-414.	1.0	14
39	Complex chloroplast RNA metabolism: just debugging the genetic programme?. BMC Biology, 2008, 6, 36.	1.7	87
40	An Extracellular Glycoprotein Is Implicated in Cell-Cell Contacts in the Toxic Cyanobacterium (i) Microcystis aeruginosa (i) PCC 7806. Journal of Bacteriology, 2008, 190, 2871-2879.	1.0	61
41	Cytokinin Stimulates Chloroplast Transcription in Detached Barley Leaves. Plant Physiology, 2008, 148, 1082-1093.	2.3	99
42	Arabidopsis Phage-Type RNA Polymerases: Accurate in Vitro Transcription of Organellar Genes. Plant Cell, 2007, 19, 959-971.	3.1	66
43	Impaired function of the phage-type RNA polymerase RpoTp in transcription of chloroplast genes is compensated by a second phage-type RNA polymerase. Nucleic Acids Research, 2007, 36, 785-792.	6.5	63
44	Transcription and transcriptional regulation in plastids. Topics in Current Genetics, 2007, , 121-174.	0.7	75
45	Faithful transcription initiation from a mitochondrial promoter in transgenic plastids. Nucleic Acids Research, 2007, 35, 7256-7266.	6.5	20
46	Biosynthesis and Structure of Aeruginoside 126A and 126B, Cyanobacterial Peptide Glycosides Bearing a 2-Carboxy-6-Hydroxyoctahydroindole Moiety. Chemistry and Biology, 2007, 14, 565-576.	6.2	101
47	Towards clarification of the biological role of microcystins, a family of cyanobacterial toxins. Environmental Microbiology, 2007, 9, 965-970.	1.8	187
48	From seedling to mature plant: Arabidopsis plastidial genome copy number, RNA accumulation and transcription are differentially regulated during leaf development. Plant Journal, 2007, 50, 710-722.	2.8	164
49	High diversity of plastidial promoters in Arabidopsis thaliana. Molecular Genetics and Genomics, 2007, 277, 725-734.	1.0	75
50	Development- and tissue-specific expression of the RpoT gene family of Arabidopsis encoding mitochondrial and plastid RNA polymerases. Planta, 2006, 223, 998-1009.	1.6	33
51	Transposons Inactivate Biosynthesis of the Nonribosomal Peptide Microcystin in Naturally Occurring Planktothrix spp. Applied and Environmental Microbiology, 2006, 72, 117-123.	1.4	75
52	Relaxed Transcription in Arabidopsis Mitochondria Is Counterbalanced by RNA Stability Control Mediated by Polyadenylation and Polynucleotide Phosphorylase. Molecular and Cellular Biology, 2006, 26, 2869-2876.	1.1	104
53	Ingestion of microcystins by <i>Daphnia</i> : Intestinal uptake and toxic effects. Limnology and Oceanography, 2005, 50, 440-448.	1.6	114
54	Phototaxis in the Cyanobacterium Synechocystis sp. PCC 6803: Role of Different Photoreceptors. Photochemistry and Photobiology, 2005, 81, 1481.	1.3	69

#	Article	IF	CITATIONS
55	Genetic contributions to the risk assessment of microcystin in the environment. Toxicology and Applied Pharmacology, 2005, 203, 192-200.	1.3	86
56	Multiple promoters are a common feature of mitochondrial genes in Arabidopsis. Nucleic Acids Research, 2005, 33, 337-346.	6.5	127
57	Mitochondrial effects on flower and pollen development. Mitochondrion, 2005, 5, 389-402.	1.6	111
58	Red and far-red light alter the transcript profile in the cyanobacteriumSynechocystissp. PCC 6803: Impact of cyanobacterial phytochromes. FEBS Letters, 2005, 579, 1613-1618.	1.3	36
59	Molecular Biology of Cyanobacterial Toxins. , 2005, , 25-40.		21
60	Inactivation of an ABC Transporter Gene, mcyH, Results in Loss of Microcystin Production in the Cyanobacterium Microcystis aeruginosa PCC 7806. Applied and Environmental Microbiology, 2004, 70, 6370-6378.	1.4	150
61	Overexpression of phage-type RNA polymerase RpoTp in tobacco demonstrates its role in chloroplast transcription by recognizing a distinct promoter type. Nucleic Acids Research, 2004, 32, 1159-1165.	6.5	54
62	Abundance of active and inactive microcystin genotypes in populations of the toxic cyanobacterium Planktothrix spp Environmental Microbiology, 2004, 6, 831-841.	1.8	171
63	Phylogenetic evidence for the early evolution of microcystin synthesis. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 568-573.	3.3	432
64	Chloroplast development affects expression of phage-type RNA polymerases in barley leaves. Plant Journal, 2004, 38, 460-472.	2.8	92
65	The White Barley Mutant Albostrians Shows Enhanced Resistance to the Biotroph Blumeria graminis f. sp. hordei. Molecular Plant-Microbe Interactions, 2004, 17, 374-382.	1.4	17
66	Involvement of Cyanobacterial Phytochromes in Growth Under Different Light Qualitities and Quantities ^{A¶} . Photochemistry and Photobiology, 2004, 79, 551-555.	1.3	0
67	Involvement of Cyanobacterial Phytochromes in Growth Under Different Light Qualities and Quantities¶. Photochemistry and Photobiology, 2004, 79, 551.	1.3	32
68	PCR-based identification of microcystin-producing genotypes of different cyanobacterial genera. Archives of Microbiology, 2003, 180, 402-410.	1.0	226
69	Flower development in carrot CMS plants: mitochondria affect the expression of MADS box genes homologous to GLOBOSA and DEFICIENS. Plant Journal, 2003, 34, 27-37.	2.8	103
70	Metabolic control of the tetrapyrrole biosynthetic pathway for porphyrin distribution in the barley mutant albostrians. Plant Journal, 2003, 35, 512-522.	2.8	56
71	Microcystin Biosynthesis in Planktothrix: Genes, Evolution, and Manipulation. Journal of Bacteriology, 2003, 185, 564-572.	1.0	317
72	The mcyF gene of the microcystin biosynthetic gene cluster from Microcystis aeruginosa encodes an aspartate racemase. Biochemical Journal, 2003, 373, 909-916.	1.7	54

#	Article	IF	CITATIONS
73	Chloroplasts affect the leaf response to cytokinin. Journal of Plant Physiology, 2002, 159, 1309-1316.	1.6	26
74	Two RpoT genes of Physcomitrella patens encode phage-type RNA polymerases with dual targeting to mitochondria and plastids. Gene, 2002, 290, 95-105.	1.0	91
75	Detection of hepatotoxic Microcystis strains by PCR with intact cells from both culture and environmental samples. Archives of Microbiology, 2002, 178, 421-427.	1.0	60
76	The cyanobacterial phytochrome Cph2 inhibits phototaxis towards blue light. Molecular Microbiology, 2002, 44, 981-988.	1.2	110
77	Six active phage-type RNA polymerase genes in Nicotiana tabacum. Plant Journal, 2002, 30, 625-637.	2.8	94
78	Characterization of the Cph1 holo-phytochrome from Synechocystis sp. PCC 6803. FEBS Journal, 2001, 268, 2055-2063.	0.2	74
79	Altered expression of two light-dependent genes in a microcystin-lacking mutant of Microcystis aeruginosa PCC 7806. Microbiology (United Kingdom), 2001, 147, 3113-3119.	0.7	103
80	Structural organization of microcystin biosynthesis in Microcystis aeruginosa PCC7806: an integrated peptide–polyketide synthetase system. Chemistry and Biology, 2000, 7, 753-764.	6.2	852
81	Phage T4-like intermediates of DNA replication and recombination in the mitochondria of the higher plant Chenopodium album (L.). Current Genetics, 2000, 37, 304-314.	0.8	106
82	One RNA polymerase serving two genomes. EMBO Reports, 2000, 1, 435-440.	2.0	205
83	Green fluorescent protein as a marker to investigate targeting of organellar RNA polymerases of higher plants in vivo. Plant Journal, 1999, 17, 557-561.	2.8	63
84	Inter-organellar crosstalk in higher plants: impaired chloroplast development affects mitochondrial gene and transcript levels. Plant Journal, 1999, 19, 635-643.	2.8	96
85	Cloning and characterization of three cDNAs encoding chloroplast RNA-binding proteins from barley (Hordeum vulgare L.): differential regulation of expression by light and plastid development. Current Genetics, 1999, 36, 173-181.	0.8	27
86	Transcription and the architecture of promoters in chloroplasts. Trends in Plant Science, 1999, 4, 169-170.	4.3	66
87	Organellar RNA Polymerases of Higher Plants. International Review of Cytology, 1999, 190, 1-59.	6.2	227
88	A gene family encoding glutathione peroxidase homologues inHordeum vulgare(barley). FEBS Letters, 1999, 459, 33-38.	1.3	58
89	Characterisation of transcript initiation sites in ribosome-deficient barley plastids., 1998, 36, 493-496.		67
90	Analysis of randomly selected cDNAs reveals the expression of stress- and defence-related genes in the barley mutant albostrians. Plant Science, 1998, 133, 191-201.	1.7	22

#	Article	IF	CITATIONS
91	Cloning and expression of a new cDNA from monocotyledonous plants coding for a diadenosine 5′,5′′′-P1,P4-tetraphosphate hydrolase from barley (Hordeum vulgare). FEBS Letters, 1998, 431, 481-	48 ¹ 5 ³	6
92	Splicing and intron-internal RNA editing of trnK-matK transcripts in barley plastids: support for MatK as an essential splice factor. Journal of Molecular Biology, 1997, 270, 179-187.	2.0	98
93	The mystery of the rings: structure and replication of mitochondrial genomes from higher plants. Trends in Plant Science, 1997, 2, 477-483.	4.3	147
94	Disruption of aSynechocystissp. PCC 6803 gene with partial similarity to phytochrome genes alters growth under changing light qualities. FEBS Letters, 1997, 406, 89-92.	1.3	96
95	A putative cytochromecbiogenesis gene inSynechocystissp. PCC 68031. FEBS Letters, 1997, 408, 201-205.	1.3	14
96	Decrease in glycolate pathway enzyme activities in plastids and peroxisomes of the albostrians mutant of barley (Hordeum vulgare L.). Plant Science, 1997, 124, 33-40.	1.7	15
97	A prokaryotic phytochrome. Nature, 1997, 386, 663-663.	13.7	325
98	High content, size and distribution of single-stranded DNA in the mitochondria of Chenopodium album (L.). Plant Molecular Biology, 1997, 33, 1037-1050.	2.0	36
99	Insertional mutagenesis of a peptide synthetase gene that is responsible for hepatotoxin production in the cyanobacterium Microcystis aeruginosa PCC 7806. Molecular Microbiology, 1997, 26, 779-787.	1.2	361
100	Impaired splicing of the rps 12 transcript in ribosome-deficient plastids. Plant Molecular Biology, 1996, 30, 109-123.	2.0	54
101	Toxic and non-toxic strains of the cyanobacteriumMicrocystis aeruginosacontain sequences homologous to peptide synthetase genes. FEMS Microbiology Letters, 1996, 135, 295-303.	0.7	94
102	Cloning and sequencing of mutantpsbB genes of the cyanobacteriumSynechocystis PCC 6803. Photosynthesis Research, 1993, 37, 139-146.	1.6	21
103	Chlorophyll Synthetase and Chloroplast tRNAglu are Present in Heat-Bleached, Ribosome-Deficient Plastids. Journal of Plant Physiology, 1992, 139, 427-430.	1.6	17
104	Components of chlorophyll biosynthesis in a barley albina mutant unable to synthesize ?-aminolevulinic acid by utilizing the transfer RNA for glutamic acid. Planta, 1992, 188, 19-27.	1.6	18
105	Plastome mutants. Plant Molecular Biology Reporter, 1986, 4, 69-92.	1.0	54
106	Polar Lipid Composition of a Plastid Ribosome-Deficient Barley Mutant. Plant Physiology, 1982, 69, 1467-1470.	2.3	34
107	Hybrid variegation in the genus Pelargonium. Current Genetics, 1982, 5, 245-249.	0.8	33
108	Enzymes of Plastid Ribosome-deficient Mutants. Ferredoxin-NADP+ Reductase. Biochemie Und Physiologie Der Pflanzen, 1981, 176, 737-743.	0.5	3

Thomas Börner

#	Article	lF	CITATIONS
109	Cytoplasmic synthesis of plastid polypeptides may be controlled by plastid-synthesised RNA. Nature, 1979, 279, 816-817.	13.7	187
110	Transcription of Plastid Genes. , 0, , 184-224.		24