## Andrea Babelova

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2178463/publications.pdf

Version: 2024-02-01

34 2,431 19 32
papers citations h-index g-index

34 34 34 3968
all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Six-week inhalation of lead oxide nanoparticles in mice affects antioxidant defense, immune response, kidneys, intestine and bones. Environmental Science: Nano, 2022, 9, 751-766.	4.3	4
2	Effective Reduction of SARS-CoV-2 RNA Levels Using a Tailor-Made Oligonucleotide-Based RNA Inhibitor. Viruses, 2022, 14, 685.	3.3	O
3	Six-week inhalation of CdO nanoparticles in mice: The effects on immune response, oxidative stress, antioxidative defense, fibrotic response, and bones. Food and Chemical Toxicology, 2020, 136, 110954.	<b>3.</b> 6	11
4	Surface coating determines the inflammatory potential of magnetite nanoparticles in murine renal podocytes and mesangial cells. RSC Advances, 2020, 10, 23916-23929.	3.6	2
5	Biological safety and tissue distribution of (16-mercaptohexadecyl)trimethylammonium bromide-modified cationic gold nanorods. Biomaterials, 2018, 154, 275-290.	11.4	22
6	Surface-modified magnetite nanoparticles act as aneugen-like spindle poison. Nanomedicine: Nanotechnology, Biology, and Medicine, 2017, 13, 69-80.	3.3	11
7	Fibrous shape underlies the mutagenic and carcinogenic potential of nanosilver while surface chemistry affects the biosafety of iron oxide nanoparticles. Mutagenesis, 2017, 32, 193-202.	2.6	19
8	Intracellular uptake of magnetite nanoparticles: A focus on physico-chemical characterization and interpretation of in vitro data. Materials Science and Engineering C, 2017, 70, 161-168.	7.3	14
9	Two-Step Mechanism of Cellular Uptake of Cationic Gold Nanoparticles Modified by (16-Mercaptohexadecyl)trimethylammonium Bromide. Bioconjugate Chemistry, 2016, 27, 2558-2574.	3.6	25
10	The NADPH Oxidase Nox2 Mediates Vitamin D-Induced Vascular Regeneration in Male Mice. Endocrinology, 2016, 157, 4032-4040.	2.8	8
11	Sex-Differences in Renal Expression of Selected Transporters and Transcription Factors in Lean and Obese Zucker Spontaneously Hypertensive Fatty Rats. Journal of Diabetes Research, 2015, 2015, 1-10.	2.3	11
12	Next generation sequencing of sex-specific genes in the livers of obese ZSF1 rats. Genomics, 2015, 106, 204-213.	2.9	15
13	Ultraviolet <scp>A</scp> radiation potentiates the cytotoxic and genotoxic effects of <i>7</i> <scp><i>H</i></scp> â€dibenzo[ <i>c</i> , <i>g</i> )Carbazole and its methyl derivatives. Environmental and Molecular Mutagenesis, 2015, 56, 388-403.	2.2	4
14	Response to Sympathoinhibitory Effect of Diltiazem and Prevention of Aneurysm Formation. Hypertension, 2014, 63, e13.	2.7	0
15	The role of reactive oxygen species in the genotoxicity of surface-modified magnetite nanoparticles. Toxicology Letters, 2014, 226, 303-313.	0.8	51
16	<scp>l</scp> -Type Calcium Channel Inhibitor Diltiazem Prevents Aneurysm Formation by Blood Pressure–Independent Anti-Inflammatory Effects. Hypertension, 2013, 62, 1098-1104.	2.7	22
17	Endo-PDI is required for TNFα-induced angiogenesis. Free Radical Biology and Medicine, 2013, 65, 1398-1407.	2.9	27
18	Anti-atherosclerotic mechanisms of statin therapy. Current Opinion in Pharmacology, 2013, 13, 260-264.	3.5	42

#	Article	IF	CITATIONS
19	NADPH oxidase 4 limits bone mass by promoting osteoclastogenesis. Journal of Clinical Investigation, 2013, 123, 4731-4738.	8.2	142
20	Monoamine Oxidases Are Mediators of Endothelial Dysfunction in the Mouse Aorta. Hypertension, 2013, 62, 140-146.	2.7	78
21	Activation of Rac-1 and RhoA Contributes to Podocyte Injury in Chronic Kidney Disease. PLoS ONE, 2013, 8, e80328.	2.5	74
22	Role of Nox4 in murine models of kidney disease. Free Radical Biology and Medicine, 2012, 53, 842-853.	2.9	131
23	Sex determination of early medieval individuals through nested PCR using a new primer set in the SRY gene. Forensic Science International, 2011, 207, 1-5.	2.2	14
24	Peroxisome Proliferator-Activated Receptor (PPAR) $\hat{I}^3$ Can Inhibit Chronic Renal Allograft Damage. American Journal of Pathology, 2010, 176, 2150-2162.	3.8	34
25	The proteoglycan biglycan regulates expression of the B cell chemoattractant CXCL13 and aggravates murine lupus nephritis. Journal of Clinical Investigation, 2010, 120, 4251-4272.	8.2	177
26	Inhibition of the Soluble Epoxide Hydrolase Promotes Albuminuria in Mice with Progressive Renal Disease. PLoS ONE, 2010, 5, e11979.	2.5	54
27	Biglycan, a Danger Signal That Activates the NLRP3 Inflammasome via Toll-like and P2X Receptors. Journal of Biological Chemistry, 2009, 284, 24035-24048.	3.4	407
28	Transforming growth factor- $\hat{l}^2$ 2 upregulates sphingosine kinase-1 activity, which in turn attenuates the fibrotic response to TGF- $\hat{l}^2$ 2 by impeding CTGF expression. Kidney International, 2009, 76, 857-867.	5.2	66
29	Molecular Mechanisms of $TGF\hat{l}^2$ Receptor-Triggered Signaling Cascades Rapidly Induced by the Calcineurin Inhibitors Cyclosporin A and FK506. Journal of Immunology, 2008, 181, 2831-2845.	0.8	76
30	Decorin-Mediated Regulation of Fibrillin-1 in the Kidney Involves the Insulin-Like Growth Factor-I Receptor and Mammalian Target of Rapamycin. American Journal of Pathology, 2007, 170, 301-315.	3.8	81
31	Nitric Oxide Upregulates Induction of PDGF Receptor-α Expression in Rat Renal Mesangial Cells and in Anti-Thy-1 Glomerulonephritis. Journal of the American Society of Nephrology: JASN, 2005, 16, 1948-1957.	6.1	13
32	The matrix component biglycan is proinflammatory and signals through Toll-like receptors 4 and 2 in macrophages. Journal of Clinical Investigation, 2005, 115, 2223-2233.	8.2	718
33	Nephrin expression is increased in anti-Thy1.1-induced glomerulonephritis in rats. Biochemical and Biophysical Research Communications, 2004, 324, 247-254.	2.1	23
34	Regulation of Fibrillin-1 by Biglycan and Decorin Is Important for Tissue Preservation in the Kidney During Pressure-Induced Injury. American Journal of Pathology, 2004, 165, 383-396.	3.8	55