Wan-Ying Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2178933/publications.pdf

Version: 2024-02-01

201674 243625 2,176 72 27 44 citations h-index g-index papers 72 72 72 1943 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	An integrated strategy for comprehensive characterization of metabolites and metabolic profiles of bufadienolides from Venenum Bufonis in rats. Journal of Pharmaceutical Analysis, 2022, 12, 136-144.	5.3	9
2	In-depth exploration and comparison of chemical constituents from two Lilium species through offline two-dimensional liquid chromatography combined with multimode acquisition of high-resolution mass spectrometry. Journal of Chromatography A, 2022, 1670, 462980.	3.7	17
3	A simple and effective method for identification of Fraxini Cortex from different sources by multiâ€mode fingerprint combined with chemometrics. Journal of Separation Science, 2022, 45, 788-803.	2.5	5
4	Quantitative imaging of natural products in fine brain regions using desorption electrospray ionization mass spectrometry imaging (DESI-MSI): Uncaria alkaloids as a case study. Analytical and Bioanalytical Chemistry, 2022, 414, 4999-5007.	3.7	10
5	Authentication of herbal medicines from multiple botanical origins with cross-validation mebabolomics, absolute quantification and support vector machine model, a case study of Rhizoma Alismatis. Arabian Journal of Chemistry, 2022, 15, 104118.	4.9	2
6	Information Entropy-Based Strategy for the Quantitative Evaluation of Extensive Hyperspectral Images to Better Unveil Spatial Heterogeneity in Mass Spectrometry Imaging. Analytical Chemistry, 2022, 94, 10355-10366.	6.5	7
7	An integrated strategy for holistic quality identification of Chinese patent medicine: <i>Liuwei Dihuang Pills</i> as a case study. Phytochemical Analysis, 2021, 32, 183-197.	2.4	8
8	"Force iteration molecular designing―strategy for the systematic characterization and discovery of new protostane triterpenoids from Alisma Rhizoma by UHPLC/LTQ-Orbitrap-MS. Analytical and Bioanalytical Chemistry, 2021, 413, 1749-1764.	3.7	9
9	Chemical profiling of Huashi Baidu prescription, an effective anti-COVID-19 TCM formula, by UPLC-Q-TOF/MS. Chinese Journal of Natural Medicines, 2021, 19, 473-480.	1.3	15
10	Untargeted metabolomics coupled with chemometric analysis deducing robust markers for discrimination of processing procedures: Wineâ€processed ⟨i⟩Angelica sinensis⟨ i⟩ as a case study. Journal of Separation Science, 2021, 44, 4092-4110.	2.5	7
11	Restoring perturbed oxylipins with Danqi Tongmai Tablet attenuates acute myocardial infarction. Phytomedicine, 2021, 90, 153616.	5. 3	1
12	Comprehensive featureâ€based molecular networking and metabolomics approaches to reveal the differences components in <i>Cinnamomum cassia</i> and <i>Cinnamomum verum</i> Journal of Separation Science, 2021, 44, 3810-3821.	2.5	11
13	Exploring the protective effects of Danqi Tongmai tablet on acute myocardial ischemia rats by comprehensive metabolomics profiling. Phytomedicine, 2020, 74, 152918.	5.3	17
14	A novel neutral loss/product ion scan-incorporated integral approach for the untargeted characterization and comparison of the carboxyl-free ginsenosides from Panax ginseng, Panax quinquefolius, and Panax notoginseng. Journal of Pharmaceutical and Biomedical Analysis, 2020, 177, 112813.	2.8	34
15	Quantitative analysis of fourteen bufadienolides in Venenum Bufonis crude drug and its Chinese patent medicines by ultra-high performance liquid chromatography coupled with tandem mass spectrometry. Journal of Ethnopharmacology, 2020, 251, 112490.	4.1	11
16	A metabolomics strategy for authentication of plant medicines with multiple botanical origins, a case study of Uncariae Rammulus Cum Uncis. Journal of Separation Science, 2020, 43, 1043-1050.	2.5	21
17	Simultaneous determination of cinobufagin and its five metabolites in rat plasma by LC-MS/MS for characterization of metabolic profiles and pharmacokinetic study. Analytical Methods, 2019, 11, 5464-5471.	2.7	1
18	Dissecting the Metabolic Phenotype of the Antihypertensive Effects of Five Uncaria Species on Spontaneously Hypertensive Rats. Frontiers in Pharmacology, 2019, 10, 845.	3.5	17

#	Article	IF	CITATIONS
19	Deeper Chemical Perceptions for Better Traditional Chinese Medicine Standards. Engineering, 2019, 5, 83-97.	6.7	27
20	Simultaneous determination of resibufogenin and its eight metabolites in rat plasma by LC–MS/MS for metabolic profiles and pharmacokinetic study. Phytomedicine, 2019, 60, 152971.	5.3	10
21	A high-efficiency strategy integrating offline two-dimensional separation and data post-processing with dereplication: Characterization of bufadienolides in Venenum Bufonis as a case study. Journal of Chromatography A, 2019, 1603, 179-189.	3.7	23
22	Simultaneous Determination of Bufalin and Its Nine Metabolites in Rat Plasma for Characterization of Metabolic Profiles and Pharmacokinetic Study by LC–MS/MS. Molecules, 2019, 24, 1662.	3.8	8
23	Venenum bufonis: An overview of its traditional use, natural product chemistry, pharmacology, pharmacokinetics and toxicology. Journal of Ethnopharmacology, 2019, 237, 215-235.	4.1	38
24	Study on the herb-herb interaction of Danqi Tongmai Tablet based on the pharmacokinetics of twelve notoginsenoides in acute myocardial ischemia and sham rats. Journal of Pharmaceutical and Biomedical Analysis, 2019, 166, 52-65.	2.8	10
25	Comparative <i>in vivo</i> constituents and pharmacokinetic study in rats after oral administration of ultrafine granular powder and traditional decoction slices of Chinese <i>Salvia</i> Biomedical Chromatography, 2019, 33, e4385.	1.7	11
26	Global profiling combined with predicted metabolites screening for discovery of natural compounds: Characterization of ginsenosides in the leaves of Panax notoginseng as a case study. Journal of Chromatography A, 2018, 1538, 34-44.	3.7	67
27	Green Quantification Strategy Combined with Chemometric Analysis for Triglycerides in Seeds Used in Traditional Chinese Medicine. Planta Medica, 2018, 84, 457-464.	1.3	9
28	Rapid profiling of polymeric phenolic acids in <i>Salvia miltiorrhiza</i> by hybrid dataâ€dependent/targeted multistage mass spectrometry acquisition based on expected compounds prediction and fragment ion searching. Journal of Separation Science, 2018, 41, 1888-1895.	2.5	10
29	Systematic profiling and comparison of the lipidomes from Panax ginseng, P. quinquefolius, and P. notoginseng by ultrahigh performance supercritical fluid chromatography/high-resolution mass spectrometry and ion mobility-derived collision cross section measurement. Journal of Chromatography A. 2018, 1548, 64-75.	3.7	57
30	Exploring lipid markers of the quality of coix seeds with different geographical origins using supercritical fluid chromatography mass spectrometry and chemometrics. Phytomedicine, 2018, 45, 1-7.	5.3	38
31	Geographic impact evaluation of the quality of Alismatis Rhizoma by untargeted metabolomics and quantitative assay. Journal of Separation Science, 2018, 41, 839-846.	2.5	18
32	Four New Depsides Isolated from Salvia miltiorrhiza and Their Significant Nerve-Protective Activities. Molecules, 2018, 23, 3274.	3.8	5
33	Implementation of a Single Quadrupole Mass Spectrometer for Fingerprint Analysis: Venenum bufonis as a Case Study. Molecules, 2018, 23, 3020.	3.8	7
34	Characterization and discrimination of steroidal saponins in <i>Tribulus terrestris</i> L. and its three different aerial parts by chemical profiling with chemometrics analysis. Journal of Separation Science, 2018, 41, 4212-4221.	2.5	9
35	Direct screening of malonylginsenosides from nine Ginseng extracts by an untargeted profiling strategy incorporating in-source collision-induced dissociation, mass tag, and neutral loss scan on a hybrid linear ion-trap/Orbitrap mass spectrometer coupled to ultra-high performance liquid chromatography, lournal of Chromatography A. 2018, 1571, 213-222.	3.7	39
36	Orientalol L–P, novel sesquiterpenes from the rhizome of <i>Alisma orientale</i> (Sam.) Juzep and their nephrotoxicity on HK2 cells. New Journal of Chemistry, 2018, 42, 13414-13420.	2.8	3

#	Article	IF	Citations
37	An enhanced strategy integrating offline two-dimensional separation and step-wise precursor ion list-based raster-mass defect filter: Characterization of indole alkaloids in five botanical origins of Uncariae Ramulus Cum Unicis as an exemplary application. Journal of Chromatography A, 2018, 1563, 124-134.	3.7	57
38	An enhanced targeted identification strategy for the selective identification of flavonoid O -glycosides from Carthamus tinctorius by integrating offline two-dimensional liquid chromatography/linear ion-trap-Orbitrap mass spectrometry, high-resolution diagnostic product ions/neutral loss filteria and liquid chromatography-10-10-10-10-10-10-10-10-10-10-10-10-10-	3.7	70
39	resonance. Journal of Chromatography A, 2017, 1491, 87-97. A feasible, economical, and accurate analytical method for simultaneous determination of six alkaloid markers in Aconiti Lateralis Radix Praeparata from different manufacturing sources and processing ways. Chinese Journal of Natural Medicines, 2017, 15, 301-309.	1.3	11
40	Malonylginsenosides with Potential Antidiabetic Activities from the Flower Buds of <i>Panax ginseng</i> . Journal of Natural Products, 2017, 80, 899-908.	3.0	55
41	A Strategy Combining Higher Energy C-Trap Dissociation with Neutral Loss- and Product Ion-Based MSn Acquisition for Global Profiling and Structure Annotation of Fatty Acids Conjugates. Journal of the American Society for Mass Spectrometry, 2017, 28, 443-451.	2.8	8
42	An in-source multiple collision-neutral loss filtering based nontargeted metabolomics approach for the comprehensive analysis of malonyl-ginsenosides from Panax ginseng , P.Âquinquefolius , and P.Ânotoginseng. Analytica Chimica Acta, 2017, 952, 59-70.	5.4	87
43	Comparative Analysis of Ultrafine Granular Powder and Decoction Pieces of Salvia miltiorrhiza by UPLC-UV-MSn Combined with Statistical Analysis. Planta Medica, 2017, 83, 557-564.	1.3	9
44	UHPLC–Qâ€TOFâ€MSâ€based metabolomics approach to compare the saponin compositions of Xueshuantong injection and Xuesaitong injection. Journal of Separation Science, 2017, 40, 834-841.	' 2. 5	40
45	Anti-proliferation activity of terpenoids isolated from Euphorbia kansui in human cancer cells and their structure-activity relationship. Chinese Journal of Natural Medicines, 2017, 15, 766-774.	1.3	14
46	Mass defect filtering-oriented classification and precursor ions list-triggered high-resolution mass spectrometry analysis for the discovery of indole alkaloids from Uncaria sinensis. Journal of Chromatography A, 2017, 1516, 102-113.	3.7	70
47	Supercritical fluid chromatography for separation and preparation of tautomeric 7-epimeric spiro oxindole alkaloids from Uncaria macrophylla. Journal of Pharmaceutical and Biomedical Analysis, 2017, 134, 352-360.	2.8	38
48	New monoterpenoid oxindole alkaloid derivatives from the stems of Uncaria hirsuta Havil. and their cytotoxicity and tandem mass spectrometric fragmentation. FÃ \neg toterapÃ \neg â, 2017, 116, 85-92.	2.2	12
49	A strategy for establishment of practical identification methods for Chinese patent medicine from systematic multi-component characterization to selective ion monitoring of chemical markers: Shuxiong tablet as a case study. RSC Advances, 2016, 6, 65055-65066.	3.6	28
50	Development of specific and quantitative methods for the quality control of the polysaccharides from sea-tangle and sargassum. Chinese Journal of Natural Medicines, 2016, 14, 954-960.	1.3	2
51	Venenum Bufonis induces rat neuroinflammation by activiating NF-κB pathway and attenuation of BDNF. Journal of Ethnopharmacology, 2016, 186, 103-110.	4.1	29
52	Nontargeted metabolomic analysis and "commercial-homophyletic―comparison-induced biomarkers verification for the systematic chemical differentiation of five different parts of Panax ginseng. Journal of Chromatography A, 2016, 1453, 78-87.	3.7	93
53	TXNIP/TRX/NF-κB and MAPK/NF-κB pathways involved in the cardiotoxicity induced by Venenum Bufonis in rats. Scientific Reports, 2016, 6, 22759.	3.3	24
54	Method development and application of offline two-dimensional liquid chromatography/quadrupole time-of-flight mass spectrometry-fast data directed analysis for comprehensive characterization of the saponins from Xueshuantong Injection. Journal of Pharmaceutical and Biomedical Analysis, 2016, 128, 322-332.	2.8	56

#	Article	IF	CITATIONS
55	Anticonvulsant and sedative–hypnotic activity screening of pearl and nacre (mother of pearl). Journal of Ethnopharmacology, 2016, 181, 229-235.	4.1	17
56	Selective and comprehensive characterization of the quinochalcone C-glycoside homologs in Carthamus tinctorius L. by offline comprehensive two-dimensional liquid chromatography/LTQ-Orbitrap MS coupled with versatile data mining strategies. RSC Advances, 2016, 6, 495-506.	3.6	30
57	Colon-derived uremic biomarkers induced by the acute toxicity of Kansui radix: A metabolomics study of rat plasma and intestinal contents by UPLC-QTOF-MS E. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1026, 193-203.	2.3	19
58	Salvianolic acid A inhibits endothelial dysfunction and vascular remodeling in spontaneously hypertensive rats. Life Sciences, 2016, 144, 86-93.	4.3	34
59	Simultaneous quantitation of five Panax notoginseng saponins by multi heart-cutting two-dimensional liquid chromatography: Method development and application to the quality control of eight Notoginseng containing Chinese patent medicines. Journal of Chromatography A, 2015, 1402, 71-81.	3.7	58
60	Elucidation of the fragmentation pathways of a complex 3,7- O -glycosyl flavonol by CID, HCD, and PQD on an LTQ-Orbitrap Velos Pro hybrid mass spectrometer. Chinese Journal of Natural Medicines, 2015, 13, 867-872.	1.3	8
61	An efficient and target-oriented sample enrichment method for preparative separation of minor alkaloids by pH-zone-refining counter-current chromatography. Journal of Chromatography A, 2015, 1409, 159-165.	3.7	18
62	An integrated strategy for the systematic characterization and discovery of new indole alkaloids from Uncaria rhynchophylla by UHPLC/DAD/LTQ-Orbitrap-MS. Analytical and Bioanalytical Chemistry, 2015, 407, 6057-6070.	3.7	60
63	Chemical Analysis of Xueshuantong Lyophilized Powder by LC-MS Profiling. Chinese Herbal Medicines, 2015, 7, 54-61.	3.0	3
64	A green protocol for efficient discovery of novel natural compounds: Characterization of new ginsenosides from the stems and leaves of Panax ginseng as a case study. Analytica Chimica Acta, 2015, 893, 65-76.	5.4	107
65	UHPLC-LTQ-Orbitrap MS combined with spike-in method for plasma metabonomics analysis of acute myocardial ischemia rats and pretreatment effect of Danqi Tongmai tablet. Molecular BioSystems, 2015, 11, 486-496.	2.9	27
66	A reproducible analytical system based on the multi-component analysis of triterpene acids in Ganoderma lucidum. Phytochemistry, 2015, 114, 146-154.	2.9	31
67	New triterpenic acids from Uncaria rhynchophylla: Chemistry, NO-inhibitory activity, and tandem mass spectrometric analysis. Fìtoterapìâ, 2014, 96, 39-47.	2.2	25
68	Saponins in the genus Panax L. (Araliaceae): A systematic review of their chemical diversity. Phytochemistry, 2014, 106, 7-24.	2.9	247
69	TCM-based new drug discovery and development in China. Chinese Journal of Natural Medicines, 2014, 12, 241-250.	1. 3	53
70	HPLC/qTOF-MS-oriented characteristic components data set and chemometric analysis for the holistic quality control of complex TCM preparations: Niuhuang Shangqing pill as an example. Journal of Pharmaceutical and Biomedical Analysis, 2014, 89, 130-141.	2.8	43
71	Proteomic studies on protective effects of salvianolic acids, notoginsengnosides and combination of salvianolic acids and notoginsengnosides against cardiac ischemic-reperfusion injury. Journal of Ethnopharmacology, 2012, 141, 659-667.	4.1	53
72	Interaction of Salvianolic Acids and Notoginsengnosides in Inhibition of ADP-Induced Platelet Aggregation. The American Journal of Chinese Medicine, 2008, 36, 313-328.	3.8	49