

Kimberly J Van Zee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2179325/kimberly-j-van-zee-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

9,193
citations

55
h-index

92
g-index

171
ext. papers

10,392
ext. citations

4.1
avg, IF

5.65
L-index

#	Paper	IF	Citations
161	A nomogram for predicting the likelihood of additional nodal metastases in breast cancer patients with a positive sentinel node biopsy. <i>Annals of Surgical Oncology</i> , 2003 , 10, 1140-51	3.1	642
160	Prevalence of lymphedema in women with breast cancer 5 years after sentinel lymph node biopsy or axillary dissection: objective measurements. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5213-9	2.2	419
159	A 14-year retrospective review of angiosarcoma: clinical characteristics, prognostic factors, and treatment outcomes with surgery and chemotherapy. <i>Cancer Journal (Sudbury, Mass.)</i> , 2005 , 11, 241-7	2.2	290
158	Sentinel lymph node biopsy: is it indicated in patients with high-risk ductal carcinoma-in-situ and ductal carcinoma-in-situ with microinvasion?. <i>Annals of Surgical Oncology</i> , 2000 , 7, 636-42	3.1	263
157	MR imaging findings in the contralateral breast of women with recently diagnosed breast cancer. <i>American Journal of Roentgenology</i> , 2003 , 180, 333-41	5.4	256
156	Nomogram for predicting the risk of local recurrence after breast-conserving surgery for ductal carcinoma in situ. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3762-9	2.2	235
155	Doctor, what are my chances of having a positive sentinel node? A validated nomogram for risk estimation. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3670-9	2.2	223
154	Predicting nonsentinel node status after positive sentinel lymph biopsy for breast cancer: clinicians versus nomogram. <i>Annals of Surgical Oncology</i> , 2005 , 12, 654-9	3.1	178
153	Isosulfan Blue Dye Reactions During Sentinel Lymph Node Mapping for Breast Cancer. <i>Anesthesia and Analgesia</i> , 2002 , 95, 385-388	3.9	177
152	How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3467-3474	3.1	166
151	Oral gossypol in the treatment of patients with refractory metastatic breast cancer: a phase I/II clinical trial. <i>Breast Cancer Research and Treatment</i> , 2001 , 66, 239-48	4.4	163
150	Clinicopathologic features and long-term outcomes of 293 phyllodes tumors of the breast. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2961-70	3.1	160
149	Prevalence of lymphedema in women with breast cancer 5 years after sentinel lymph node biopsy or axillary dissection: patient perceptions and precautionary behaviors. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5220-6	2.2	153
148	Issues of regret in women with contralateral prophylactic mastectomies. <i>Annals of Surgical Oncology</i> , 1999 , 6, 546-52	3.1	148
147	Magnetic resonance imaging facilitates breast conservation for occult breast cancer. <i>Annals of Surgical Oncology</i> , 2000 , 7, 411-5	3.1	141
146	The impact of postmastectomy radiotherapy on two-stage implant breast reconstruction: an analysis of long-term surgical outcomes, aesthetic results, and satisfaction over 13 years. <i>Plastic and Reconstructive Surgery</i> , 2014 , 134, 588-595	2.7	136
145	Cachexia and the acute-phase protein response in inflammation are regulated by interleukin-6. <i>European Journal of Immunology</i> , 1993 , 23, 1889-94	6.1	135

144	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery With Whole-Breast Irradiation in Ductal Carcinoma In Situ. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4040-4046	2.2	133
143	Fast MRI-guided vacuum-assisted breast biopsy: initial experience. <i>American Journal of Roentgenology</i> , 2003 , 181, 1283-93	5.4	128
142	Stage IV breast cancer in the era of targeted therapy: does surgery of the primary tumor matter?. <i>Cancer</i> , 2010 , 116, 1226-33	6.4	126
141	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery with Whole-Breast Irradiation in Ductal Carcinoma In Situ. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3801-3810	3.1	123
140	Predictors of intrusive thoughts and avoidance in women with family histories of breast cancer. <i>Annals of Behavioral Medicine</i> , 1997 , 19, 362-9	4.5	120
139	Incidence and time course of bleeding after long-term amenorrhea after breast cancer treatment: a prospective study. <i>Cancer</i> , 2010 , 116, 3102-11	6.4	109
138	Sensory morbidity after sentinel lymph node biopsy and axillary dissection: a prospective study of 233 women. <i>Annals of Surgical Oncology</i> , 2002 , 9, 654-62	3.1	108
137	The accuracy of sentinel lymph node biopsy in multicentric and multifocal invasive breast cancers. <i>Journal of the American College of Surgeons</i> , 2003 , 197, 529-35	4.4	108
136	Reoperative sentinel lymph node biopsy: a new option for patients with primary or locally recurrent breast carcinoma. <i>Journal of the American College of Surgeons</i> , 2002 , 195, 167-72	4.4	105
135	Long-term outcomes in breast cancer patients undergoing immediate 2-stage expander/implant reconstruction and postmastectomy radiation. <i>Cancer</i> , 2012 , 118, 2552-9	6.4	102
134	A declining rate of completion axillary dissection in sentinel lymph node-positive breast cancer patients is associated with the use of a multivariate nomogram. <i>Annals of Surgery</i> , 2007 , 245, 462-8	7.8	101
133	Utility of breast magnetic resonance imaging in patients with occult primary breast cancer. <i>Annals of Surgical Oncology</i> , 2005 , 12, 1045-53	3.1	97
132	Intracystic papillary carcinoma of the breast: An in situ or invasive tumor? Results of immunohistochemical analysis and clinical follow-up. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1-14	6.7	95
131	Patient regrets after bilateral prophylactic mastectomy. <i>Annals of Surgical Oncology</i> , 1998 , 5, 603-6	3.1	94
130	Can the Memorial Sloan-Kettering Cancer Center nomogram predict the likelihood of nonsentinel lymph node metastases in breast cancer patients in the Netherlands?. <i>Annals of Surgical Oncology</i> , 2005 , 12, 1066-72	3.1	93
129	Long term follow-up of women with ductal carcinoma in situ treated with breast-conserving surgery: the effect of age. <i>Cancer</i> , 1999 , 86, 1757-67	6.4	92
128	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery With Whole-Breast Irradiation in Ductal Carcinoma in Situ. <i>Practical Radiation Oncology</i> , 2016 , 6, 287-295	2.8	92
127	Evaluation of pectoralis major muscle in patients with posterior breast tumors on breast MR images: early experience. <i>Radiology</i> , 2000 , 214, 67-72	20.5	87

126	Desmoid tumors (fibromatoses) of the breast: a 25-year experience. <i>Annals of Surgical Oncology</i> , 2008 , 15, 274-80	3.1	85
125	Axillary dissection can be avoided in the majority of clinically node-negative patients undergoing breast-conserving therapy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 22-7	3.1	82
124	Radioactive seed localization compared to wire localization in breast-conserving surgery: initial 6-month experience. <i>Annals of Surgical Oncology</i> , 2013 , 20, 4121-7	3.1	82
123	Bracketing wires for preoperative breast needle localization. <i>American Journal of Roentgenology</i> , 2001 , 177, 565-72	5.4	81
122	Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 257-64	3.1	80
121	Preoperative galactography increases the diagnostic yield of major duct excision for nipple discharge 1998 , 82, 1874-1880		79
120	Intradermal isotope injection: a highly accurate method of lymphatic mapping in breast carcinoma. <i>Annals of Surgical Oncology</i> , 2001 , 8, 20-4	3.1	78
119	Preoperative breast MRI for early-stage breast cancer: effect on surgical and long-term outcomes. <i>American Journal of Roentgenology</i> , 2014 , 202, 1376-82	5.4	77
118	Comprehensive review of the management of internal mammary lymph node metastases in breast cancer. <i>Journal of the American College of Surgeons</i> , 2001 , 193, 547-55	4.4	77
117	Relationship Between Margin Width and Recurrence of Ductal Carcinoma In Situ: Analysis of 2996 Women Treated With Breast-conserving Surgery for 30 Years. <i>Annals of Surgery</i> , 2015 , 262, 623-31	7.8	75
116	Sentinel lymphadenectomy accurately predicts nodal status in T2 breast cancer. <i>Journal of the American College of Surgeons</i> , 2000 , 191, 593-9	4.4	66
115	Morbidity of sentinel node biopsy in breast cancer: the relationship between the number of excised lymph nodes and lymphedema. <i>Annals of Surgical Oncology</i> , 2010 , 17, 3278-86	3.1	64
114	Maastricht Delphi consensus on event definitions for classification of recurrence in breast cancer research. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	60
113	Isosulfan blue dye reactions during sentinel lymph node mapping for breast cancer. <i>Anesthesia and Analgesia</i> , 2002 , 95, 385-8, table of contents	3.9	60
112	Age-related longitudinal changes in depressive symptoms following breast cancer diagnosis and treatment. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 199-206	4.4	59
111	Outcomes for women with ductal carcinoma-in-situ and a positive sentinel node: a multi-institutional audit. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2911-7	3.1	59
110	Axillary Dissection and Nodal Irradiation Can Be Avoided for Most Node-positive Z0011-eligible Breast Cancers: A Prospective Validation Study of 793 Patients. <i>Annals of Surgery</i> , 2017 , 266, 457-462	7.8	58
109	A prospective analysis of the effect of blue-dye volume on sentinel lymph node mapping success and incidence of allergic reaction in patients with breast cancer. <i>Annals of Surgical Oncology</i> , 2004 , 11, 535-41	3.1	58

108	MRI identifies otherwise occult disease in select patients with Paget disease of the nipple. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 316-21	4.4	55
107	Chest wall resection for locally recurrent breast cancer: is it worthwhile?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 119, 420-8	1.5	55
106	Validation of a nomogram to predict the risk of nonsentinel lymph node metastases in breast cancer patients with a positive sentinel node biopsy: validation of the MSKCC breast nomogram. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1128-35	3.1	53
105	Do LORIS Trial Eligibility Criteria Identify a Ductal Carcinoma In Situ Patient Population at Low Risk of Upgrade to Invasive Carcinoma?. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3487-3493	3.1	53
104	MRI and Prediction of Pathologic Complete Response in the Breast and Axilla after Neoadjuvant Chemotherapy for Breast Cancer. <i>Journal of the American College of Surgeons</i> , 2017 , 225, 740-746	4.4	52
103	Acupuncture in the treatment of upper-limb lymphedema: results of a pilot study. <i>Cancer</i> , 2013 , 119, 2455-61	6.4	52
102	Incidence of axillary lymph node metastases in T1a and T1b breast carcinoma. <i>Annals of Surgical Oncology</i> , 1998 , 5, 23-7	3.1	52
101	Trajectories of Posttraumatic Growth and Associated Characteristics in Women with Breast Cancer. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 650-9	4.5	47
100	Eighteen sensations after breast cancer surgery: a 5-year comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1653-61	3.1	47
99	Mastectomy with immediate expander-implant reconstruction, adjuvant chemotherapy, and radiation for stage II-III breast cancer: treatment intervals and clinical outcomes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 43-50	4	44
98	Perioperative breast MRI is not associated with lower locoregional recurrence rates in DCIS patients treated with or without radiation. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1552-60	3.1	43
97	Explaining age-related differences in depression following breast cancer diagnosis and treatment. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 581-91	4.4	43
96	Postmastectomy intensity modulated radiation therapy following immediate expander-implant reconstruction. <i>Radiotherapy and Oncology</i> , 2010 , 94, 319-23	5.3	42
95	Controversies in the Treatment of Ductal Carcinoma in Situ. <i>Annual Review of Medicine</i> , 2017 , 68, 197-211	7.4	41
94	Morbidity of sentinel node biopsy: relationship between number of excised lymph nodes and patient perceptions of lymphedema. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2866-72	3.1	41
93	Local relapse after breast-conserving therapy for ductal carcinoma in situ: a European single-center experience and external validation of the Memorial Sloan-Kettering Cancer Center DCIS nomogram. <i>Cancer Journal (Sudbury, Mass)</i> , 2014 , 20, 1-7	2.2	40
92	Hypomethylation and increased gene expression of p16INK4a in primary and metastatic breast carcinoma as compared to normal breast tissue. <i>Oncogene</i> , 1998 , 16, 2723-7	9.2	39
91	Perpendicular inked versus tangential shaved margins in breast-conserving surgery: does the method matter?. <i>Journal of the American College of Surgeons</i> , 2007 , 204, 541-9	4.4	39

90	A tool for predicting breast carcinoma mortality in women who do not receive adjuvant therapy. <i>Cancer</i> , 2004 , 101, 2509-15	6.4	39
89	One operation after percutaneous diagnosis of nonpalpable breast cancer: frequency and associated factors. <i>American Journal of Roentgenology</i> , 2002 , 178, 673-9	5.4	38
88	Society of Surgical Oncology Breast Disease Working Group Statement on Prophylactic (Risk-Reducing) Mastectomy. <i>Annals of Surgical Oncology</i> , 2017 , 24, 375-397	3.1	37
87	The influence of margin width and volume of disease near margin on benefit of radiation therapy for women with DCIS treated with breast-conserving therapy. <i>Annals of Surgery</i> , 2010 , 251, 583-91	7.8	37
86	Decreasing Recurrence Rates for Ductal Carcinoma In Situ: Analysis of 2996 Women Treated with Breast-Conserving Surgery Over 30 Years. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3273-81	3.1	36
85	Eighteen sensations after breast cancer surgery: a two-year comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Oncology Nursing Forum</i> , 2004 , 31, 691-8	1.7	36
84	A safety and efficacy pilot study of acupuncture for the treatment of chronic lymphoedema. <i>Acupuncture in Medicine</i> , 2011 , 29, 170-2	1.9	33
83	Sentinel lymph node drainage in multicentric breast cancers. <i>Breast Journal</i> , 2002 , 8, 356-61	1.2	33
82	In microdissected ductal carcinoma in situ, HER-2/neu amplification, but not p53 mutation, is associated with high nuclear grade and comedo histology. <i>Cancer</i> , 2000 , 89, 2153-60	6.4	33
81	Women with Low-Risk DCIS Eligible for the LORIS Trial After Complete Surgical Excision: How Low Is Their Risk After Standard Therapy?. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4253-4261	3.1	31
80	Axillary node staging for microinvasive breast cancer: is it justified?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3416-21	3.1	31
79	Six-year follow-up of patients with microinvasive, T1a, and T1b breast carcinoma. <i>Annals of Surgical Oncology</i> , 1999 , 6, 591-8	3.1	31
78	Extent of microinvasion in ductal carcinoma in situ is not associated with sentinel lymph node metastases. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3330-5	3.1	30
77	Impact of Age on Risk of Recurrence of Ductal Carcinoma In Situ: Outcomes of 2996 Women Treated with Breast-Conserving Surgery Over 30 Years. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2816-24	3.1	29
76	Trajectories of depressive symptoms following breast cancer diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1789-95	4	28
75	Impact of margin assessment method on positive margin rate and total volume excised. <i>Annals of Surgical Oncology</i> , 2014 , 21, 86-92	3.1	28
74	Eighteen sensations after breast cancer surgery: a comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Oncology Nursing Forum</i> , 2002 , 29, 651-9	1.7	27
73	Expression of E2F-1 and E2F-4 is reduced in primary and metastatic breast carcinomas. <i>Breast Cancer Research and Treatment</i> , 2001 , 69, 115-22	4.4	26

72	Comparison of peripheral blood leukocyte kinetics after live Escherichia coli, endotoxin, or interleukin-1 alpha administration. Studies using a novel interleukin-1 receptor antagonist. <i>Annals of Surgery</i> , 1993 , 218, 79-90	7.8	26
71	Papilloma diagnosed at MRI-guided vacuum-assisted breast biopsy: is surgical excision still warranted?. <i>American Journal of Roentgenology</i> , 2012 , 199, W512-9	5.4	25
70	Delay in radiotherapy is associated with an increased risk of disease recurrence in women with ductal carcinoma in situ. <i>Cancer</i> , 2018 , 124, 46-54	6.4	24
69	Fibroepithelial Lesions in the Breast of Adolescent Females: A Clinicopathological Study of 54 Cases. <i>Breast Journal</i> , 2017 , 23, 182-192	1.2	24
68	Tissue expander breast reconstruction is not associated with an increased risk of lymphedema. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2926-32	3.1	23
67	Volume of resection in patients treated with breast conservation for ductal carcinoma in situ. <i>Annals of Surgical Oncology</i> , 1998 , 5, 757-63	3.1	23
66	Contralateral Breast Cancer Risk in Women with Ductal Carcinoma In Situ: Is it High Enough to Justify Bilateral Mastectomy?. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2889-2897	3.1	22
65	The role of bactericidal/permeability-increasing protein in the treatment of primate bacteremia and septic shock. <i>Journal of Clinical Immunology</i> , 1994 , 14, 120-33	5.7	22
64	Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3481-3486	3.1	21
63	Acupuncture for breast cancer-related lymphedema: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 77-87	4.4	20
62	Point: sentinel lymph node biopsy is indicated for patients with DCIS. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2003 , 1, 199-206	7.3	20
61	Genetic alterations of the p14ARF -hdm2-p53 regulatory pathway in breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 2001 , 65, 225-32	4.4	20
60	Trajectories of quality of life following breast cancer diagnosis. <i>Breast Cancer Research and Treatment</i> , 2018 , 169, 163-173	4.4	19
59	Minimal disease in the sentinel lymph node: how to best measure sentinel node micrometastases to predict risk of additional non-sentinel lymph node disease. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2909-19	3.1	19
58	Is there a low-grade precursor pathway in breast cancer?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1115-21	3.1	17
57	Molecular analysis of the INK4A and INK4B gene loci in human breast cancer cell lines and primary carcinomas. <i>Cancer Genetics and Cytogenetics</i> , 2001 , 125, 131-8		17
56	Long-Term Outcomes After Surgical Treatment of Malignant/Borderline Phyllodes Tumors of the Breast. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2136-2143	3.1	17
55	Atypical Ductal Hyperplasia Bordering on Ductal Carcinoma In Situ. <i>International Journal of Surgical Pathology</i> , 2017 , 25, 100-107	1.2	16

54	Concurrent lobular neoplasia increases the risk of ipsilateral breast cancer recurrence in patients with ductal carcinoma in situ treated with breast-conserving therapy. <i>Cancer</i> , 2009 , 115, 1203-14	6.4	16
53	Microsatellite instability in breast cancer. <i>Annals of Surgical Oncology</i> , 1997 , 4, 310-5	3.1	16
52	Comparison of Local Recurrence Risk Estimates After Breast-Conserving Surgery for DCIS: DCIS Nomogram Versus Refined Oncotype DX Breast DCIS Score. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3282-3288	3.1	14
51	Oncologic Outcomes After Treatment for MRI Occult Breast Cancer (pT0N+). <i>Annals of Surgical Oncology</i> , 2017 , 24, 3141-3147	3.1	14
50	Can surgical oncologists reliably predict the likelihood for non-SLN metastases in breast cancer patients?. <i>Annals of Surgical Oncology</i> , 2007 , 14, 615-20	3.1	14
49	Ductal carcinoma in situ of the breast: progress and controversy. <i>Current Problems in Surgery</i> , 1996 , 33, 553-600	2.8	14
48	Predictors of completion axillary lymph node dissection in patients with immunohistochemical metastases to the sentinel lymph node in breast cancer. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1063-8	3.1	13
47	Minimally invasive breast surgery. <i>Journal of the American College of Surgeons</i> , 2004 , 199, 961-75	4.4	13
46	Preoperative galactography increases the diagnostic yield of major duct excision for nipple discharge. <i>Cancer</i> , 1998 , 82, 1874-80	6.4	12
45	Sensory morbidity after sentinel lymph node biopsy and axillary dissection: A prospective study of 233 women 2002 , 9, 654		10
44	Outcomes for Women with Minimal-Volume Ductal Carcinoma In Situ Completely Excised at Core Biopsy. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3888-3895	3.1	9
43	The effect of age in the outcome and treatment of older women with ductal carcinoma in situ. <i>Breast</i> , 2011 , 20, 71-7	3.6	9
42	Absence of p16 gene (CDKN2) deletions in microdissected primary breast carcinoma specimens. <i>Annals of Surgical Oncology</i> , 1997 , 4, 416-20	3.1	8
41	Impact of Age on Locoregional and Distant Recurrence After Mastectomy for Ductal Carcinoma In Situ With or Without Microinvasion. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4264-4271	3.1	7
40	Blurry boundaries: do epithelial borderline lesions of the breast and ductal carcinoma in situ have similar rates of subsequent invasive cancer?. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1302-10	3.1	7
39	Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1617-1624	3.1	7
38	Treatment and Long-Term Risks for Patients With a Diagnosis of Ductal Carcinoma In Situ. <i>JAMA Oncology</i> , 2016 , 2, 397-8	13.4	6
37	Validation of a nomogram for predicting risk of local recurrence for ductal carcinoma in situ. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3143-4; author reply 3144-5	2.2	6

36	Intraoperative Ketorolac is Associated with Risk of Reoperation After Mastectomy: A Single-Center Examination. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5134-5140	3.1	6
35	A SEER-Medicare population-based study of lymphedema-related claims incidence following breast cancer in men. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 301-6	4.4	5
34	Intradermal Isotope Injection: A Highly Accurate Method of Lymphatic Mapping in Breast Carcinoma 2001 , 8, 20		5
33	Cosmetic Outcomes Following Breast-Conservation Surgery and Radiation for Multiple Ipsilateral Breast Cancer: Data from the Alliance Z11102 Study. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4650-4661	3.1	5
32	Changing the Default: A Prospective Study of Reducing Discharge Opioid Prescription after Lumpectomy and Sentinel Node Biopsy. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4637-4642	3.1	5
31	Pilot Study of Anti-Th2 Immunotherapy for the Treatment of Breast Cancer-Related Upper Extremity Lymphedema. <i>Biology</i> , 2021 , 10,	4.9	5
30	Risk of Contralateral Breast Cancer in Women with Ductal Carcinoma In Situ Associated with Synchronous Ipsilateral Lobular Carcinoma In Situ. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4317-4325	3.1	4
29	Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy-A Rare Event. <i>JAMA Oncology</i> , 2021 ,	13.4	4
28	Use of Axillary Staging in the Management of Ductal Carcinoma In Situ. <i>JAMA Oncology</i> , 2015 , 1, 332-3	13.4	3
27	Routine Opioid Prescriptions Are Not Necessary After Breast Excisional Biopsy or Lumpectomy Procedures. <i>Annals of Surgical Oncology</i> , 2021 , 28, 303-309	3.1	3
26	Ductal Carcinoma In Situ of the Breast: Controversies and Current Management. <i>Advances in Surgery</i> , 2019 , 53, 21-35	1.2	2
25	Prevalence and correlates of job and insurance problems among young breast cancer survivors within 18 months of diagnosis. <i>BMC Cancer</i> , 2020 , 20, 432	4.8	2
24	Reply to C. Mazouni et al. <i>Journal of Clinical Oncology</i> , 2011 , 29, e45-e46	2.2	2
23	Use of Established Nomograms to Predict Non-Sentinel Lymph Node Metastasis. <i>Current Breast Cancer Reports</i> , 2014 , 6, 24-31	0.8	1
22	Confusion Over Differences in Registration and Randomization Criteria for the LORIS (Low-Risk DCIS) Trial: A Reply. <i>Annals of Surgical Oncology</i> , 2017 , 24, 568-569	3.1	1
21	Memorial sloan-kettering cancer center: two decades of experience with ductal carcinoma in situ of the breast. <i>International Journal of Surgical Oncology</i> , 2012 , 2012, 723916	0.9	1
20	Atypical ductal hyperplasia bordering on DCIS on core biopsy is associated with higher risk of upgrade than conventional atypical ductal hyperplasia. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 873-880	4.4	1
19	Reply to: "Ketorolac Following Mastectomy: Is There an Increased Risk of Reoperation?". <i>Annals of Surgical Oncology</i> , 2021 , 28, 777-778	3.1	1

18	Patterns of invasive recurrence among patients originally treated for ductal carcinoma in situ by breast-conserving surgery versus mastectomy. <i>Breast Cancer Research and Treatment</i> , 2021 , 186, 617-624	4.4	1
17	Postdischarge Nonsteroidal Anti-Inflammatory Drugs Are not Associated with Risk of Hematoma after Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5507-5512	3.1	1
16	ASO Author Reflections: Does Genomic Testing of DCIS Provide Added Value? And Is It Worth the Cost?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 702-703	3.1	
15	ASO Author Reflections: Advising a Woman with Ductal Carcinoma In Situ Regarding Various Treatment Options-A Complex Decision. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4272-4273	3.1	
14	Treatment of Ductal Carcinoma in Situ: Considerations for Tailoring Therapy in the Contemporary Era. <i>Current Breast Cancer Reports</i> , 2020 , 12, 98-106	0.8	
13	Commentary on the Canadian National Breast Screening study. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4397-8	3.1	
12	Are Nomograms for the Prediction of Non-Sentinel Lymph Node Status Obsolete?. <i>Breast Diseases</i> , 2011 , 22, 15-17		
11	Ipsilateral Breast Tumor Recurrence After Breast-Conserving Surgery for Ductal Carcinoma in Situ. <i>Annals of Surgery</i> , 2011 , 253, 1233-1234	7.8	
10	Reply to U.K. Ballehaninna et al. <i>Journal of Clinical Oncology</i> , 2011 , 29, e99-e99	2.2	
9	Breast ductal carcinoma in situ. <i>International Journal of Surgical Oncology</i> , 2012 , 2012, 753267	0.9	
8	Predictive Models: The Art and the Science. <i>Breast Diseases</i> , 2008 , 19, 118-119		
7	Breast imaging: a breast surgeon's perspective. <i>Radiologic Clinics of North America</i> , 2002 , 40, 517-20	2.3	
6	Total Mastectomy 2005 , 79-91		
5	Surgical Treatment of Ductal Carcinoma In Situ 2018 , 171-192		
4	Long-term rates of ipsilateral breast tumor recurrence (IBTR) for women with ductal carcinoma in situ (DCIS) meeting LORIS trial eligibility criteria undergoing standard therapy.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 560-560	2.2	
3	Recurrence rates for ductal carcinoma in situ: Analysis of 2,996 patients treated with breast-conserving surgery over 30 years.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 32-32	2.2	
2	A Comparison of Breast Surgeon and Nomogram-Generated Risk Predictions of Sentinel and Non-Sentinel Node Metastases. <i>Journal of Cancer Therapy</i> , 2013 , 04, 1-6	0.2	
1	ASO Visual Abstract: Post-Discharge Non-Steroidal Anti-Inflammatory Drugs Are Not Associated with Risk of Hematoma After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 28, 635-636	3.1	

