

# Kimberly J Van Zee

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2179325/kimberly-j-van-zee-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

9,193  
citations

55  
h-index

92  
g-index

171  
ext. papers

10,392  
ext. citations

4.1  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
161	Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy-A Rare Event. <i>JAMA Oncology</i> , <b>2021</b> ,	13.4	4
160	Reply to: "Ketorolac Following Mastectomy: Is There an Increased Risk of Reoperation?". <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 777-778	3.1	1
159	Routine Opioid Prescriptions Are Not Necessary After Breast Excisional Biopsy or Lumpectomy Procedures. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 303-309	3.1	3
158	Intraoperative Ketorolac is Associated with Risk of Reoperation After Mastectomy: A Single-Center Examination. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 5134-5140	3.1	6
157	Patterns of invasive recurrence among patients originally treated for ductal carcinoma in situ by breast-conserving surgery versus mastectomy. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 186, 617-624	4.4	1
156	Postdischarge Nonsteroidal Anti-Inflammatory Drugs Are not Associated with Risk of Hematoma after Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 5507-5512	3.1	1
155	ASO Visual Abstract: Post-Discharge Non-Steroidal Anti-Inflammatory Drugs Are Not Associated with Risk of Hematoma After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 635-636	3.1	
154	Pilot Study of Anti-Th2 Immunotherapy for the Treatment of Breast Cancer-Related Upper Extremity Lymphedema. <i>Biology</i> , <b>2021</b> , 10,	4.9	5
153	Prevalence and correlates of job and insurance problems among young breast cancer survivors within 18 months of diagnosis. <i>BMC Cancer</i> , <b>2020</b> , 20, 432	4.8	2
152	Treatment of Ductal Carcinoma in Situ: Considerations for Tailoring Therapy in the Contemporary Era. <i>Current Breast Cancer Reports</i> , <b>2020</b> , 12, 98-106	0.8	
151	Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 1617-1624	3.1	7
150	Cosmetic Outcomes Following Breast-Conservation Surgery and Radiation for Multiple Ipsilateral Breast Cancer: Data from the Alliance Z11102 Study. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 4650-4661	3.1	5
149	Atypical ductal hyperplasia bordering on DCIS on core biopsy is associated with higher risk of upgrade than conventional atypical ductal hyperplasia. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 184, 873-880	4.4	1
148	Changing the Default: A Prospective Study of Reducing Discharge Opioid Prescription after Lumpectomy and Sentinel Node Biopsy. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 4637-4642	3.1	5
147	Impact of Age on Locoregional and Distant Recurrence After Mastectomy for Ductal Carcinoma In Situ With or Without Microinvasion. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 4264-4271	3.1	7
146	ASO Author Reflections: Does Genomic Testing of DCIS Provide Added Value? And Is It Worth the Cost?. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 702-703	3.1	
145	ASO Author Reflections: Advising a Woman with Ductal Carcinoma In Situ Regarding Various Treatment Options-A Complex Decision. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 4272-4273	3.1	

144	Risk of Contralateral Breast Cancer in Women with Ductal Carcinoma In Situ Associated with Synchronous Ipsilateral Lobular Carcinoma In Situ. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 4317-4325	3.1	4
143	Ductal Carcinoma In Situ of the Breast: Controversies and Current Management. <i>Advances in Surgery</i> , <b>2019</b> , 53, 21-35	1.2	2
142	Comparison of Local Recurrence Risk Estimates After Breast-Conserving Surgery for DCIS: DCIS Nomogram Versus Refined Oncotype DX Breast DCIS Score. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 3282-3288	3.1	14
141	Long-Term Outcomes After Surgical Treatment of Malignant/Borderline Phyllodes Tumors of the Breast. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 2136-2143	3.1	17
140	Acupuncture for breast cancer-related lymphedema: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 170, 77-87	4.4	20
139	Trajectories of quality of life following breast cancer diagnosis. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 169, 163-173	4.4	19
138	Delay in radiotherapy is associated with an increased risk of disease recurrence in women with ductal carcinoma in situ. <i>Cancer</i> , <b>2018</b> , 124, 46-54	6.4	24
137	Surgical Treatment of Ductal Carcinoma In Situ <b>2018</b> , 171-192		
136	Controversies in the Treatment of Ductal Carcinoma in Situ. <i>Annual Review of Medicine</i> , <b>2017</b> , 68, 197-211	7.4	41
135	Society of Surgical Oncology Breast Disease Working Group Statement on Prophylactic (Risk-Reducing) Mastectomy. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 375-397	3.1	37
134	Outcomes for Women with Minimal-Volume Ductal Carcinoma In Situ Completely Excised at Core Biopsy. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 3888-3895	3.1	9
133	MRI and Prediction of Pathologic Complete Response in the Breast and Axilla after Neoadjuvant Chemotherapy for Breast Cancer. <i>Journal of the American College of Surgeons</i> , <b>2017</b> , 225, 740-746	4.4	52
132	Oncologic Outcomes After Treatment for MRI Occult Breast Cancer (pT0N+). <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 3141-3147	3.1	14
131	Contralateral Breast Cancer Risk in Women with Ductal Carcinoma In Situ: Is it High Enough to Justify Bilateral Mastectomy?. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 2889-2897	3.1	22
130	Confusion Over Differences in Registration and Randomization Criteria for the LORIS (Low-Risk DCIS) Trial: A Reply. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 568-569	3.1	1
129	Axillary Dissection and Nodal Irradiation Can Be Avoided for Most Node-positive Z0011-eligible Breast Cancers: A Prospective Validation Study of 793 Patients. <i>Annals of Surgery</i> , <b>2017</b> , 266, 457-462	7.8	58
128	Fibroepithelial Lesions in the Breast of Adolescent Females: A Clinicopathological Study of 54 Cases. <i>Breast Journal</i> , <b>2017</b> , 23, 182-192	1.2	24
127	Atypical Ductal Hyperplasia Bordering on Ductal Carcinoma In Situ. <i>International Journal of Surgical Pathology</i> , <b>2017</b> , 25, 100-107	1.2	16

126	Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 257-64	3.1	80
125	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery With Whole-Breast Irradiation in Ductal Carcinoma In Situ. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 4040-4046	2.2	133
124	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery with Whole-Breast Irradiation in Ductal Carcinoma In Situ. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3801-3810	3.1	123
123	Women with Low-Risk DCIS Eligible for the LORIS Trial After Complete Surgical Excision: How Low Is Their Risk After Standard Therapy?. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 4253-4261	3.1	31
122	Treatment and Long-Term Risks for Patients With a Diagnosis of Ductal Carcinoma In Situ. <i>JAMA Oncology</i> , <b>2016</b> , 2, 397-8	13.4	6
121	Society of Surgical Oncology-American Society for Radiation Oncology-American Society of Clinical Oncology Consensus Guideline on Margins for Breast-Conserving Surgery With Whole-Breast Irradiation in Ductal Carcinoma in Situ. <i>Practical Radiation Oncology</i> , <b>2016</b> , 6, 287-295	2.8	92
120	How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3467-3474	3.1	166
119	Impact of Age on Risk of Recurrence of Ductal Carcinoma In Situ: Outcomes of 2996 Women Treated with Breast-Conserving Surgery Over 30 Years. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 2816-24	3.1	29
118	Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3481-3486	3.1	21
117	Do LORIS Trial Eligibility Criteria Identify a Ductal Carcinoma In Situ Patient Population at Low Risk of Upgrade to Invasive Carcinoma?. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3487-3493	3.1	53
116	Trajectories of Posttraumatic Growth and Associated Characteristics in Women with Breast Cancer. <i>Annals of Behavioral Medicine</i> , <b>2015</b> , 49, 650-9	4.5	47
115	Trajectories of depressive symptoms following breast cancer diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 1789-95	4	28
114	Use of Axillary Staging in the Management of Ductal Carcinoma In Situ. <i>JAMA Oncology</i> , <b>2015</b> , 1, 332-3	13.4	3
113	Decreasing Recurrence Rates for Ductal Carcinoma In Situ: Analysis of 2996 Women Treated with Breast-Conserving Surgery Over 30 Years. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 3273-81	3.1	36
112	Relationship Between Margin Width and Recurrence of Ductal Carcinoma In Situ: Analysis of 2996 Women Treated With Breast-conserving Surgery for 30 Years. <i>Annals of Surgery</i> , <b>2015</b> , 262, 623-31	7.8	75
111	Long-term rates of ipsilateral breast tumor recurrence (IBTR) for women with ductal carcinoma in situ (DCIS) meeting LORIS trial eligibility criteria undergoing standard therapy.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 560-560	2.2	
110	Recurrence rates for ductal carcinoma in situ: Analysis of 2,996 patients treated with breast-conserving surgery over 30 years.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 32-32	2.2	
109	Axillary dissection can be avoided in the majority of clinically node-negative patients undergoing breast-conserving therapy. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 22-7	3.1	82

108	Use of Established Nomograms to Predict Non-Sentinel Lymph Node Metastasis. <i>Current Breast Cancer Reports</i> , <b>2014</b> , 6, 24-31	0.8	1
107	Maastricht Delphi consensus on event definitions for classification of recurrence in breast cancer research. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	60
106	Commentary on the Canadian National Breast Screening study. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 4397-8	3.1	
105	Preoperative breast MRI for early-stage breast cancer: effect on surgical and long-term outcomes. <i>American Journal of Roentgenology</i> , <b>2014</b> , 202, 1376-82	5.4	77
104	Extent of microinvasion in ductal carcinoma in situ is not associated with sentinel lymph node metastases. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3330-5	3.1	30
103	The impact of postmastectomy radiotherapy on two-stage implant breast reconstruction: an analysis of long-term surgical outcomes, aesthetic results, and satisfaction over 13 years. <i>Plastic and Reconstructive Surgery</i> , <b>2014</b> , 134, 588-595	2.7	136
102	Local relapse after breast-conserving therapy for ductal carcinoma in situ: a European single-center experience and external validation of the Memorial Sloan-Kettering Cancer Center DCIS nomogram. <i>Cancer Journal (Sudbury, Mass)</i> , <b>2014</b> , 20, 1-7	2.2	40
101	Perioperative breast MRI is not associated with lower locoregional recurrence rates in DCIS patients treated with or without radiation. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 1552-60	3.1	43
100	Impact of margin assessment method on positive margin rate and total volume excised. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 86-92	3.1	28
99	Radioactive seed localization compared to wire localization in breast-conserving surgery: initial 6-month experience. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 4121-7	3.1	82
98	Age-related longitudinal changes in depressive symptoms following breast cancer diagnosis and treatment. <i>Breast Cancer Research and Treatment</i> , <b>2013</b> , 139, 199-206	4.4	59
97	Blurry boundaries: do epithelial borderline lesions of the breast and ductal carcinoma in situ have similar rates of subsequent invasive cancer?. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 1302-10	3.1	7
96	Acupuncture in the treatment of upper-limb lymphedema: results of a pilot study. <i>Cancer</i> , <b>2013</b> , 119, 2455-61	6.4	52
95	A Comparison of Breast Surgeon and Nomogram-Generated Risk Predictions of Sentinel and Non-Sentinel Node Metastases. <i>Journal of Cancer Therapy</i> , <b>2013</b> , 04, 1-6	0.2	
94	Is there a low-grade precursor pathway in breast cancer?. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 1115-21	3.1	17
93	Explaining age-related differences in depression following breast cancer diagnosis and treatment. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 136, 581-91	4.4	43
92	Axillary node staging for microinvasive breast cancer: is it justified?. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 3416-21	3.1	31
91	Papilloma diagnosed at MRI-guided vacuum-assisted breast biopsy: is surgical excision still warranted?. <i>American Journal of Roentgenology</i> , <b>2012</b> , 199, W512-9	5.4	25

90	Long-term outcomes in breast cancer patients undergoing immediate 2-stage expander/implant reconstruction and postmastectomy radiation. <i>Cancer</i> , <b>2012</b> , 118, 2552-9	6.4	102
89	Breast ductal carcinoma in situ. <i>International Journal of Surgical Oncology</i> , <b>2012</b> , 2012, 753267	0.9	
88	Validation of a nomogram for predicting risk of local recurrence for ductal carcinoma in situ. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 3143-4; author reply 3144-5	2.2	6
87	Memorial sloan-kettering cancer center: two decades of experience with ductal carcinoma in situ of the breast. <i>International Journal of Surgical Oncology</i> , <b>2012</b> , 2012, 723916	0.9	1
86	Are Nomograms for the Prediction of Non-Sentinel Lymph Node Status Obsolete?. <i>Breast Diseases</i> , <b>2011</b> , 22, 15-17		
85	Ipsilateral Breast Tumor Recurrence After Breast-Conserving Surgery for Ductal Carcinoma in Situ. <i>Annals of Surgery</i> , <b>2011</b> , 253, 1233-1234	7.8	
84	Intracystic papillary carcinoma of the breast: An in situ or invasive tumor? Results of immunohistochemical analysis and clinical follow-up. <i>American Journal of Surgical Pathology</i> , <b>2011</b> , 35, 1-14	6.7	95
83	The effect of age in the outcome and treatment of older women with ductal carcinoma in situ. <i>Breast</i> , <b>2011</b> , 20, 71-7	3.6	9
82	Morbidity of sentinel node biopsy: relationship between number of excised lymph nodes and patient perceptions of lymphedema. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 2866-72	3.1	41
81	A SEER-Medicare population-based study of lymphedema-related claims incidence following breast cancer in men. <i>Breast Cancer Research and Treatment</i> , <b>2011</b> , 130, 301-6	4.4	5
80	A safety and efficacy pilot study of acupuncture for the treatment of chronic lymphoedema. <i>Acupuncture in Medicine</i> , <b>2011</b> , 29, 170-2	1.9	33
79	Reply to U.K. Ballehaninna et al. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, e99-e99	2.2	
78	Reply to C. Mazouni et al. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, e45-e46	2.2	2
77	Nomogram for predicting the risk of local recurrence after breast-conserving surgery for ductal carcinoma in situ. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 3762-9	2.2	235
76	Postmastectomy intensity modulated radiation therapy following immediate expander-implant reconstruction. <i>Radiotherapy and Oncology</i> , <b>2010</b> , 94, 319-23	5.3	42
75	The influence of margin width and volume of disease near margin on benefit of radiation therapy for women with DCIS treated with breast-conserving therapy. <i>Annals of Surgery</i> , <b>2010</b> , 251, 583-91	7.8	37
74	Predictors of completion axillary lymph node dissection in patients with immunohistochemical metastases to the sentinel lymph node in breast cancer. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 1063-8	3.1	13
73	Tissue expander breast reconstruction is not associated with an increased risk of lymphedema. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 2926-32	3.1	23

72	Minimal disease in the sentinel lymph node: how to best measure sentinel node micrometastases to predict risk of additional non-sentinel lymph node disease. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 2909-19	3.1	19
71	Morbidity of sentinel node biopsy in breast cancer: the relationship between the number of excised lymph nodes and lymphedema. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 3278-86	3.1	64
70	Stage IV breast cancer in the era of targeted therapy: does surgery of the primary tumor matter?. <i>Cancer</i> , <b>2010</b> , 116, 1226-33	6.4	126
69	Incidence and time course of bleeding after long-term amenorrhea after breast cancer treatment: a prospective study. <i>Cancer</i> , <b>2010</b> , 116, 3102-11	6.4	109
68	Concurrent lobular neoplasia increases the risk of ipsilateral breast cancer recurrence in patients with ductal carcinoma in situ treated with breast-conserving therapy. <i>Cancer</i> , <b>2009</b> , 115, 1203-14	6.4	16
67	Validation of a nomogram to predict the risk of nonsentinel lymph node metastases in breast cancer patients with a positive sentinel node biopsy: validation of the MSKCC breast nomogram. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 1128-35	3.1	53
66	MRI identifies otherwise occult disease in select patients with Paget disease of the nipple. <i>Journal of the American College of Surgeons</i> , <b>2008</b> , 206, 316-21	4.4	55
65	Predictive Models: The Art and the Science. <i>Breast Diseases</i> , <b>2008</b> , 19, 118-119		
64	Prevalence of lymphedema in women with breast cancer 5 years after sentinel lymph node biopsy or axillary dissection: objective measurements. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 5213-9	2.2	419
63	Prevalence of lymphedema in women with breast cancer 5 years after sentinel lymph node biopsy or axillary dissection: patient perceptions and precautionary behaviors. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 5220-6	2.2	153
62	Mastectomy with immediate expander-implant reconstruction, adjuvant chemotherapy, and radiation for stage II-III breast cancer: treatment intervals and clinical outcomes. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2008</b> , 70, 43-50	4	44
61	Desmoid tumors (fibromatoses) of the breast: a 25-year experience. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 274-80	3.1	85
60	Perpendicular inked versus tangential shaved margins in breast-conserving surgery: does the method matter?. <i>Journal of the American College of Surgeons</i> , <b>2007</b> , 204, 541-9	4.4	39
59	Can surgical oncologists reliably predict the likelihood for non-SLN metastases in breast cancer patients?. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 615-20	3.1	14
58	Eighteen sensations after breast cancer surgery: a 5-year comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 1653-61	3.1	47
57	Outcomes for women with ductal carcinoma-in-situ and a positive sentinel node: a multi-institutional audit. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 2911-7	3.1	59
56	Clinicopathologic features and long-term outcomes of 293 phyllodes tumors of the breast. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 2961-70	3.1	160
55	Doctor, what are my chances of having a positive sentinel node? A validated nomogram for risk estimation. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 3670-9	2.2	223

54	A declining rate of completion axillary dissection in sentinel lymph node-positive breast cancer patients is associated with the use of a multivariate nomogram. <i>Annals of Surgery</i> , <b>2007</b> , 245, 462-8	7.8	101
53	A 14-year retrospective review of angiosarcoma: clinical characteristics, prognostic factors, and treatment outcomes with surgery and chemotherapy. <i>Cancer Journal (Sudbury, Mass)</i> , <b>2005</b> , 11, 241-7	2.2	290
52	Utility of breast magnetic resonance imaging in patients with occult primary breast cancer. <i>Annals of Surgical Oncology</i> , <b>2005</b> , 12, 1045-53	3.1	97
51	Predicting nonsentinel node status after positive sentinel lymph biopsy for breast cancer: clinicians versus nomogram. <i>Annals of Surgical Oncology</i> , <b>2005</b> , 12, 654-9	3.1	178
50	Can the Memorial Sloan-Kettering Cancer Center nomogram predict the likelihood of nonsentinel lymph node metastases in breast cancer patients in the Netherlands?. <i>Annals of Surgical Oncology</i> , <b>2005</b> , 12, 1066-72	3.1	93
49	Total Mastectomy <b>2005</b> , 79-91		
48	Eighteen sensations after breast cancer surgery: a two-year comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Oncology Nursing Forum</i> , <b>2004</b> , 31, 691-8	1.7	36
47	Minimally invasive breast surgery. <i>Journal of the American College of Surgeons</i> , <b>2004</b> , 199, 961-75	4.4	13
46	A prospective analysis of the effect of blue-dye volume on sentinel lymph node mapping success and incidence of allergic reaction in patients with breast cancer. <i>Annals of Surgical Oncology</i> , <b>2004</b> , 11, 535-41	3.1	58
45	A tool for predicting breast carcinoma mortality in women who do not receive adjuvant therapy. <i>Cancer</i> , <b>2004</b> , 101, 2509-15	6.4	39
44	Fast MRI-guided vacuum-assisted breast biopsy: initial experience. <i>American Journal of Roentgenology</i> , <b>2003</b> , 181, 1283-93	5.4	128
43	Point: sentinel lymph node biopsy is indicated for patients with DCIS. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , <b>2003</b> , 1, 199-206	7.3	20
42	A nomogram for predicting the likelihood of additional nodal metastases in breast cancer patients with a positive sentinel node biopsy. <i>Annals of Surgical Oncology</i> , <b>2003</b> , 10, 1140-51	3.1	642
41	The accuracy of sentinel lymph node biopsy in multicentric and multifocal invasive breast cancers. <i>Journal of the American College of Surgeons</i> , <b>2003</b> , 197, 529-35	4.4	108
40	MR imaging findings in the contralateral breast of women with recently diagnosed breast cancer. <i>American Journal of Roentgenology</i> , <b>2003</b> , 180, 333-41	5.4	256
39	Reoperative sentinel lymph node biopsy: a new option for patients with primary or locally recurrent breast carcinoma. <i>Journal of the American College of Surgeons</i> , <b>2002</b> , 195, 167-72	4.4	105
38	Sensory morbidity after sentinel lymph node biopsy and axillary dissection: a prospective study of 233 women. <i>Annals of Surgical Oncology</i> , <b>2002</b> , 9, 654-62	3.1	108
37	Sentinel lymph node drainage in multicentric breast cancers. <i>Breast Journal</i> , <b>2002</b> , 8, 356-61	1.2	33



36	One operation after percutaneous diagnosis of nonpalpable breast cancer: frequency and associated factors. <i>American Journal of Roentgenology</i> , <b>2002</b> , 178, 673-9	5.4	38
35	Isosulfan blue dye reactions during sentinel lymph node mapping for breast cancer. <i>Anesthesia and Analgesia</i> , <b>2002</b> , 95, 385-8, table of contents	3.9	60
34	Isosulfan Blue Dye Reactions During Sentinel Lymph Node Mapping for Breast Cancer. <i>Anesthesia and Analgesia</i> , <b>2002</b> , 95, 385-388	3.9	177
33	Eighteen sensations after breast cancer surgery: a comparison of sentinel lymph node biopsy and axillary lymph node dissection. <i>Oncology Nursing Forum</i> , <b>2002</b> , 29, 651-9	1.7	27
32	Breast imaging: a breast surgeon's perspective. <i>Radiologic Clinics of North America</i> , <b>2002</b> , 40, 517-20	2.3	
31	Sensory morbidity after sentinel lymph node biopsy and axillary dissection: A prospective study of 233 women <b>2002</b> , 9, 654		10
30	Intradermal isotope injection: a highly accurate method of lymphatic mapping in breast carcinoma. <i>Annals of Surgical Oncology</i> , <b>2001</b> , 8, 20-4	3.1	78
29	Oral gossypol in the treatment of patients with refractory metastatic breast cancer: a phase I/II clinical trial. <i>Breast Cancer Research and Treatment</i> , <b>2001</b> , 66, 239-48	4.4	163
28	Genetic alterations of the p14ARF-hdm2-p53 regulatory pathway in breast carcinoma. <i>Breast Cancer Research and Treatment</i> , <b>2001</b> , 65, 225-32	4.4	20
27	Expression of E2F-1 and E2F-4 is reduced in primary and metastatic breast carcinomas. <i>Breast Cancer Research and Treatment</i> , <b>2001</b> , 69, 115-22	4.4	26
26	Molecular analysis of the INK4A and INK4B gene loci in human breast cancer cell lines and primary carcinomas. <i>Cancer Genetics and Cytogenetics</i> , <b>2001</b> , 125, 131-8		17
25	Comprehensive review of the management of internal mammary lymph node metastases in breast cancer. <i>Journal of the American College of Surgeons</i> , <b>2001</b> , 193, 547-55	4.4	77
24	Bracketing wires for preoperative breast needle localization. <i>American Journal of Roentgenology</i> , <b>2001</b> , 177, 565-72	5.4	81
23	Intradermal Isotope Injection: A Highly Accurate Method of Lymphatic Mapping in Breast Carcinoma <b>2001</b> , 8, 20		5
22	In microdissected ductal carcinoma in situ, HER-2/neu amplification, but not p53 mutation, is associated with high nuclear grade and comedo histology. <i>Cancer</i> , <b>2000</b> , 89, 2153-60	6.4	33
21	Sentinel lymphadenectomy accurately predicts nodal status in T2 breast cancer. <i>Journal of the American College of Surgeons</i> , <b>2000</b> , 191, 593-9	4.4	66
20	Chest wall resection for locally recurrent breast cancer: is it worthwhile?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2000</b> , 119, 420-8	1.5	55
19	Magnetic resonance imaging facilitates breast conservation for occult breast cancer. <i>Annals of Surgical Oncology</i> , <b>2000</b> , 7, 411-5	3.1	141

18	Sentinel lymph node biopsy: is it indicated in patients with high-risk ductal carcinoma-in-situ and ductal carcinoma-in-situ with microinvasion?. <i>Annals of Surgical Oncology</i> , <b>2000</b> , 7, 636-42	3.1	263
17	Evaluation of pectoralis major muscle in patients with posterior breast tumors on breast MR images: early experience. <i>Radiology</i> , <b>2000</b> , 214, 67-72	20.5	87
16	Issues of regret in women with contralateral prophylactic mastectomies. <i>Annals of Surgical Oncology</i> , <b>1999</b> , 6, 546-52	3.1	148
15	Six-year follow-up of patients with microinvasive, T1a, and T1b breast carcinoma. <i>Annals of Surgical Oncology</i> , <b>1999</b> , 6, 591-8	3.1	31
14	Long term follow-up of women with ductal carcinoma in situ treated with breast-conserving surgery: the effect of age. <i>Cancer</i> , <b>1999</b> , 86, 1757-67	6.4	92
13	Hypomethylation and increased gene expression of p16INK4a in primary and metastatic breast carcinoma as compared to normal breast tissue. <i>Oncogene</i> , <b>1998</b> , 16, 2723-7	9.2	39
12	Preoperative galactography increases the diagnostic yield of major duct excision for nipple discharge <b>1998</b> , 82, 1874-1880		79
11	Volume of resection in patients treated with breast conservation for ductal carcinoma in situ. <i>Annals of Surgical Oncology</i> , <b>1998</b> , 5, 757-63	3.1	23
10	Incidence of axillary lymph node metastases in T1a and T1b breast carcinoma. <i>Annals of Surgical Oncology</i> , <b>1998</b> , 5, 23-7	3.1	52
9	Patient regrets after bilateral prophylactic mastectomy. <i>Annals of Surgical Oncology</i> , <b>1998</b> , 5, 603-6	3.1	94
8	Preoperative galactography increases the diagnostic yield of major duct excision for nipple discharge. <i>Cancer</i> , <b>1998</b> , 82, 1874-80	6.4	12
7	Microsatellite instability in breast cancer. <i>Annals of Surgical Oncology</i> , <b>1997</b> , 4, 310-5	3.1	16
6	Absence of p16 gene (CDKN2) deletions in microdissected primary breast carcinoma specimens. <i>Annals of Surgical Oncology</i> , <b>1997</b> , 4, 416-20	3.1	8
5	Predictors of intrusive thoughts and avoidance in women with family histories of breast cancer. <i>Annals of Behavioral Medicine</i> , <b>1997</b> , 19, 362-9	4.5	120
4	Ductal carcinoma in situ of the breast: progress and controversy. <i>Current Problems in Surgery</i> , <b>1996</b> , 33, 553-600	2.8	14
3	The role of bactericidal/permeability-increasing protein in the treatment of primate bacteremia and septic shock. <i>Journal of Clinical Immunology</i> , <b>1994</b> , 14, 120-33	5.7	22
2	Comparison of peripheral blood leukocyte kinetics after live <i>Escherichia coli</i> , endotoxin, or interleukin-1 alpha administration. Studies using a novel interleukin-1 receptor antagonist. <i>Annals of Surgery</i> , <b>1993</b> , 218, 79-90	7.8	26
1	Cachexia and the acute-phase protein response in inflammation are regulated by interleukin-6. <i>European Journal of Immunology</i> , <b>1993</b> , 23, 1889-94	6.1	135

