Gerhard Wiche

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2179372/gerhard-wiche-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 198 11,020 97 g-index h-index citations papers 11,869 6.4 204 5.94 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
198	Plectin-mediated cytoskeletal crosstalk controls cell tension and cohesion in epithelial sheets <i>Journal of Cell Biology</i> , 2022 , 221,	7.3	1
197	Plectin ensures intestinal epithelial integrity and protects colon against colitis. <i>Mucosal Immunology</i> , 2021 , 14, 691-702	9.2	7
196	Plectin dysfunction in neurons leads to tau accumulation on microtubules affecting neuritogenesis, organelle trafficking, pain sensitivity and memory. <i>Neuropathology and Applied Neurobiology</i> , 2021 , 47, 73-95	5.2	4
195	Plectin-related scapuloperoneal myopathy with treatment-responsive myasthenic syndrome. <i>Neuropathology and Applied Neurobiology</i> , 2021 , 47, 352-356	5.2	2
194	246th ENMC International Workshop: Protein aggregate myopathies 24-26 May 2019, Hoofddorp, The Netherlands. <i>Neuromuscular Disorders</i> , 2021 , 31, 158-166	2.9	O
193	Cytoskeleton Intermediate Filament Linker Proteins: Plectin and BPAG1 2021 , 200-219		
192	Plectin-Mediated Intermediate Filament Functions: Why Isoforms Matter. Cells, 2021, 10,	7.9	1
191	The Diversity of Intermediate Filaments in Astrocytes. <i>Cells</i> , 2020 , 9,	7.9	9
190	Plectin controls biliary tree architecture and stability in cholestasis. <i>Journal of Hepatology</i> , 2018 , 68, 100	06 3 1401	713
189	An Organoruthenium Anticancer Agent Shows Unexpected Target Selectivity For Plectin. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 8267-8271	16.4	71
188	InnenrEktitelbild: Ein Organoruthenium-Tumortherapeutikum mit unerwartet hoher SelektivitElfElectin (Angew. Chem. 28/2017). <i>Angewandte Chemie</i> , 2017 , 129, 8415-8415	3.6	
187	Ein Organoruthenium-Tumortherapeutikum mit unerwartet hoher Selektivit If Plectin. <i>Angewandte Chemie</i> , 2017 , 129, 8379-8383	3.6	11
186	Functional and Genetic Analysis of Plectin in Skin and Muscle. <i>Methods in Enzymology</i> , 2016 , 569, 235-59	9 1.7	12
185	Mutation in exon 1a of PLEC, leading to disruption of plectin isoform 1a, causes autosomal-recessive skin-only epidermolysis bullosa simplex. <i>Human Molecular Genetics</i> , 2015 , 24, 3155	i- 6 2	34
184	Networking and anchoring through plectin: a key to IF functionality and mechanotransduction. <i>Current Opinion in Cell Biology</i> , 2015 , 32, 21-9	9	74
183	Structural insights into Ca2+-calmodulin regulation of Plectin 1a-integrin 4 interaction in hemidesmosomes. <i>Structure</i> , 2015 , 23, 558-570	5.2	23
182	Molecular architecture and function of the hemidesmosome. <i>Cell and Tissue Research</i> , 2015 , 360, 529-44	44.2	97

(2014-2015)

181	In vivo characterization of human myofibrillar myopathy genes in zebrafish. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 461, 217-23	3.4	20
180	Plectin reinforces vascular integrity by mediating crosstalk between the vimentin and the actin networks. <i>Journal of Cell Science</i> , 2015 , 128, 4138-50	5.3	40
179	The cytolinker plectin regulates nuclear mechanotransduction in keratinocytes. <i>Journal of Cell Science</i> , 2015 , 128, 4475-86	5.3	30
178	Plectin isoform P1b and P1d deficiencies differentially affect mitochondrial morphology and function in skeletal muscle. <i>Human Molecular Genetics</i> , 2015 , 24, 4530-44	5.6	33
177	Schwann Cell Expressed Nogo-B Modulates Axonal Branching of Adult Sensory Neurons Through the Nogo-B Receptor NgBR. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 454	6.1	9
176	Epiplakin attenuates experimental mouse liver injury by chaperoning keratin reorganization. <i>Journal of Hepatology</i> , 2015 , 62, 1357-66	13.4	13
175	Plectin isoform 1-dependent nuclear docking of desmin networks affects myonuclear architecture and expression of mechanotransducers. <i>Human Molecular Genetics</i> , 2015 , 24, 7373-89	5.6	25
174	Determining the mechanical properties of plectin in mouse myoblasts and keratinocytes. <i>Experimental Cell Research</i> , 2015 , 331, 331-7	4.2	25
173	Keratins Stabilize Hemidesmosomes through Regulation of A-Integrin Turnover. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1609-1620	4.3	43
172	Molecular architecture and function of the hemidesmosome. <i>Cell and Tissue Research</i> , 2015 , 360, 363-78	34.2	57
171	Plectin reinforces vascular integrity by mediating crosstalk between the vimentin and the actin networks. <i>Development (Cambridge)</i> , 2015 , 142, e1.1-e1.1	6.6	2
170	Neuromuscular synapse integrity requires linkage of acetylcholine receptors to postsynaptic intermediate filament networks via rapsyn-plectin 1f complexes. <i>Molecular Biology of the Cell</i> , 2014 , 25, 4130-49	3.5	21
169	Silencing GFAP isoforms in astrocytoma cells disturbs laminin-dependent motility and cell adhesion. <i>FASEB Journal</i> , 2014 , 28, 2942-54	0.9	29
168	Vimentin intermediate filament and plectin provide a scaffold for invadopodia, facilitating cancer cell invasion and extravasation for metastasis. <i>European Journal of Cell Biology</i> , 2014 , 93, 157-69	6.1	66
167	Epiplakin deficiency aggravates murine caerulein-induced acute pancreatitis and favors the formation of acinar keratin granules. <i>PLoS ONE</i> , 2014 , 9, e108323	3.7	7
166	Aciculin interacts with filamin C and Xin and is essential for myofibril assembly, remodeling and maintenance. <i>Journal of Cell Science</i> , 2014 , 127, 3578-92	5.3	36
165	Mechanosensing through focal adhesion-anchored intermediate filaments. FASEB Journal, 2014, 28, 715	5629	106
164	Chemical chaperone ameliorates pathological protein aggregation in plectin-deficient muscle. Journal of Clinical Investigation, 2014 , 124, 1144-57	15.9	57

163	Linking cytoarchitecture to metabolism: sarcolemma-associated plectin affects glucose uptake by destabilizing microtubule networks in mdx myofibers. <i>Skeletal Muscle</i> , 2013 , 3, 14	5.1	22
162	Plectin-intermediate filament partnership in skin, skeletal muscle, and peripheral nerve. <i>Histochemistry and Cell Biology</i> , 2013 , 140, 33-53	2.4	81
161	The many faces of plectin and plectinopathies: pathology and mechanisms. <i>Acta Neuropathologica</i> , 2013 , 125, 77-93	14.3	99
160	Intermediate filament-associated cytolinker plectin 1c destabilizes microtubules in keratinocytes. <i>Molecular Biology of the Cell</i> , 2013 , 24, 768-84	3.5	38
159	Stabilization of the dystroglycan complex in Cajal bands of myelinating Schwann cells through plectin-mediated anchorage to vimentin filaments. <i>Glia</i> , 2013 , 61, 1274-87	9	20
158	Unexpected gain of function for the scaffolding protein plectin due to mislocalization in pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1941	4-9.5	69
157	Intermediate Filament Linker Proteins: Plectin and BPAG1 2013 , 624-630		
156	Fused in sarcoma (FUS) interacts with the cytolinker protein plectin: implications for FUS subcellular localization and function. <i>Experimental Cell Research</i> , 2012 , 318, 653-61	4.2	9
155	Hedgehog partial agonism drives Warburg-like metabolism in muscle and brown fat. <i>Cell</i> , 2012 , 151, 41	4 5 2662	191
¹ 54	Plectin isoforms as organizers of intermediate filament cytoarchitecture. <i>Bioarchitecture</i> , 2011 , 1, 14-20	0	81
154 153	Plectin isoforms as organizers of intermediate filament cytoarchitecture. <i>Bioarchitecture</i> , 2011 , 1, 14-20. Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396	6	81
	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice		
153	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396 Trichoplein/mitostatin regulates endoplasmic reticulum-mitochondria juxtaposition. <i>EMBO Reports</i> ,	6	47
153 152	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396 Trichoplein/mitostatin regulates endoplasmic reticulum-mitochondria juxtaposition. <i>EMBO Reports</i> , 2010 , 11, 854-60 Keeping the vimentin network under control: cell-matrix adhesion-associated plectin 1f affects cell	6.5	47
153 152 151	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396 Trichoplein/mitostatin regulates endoplasmic reticulum-mitochondria juxtaposition. <i>EMBO Reports</i> , 2010 , 11, 854-60 Keeping the vimentin network under control: cell-matrix adhesion-associated plectin 1f affects cell shape and polarity of fibroblasts. <i>Molecular Biology of the Cell</i> , 2010 , 21, 3362-75 Plectin gene defects lead to various forms of epidermolysis bullosa simplex. <i>Dermatologic Clinics</i> ,	6.5	47 100 89
153 152 151 150	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396 Trichoplein/mitostatin regulates endoplasmic reticulum-mitochondria juxtaposition. <i>EMBO Reports</i> , 2010 , 11, 854-60 Keeping the vimentin network under control: cell-matrix adhesion-associated plectin 1f affects cell shape and polarity of fibroblasts. <i>Molecular Biology of the Cell</i> , 2010 , 21, 3362-75 Plectin gene defects lead to various forms of epidermolysis bullosa simplex. <i>Dermatologic Clinics</i> , 2010 , 28, 33-41 BPAG1 isoform-b: complex distribution pattern in striated and heart muscle and association with	6 6.5 3.5 4.2	47 100 89 44
153 152 151 150	Targeted proteolysis of plectin isoform 1a accounts for hemidesmosome dysfunction in mice mimicking the dominant skin blistering disease EBS-Ogna. <i>PLoS Genetics</i> , 2011 , 7, e1002396 Trichoplein/mitostatin regulates endoplasmic reticulum-mitochondria juxtaposition. <i>EMBO Reports</i> , 2010 , 11, 854-60 Keeping the vimentin network under control: cell-matrix adhesion-associated plectin 1f affects cell shape and polarity of fibroblasts. <i>Molecular Biology of the Cell</i> , 2010 , 21, 3362-75 Plectin gene defects lead to various forms of epidermolysis bullosa simplex. <i>Dermatologic Clinics</i> , 2010 , 28, 33-41 BPAG1 isoform-b: complex distribution pattern in striated and heart muscle and association with plectin and alpha-actinin. <i>Experimental Cell Research</i> , 2010 , 316, 297-313 Plectin isoform-dependent regulation of keratin-integrin alpha6beta4 anchorage via	6 6.5 3.5 4.2 4.2	47 100 89 44 16

145	5Strans-splicing repair of the PLEC1 gene. Journal of Investigative Dermatology, 2008, 128, 568-74	4.3	55
144	Plectin deficiency affects precursor formation and dynamics of vimentin networks. <i>Experimental Cell Research</i> , 2008 , 314, 3570-80	4.2	32
143	Plectin isoform 1b mediates mitochondrion-intermediate filament network linkage and controls organelle shape. <i>Journal of Cell Biology</i> , 2008 , 181, 903-11	7.3	85
142	TorsinA binds the KASH domain of nesprins and participates in linkage between nuclear envelope and cytoskeleton. <i>Journal of Cell Science</i> , 2008 , 121, 3476-86	5.3	137
141	High-pressure freezing and low-temperature fixation of cell monolayers grown on sapphire coverslips. <i>Methods in Cell Biology</i> , 2008 , 88, 165-80	1.8	10
140	Stress-induced recruitment of epiplakin to keratin networks increases their resistance to hyperphosphorylation-induced disruption. <i>Journal of Cell Science</i> , 2008 , 121, 825-33	5.3	18
139	Myofiber integrity depends on desmin network targeting to Z-disks and costameres via distinct plectin isoforms. <i>Journal of Cell Biology</i> , 2008 , 181, 667-81	7.3	119
138	Rapid microwave fixation of cell monolayers preserves microtubule-associated cell structures. Journal of Histochemistry and Cytochemistry, 2008 , 56, 697-709	3.4	14
137	Muscular integritya matter of interlinking distinct structures via plectin. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 642, 165-75	3.6	13
136	Plectin defects in epidermolysis bullosa simplex with muscular dystrophy. <i>Muscle and Nerve</i> , 2007 , 35, 24-35	3.4	54
135	Ferritin associates with marginal band microtubules. Experimental Cell Research, 2007, 313, 1602-14	4.2	11
134	Plectin 1f scaffolding at the sarcolemma of dystrophic (mdx) muscle fibers through multiple interactions with beta-dystroglycan. <i>Journal of Cell Biology</i> , 2007 , 176, 965-77	7-3	124
133	Oxidation and nitrosylation of cysteines proximal to the intermediate filament (IF)-binding site of plectin: effects on structure and vimentin binding and involvement in IF collapse. <i>Journal of Biological Chemistry</i> , 2007 , 282, 8175-87	5.4	31
132	Conditional targeting of plectin in prenatal and adult mouse stratified epithelia causes keratinocyte fragility and lesional epidermal barrier defects. <i>Journal of Cell Science</i> , 2007 , 120, 2435-43	5.3	41
131	Plectin-controlled keratin cytoarchitecture affects MAP kinases involved in cellular stress response and migration. <i>Journal of Cell Biology</i> , 2006 , 174, 557-68	7-3	129
130	Plectin scaffolds recruit energy-controlling AMP-activated protein kinase (AMPK) in differentiated myofibres. <i>Journal of Cell Science</i> , 2006 , 119, 1864-75	5.3	54
129	Epiplakin is dispensable for skin barrier function and for integrity of keratin network cytoarchitecture in simple and stratified epithelia. <i>Molecular and Cellular Biology</i> , 2006 , 26, 559-68	4.8	24
128	Plectin regulates the organization of glial fibrillary acidic protein in Alexander disease. <i>American Journal of Pathology</i> , 2006 , 168, 888-97	5.8	61

127	Overlap of the gene encoding the novel poly(ADP-ribose) polymerase Parp10 with the plectin 1 gene and common use of exon sequences. <i>Genomics</i> , 2005 , 86, 38-46	4.3	5
126	Plectin rodless isoform expression and its detection in mouse brain. <i>Cellular and Molecular Neurobiology</i> , 2005 , 25, 1141-50	4.6	10
125	Targeted ablation of plectin isoform 1 uncovers role of cytolinker proteins in leukocyte recruitment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 18449-54	11.5	43
124	Plectin-RACK1 (receptor for activated C kinase 1) scaffolding: a novel mechanism to regulate protein kinase C activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 18701-10	5.4	90
123	Life-long course and molecular characterization of the original Dutch family with epidermolysis bullosa simplex with muscular dystrophy due to a homozygous novel plectin point mutation. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 124-31	2.2	13
122	Actin-binding domain of mouse plectin. Crystal structure and binding to vimentin. <i>FEBS Journal</i> , 2004 , 271, 1873-84		51
121	High-pressure freezing of epithelial cells on sapphire coverslips. <i>Journal of Microscopy</i> , 2004 , 213, 81-5	1.9	35
120	High-pressure cryoimmobilization of murine skin reveals novel structural features and prevents extraction artifacts. <i>Experimental Dermatology</i> , 2004 , 13, 419-25	4	15
119	Severe mucous membrane involvement in epidermolysis bullosa simplex with muscular dystrophy due to a novel plectin gene mutation. <i>European Journal of Pediatrics</i> , 2004 , 163, 218-22	4.1	18
118			
110	Plectin. <i>Methods in Cell Biology</i> , 2004 , 78, 721-755	1.8	30
117	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004 , 452-457	1.8	30
		1.8	18
117	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004 , 452-457		
117	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004 , 452-457 Plectin. <i>Methods in Cell Biology</i> , 2004 , 78, 721-55 Cryofixation of epithelial cells grown on sapphire coverslips by impact freezing. <i>Journal of</i>	1.8	18
117 116 115	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004, 452-457 Plectin. Methods in Cell Biology, 2004, 78, 721-55 Cryofixation of epithelial cells grown on sapphire coverslips by impact freezing. Journal of Microscopy, 2003, 209, 76-80 Plectin-isoform-specific rescue of hemidesmosomal defects in plectin (-/-) keratinocytes. Journal of	1.8	18
117 116 115	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004, 452-457 Plectin. Methods in Cell Biology, 2004, 78, 721-55 Cryofixation of epithelial cells grown on sapphire coverslips by impact freezing. Journal of Microscopy, 2003, 209, 76-80 Plectin-isoform-specific rescue of hemidesmosomal defects in plectin (-/-) keratinocytes. Journal of Investigative Dermatology, 2003, 120, 189-97 Epiplakin gene analysis in mouse reveals a single exon encoding a 725-kDa protein with expression	1.8 1.9	18 4 78
117 116 115 114	Intermediate Filament Linker Proteins: Plectin and BPAG1 2004, 452-457 Plectin. Methods in Cell Biology, 2004, 78, 721-55 Cryofixation of epithelial cells grown on sapphire coverslips by impact freezing. Journal of Microscopy, 2003, 209, 76-80 Plectin-isoform-specific rescue of hemidesmosomal defects in plectin (-/-) keratinocytes. Journal of Investigative Dermatology, 2003, 120, 189-97 Epiplakin gene analysis in mouse reveals a single exon encoding a 725-kDa protein with expression restricted to epithelial tissues. Journal of Biological Chemistry, 2003, 278, 31657-66 Plectin 5Stranscript diversity: short alternative sequences determine stability of gene products, initiation of translation and subcellular localization of isoforms. Human Molecular Genetics, 2003,	1.8 1.9 4.3	18 4 78 28

109	Plectin-like proteins are present in cells of Chlamydomonas eugametos (Volvocales). <i>Folia Microbiologica</i> , 2002 , 47, 535-9	2.8	O
108	A site-specific plectin mutation causes dominant epidermolysis bullosa simplex Ogna: two identical de novo mutations. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 87-93	4.3	92
107	Purification, crystallization and preliminary X-ray analysis of the plectin actin-binding domain. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002 , 58, 1368-70		4
106	Primary longitudinal adhesion structures: plectin-containing precursors of costameres in differentiating human skeletal muscle cells. <i>Histochemistry and Cell Biology</i> , 2002 , 118, 301-10	2.4	15
105	Disorganization of the desmin cytoskeleton and mitochondrial dysfunction in plectin-related epidermolysis bullosa simplex with muscular dystrophy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2002 , 61, 520-30	3.1	79
104	FIP-2, an IkappaB-kinase-gamma-related protein, is associated with the Golgi apparatus and translocates to the marginal band during chicken erythroblast differentiation. <i>Experimental Cell Research</i> , 2002 , 278, 133-45	4.2	20
103	Direct binding of plectin to Fer kinase and negative regulation of its catalytic activity. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 296, 904-10	3.4	37
102	Plectin repeats and modules: strategic cysteines and their presumed impact on cytolinker functions. <i>BioEssays</i> , 2001 , 23, 1064-9	4.1	31
101	A compound heterozygous one amino-acid insertion/nonsense mutation in the plectin gene causes epidermolysis bullosa simplex with plectin deficiency. <i>American Journal of Pathology</i> , 2001 , 158, 617-25	5.8	46
100	Mutation reports: epidermolysis bullosa simplex associated with severe mucous membrane involvement and novel mutations in the plectin gene. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 376-80	4.3	32
99	Differences in the distribution of synemin, paranemin, and plectin in skeletal muscles of wild-type and desmin knock-out mice. <i>Histochemistry and Cell Biology</i> , 2000 , 114, 39-47	2.4	62
98	Identification of the cytolinker plectin as a major early in vivo substrate for caspase 8 during CD95-and tumor necrosis factor receptor-mediated apoptosis. <i>Molecular and Cellular Biology</i> , 2000 , 20, 5665-	7 4 .8	136
97	MAP1B is required for axon guidance and Is involved in the development of the central and peripheral nervous system. <i>Journal of Cell Biology</i> , 2000 , 151, 1169-78	7.3	154
96	Dose-dependent linkage, assembly inhibition and disassembly of vimentin and cytokeratin 5/14 filaments through plectins intermediate filament-binding domain. <i>Journal of Cell Science</i> , 2000 , 113, 483-491	5.3	58
95	Dose-dependent linkage, assembly inhibition and disassembly of vimentin and cytokeratin 5/14 filaments through plectin's intermediate filament-binding domain. <i>Journal of Cell Science</i> , 2000 , 113 (Pt 3), 483-91	5.3	26
94	Unusual 5Stranscript complexity of plectin isoforms: novel tissue-specific exons modulate actin binding activity. <i>Human Molecular Genetics</i> , 1999 , 8, 2461-72	5.6	129
93	Plectin: a cytolinker by design. <i>Biological Chemistry</i> , 1999 , 380, 151-8	4.5	57
92	Crystal structure of a tandem pair of fibronectin type III domains from the cytoplasmic tail of integrin alpha6beta4. <i>EMBO Journal</i> , 1999 , 18, 4087-95	13	47

91	Expression of plectin and HD1 epitopes in patients with epidermolysis bullosa simplex associated with muscular dystrophy. <i>Archives of Dermatological Research</i> , 1999 , 291, 531-7	3.3	13
90	Conserved domains and lack of evidence for polyglutamine length polymorphism in the chicken homolog of the Machado-Joseph disease gene product ataxin-3. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999 , 1444, 299-305		5
89	Analysis of the mouse MAP1B gene identifies a highly conserved 4.3 kb 3Suntranslated region and provides evidence against the proposed structure of DBI-1 cDNA. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999 , 1445, 345-50		7
88	A 45 amino acid residue domain necessary and sufficient for proteolytic cleavage of the MAP1B polyprotein precursor. <i>FEBS Letters</i> , 1999 , 451, 15-8	3.8	14
87	Association of mitochondria with plectin and desmin intermediate filaments in striated muscle. Experimental Cell Research, 1999 , 252, 479-91	4.2	127
86	Evidence against structural and functional identity of microtubule-associated protein 1B and proteoglycan claustrin. <i>FEBS Letters</i> , 1998 , 423, 254-8	3.8	10
85	The mouse and rat MAP1B genes: genomic organization and alternative transcription. <i>Genomics</i> , 1998 , 49, 430-6	4.3	36
84	Linking integrin alpha6beta4-based cell adhesion to the intermediate filament cytoskeleton: direct interaction between the beta4 subunit and plectin at multiple molecular sites. <i>Journal of Cell Biology</i> , 1998 , 141, 209-25	7.3	228
83	Novel features of the light chain of microtubule-associated protein MAP1B: microtubule stabilization, self interaction, actin filament binding, and regulation by the heavy chain. <i>Journal of Cell Biology</i> , 1998 , 143, 695-707	7.3	131
82	Not just scaffolding: plectin regulates actin dynamics in cultured cells. <i>Genes and Development</i> , 1998 , 12, 3442-51	12.6	166
81	Domain structure and transcript diversity of plectin. <i>Biological Bulletin</i> , 1998 , 194, 381-2; discussion 383	1.5	7
80	Role of plectin in cytoskeleton organization and dynamics. <i>Journal of Cell Science</i> , 1998 , 111, 2477-2486	5.3	305
79	Role of plectin in cytoskeleton organization and dynamics. <i>Journal of Cell Science</i> , 1998 , 111 (Pt 17), 2477-86	5.3	116
78	Targeted inactivation of plectin reveals essential function in maintaining the integrity of skin, muscle, and heart cytoarchitecture. <i>Genes and Development</i> , 1997 , 11, 3143-56	12.6	261
77	Plectin transcript diversity: identification and tissue distribution of variants with distinct first coding exons and rodless isoforms. <i>Genomics</i> , 1997 , 42, 115-25	4.3	106
76	Plectin abnormality in epidermolysis bullosa simplex Ogna: non-responsiveness of basal keratinocytes to some anti-rat plectin antibodies. <i>Experimental Dermatology</i> , 1997 , 6, 41-8	4	31
75	Recessive epidermolysis bullosa simplex associated with plectin mutations: infantile respiratory complications in two unrelated cases. <i>British Journal of Dermatology</i> , 1997 , 137, 898-906	4	7
74	Recessive epidermolysis bullosa simplex associated with plectin mutations: infantile respiratory complications in two unrelated cases. <i>British Journal of Dermatology</i> , 1997 , 137, 898-906	4	39

(1991-1997)

73	Polarisation-dependent association of plectin with desmoplakin and the lateral submembrane skeleton in MDCK cells. <i>Journal of Cell Science</i> , 1997 , 110, 1307-1316	5.3	67
7 2	Polarisation-dependent association of plectin with desmoplakin and the lateral submembrane skeleton in MDCK cells. <i>Journal of Cell Science</i> , 1997 , 110 (Pt 11), 1307-16	5.3	24
71	Recessive epidermolysis bullosa simplex associated with plectin mutations: infantile respiratory complications in two unrelated cases. <i>British Journal of Dermatology</i> , 1997 , 137, 898-906	4	9
70	M-phase-specific phosphorylation and structural rearrangement of the cytoplasmic cross-linking protein plectin involve p34cdc2 kinase. <i>Molecular Biology of the Cell</i> , 1996 , 7, 273-88	3.5	46
69	Immunogold localisation of the intermediate chain within the protein complex of cytoplasmic dynein. <i>Journal of Structural Biology</i> , 1996 , 117, 227-35	3.4	56
68	Human plectin: organization of the gene, sequence analysis, and chromosome localization (8q24). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 4278-83	11.5	113
67	Plectin deficiency results in muscular dystrophy with epidermolysis bullosa. <i>Nature Genetics</i> , 1996 , 13, 450-7	36.3	358
66	Basic amino acid residue cluster within nuclear targeting sequence motif is essential for cytoplasmic plectin-vimentin network junctions. <i>Journal of Cell Biology</i> , 1996 , 134, 1455-67	7.3	157
65	Identification of plectin as a substrate of p34cdc2 kinase and mapping of a single phosphorylation site. <i>Journal of Biological Chemistry</i> , 1996 , 271, 8203-8	5.4	33
64	Defective expression of plectin/HD1 in epidermolysis bullosa simplex with muscular dystrophy. <i>Journal of Clinical Investigation</i> , 1996 , 97, 2289-98	15.9	178
63	Perinuclear distribution of plectin characterizes visceral epithelial cells of rat glomeruli. <i>American Journal of Pathology</i> , 1996 , 149, 319-27	5.8	12
62	Distribution and ultrastructure of plectin arrays in subclones of rat glioma C6 cells differing in intermediate filament protein (vimentin) expression. <i>Journal of Structural Biology</i> , 1995 , 115, 304-17	3.4	50
61	Distribution of plectin, an intermediate filament-associated protein, in the adult rat central nervous system. <i>Journal of Neuroscience Research</i> , 1994 , 37, 515-28	4.4	62
60	A panel of monoclonal antibodies to rat plectin: distinction by epitope mapping and immunoreactivity with different tissues and cell lines. <i>Acta Histochemica</i> , 1994 , 96, 421-38	2	46
59	Expression of plectin mutant cDNA in cultured cells indicates a role of COOH-terminal domain in intermediate filament association. <i>Journal of Cell Biology</i> , 1993 , 121, 607-19	7.3	111
58	Immunolocalization of the intermediate filament-associated protein plectin at focal contacts and actin stress fibers. <i>European Journal of Cell Biology</i> , 1992 , 59, 138-47	6.1	90
57	Identification of two distinct microtubule binding domains on recombinant rat MAP 1B. <i>European Journal of Cell Biology</i> , 1992 , 57, 66-74	6.1	49
56	Cloning and sequencing of rat plectin indicates a 466-kD polypeptide chain with a three-domain structure based on a central alpha-helical coiled coil. <i>Journal of Cell Biology</i> , 1991 , 114, 83-99	7.3	170

55	Immunolocalization and molecular properties of a high molecular weight microtubule-bundling protein (syncolin) from chicken erythrocytes. <i>Journal of Cell Biology</i> , 1991 , 112, 689-99	7.3	19
54	Protein kinase A- and protein kinase C-regulated interaction of plectin with lamin B and vimentin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 3812-6	11.5	96
53	Monoclonal antibody mapping of structural and functional plectin epitopes. <i>Journal of Cell Biology</i> , 1991 , 112, 397-405	7.3	49
52	Intermediate filament-associated proteins. Current Opinion in Cell Biology, 1991, 3, 75-81	9	97
51	Molecular structure and function of microtubule-associated proteins. <i>International Review of Cytology</i> , 1991 , 124, 217-73		143
50	Accumulation of abnormally phosphorylated tau precedes the formation of neurofibrillary tangles in AlzheimerS disease. <i>Brain Research</i> , 1989 , 477, 90-9	3.7	710
49	Plectin: general overview and appraisal of its potential role as a subunit protein of the cytomatrix. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 1989 , 24, 41-67	8.7	80
48	High-Mr microtubule-associated proteins: properties and functions. <i>Biochemical Journal</i> , 1989 , 259, 1-	123.8	100
47	Plectin/Vimentin Interaction: Molecular Binding Domains and Regulation by Phosphorylation. <i>Springer Series in Biophysics</i> , 1989 , 166-168		
46	Partial proteolysis of plectin and localization of self-interaction and vimentin binding sites on separate molecular domains. <i>Protoplasma</i> , 1988 , 145, 120-128	3.4	3
45	Cytoskeleton-associated plectin: in situ localization, in vitro reconstitution, and binding to immobilized intermediate filament proteins. <i>Journal of Cell Biology</i> , 1988 , 106, 723-33	7.3	145
44	Structure and hydrodynamic properties of plectin molecules. <i>Journal of Molecular Biology</i> , 1987 , 198, 515-31	6.5	82
43	Neurofibrillary tangles in Alzheimer\$ disease and progressive supranuclear palsy: antigenic similarities and differences. Microtubule-associated protein tau antigenicity is prominent in all types of tangles. <i>Acta Neuropathologica</i> , 1987 , 74, 39-46	14.3	105
42	Isolation of a Ca2+-protease resistant high Mr microtubule binding protein from mammalian brain: Characterization of properties partially expected for a dynein-like molecule. <i>Protoplasma</i> , 1987 , 138, 54-61	3.4	2
41	Plectin from bovine lenses. Chemical properties, structural analysis and initial identification of interaction partners. <i>FEBS Journal</i> , 1987 , 169, 41-52		39
40	Plectin and IFAP-300K are homologous proteins binding to microtubule-associated proteins 1 and 2 and to the 240-kilodalton subunit of spectrin. <i>Journal of Biological Chemistry</i> , 1987 , 262, 1320-5	5.4	112
39	Binding specificities of purified porcine brain alpha- and beta-tubulin subunits and of microtubule-associated proteins 1 and 2 examined by electron microscopy and solid-phase binding assays. <i>European Journal of Cell Biology</i> , 1987 , 45, 1-8	6.1	11
38	Plectin and IFAP-300K are homologous proteins binding to microtubule-associated proteins 1 and 2		

37	Molecular aspects of MAP-1 and MAP-2: microheterogeneity, in vitro localization and distribution in neuronal and nonneuronal cells. <i>Annals of the New York Academy of Sciences</i> , 1986 , 466, 180-98	6.5	15
36	Mr 205,000 sulfoglycoprotein in extracellular matrix of mouse fibroblast cells is immunologically related to high molecular weight microtubule-associated proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 5776-80	11.5	11
35	High-molecular-weight microtubule associated proteins (MAPS): a ubiquitous family of cytoskeletal connecting links. <i>Trends in Biochemical Sciences</i> , 1985 , 10, 67-70	10.3	50
34	Promotion of MAP/MAP interaction by taxol. <i>Journal of Ultrastructure Research</i> , 1985 , 93, 33-41		15
33	Identification and spatial arrangement of high molecular weight proteins (Mr 300 000-330 000) co-assembling with microtubules from a cultured cell line (rat glioma C6). <i>European Journal of Cell Biology</i> , 1985 , 38, 149-56	6.1	34
32	Microheterogeneity of microtubule-associated proteins, MAP-1 and MAP-2, and differential phosphorylation of individual subcomponents. <i>Journal of Biological Chemistry</i> , 1985 , 260, 5797-803	5.4	39
31	Morphological integrity of single adult cardiac myocytes isolated by collagenase treatment: immunolocalization of tubulin, microtubule-associated proteins 1 and 2, plectin, vimentin, and vinculin. <i>European Journal of Cell Biology</i> , 1985 , 38, 113-22	6.1	29
30	Monoclonal antibody to a 43 000 Mr surface protein of a human leukaemia cell line (THP-1) crossreacts with the fibroblast intermediate filament protein vimentin. <i>Journal of Cell Science</i> , 1985 , 73, 87-103	5.3	11
29	Monoclonal antibody to a 43 000 Mr surface protein of a human leukaemia cell line (THP-1) crossreacts with the fibroblast intermediate filament protein vimentin. <i>Journal of Cell Science</i> , 1985 , 73, 87-103	5.3	12
28	Microheterogeneity of microtubule-associated proteins, MAP-1 and MAP-2, and differential phosphorylation of individual subcomponents <i>Journal of Biological Chemistry</i> , 1985 , 260, 5797-5803	5.4	29
27	Widespread occurrence of polypeptides related to neurotubule-associated proteins (MAP-1 and MAP-2) in non-neuronal cells and tissues <i>EMBO Journal</i> , 1984 , 3, 991-998	13	35
26	Identification of plectin in different human cell types and immunolocalization at epithelial basal cell surface membranes. <i>Experimental Cell Research</i> , 1984 , 155, 43-9	4.2	74
25	Structural homology of microtubule-associated proteins 1 and 2 demonstrated by peptide mapping and immunoreactivity. <i>Journal of Biological Chemistry</i> , 1984 , 259, 612-7	5.4	17
24	Widespread occurrence of polypeptides related to neurotubule-associated proteins (MAP-1 and MAP-2) in non-neuronal cells and tissues. <i>EMBO Journal</i> , 1984 , 3, 991-8	13	20
23	Structural homology of microtubule-associated proteins 1 and 2 demonstrated by peptide mapping and immunoreactivity <i>Journal of Biological Chemistry</i> , 1984 , 259, 612-617	5.4	13
22	Occurrence and immunolocalization of plectin in tissues. <i>Journal of Cell Biology</i> , 1983 , 97, 887-901	7.3	148
21	Differential distribution of microtubule-associated proteins MAP-1 and MAP-2 in neurons of rat brain and association of MAP-1 with microtubules of neuroblastoma cells (clone N2A) <i>EMBO Journal</i> , 1983 , 2, 1915-1920	13	42
20	Specific in situ phosphorylation of plectin in detergent-resistant cytoskeletons from cultured Chinese hamster ovary cells. <i>Journal of Biological Chemistry</i> , 1983 , 258, 14610-8	5.4	41

19	Differential distribution of microtubule-associated proteins MAP-1 and MAP-2 in neurons of rat brain and association of MAP-1 with microtubules of neuroblastoma cells (clone N2A). <i>EMBO Journal</i> , 1983 , 2, 1915-20	13	22
18	Specific in situ phosphorylation of plectin in detergent-resistant cytoskeletons from cultured Chinese hamster ovary cells <i>Journal of Biological Chemistry</i> , 1983 , 258, 14610-14618	5.4	39
17	Potent microtubule inhibitor protein from Dictyostelium discoideum. <i>Biochemistry</i> , 1982 , 21, 782-9	3.2	11
16	Cytoplasmic network arrays demonstrated by immunolocalization using antibodies to a high molecular weight protein present in cytoskeletal preparations from cultured cells. <i>Experimental Cell Research</i> , 1982 , 138, 15-29	4.2	64
15	Plectin: a high-molecular-weight cytoskeletal polypeptide component that copurifies with intermediate filaments of the vimentin type. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1982 , 46 Pt 1, 475-82	3.9	56
14	High molecular weight polypeptides (270,000-340,000) from cultured cells are related to hog brain microtubule-associated proteins but copurify with intermediate filaments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980 , 77, 4808-12	11.5	70
13	Effects of DNA on microtubule assembly. FEBS Journal, 1980, 105, 7-16		43
12	Microtubule associated proteins stabilize the colchicine binding activity of tubulin. <i>FEBS Letters</i> , 1980 , 116, 247-50	3.8	8
11	In vitro synthesis of nerve growth factor related glioma C6 cell polypeptides. <i>Biochemical and Biophysical Research Communications</i> , 1979 , 89, 620-6	3.4	3
10	Microtubule protein preparations from C6 glial cells and their spontaneous polymer formation. Journal of Cell Biology, 1979 , 80, 553-63	7.3	13
9	Expression of simian virus 40 gene A affects tubulin stability. <i>Journal of Virology</i> , 1979 , 32, 47-51	6.6	4
8	Preferential binding of hog brain microtubule-associated proteins to mouse satellite versus bulk DNA preparations. <i>Nature</i> , 1978 , 273, 403-5	50.4	46
7	Polymerising ability of C6 glial cell microtubule protein decays much faster than its colchicine-binding activity. <i>Nature</i> , 1977 , 269, 435-6	50.4	16
6	Competence of soluble cell extracts as microtubule assembly systems. Comparison of simian virus 40 transformed and nontransformed mouse 3T3 fibroblasts. <i>Journal of Biological Chemistry</i> , 1977 , 252, 794-6	5.4	24
5	Competence of soluble cell extracts as microtubule assembly systems. Comparison of simian virus 40 transformed and nontransformed mouse 3T3 fibroblasts <i>Journal of Biological Chemistry</i> , 1977 , 252, 794-796	5.4	17
4	An improved preparation of highly specific tublin antibodies. <i>Experimental Cell Research</i> , 1976 , 99, 15-2	24.2	13
3	Reversible in vitro polymerization of tubulin from a cultured cell line (rat glial cell clone C6). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976 , 73, 1227-31	11.5	39
2	In vitro synthesis of mouse neuroblastoma tubulin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1974 , 71, 1446-50	11.5	17

LIST OF PUBLICATIONS

1 Plectinopathies185-192