
Karin Hek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2179673/publications.pdf Version: 2024-02-01



KADIN HEK

#	Article	IF	CITATIONS
1	Antibiotic Prescribing in Dutch Daytime and Out-of-Hours General Practice during the COVID-19 Pandemic: A Retrospective Database Study. Antibiotics, 2022, 11, 309.	1.5	11
2	Newer long-acting insulin prescriptions for patients with type 2 diabetes: prevalence and practice variation in a retrospective cohort study. British Journal of General Practice, 2022, 72, e430-e436.	0.7	5
3	Electronic Health Record–Triggered Research Infrastructure Combining Real-world Electronic Health Record Data and Patient-Reported Outcomes to Detect Benefits, Risks, and Impact of Medication: Development Study. JMIR Medical Informatics, 2022, 10, e33250.	1.3	1
4	Opioid prescribing in out-of-hours primary care in Flanders and the Netherlands: A retrospective cross-sectional study. PLoS ONE, 2022, 17, e0265283.	1.1	1
5	Incentivizing appropriate prescribing in primary care: development and first results of an electronic health record-based pay-for-performance scheme. Health Policy, 2022, , .	1.4	0
6	Socioeconomic inequalities in out-of-hours primary care use: an electronic health records linkage study. European Journal of Public Health, 2020, 30, 1049-1055.	0.1	3
7	Guideline Adherence in Antibiotic Prescribing to Patients with Respiratory Diseases in Primary Care: Prevalence and Practice Variation. Antibiotics, 2020, 9, 571.	1.5	11
8	Use of Opioids Increases With Age in Older Adults: An Observational Study (2005–2017). Frontiers in Pharmacology, 2020, 11, 648.	1.6	13
9	Non-adherence to cardiovascular drugs in older patients with depression: A population-based cohort study. International Journal of Cardiology, 2019, 274, 366-371.	0.8	13
10	Non-adherence to antidepressants among older patients with depression: a longitudinal cohort study in primary care. Family Practice, 2019, 36, 12-20.	0.8	20
11	Laxative co-medication and changes in defecation patterns during opioid use. Journal of Oncology Pharmacy Practice, 2019, 25, 1613-1621.	0.5	1
12	Age-Specific Antibiotic Prescribing and Adherence to Guidelines in Pediatric Patients in Primary Care. Pediatric Infectious Disease Journal, 2018, 37, 218-223.	1.1	13
13	Does shared decision-making reduce antibiotic prescribing in primary care?. Journal of Antimicrobial Chemotherapy, 2018, 73, 3199-3205.	1.3	30
14	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	0.7	84
15	Partner notification and partner treatment for chlamydia: attitude and practice of general practitioners in the Netherlands; a landscape analysis. BMC Family Practice, 2017, 18, 103.	2.9	4
16	Is there a conflict between general practitioners applying guidelines for antibiotic prescribing and including their patients' preferences?. Patient Preference and Adherence, 2017, Volume 12, 9-19.	0.8	9
17	Inter-practice variation in polypharmacy prevalence amongst older patients in primary care. Pharmacoepidemiology and Drug Safety, 2016, 25, 1033-1041.	0.9	23
18	GENOME-WIDE ASSOCIATION STUDY (GWAS) AND GENOME-WIDE BY ENVIRONMENT INTERACTION STUDY (GWEIS) OF DEPRESSIVE SYMPTOMS IN AFRICAN AMERICAN AND HISPANIC/LATINA WOMEN. Depression and Anxiety, 2016, 33, 265-280.	2.0	99

Karin Hek

#	Article	IF	CITATIONS
19	Genetic variants in RBFOX3 are associated with sleep latency. European Journal of Human Genetics, 2016, 24, 1488-1495.	1.4	27
20	Antibiotic prescribing for children in primary care and adherence to treatment guidelines. Journal of Antimicrobial Chemotherapy, 2016, 71, 1707-1714.	1.3	53
21	Factors associated with variation in urgency of primary out-of-hours contacts in the Netherlands: a cross-sectional study. BMJ Open, 2015, 5, e008421.	0.8	9
22	To what extent does sociodemographic composition of the neighbourhood explain regional differences in demand of primary out-of-hours care: a multilevel study. BMC Family Practice, 2015, 16, 54.	2.9	19
23	Anxiety disorders and salivary cortisol levels in older adults: a population-based study. Psychoneuroendocrinology, 2013, 38, 300-305.	1.3	93
24	A Genome-Wide Association Study of Depressive Symptoms. Biological Psychiatry, 2013, 73, 667-678.	0.7	149
25	The Neuronal Transporter Gene SLC6A15 Confers Risk to Major Depression. Neuron, 2011, 70, 252-265.	3.8	189
26	Genetics of cortisol secretion and depressive symptoms: A candidate gene and genome wide association approach. Psychoneuroendocrinology, 2011, 36, 1053-1061.	1.3	85
27	The prevalence and characteristics of complicated grief in older adults. Journal of Affective Disorders, 2011, 132, 231-238.	2.0	219
28	Anxiety disorders and comorbid depression in community dwelling older adults. International Journal of Methods in Psychiatric Research, 2011, 20, 157-168.	1.1	36
29	The PCLO gene and depressive disorders: replication in a population-based study. Human Molecular Genetics, 2010, 19, 731-734.	1.4	43
30	Atherosclerosis and Incident Depression in Late Life. Archives of General Psychiatry, 2010, 67, 1144.	13.8	46