List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2179881/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Muscle strengthening and physical conditioning to reduce impairment and disability in chronic stroke survivors. Archives of Physical Medicine and Rehabilitation, 1999, 80, 1211-1218.	0.9	403
2	Plantarflexor weakness as a limiting factor of gait speed in stroke subjects and the compensating role of hip flexors. Clinical Biomechanics, 1999, 14, 125-135.	1.2	342
3	ANALYSIS OF THE CLINICAL FACTORS DETERMINING NATURAL AND MAXIMAL GAIT SPEEDS IN ADULTS WITH A STROKE1. American Journal of Physical Medicine and Rehabilitation, 1999, 78, 123-130.	1.4	227
4	In-Home Telerehabilitation Compared with Face-to-Face Rehabilitation After Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2015, 97, 1129-1141.	3.0	215
5	The effect of foot position and chair height on the asymmetry of vertical forces during sit-to-stand and stand-to-sit tasks in individuals with hemiparesis. Clinical Biomechanics, 2006, 21, 585-593.	1.2	133
6	Cost Analysis of In-Home Telerehabilitation for Post-Knee Arthroplasty. Journal of Medical Internet Research, 2015, 17, e83.	4.3	129
7	Patient Satisfaction with In-Home Telerehabilitation After Total Knee Arthroplasty: Results from a Randomized Controlled Trial. Telemedicine Journal and E-Health, 2017, 23, 80-87.	2.8	90
8	Task-Oriented Intervention in Chronic Stroke. American Journal of Physical Medicine and Rehabilitation, 2006, 85, 820-830.	1.4	88
9	Physical Determinants, Emerging Concepts, and Training Approaches in Gait of Individuals with Spinal Cord Injury. Journal of Neurotrauma, 2006, 23, 571-585.	3.4	84
10	Head and trunk stabilization strategies during forward and backward walking in healthy adults. Gait and Posture, 2003, 18, 134-142.	1.4	83
11	Mobility of wheelchair users: a proposed performance assessment framework. Disability and Rehabilitation, 2003, 25, 19-34.	1.8	81
12	Determinants of sit-to-stand tasks in individuals with hemiparesis post stroke: A review. Annals of Physical and Rehabilitation Medicine, 2015, 58, 167-172.	2.3	81
13	Effects of the Direction of Turning on the Timed Up & Go Test with Stroke Subjects. Topics in Stroke Rehabilitation, 2009, 16, 196-206.	1.9	80
14	Gait study of patients with patellofemoral pain syndrome. Gait and Posture, 1997, 5, 21-27.	1.4	79
15	Side difference in the hip and knee joint moments during sit-to-stand and stand-to-sit tasks in individuals with hemiparesis. Clinical Biomechanics, 2007, 22, 795-804.	1.2	76
16	Effects of cadence on energy generation and absorption at lower extremity joints during gait. Clinical Biomechanics, 2008, 23, 769-778.	1.2	72
17	Trunk and upper extremity kinematics during sitting pivot transfers performed by individuals with spinal cord injury. Clinical Biomechanics, 2008, 23, 279-290.	1.2	67
18	Multiple roads lead to Rome: combined high-intensity aerobic and strength training vs. gross motor activities leads to equivalent improvement in executive functions in a cohort of healthy older adults. Age, 2014, 36, 9710.	3.0	66

#	Article	IF	CITATIONS
19	Gait Analysis for Poststroke Rehabilitation. Physical Medicine and Rehabilitation Clinics of North America, 2013, 24, 265-276.	1.3	62
20	Executive functions, physical fitness and mobility in well-functioning older adults. Experimental Gerontology, 2013, 48, 1402-1409.	2.8	61
21	Interactions between foot placement, trunk frontal position, weight-bearing and knee moment asymmetry at seat-off during rising from a chair in healthy controls and persons with hemiparesis. Acta Dermato-Venereologica, 2008, 40, 200-207.	1.3	60
22	Quantification of level of effort at the plantarflexors and hip extensors and flexor muscles in healthy subjects walking at different cadences. Journal of Electromyography and Kinesiology, 2005, 15, 393-405.	1.7	58
23	Muscular utilization of the plantarflexors, hip flexors and extensors in persons with hemiparesis walking at self-selected and maximal speeds. Journal of Electromyography and Kinesiology, 2007, 17, 184-193.	1.7	55
24	Gait patterns comparison of children with Duchenne muscular dystrophy to those of control subjects considering the effect of gait velocity. Gait and Posture, 2010, 32, 342-347.	1.4	53
25	Lateral Trunk Displacement and Stability During Sit-to-Stand Transfer in Relation to Foot Placement in Patients With Hemiparesis. Neurorehabilitation and Neural Repair, 2008, 22, 715-722.	2.9	52
26	Reliability and Validity of Static Knee Strength Measurements Obtained With a Chair-Fixed Dynamometer in Subjects With Hip or Knee Arthroplasty. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1998-2008.	0.9	49
27	Comparison of peak shoulder and elbow mechanical loads during weight-relief lifts and sitting pivot transfers among manual wheelchair users with spinal cord injury. Journal of Rehabilitation Research and Development, 2008, 45, 863-874.	1.6	48
28	Quantification of reaction forces during sitting pivot transfers performed by individuals with spinal cord injury. Journal of Rehabilitation Medicine, 2008, 40, 468-476.	1.1	46
29	Stroke rehabilitation. Progress in Brain Research, 2015, 218, 253-280.	1.4	46
30	Associations between lower limb impairments, locomotor capacities and kinematic variables in the frontal plane during walking in adults with chronic stroke. Journal of Rehabilitation Medicine, 2003, 35, 259-264.	1.1	45
31	Spontaneous Motor Rhythms of the Back and Legs in a Patient With a Complete Spinal Cord Transection. Neurorehabilitation and Neural Repair, 2010, 24, 377-383.	2.9	44
32	Predicting levels of basic functional mobility, as assessed by the Timed "Up and Go―test, for individuals with stroke: discriminant analyses. Disability and Rehabilitation, 2013, 35, 146-152.	1.8	44
33	Center-of-pressure total trajectory length is a complementary measure to maximum excursion to better differentiate multidirectional standing limits of stability between individuals with incomplete spinal cord injury and able-bodied individuals. Journal of NeuroEngineering and Rehabilitation, 2014, 11. 8.	4.6	43
34	Perception of Weight-Bearing Distribution During Sit-to-Stand Tasks in Hemiparetic and Healthy Individuals. Stroke, 2010, 41, 1704-1708.	2.0	42
35	Biomechanical analysis of a posterior transfer maneuver on a level surface in individuals with high and low-level spinal cord injuries. Clinical Biomechanics, 2003, 18, 319-331.	1.2	41
36	Fully-integrated framework for the segmentation and registration of the spinal cord white and gray matter. NeuroImage, 2017, 150, 358-372.	4.2	41

#	Article	IF	CITATIONS
37	Effects of Repeated Distension Arthrographies Combined with a Home Exercise Program Among Adults with Idiopathic Adhesive Capsulitis of the Shoulder. American Journal of Physical Medicine and Rehabilitation, 2004, 83, 537-546.	1.4	38
38	Bilateral Level of Effort of the Plantar Flexors, Hip Flexors, and Extensors During Gait in Hemiparetic and Healthy Individuals. Stroke, 2006, 37, 2070-2075.	2.0	38
39	Evaluation of plantar flexion contracture contribution during the gait of children with Duchenne muscular dystrophy. Journal of Electromyography and Kinesiology, 2009, 19, e180-e186.	1.7	38
40	Guiding task-oriented gait training after stroke or spinal cord injury by means of a biomechanical gait analysis. Progress in Brain Research, 2011, 192, 161-180.	1.4	38
41	Influence of visual inputs on quasi-static standing postural steadiness in individuals with spinal cord injury. Gait and Posture, 2013, 38, 357-360.	1.4	38
42	Biomechanics of Sitting Pivot Transfers Among Individuals with a Spinal Cord Injury: A Review of the Current Knowledge. Topics in Spinal Cord Injury Rehabilitation, 2009, 15, 33-58.	1.8	37
43	Movement patterns and muscular demands during posterior transfers toward an elevated surface in individuals with spinal cord injury. Spinal Cord, 2005, 43, 74-84.	1.9	35
44	Biomechanical assessment of sitting pivot transfer tasks using a newly developed instrumented transfer system among long-term wheelchair users. Journal of Biomechanics, 2008, 41, 1104-1110.	2.1	31
45	Inter-trial and test–retest reliability of kinematic and kinetic gait parameters among subjects with adolescent idiopathic scoliosis. European Spine Journal, 2008, 17, 204-216.	2.2	30
46	Repeated split-belt treadmill walking improved gait ability in individuals with chronic stroke: A pilot study. Physiotherapy Theory and Practice, 2018, 34, 81-90.	1.3	30
47	Pelvic and shoulder movements in the frontal plane during treadmill walking in adults with stroke. Journal of Stroke and Cerebrovascular Diseases, 2004, 13, 58-69.	1.6	29
48	Pelvic Stabilization and Semisitting Position Increase the Specificity of Back Exercises. Medicine and Science in Sports and Exercise, 2009, 41, 435-443.	0.4	29
49	Effect of increases in plantarflexor and hip flexor muscle strength on the levels of effort during gait in individuals with hemiparesis. Clinical Biomechanics, 2008, 23, 415-423.	1.2	27
50	Comparison of multidirectional seated postural stability between individuals with spinal cord injury and able-bodied individuals. Journal of Rehabilitation Medicine, 2013, 45, 47-54.	1.1	27
51	Comparison of the EMG power spectrum of the human soleus and gastrocnemius muscles. European Journal of Applied Physiology and Occupational Physiology, 1994, 68, 395-401.	1.2	25
52	Development of an obstacle course assessment of wheelchair user performance (OCAWUP): A content validity study. Technology and Disability, 2004, 16, 19-31.	0.6	25
53	Electromyographic patterns of upper extremity muscles during sitting pivot transfers performed by individuals with spinal cord injury. Journal of Electromyography and Kinesiology, 2009, 19, 509-520.	1.7	24
54	Specificity of a Back Muscle Roman Chair Exercise in Healthy and Back Pain Subjects. Medicine and Science in Sports and Exercise, 2011, 43, 157-164.	0.4	24

#	Article	IF	CITATIONS
55	Plantarflexor weakness is a determinant of kinetic asymmetry during gait in post-stroke individuals walking with high levels of effort. Clinical Biomechanics, 2015, 30, 946-952.	1.2	24
56	Specificity of a Back Muscle Exercise Machine in Healthy and Low Back Pain Subjects. Medicine and Science in Sports and Exercise, 2010, 42, 592-599.	0.4	23
57	Expanded Timed Up and Go Test With Subjects With Stroke: Reliability and Comparisons With Matched Healthy Controls. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1034-1038.	0.9	23
58	Effects of Seated Postural Stability and Trunk and Upper Extremity Strength on Performance during Manual Wheelchair Propulsion Tests in Individuals with Spinal Cord Injury: An Exploratory Study. Rehabilitation Research and Practice, 2016, 2016, 1-11.	0.6	23
59	Lower extremity outcome measures: considerations for clinical trials in spinal cord injury. Spinal Cord, 2018, 56, 628-642.	1.9	23
60	Effects of aerobic training on physical activity in people with stroke: A randomized controlled trial. NeuroRehabilitation, 2020, 46, 391-401.	1.3	23
61	Plantarflexion moment is a contributor to step length after-effect following walking on a split-belt treadmill in individuals with stroke and healthy individuals. Journal of Rehabilitation Medicine, 2014, 46, 849-857.	1.1	22
62	A more symmetrical gait after split-belt treadmill walking increases the effort in paretic plantar flexors in people post-stroke. Journal of Rehabilitation Medicine, 2016, 48, 576-582.	1.1	22
63	Postural and dynamic balance while walking in adults with incomplete spinal cord injury. Journal of Electromyography and Kinesiology, 2014, 24, 739-746.	1.7	21
64	Efficacy of interventions aimed at improving physical activity in individuals with stroke: a systematic review. Disability and Rehabilitation, 2020, 42, 902-917.	1.8	21
65	Reliability and construct validity studies of an obstacle course assessment of wheelchair user performance. International Journal of Rehabilitation Research, 2005, 28, 49-56.	1.3	20
66	Relation between physical exertion and postural stability in hemiparetic participants secondary to stroke. Gait and Posture, 2011, 33, 615-619.	1.4	20
67	Effects of sensorimotor trunk impairments on trunk and upper limb joint kinematics and kinetics during sitting pivot transfers in individuals with a spinal cord injury. Clinical Biomechanics, 2013, 28, 1-9.	1.2	20
68	Development and validation of an innovative tool for the assessment of biomechanical strategies: The Timed Á¢â,¬Å"Up and Goââ,¬Â•ââ,¬â€œ Assessment of Biomechanical Strategies (TUG-ABS) for individuals wit stroke. Journal of Rehabilitation Medicine, 2013, 45, 232-240.	:h1.1	20
69	Magnitude of forward trunk flexion influences upper limb muscular efforts and dynamic postural stability requirements during sitting pivot transfers in individuals with spinal cord injury. Journal of Electromyography and Kinesiology, 2013, 23, 1325-1333.	1.7	19
70	Trunk strength and function using the multidirectional reach distance in individuals with non-traumatic spinal cord injury. Journal of Spinal Cord Medicine, 2014, 37, 537-547.	1.4	19
71	Modifications in ankle dorsiflexor activation by applying a torque perturbation during walking in persons post-stroke: a case series. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 98.	4.6	19
72	A Method to Evaluate Contractures Effects during the Gait of Children with Duchenne Dystrophy. Clinical Orthopaedics and Related Research, 2007, 456, 51-57.	1.5	18

#	Article	IF	CITATIONS
73	Ideal timing to transfer from an acute care hospital to an interdisciplinary inpatient rehabilitation program following a stroke: an exploratory study. BMC Health Services Research, 2006, 6, 151.	2.2	17
74	Changes in activation timing of knee and ankle extensors during gait are related to changes in heteronymous spinal pathways after stroke. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 148.	4.6	17
75	Perception Threshold of Locomotor Symmetry While Walking on a Split-Belt Treadmill in Healthy Elderly Individuals. Perceptual and Motor Skills, 2014, 118, 475-490.	1.3	17
76	180° turn while walking: characterization and comparisons between subjects with and without stroke. Journal of Physical Therapy Science, 2016, 28, 2694-2699.	0.6	17
77	Effects of aerobic training on physical activity in people with stroke: protocol for a randomized controlled trial. Trials, 2018, 19, 446.	1.6	17
78	Giant Frontal Sinus Osteomas: Demographic, Clinical Presentation, and Management of 10 Cases. American Journal of Rhinology and Allergy, 2019, 33, 36-43.	2.0	17
79	Activity Monitor Placed at the Nonparetic Ankle Is Accurate in Measuring Step Counts During Community Walking in Poststroke Individuals: A Validation Study. PM and R, 2019, 11, 963-971.	1.6	17
80	Effects of Trunk Impairments on Manual Wheelchair Propulsion Among Individuals with a Spinal Cord Injury: A Brief Overview and Future Challenges. Topics in Spinal Cord Injury Rehabilitation, 2009, 15, 59-70.	1.8	17
81	Measurement properties of self-report physical activity assessment tools for patients with stroke: a systematic review. Brazilian Journal of Physical Therapy, 2019, 23, 476-490.	2.5	16
82	Effect of pelvic stabilization and hip position on trunk extensor activity during back extension exercises on a roman chair. Journal of Rehabilitation Medicine, 2009, 41, 136-142.	1.1	15
83	Effects of walking with loads above the ankle on gait parameters of persons with hemiparesis after stroke. Clinical Biomechanics, 2014, 29, 265-271.	1.2	15
84	Comparison of Walking Parameters and Cardiorespiratory Changes during the 6-Minute Walk Test in Healthy Sexagenarians and Septuagenarians. Gerontology, 2009, 55, 694-701.	2.8	14
85	Potential of the smart balance master system to assess standing balance in people with incomplete spinal cord injury. Journal of Rehabilitation Medicine, 2013, 45, 55-60.	1.1	13
86	Postural control during gait initiation and termination of adults with incomplete spinal cord injury. Human Movement Science, 2015, 41, 20-31.	1.4	13
87	Inter- and Intra-Rater Reliability of the Visual Vertical in Subacute Stroke. Stroke, 2015, 46, 1979-1983.	2.0	13
88	Do Performance-Based Wheelchair Propulsion Tests Detect Changes Among Manual Wheelchair Users With Spinal Cord Injury During Inpatient Rehabilitation in Quebec?. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1214-1218.	0.9	13
89	Changes in lower limb muscle activity after walking on a split-belt treadmill in individuals post-stroke. Journal of Electromyography and Kinesiology, 2017, 32, 93-100.	1.7	13
90	Development of Walking indicators to advance the quality of spinal cord injury rehabilitation: SCI-High Project. Journal of Spinal Cord Medicine, 2019, 42, 119-129.	1.4	13

#	Article	IF	CITATIONS
91	CLINICAL AND ADMINISTRATIVE OUTCOMES DURING PUBLICLY-FUNDED INPATIENT STROKE REHABILITATION BASED ON A CASE-MIX GROUP CLASSIFICATION MODEL. Journal of Rehabilitation Medicine, 2005, 37, 45-52.	1.1	12
92	Clinical testing of an innovative tool for the assessment of biomechanical strategies: The Timed ââ,¬ÂUp and Goââ,¬Â•Assessment of Biomechanical Strategies (TUG-ABS) for individuals with stroke. Journal of Rehabilitation Medicine, 2013, 45, 241-247.	1.1	12
93	Gait adaptation during walking on an inclined pathway following spinal cord injury. Clinical Biomechanics, 2014, 29, 500-505.	1.2	12
94	Persistence of long term isokinetic strength deficits in subjects with lateral ankle sprain as measured with a protocol including maximal preloading. Clinical Biomechanics, 2014, 29, 1151-1157.	1.2	12
95	Conditions of Use, Reliability, and Quality of Audio/Video-Mediated Communications During In-Home Rehabilitation Teletreatment for Postknee Arthroplasty. Telemedicine Journal and E-Health, 2016, 22, 637-649.	2.8	12
96	Efficacy of interventions to improve physical activity levels in individuals with stroke: a systematic review protocol. BMJ Open, 2017, 7, e012479.	1.9	12
97	Lower limb joint moments on the fast belt contribute to a reduction of step length asymmetry over ground after split-belt treadmill training in stroke: A pilot study. Physiotherapy Theory and Practice, 2020, 36, 989-999.	1.3	12
98	Determinants, Limiting Factors, and Compensatory Strategies in Gait. Critical Reviews in Physical and Rehabilitation Medicine, 2001, 13, 26.	0.1	12
99	Measurement properties of self-report physical activity assessment tools in stroke: a protocol for a systematic review. BMJ Open, 2017, 7, e012655.	1.9	11
100	Development, Implementation, and Clinician Adherence to a Standardized Assessment Toolkit for Sensorimotor Rehabilitation after Stroke. Physiotherapy Canada Physiotherapie Canada, 2019, 71, 43-55.	0.6	11
101	Desempenho de hemiplégicos no giro de 180º realizado em direção ao lado parético e não parético antes e apÃ3s um programa de treinamento. Brazilian Journal of Physical Therapy, 2009, 13, 451-457.	2.5	11
102	The influence of the type of contraction on the masseter muscle EMG power spectrum. Journal of Electromyography and Kinesiology, 1993, 3, 205-213.	1.7	10
103	More symmetrical gait after split-belt treadmill walking does not modify dynamic and postural balance in individuals post-stroke. Journal of Electromyography and Kinesiology, 2018, 41, 41-49.	1.7	10
104	Characteristics of Lower Limb Muscle Strength, Balance, Mobility, and Function in Older Women with Urge and Mixed Urinary Incontinence: An Observational Pilot Study. Physiotherapy Canada Physiotherapie Canada, 2019, 71, 250-260.	0.6	10
105	Speed-Dependent Deviations from a Straight-Ahead Path During Forward Locomotion in Healthy Individuals. American Journal of Physical Medicine and Rehabilitation, 2005, 84, 330-337.	1.4	9
106	Measuring dynamic stability requirements during sitting pivot transfers using stabilizing and destabilizing forces in individuals with complete motor paraplegia. Journal of Biomechanics, 2012, 45, 1554-1558.	2.1	9
107	Knee efforts and weight-bearing asymmetry during sit-to-stand tasks in individuals with hemiparesis and healthy controls. Journal of Electromyography and Kinesiology, 2013, 23, 508-515.	1.7	9
108	Gait Performance and Lower-Limb Muscle Strength Improved in Both Upper-Limb and Lower-Limb Isokinetic Training Programs in Individuals with Chronic Stroke. ISRN Rehabilitation, 2013, 2013, 1-10.	0.6	9

#	Article	IF	CITATIONS
109	Effects of an 8-week training cessation period on cognition and functional capacity in older adults. Experimental Gerontology, 2020, 134, 110890.	2.8	9
110	Assessment of agonist–antagonist shoulder torque ratios in individuals with paraplegia: a new interpretative approach. Spinal Cord, 2008, 46, 552-558.	1.9	8
111	Perception of Weight-Bearing and Effort Distribution during Sit-to-Stand in Individuals Post-Stroke. Perceptual and Motor Skills, 2013, 117, 166-181.	1.3	8
112	Efficacy of Task-Specific Training on Physical Activity Levels of People With Stroke: Protocol for a Randomized Controlled Trial. Physical Therapy, 2017, 97, 640-648.	2.4	8
113	Juvenile psammomatoid ossifying fibroma: A radiolucent lesion to suspect preoperatively. Radiology Case Reports, 2019, 14, 1014-1020.	0.6	8
114	Use of an innovative model to evaluate mobility in seniors with lower-limb amputations of vascular origin: a pilot study. BMC Geriatrics, 2010, 10, 68.	2.7	7
115	Magnitude of force perception errors during static contractions of the knee extensors in healthy young and elderly individuals. Attention, Perception, and Psychophysics, 2012, 74, 216-224.	1.3	7
116	Preloading and range of motion effect on plantarflexor muscle performance. Archives of Physical Medicine and Rehabilitation, 1996, 77, 1000-1004.	0.9	6
117	Reliability and minimal detectable change of the mini-BESTest in adults with spinal cord injury in a rehabilitation setting. Physiotherapy Theory and Practice, 2021, 37, 126-134.	1.3	6
118	Work and energy transfers in maximal pushing of loads. International Journal of Industrial Ergonomics, 1996, 17, 221-234.	2.6	5
119	Slow and faster post-stroke walkers have a different trunk progression and braking impulse during gait. Gait and Posture, 2019, 68, 483-487.	1.4	5
120	French version of the Mini BESTest: A translation and transcultural adaptation study incorporating a reliability analysis for individuals with sensorimotor impairments undergoing functional rehabilitation. Annals of Physical and Rehabilitation Medicine, 2019, 62, 149-154.	2.3	5
121	Efficacy of task-specific circuit training on physical activity levels and mobility of stroke patients: A randomized controlled trial. NeuroRehabilitation, 2020, 47, 451-462.	1.3	5
122	Amount and Content of Sensorimotor Therapy Delivered in Three Stroke Rehabilitation Units in Quebec, Canada. Physiotherapy Canada Physiotherapie Canada, 2018, 70, 120-132.	0.6	4
123	The Annals of Physical and Rehabilitation Medicine through the 2010s: A generalist journal of rehabilitation with a French touch. Annals of Physical and Rehabilitation Medicine, 2020, 63, 1-3.	2.3	4
124	TUG-ABS Português-Brasil. Revista Neurociencias, 2015, 23, 357-367.	0.0	4
125	Cocreating a Harmonized Living Lab for Big Data–Driven Hybrid Persona Development: Protocol for Cocreating, Testing, and Seeking Consensus. JMIR Research Protocols, 2022, 11, e34567.	1.0	4
126	Rehabilitation Supported by Technology: Protocol for an International Cocreation and User Experience Study. JMIR Research Protocols, 2022, 11, e34537.	1.0	4

#	Article	IF	CITATIONS
127	Perception of Weight-Bearing Distribution during Sit-to-Stand Task in Healthy Young and Elderly Individuals. Perceptual and Motor Skills, 2010, 111, 187-198.	1.3	3
128	Relationships between lower body strength and the energy cost of treadmill walking in a cohort of healthy older adults: a cross-sectional analysis. European Journal of Applied Physiology, 2017, 117, 53-59.	2.5	3
129	Motor Function in Duchenne Muscular Dystrophy Children: A Review of the Literature. Critical Reviews in Physical and Rehabilitation Medicine, 2005, 17, 231-248.	0.1	3
130	Biomedical Research and Informatics Living Laboratory for Innovative Advances of New Technologies in Community Mobility Rehabilitation: Protocol for Evaluation and Rehabilitation of Mobility Across Continuums of Care. JMIR Research Protocols, 2022, 11, e12506.	1.0	3
131	Weight-Bearing and Effort Distributions at the Lower Limbs during the Five-Repetition Sit-to-Stand Test in Hemiparetic and Healthy Individuals. ISRN Rehabilitation, 2012, 2012, 1-7.	0.6	2
132	Recovery of Sensorimotor Functional Outcomes at Discharge from In-Patient Rehabilitation in Three Stroke Units in the Province of Quebec. Physiotherapy Canada Physiotherapie Canada, 2020, 72, 158-168.	0.6	2
133	Intertrial and test-retest reliabilities of Timed Bridge tests among frail older adults. Physiotherapy Theory and Practice, 2009, 25, 507-515.	1.3	1
134	Do pelvic stabilization and lower-limb position affect isometric trunk extension strength?. Isokinetics and Exercise Science, 2011, 19, 175-179.	0.4	1
135	France-Quebec: Synergies in the rehabilitation sciences. Annals of Physical and Rehabilitation Medicine, 2017, 60, 279-280.	2.3	1
136	Pourquoi les personnes hémiparétiques présentent-elles de l'asymétrie lors de l'exécution de fonctionnelles�. Kinesitherapie, 2011, 11, 53-54.	tâches 0.1	0