
## Ian D Gates

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2179918/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Electrochemical ammonia synthesis via nitrate reduction on Fe single atom catalyst. Nature<br>Communications, 2021, 12, 2870.                               | 5.8  | 605       |
| 2  | A support vector machine algorithm to classify lithofacies and model permeability in heterogeneous reservoirs. Engineering Geology, 2010, 114, 267-277.     | 2.9  | 180       |
| 3  | Can sustainable ammonia synthesis pathways compete with fossil-fuel based Haber–Bosch processes?.<br>Energy and Environmental Science, 2021, 14, 2535-2548. | 15.6 | 162       |
| 4  | Energy efficiency and emissions intensity of SAGD. Fuel, 2014, 115, 706-713.  | 3.4  | 135       |
| 5  | Mass Transfer Limitations in Embryoid Bodies during Human Embryonic Stem Cell Differentiation.<br>Cells Tissues Organs, 2012, 196, 34-47.                   | 1.3  | 129       |
| 6  | Support vector regression for porosity prediction in a heterogeneous reservoir: A comparative study.<br>Computers and Geosciences, 2010, 36, 1494-1503.     | 2.0  | 127       |
| 7  | Thermal recovery strategies for thin heavy oil reservoirs. Fuel, 2014, 117, 431-441.  | 3.4  | 118       |
| 8  | A review of pyrolysis, aquathermolysis, and oxidation of Athabasca bitumen. Fuel Processing<br>Technology, 2015, 131, 270-289.                              | 3.7  | 112       |
| 9  | On the Capability of Support Vector Machines to Classify Lithology from Well Logs. Natural<br>Resources Research, 2010, 19, 125-139.                        | 2.2  | 86        |
| 10 | Oil phase viscosity behaviour in Expanding-Solvent Steam-Assisted Gravity Drainage. Journal of<br>Petroleum Science and Engineering, 2007, 59, 123-134.     | 2.1  | 85        |
| 11 | Optimized solvent-aided steam-flooding strategy for recovery of thin heavy oil reservoirs. Fuel, 2013, 112, 50-59.  | 3.4  | 77        |
| 12 | A new reaction model for low temperature oxidation of heavy oil: Experiments and numerical modeling. Energy, 2014, 64, 419-428.                             | 4.5  | 68        |
| 13 | On naphthenic acids removal from crude oil and oil sands process-affected water. Fuel, 2019, 253, 1229-1246.  | 3.4  | 67        |
| 14 | Steam Injection Strategy and Energetics of Steam-Assisted Gravity Drainage. SPE Reservoir Evaluation and Engineering, 2007, 10, 19-34.                      | 1.1  | 66        |
| 15 | Solvent-aided Steam-Assisted Gravity Drainage in thin oil sand reservoirs. Journal of Petroleum<br>Science and Engineering, 2010, 74, 138-146.              | 2.1  | 65        |
| 16 | Orbital graph convolutional neural network for material property prediction. Physical Review<br>Materials, 2020, 4, .                                       | 0.9  | 64        |
| 17 | Convection at the Edge of a Steam-Assisted-Gravity-Drainage Steam Chamber. SPE Journal, 2011, 16, 503-512.  | 1.7  | 63        |
| 18 | Practical process design for in situ gasification of bitumen. Applied Energy, 2013, 107, 281-296.   | 5.1  | 63        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Low-temperature oxidation of Lloydminster heavy oil: Kinetic study and product sequence estimation.<br>Fuel, 2014, 115, 534-538.  | 3.4  | 62        |
| 20 | Theoretical study on double-atom catalysts supported with graphene for electroreduction of nitrogen into ammonia. Electrochimica Acta, 2020, 335, 135667.   | 2.6  | 62        |
| 21 | Potential for hydrogen generation from in situ combustion of Athabasca bitumen. Fuel, 2011, 90, 2254-2265.  | 3.4  | 60        |
| 22 | Co-immobilization of cellulase and lysozyme on amino-functionalized magnetic nanoparticles: An<br>activity-tunable biocatalyst for extraction of lipids from microalgae. Bioresource Technology, 2018,<br>263, 317-324. | 4.8  | 60        |
| 23 | Combustion Kinetics of Athabasca Bitumen from 1D Combustion Tube Experiments. Natural Resources Research, 2009, 18, 193-211.  | 2.2  | 58        |
| 24 | Rational Design of Coordination Bond Connected Metal Organic Frameworks/MXene Hybrids for<br>Efficient Solar Water Splitting. Advanced Functional Materials, 2022, 32, .  | 7.8  | 56        |
| 25 | Geometric structures, electronic characteristics, stabilities, catalytic activities, and descriptors of graphene-based single-atom catalysts. Nano Materials Science, 2020, 2, 120-131.                                 | 3.9  | 55        |
| 26 | On multistage hydraulic fracturing in tight gas reservoirs: Montney Formation, Alberta, Canada.<br>Journal of Petroleum Science and Engineering, 2019, 174, 1127-1141.  | 2.1  | 53        |
| 27 | Ultrastretchable, Adhesive, and Antibacterial Hydrogel with Robust Spinnability for Manufacturing<br>Strong Hydrogel Micro/Nanofibers. Small, 2021, 17, e2103521.   | 5.2  | 52        |
| 28 | Nanoparticle localization in blood vessels: dependence on fluid shear stress, flow disturbances, and<br>flow-induced changes in endothelial physiology. Nanoscale, 2018, 10, 15249-15261.                               | 2.8  | 50        |
| 29 | Steam fingering at the edge of a steam chamber in a heavy oil reservoir. Canadian Journal of Chemical<br>Engineering, 2008, 86, 1011-1022.  | 0.9  | 49        |
| 30 | On the physics of cyclic steam stimulation. Energy, 2016, 115, 969-985.   | 4.5  | 48        |
| 31 | A new reaction model for aquathermolysis of Athabasca bitumen. Canadian Journal of Chemical<br>Engineering, 2013, 91, 475-482.  | 0.9  | 47        |
| 32 | Design of Hybrid Steam-In Situ Combustion Bitumen Recovery Processes. Natural Resources Research, 2009, 18, 213-233.  | 2.2  | 46        |
| 33 | The effect of coordination environment on the kinetic and thermodynamic stability of single-atom iron catalysts. Physical Chemistry Chemical Physics, 2020, 22, 3983-3989.  | 1.3  | 45        |
| 34 | On the Impact of Permeability Heterogeneity on SAGD Steam Chamber Growth. Natural Resources<br>Research, 2010, 19, 151-164.   | 2.2  | 42        |
| 35 | Reactions of hydroxyl radicals with benzoic acid and benzoate. RSC Advances, 2017, 7, 35776-35785.  | 1.7  | 41        |
| 36 | A Sulfurâ€Tolerant MOFâ€Based Singleâ€Atom Fe Catalyst for Efficient Oxidation of NO and<br>Hg <sup>0</sup> . Advanced Materials, 2022, 34, e2110123.   | 11.1 | 40        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Support-Vector Regression for Permeability Prediction in a Heterogeneous Reservoir: A Comparative Study. SPE Reservoir Evaluation and Engineering, 2010, 13, 485-495.                         | 1.1 | 38        |
| 38 | Impact of steam trap control on performance of steam-assisted gravity drainage. Journal of Petroleum<br>Science and Engineering, 2010, 75, 215-222.   | 2.1 | 37        |
| 39 | Detailed Study of Low-Temperature Oxidation of an Alaska Heavy Oil. Energy & Fuels, 2012, 26,<br>1592-1597.   | 2.5 | 37        |
| 40 | New thermal-reactive reservoir engineering model predicts hydrogen sulfide generation in Steam Assisted Gravity Drainage. Journal of Petroleum Science and Engineering, 2012, 94-95, 100-111. | 2.1 | 37        |
| 41 | Interfacial Stability of In-Situ Bitumen Thermal Solvent Recovery Processes. SPE Journal, 2011, 16, 55-64.  | 1.7 | 36        |
| 42 | Multiphase flow at the edge of a steam chamber. Canadian Journal of Chemical Engineering, 2010, 88, 312-321.  | 0.9 | 34        |
| 43 | SACD well orientation in point bar oil sand deposit affects performance. Engineering Geology, 2013, 157, 79-92.   | 2.9 | 34        |
| 44 | On methane emissions from shale gas development. Energy, 2018, 152, 594-600.  | 4.5 | 32        |
| 45 | Prediction of steam-assisted gravity drainage steam to oil ratio from reservoir characteristics.<br>Energy, 2015, 93, 1663-1670.  | 4.5 | 31        |
| 46 | CO 2 -based heavy oil recovery processes for post-CHOPS reservoirs. Journal of CO2 Utilization, 2017, 19, 238-246.  | 3.3 | 31        |
| 47 | Methane activation by a single iron atom supported on graphene: Impact of substrates. Molecular<br>Catalysis, 2019, 469, 40-47.   | 1.0 | 31        |
| 48 | Kinetic Studies of a Novel CO <sub>2</sub> Gasification Method Using Coal from Deep Unmineable<br>Seams. Industrial & Engineering Chemistry Research, 2013, 52, 14787-14797.                  | 1.8 | 30        |
| 49 | Understanding the Convection Heat-Transfer Mechanism in the Steam-Assisted-Gravity-Drainage<br>Process. SPE Journal, 2013, 18, 1202-1216.   | 1.7 | 30        |
| 50 | On hot water flooding strategies for thin heavy oil reservoirs. Fuel, 2015, 153, 559-568.   | 3.4 | 30        |
| 51 | Study of conformance control in oil sands by oil-in-water emulsion injection using heterogeneous parallel-sandpack models. Fuel, 2019, 244, 335-351.  | 3.4 | 30        |
| 52 | Electrophilic oxygen on defect-rich carbon nanotubes for selective oxidation of cyclohexane.<br>Catalysis Science and Technology, 2020, 10, 332-336.  | 2.1 | 30        |
| 53 | SAGD Subcool Control with Smart Injection Wells. , 2009, , .  |     | 28        |
| 54 | Unconventional Heavy Oil Growth and Global Greenhouse Gas Emissions. Environmental Science<br>& Technology, 2015, 49, 8824-8832.  | 4.6 | 28        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Development of a multiscale microbial kinetics coupled gas transport model for the simulation of biogenic coalbed methane production. Fuel, 2016, 167, 188-198.   | 3.4 | 28        |
| 56 | Stability of the edge of a SAGD steam chamber in a bitumen reservoir. Chemical Engineering Science, 2011, 66, 1802-1809.  | 1.9 | 27        |
| 57 | A new kinetic model for pyrolysis of Athabasca bitumen. Canadian Journal of Chemical Engineering, 2013, 91, 889-901.  | 0.9 | 27        |
| 58 | Theoretical prediction of graphene-based single-atom iron as a novel catalyst for catalytic oxidation of Hg0 by O2. Applied Surface Science, 2020, 508, 145035.   | 3.1 | 27        |
| 59 | A Basis for Automated Control of Steam Trap Subcool in SAGD. SPE Journal, 2012, 17, 680-686.  | 1.7 | 26        |
| 60 | Reservoir Simulation of Steam Fracturing in Early-Cycle Cyclic Steam Stimulation. SPE Reservoir Evaluation and Engineering, 2012, 15, 676-687.  | 1.1 | 26        |
| 61 | Modelling of Cold Heavy Oil Production with Sand (CHOPS) using a fluidized sand algorithm. Fuel, 2015, 158, 937-947.  | 3.4 | 26        |
| 62 | Molecular interactions between 1-butyl-3-methylimidazolium tetrafluoroborate and model naphthenic<br>acids: A DFT study. Journal of Molecular Liquids, 2017, 243, 462-471.  | 2.3 | 26        |
| 63 | Non-condensable gas Co-Injection with steam for oil sands recovery. Energy, 2019, 179, 736-746.   | 4.5 | 26        |
| 64 | High throughput screening of promising lead-free inorganic halide double perovskites <i>via</i> first-principles calculations. Physical Chemistry Chemical Physics, 2022, 24, 3460-3469.                                      | 1.3 | 26        |
| 65 | 2D and 3D Metal–Organic Framework at the Oil/Water Interface: A Case Study of Copper<br>Benzenedicarboxylate. Advanced Materials Interfaces, 2019, 6, 1801139.  | 1.9 | 25        |
| 66 | Detailed analysis of Toe-to-Heel Air Injection for heavy oil production. Journal of Petroleum Science<br>and Engineering, 2020, 186, 106704.  | 2.1 | 25        |
| 67 | Effects of molecular polarity on the adsorption and desorption behavior of asphaltene model compounds on silica surfaces. Fuel, 2021, 284, 118990.  | 3.4 | 25        |
| 68 | Apparent Contact Angle around the Periphery of a Liquid Drop on Roughened Surfaces. Scientific<br>Reports, 2020, 10, 8220.  | 1.6 | 24        |
| 69 | Nonâ€Newtonian rheology in suspension cell cultures significantly impacts bioreactor shear stress quantification. Biotechnology and Bioengineering, 2018, 115, 2101-2113.   | 1.7 | 23        |
| 70 | A new kinetic model for non-equilibrium dissolved gas ex-solution from static heavy oil. Fuel, 2017, 204, 12-22.  | 3.4 | 21        |
| 71 | Using computational fluid dynamics (CFD) modeling to understand murine embryonic stem cell<br>aggregate size and pluripotency distributions in stirred suspension bioreactors. Journal of<br>Biotechnology, 2019, 304, 16-27. | 1.9 | 21        |
| 72 | Steam-Solvent Coupling at the Chamber Edge in an In Situ Bitumen Recovery Process. , 2010, , .  |     | 20        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Impact of intraformational water zones on SAGD performance. Journal of Petroleum Science and<br>Engineering, 2012, 82-83, 187-197.  | 2.1 | 20        |
| 74 | Orientation of a pad of SAGD well pairs in an Athabasca point bar deposit affects performance. Marine and Petroleum Geology, 2014, 54, 37-46.   | 1.5 | 20        |
| 75 | Modeling geomechanical properties in the montney formation, Alberta, Canada. International Journal of Rock Mechanics and Minings Sciences, 2017, 96, 94-105.  | 2.6 | 20        |
| 76 | Identification of Nanocellulose Retention Characteristics in Porous Media. Nanomaterials, 2018, 8,<br>547.  | 1.9 | 20        |
| 77 | Thermal oil recovery from fractured reservoirs: Energy and emissions intensities. Energy, 2018, 155, 29-34.   | 4.5 | 19        |
| 78 | Steam Injection Strategy and Energetics of Steam-Assisted Gravity Drainage. , 2005, , .   |     | 18        |
| 79 | Innovative Data-Driven Permeability Prediction in a Heterogeneous Reservoir. , 2009, , .  |     | 18        |
| 80 | New gas material balance to quantify biogenic gas generation rates from shallow organic-matter-rich<br>shales. Fuel, 2013, 104, 443-451.  | 3.4 | 18        |
| 81 | Impact of biofilm on bacterial transport and deposition in porous media. Journal of Contaminant<br>Hydrology, 2015, 183, 109-120.   | 1.6 | 18        |
| 82 | Dual Stimuli-Responsive Pickering Emulsions from Novel Magnetic Hydroxyapatite Nanoparticles and<br>Their Characterization Using a Microfluidic Platform. Langmuir, 2021, 37, 1353-1364.                | 1.6 | 18        |
| 83 | Threeâ€Inâ€One Alkylamineâ€Tuned MoO <i><sub>x</sub></i> for Labâ€Scale to Realâ€Life Aqueous<br>Supercapacitors. Advanced Functional Materials, 2022, 32, .  | 7.8 | 18        |
| 84 | On the adsorption of elemental mercury on single-atom TM (TMÂ=ÂV, Cr, Mn, Co) decorated graphene<br>substrates. Applied Surface Science, 2020, 516, 146037.   | 3.1 | 17        |
| 85 | Using bacterial bioluminescence to evaluate the impact of biofilm on porous media hydraulic properties. Journal of Microbiological Methods, 2015, 109, 84-92.   | 0.7 | 16        |
| 86 | CO2 adsorption and dissociation on single and double iron atomic molybdenum disulfide catalysts: A<br>DFT study. Fuel, 2021, 305, 121547.   | 3.4 | 16        |
| 87 | A novel Fe-Co double-atom catalyst with high low-temperature activity and strong water-resistant<br>for O3 decomposition: A theoretical exploration. Journal of Hazardous Materials, 2022, 421, 126639. | 6.5 | 16        |
| 88 | Impact of Different SAGD Well Configurations (Dover SAGD Phase B Case Study). Journal of Canadian<br>Petroleum Technology, 2012, 51, 32-45.   | 2.3 | 15        |
| 89 | Effect of gap and flow orientation on two-phase flow in an oil-wet gap: Relative permeability curves and flow structures. International Journal of Multiphase Flow, 2013, 57, 78-87.                    | 1.6 | 15        |
| 90 | An evaluation of enhanced oil recovery strategies for a heavy oil reservoir after cold production with sand. International Journal of Energy Research, 2015, 39, 1355-1365.                             | 2.2 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | A machine learning model for predicting multi-stage horizontal well production. Journal of<br>Petroleum Science and Engineering, 2021, 198, 108133.                             | 2.1 | 15        |
| 92  | Bitumen and asphaltene derived nanoporous carbon and nickel oxide/carbon composites for supercapacitor electrodes. Scientific Reports, 2022, 12, 4095.                          | 1.6 | 15        |
| 93  | Reducing the Energy and Steam Consumption of SAGD Through Cyclic Solvent Co-Injection. Energies, 2019, 12, 3860.  | 1.6 | 14        |
| 94  | Hydrodynamic analysis of nanofluid's convective heat transfer in channels with extended surfaces.<br>Physics of Fluids, 2021, 33, .   | 1.6 | 14        |
| 95  | Potential for Hydrogen Generation during In Situ Combustion of Bitumen. , 2009, , .   |     | 13        |
| 96  | Reactive Thermal Reservoir Simulation: Hydrogen Sulphide Production in SAGD. , 2011, , .  |     | 13        |
| 97  | A Comprehensive Kinetic Theory to Model Thermolysis, Aquathermolysis, Gasification, Combustion, and Oxidation of Athabasca Bitumen. , 2010, , .                                 |     | 12        |
| 98  | On SAGD in Oil Sands Reservoirs With No Caprock and Top Water Zone. Journal of Canadian<br>Petroleum Technology, 2011, 50, 21-33.   | 2.3 | 12        |
| 99  | On the Stability of the Edge of a Steam-Assisted-Gravity-Drainage Steam Chamber. SPE Journal, 2014, 19, 280-288.  | 1.7 | 12        |
| 100 | Steam injection gravity drainage as a follow-up process for cyclic steam stimulation. Journal of Petroleum Science and Engineering, 2017, 153, 268-282.                         | 2.1 | 12        |
| 101 | The application of supervised machine learning techniques for multivariate modelling of gas component viscosity: A comparative study. Fuel, 2021, 285, 119146.                  | 3.4 | 12        |
| 102 | An analysis of toe-to-heel air injection for heavy oil production using machine learning. Journal of<br>Petroleum Science and Engineering, 2021, 197, 108109.                   | 2.1 | 12        |
| 103 | Real time monitoring of biofilm development under flow conditions in porous media. Biofouling, 2012, 28, 937-951.   | 0.8 | 11        |
| 104 | Comparison of Electronic and Physicochemical Properties between Imidazolium-Based and<br>Pyridinium-Based Ionic Liquids. Journal of Physical Chemistry B, 2018, 122, 6771-6780. | 1.2 | 11        |
| 105 | Lipase-Immobilized Cellulosic Capsules with Water Absorbency for Enhanced Pickering Interfacial<br>Biocatalysis. Langmuir, 2021, 37, 810-819.                                   | 1.6 | 11        |
| 106 | Time scales for steam injection and bitumen production in steam-assisted gravity drainage. Energy, 2021, 227, 120430.   | 4.5 | 11        |
| 107 | Evaluation of energy extraction from a geothermal resource in central Alberta, Canada using different well configurations. Geothermics, 2021, 96, 102222.                       | 1.5 | 11        |
| 108 | Impact of Oil-Water Relative Permeability Curves on SAGD Behaviour. , 2010, , .   |     | 10        |

7

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | A new approach to model the spatiotemporal development of biofilm phase in porous media.<br>Environmental Microbiology, 2011, 13, 3010-3023.   | 1.8 | 10        |
| 110 | Model-Predictive-Control (MPC) of Steam Trap Subcool in Steam-Assisted Gravity Drainage (SAGD).<br>IFAC-PapersOnLine, 2015, 48, 539-544.   | 0.5 | 10        |
| 111 | A simple dilation-recompaction model for hydraulic fracturing. Journal of Unconventional Oil and Gas Resources, 2016, 16, 62-75.   | 3.5 | 10        |
| 112 | Pad-scale control improves SAGD performance. Petroleum, 2018, 4, 318-328.  | 1.3 | 10        |
| 113 | On the Relationship between Completion Design, Reservoir Characteristics, and Steam Conformance Achieved in Steam-based Recovery Processes such as SAGD. , 2010, , .   |     | 9         |
| 114 | Evolution of In Situ Oil Sands Recovery Technology: What Happened and What's New?. , 2011, , .   |     | 9         |
| 115 | Kinetic Models for Low Temperature Oxidation Subranges based on Reaction Products. , 2013, , .   |     | 9         |
| 116 | Interactions of Biodegradable Ionic Liquids with a Model Naphthenic Acid. Scientific Reports, 2018, 8,<br>176.   | 1.6 | 9         |
| 117 | Instilling innovation and entrepreneurship in engineering graduate students: Observations at the<br>University of Calgary. Canadian Journal of Chemical Engineering, 2021, 99, 2195-2204.  | 0.9 | 9         |
| 118 | Determination of stimulated reservoir volume and anisotropic permeability using analytical<br>modelling of microseismic and hydraulic fracturing parameters. Journal of Natural Gas Science and<br>Engineering, 2018, 58, 234-240. | 2.1 | 8         |
| 119 | Kinetic Modeling of Ozone Decomposition and Peroxone Oxidation of Toluene in an Aqueous Phase<br>Using <i>ab Initio</i> Calculations. Industrial & Engineering Chemistry Research, 2019, 58,<br>22934-22941.                       | 1.8 | 8         |
| 120 | Mechanism study on CO2 reforming of methane over platinum cluster doped graphene: A DFT calculation. Molecular Catalysis, 2020, 497, 111205.   | 1.0 | 8         |
| 121 | Heteroatom-Doped Transition Metal Nitrides for CO Electrochemical Reduction: A Density Functional<br>Theory Screening Study. Journal of Physical Chemistry C, 2020, 124, 26344-26351.  | 1.5 | 8         |
| 122 | Effect of cellulose nanocrystal nanofluid on displacement of oil in a Hele-Shaw cell. Journal of<br>Petroleum Science and Engineering, 2021, 196, 108068.  | 2.1 | 8         |
| 123 | Cause-effect chains in S-LCA based on DPSIR framework using Markov healthcare model: an application<br>to "working hours―in Canada. International Journal of Life Cycle Assessment, 2021, 26, 936-949.                             | 2.2 | 8         |
| 124 | On the ratio of energy produced to energy injected in SAGD: Long-term consequences of early stage operational decisions. Journal of Petroleum Science and Engineering, 2021, 199, 108271.  | 2.1 | 8         |
| 125 | Exploring the Effects of Ionic Defects on the Stability of CsPbI <sub>3</sub> with a Deep Learning<br>Potential. ChemPhysChem, 2022, 23, e202100841.   | 1.0 | 8         |
| 126 | A descriptor for the structural stability of organic–inorganic hybrid perovskites based on binding<br>mechanism in electronic structure. Journal of Molecular Modeling, 2022, 28, 80.  | 0.8 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Effect of Fracture and Flow Orientation on Two-Phase Flow in an Oil-Wet Fracture: Relative<br>Permeability Curves and Flow Structures. , 2010, , .   |     | 7         |
| 128 | The velocity and shape of convected elongated liquid drops in narrow gaps. Journal of Petroleum Science and Engineering, 2010, 72, 67-77.  | 2.1 | 7         |
| 129 | A New Thermogeomechanical Theory for Gravity Drainage in Steam-Assisted Gravity Drainage. SPE<br>Journal, 2013, 18, 736-742.   | 1.7 | 7         |
| 130 | On fingering of steam chambers in steamâ€assisted heavy oil recovery. AICHE Journal, 2016, 62, 1364-1381.  | 1.8 | 7         |
| 131 | On the fluid mechanics of slotted liners in horizontal wells. Chemical Engineering Science, 2017, 164, 23-33.  | 1.9 | 7         |
| 132 | A Sensing and Computational Framework for Estimating the Seismic Velocities of Rocks Interacting<br>With the Drill Bit. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 3178-3189.               | 2.7 | 7         |
| 133 | Real-time steam allocation workflow using machine learning for digital heavy oil reservoirs. Journal of Petroleum Science and Engineering, 2021, 199, 108168.  | 2.1 | 7         |
| 134 | Design of (C3N2H5)(1-)Cs PbI3 as a novel hybrid perovskite with strong stability and excellent photoelectric performance: A theoretical prediction. Solar Energy Materials and Solar Cells, 2021, 233, 111401. | 3.0 | 7         |
| 135 | Why is it so difficult to replace diesel in Nunavut, Canada?. Renewable and Sustainable Energy Reviews, 2022, 157, 112030.   | 8.2 | 7         |
| 136 | Automated Global Optimization of Commercial SAGD Operations. , 2006, , .   |     | 6         |
| 137 | On in situ hydrogen sulfide evolution and catalytic scavenging in steam-based oil sands recovery processes. Energy, 2014, 64, 1035-1043.   | 4.5 | 6         |
| 138 | Modeling solvent enhanced gravity drainage from a single matrix block in fractured oil reservoirs.<br>Journal of Petroleum Science and Engineering, 2017, 152, 555-563.  | 2.1 | 6         |
| 139 | Cleaner production from Steam-Assisted Gravity Drainage using seismic-based automated control.<br>Journal of Cleaner Production, 2019, 209, 1139-1151.   | 4.6 | 6         |
| 140 | Methane activation on dual-atom catalysts supported on graphene. Chemical Communications, 2021, 57, 12127-12130.   | 2.2 | 6         |
| 141 | Rich solvent - Steam assisted gravity drainage (RS-SAGD): An option for clean oil sands recovery processes. Cleaner Engineering and Technology, 2022, 8, 100463.   | 2.1 | 6         |
| 142 | Experimental Study of Heavy Oil-Water Flow Structure Effects on Relative Permeabilities in a Fracture<br>Filled with Heavy Oil. , 2008, , .  |     | 5         |
| 143 | Impact of Flow Control Devices on SAGD Performance from Less Heterogeneous to Strongly<br>Heterogeneous Reservoirs. , 2015, , .  |     | 5         |
| 144 | Realâ€ŧime multivariable model predictive control for steamâ€assisted gravity drainage. AICHE Journal,<br>2018, 64, 3034-3041.   | 1.8 | 5         |

Ian D Gates

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Novel insights on the impact of top water on Steam-Assisted Gravity Drainage in a point bar reservoir.<br>International Journal of Energy Research, 2018, 42, 616-632.   | 2.2  | 5         |
| 146 | Conformance Control for SAGD Using Oil-in-Water Emulsions in Heterogeneous Oil Sands Reservoirs. , 2019, , .   |      | 5         |
| 147 | Integrated approach for fracture characterization of hydraulically stimulated volume in tight gas reservoir. Journal of Petroleum Exploration and Production, 2019, 9, 2429-2440.                              | 1.2  | 5         |
| 148 | Thermal Viscous Fingering in Thermal Recovery Processes. Energies, 2020, 13, 4986.   | 1.6  | 5         |
| 149 | Exploration of in-situ formed MoSx catalyst for co-hydrodeoxygenation of sawdust and vacuum gas oil in pilot-scale plant. Applied Catalysis B: Environmental, 2021, 297, 120499.                               | 10.8 | 5         |
| 150 | Lag times in toe-to-heel air injection (THAI) operations explain underlying heavy oil production mechanisms. Petroleum Science, 2022, 19, 1165-1173.   | 2.4  | 5         |
| 151 | Methodological framework to find links between life cycle sustainability assessment categories and the UN Sustainable Development Goals based on literature. Journal of Industrial Ecology, 2023, 27, 707-725. | 2.8  | 5         |
| 152 | Interfacial Stability and Displacement Efficiency in Thermal Solvent Processes. , 2010, , .  |      | 4         |
| 153 | An in-situ process to consolidate oil sands mine tailings. Journal of Environmental Chemical Engineering, 2018, 6, 3295-3305.  | 3.3  | 4         |
| 154 | Predictive Modeling of Energy and Emissions from Shale Gas Development. Environmental Science<br>& Technology, 2018, 52, 14547-14555.  | 4.6  | 4         |
| 155 | A working method for estimating dynamic shear velocity in the montney formation. MethodsX, 2019, 6, 1876-1893.   | 0.7  | 4         |
| 156 | Release of sugars and fatty acids from heavy oil biodegradation by common hydrolytic enzymes.<br>Scientific Reports, 2019, 9, 15584.   | 1.6  | 4         |
| 157 | Advanced sensing and imaging for efficient energy exploration in complex reservoirs. Energy Reports, 2020, 6, 3104-3118.   | 2.5  | 4         |
| 158 | Fracturing Gels as Analogs to Understand Fracture Behavior in Shale Gas Reservoirs. Rock Mechanics and Rock Engineering, 2020, 53, 4345-4355.  | 2.6  | 4         |
| 159 | 22. The Impact of Oil Viscosity Heterogeneity on Production from Heavy Oil and Bitumen Reservoirs:<br>Geotailoring Recovery Processes to Compositionally Graded Reservoirs. , 2010, , 265-273.                 |      | 4         |
| 160 | Carbon intensity of in-situ oil sands operations with direct contact steam generation lower than that of once-through steam generation. Journal of Cleaner Production, 2022, 367, 133046.                      | 4.6  | 4         |
| 161 | Reservoir Simulation of Steam Fracturing in Early Cycle Cyclic Steam Stimulation. , 2010, , .  |      | 3         |
| 162 | Assessment of reservoir heterogeneity by using produced water chemistry in SAGD. International<br>Journal of Energy Research, 2016, 40, 1367-1380.   | 2.2  | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Insights on Heat Transfer at the Top of Steam Chambers in SAGD. Journal of Heat Transfer, 2017, 139, .   | 1.2 | 3         |
| 164 | Microemulsion phase formation at oil–cellulose microcrystal suspension interfaces. Cellulose, 2018, 25, 1625-1636.   | 2.4 | 3         |
| 165 | Computational Study on the Absorption Mechanisms of SO <sub>2</sub> by Ionic Liquids.<br>ChemistrySelect, 2018, 3, 4330-4338.  | 0.7 | 3         |
| 166 | Identifying Reservoir Features via iSOR Response Behaviour. Energies, 2021, 14, 427.   | 1.6 | 3         |
| 167 | Preconditioning Methods to Improve SAGD Performance in Heavy Oil and Bitumen Reservoirs with Variable Oil Phase Viscosity. , 2008, , .   |     | 2         |
| 168 | Design and Optimization of Hybrid Ex Situ / In Situ Steam Generation Recovery Processes for Heavy Oil and Bitumen. , 2008, , .   |     | 2         |
| 169 | Monitoring of SAGD Steam-Chamber Conformance by Using White-Noise-Reflection Processes. SPE<br>Journal, 2012, 17, 1246-1254.   | 1.7 | 2         |
| 170 | Phased Heating and Solvent Injection to Enhance Recovery of Heavy Oil and Bitumen. , 2016, , .   |     | 2         |
| 171 | A Facile Strategy to Prepare Small Water Clusters via Interacting with Functional Molecules.<br>International Journal of Molecular Sciences, 2021, 22, 8250.   | 1.8 | 2         |
| 172 | Solvent-aided Steam-flooding Strategy Optimization in Thin Heavy Oil Reservoirs. , 2013, , .   |     | 2         |
| 173 | Policy Insights to Accelerate Cleaner Steam-Assisted Gravity Drainage Operations. Energies, 2022, 15, 86.  | 1.6 | 2         |
| 174 | Simulation Analysis of Steam-Based EOR Using MultiObjects Grosmont Models. , 2013, , .   |     | 1         |
| 175 | Smart Pad Reservoir Production Machine for Oil Sands SAGD Operations. , 2013, , .  |     | 1         |
| 176 | Stochastic proxy modelling for coalbed methane production using orthogonal<br>polynomialsâ^—â^—Corresponding author, email:vprasad@ualberta.ca. Financial support from Carbon<br>Management Canada and the Natural Sciences and Engineering Research Council of Canada is<br>gratefully acknowledged IFAC-PapersOnLine, 2015, 48, 88-93. | 0.5 | 1         |
| 177 | Instability of parallel flow of two immiscible liquids in a pore and application to steamâ€assisted gravity drainage. Canadian Journal of Chemical Engineering, 0, , .   | 0.9 | 1         |
| 178 | Image Analysis Method for Evaluating Heterogeneous Growth and Differentiation of Embryonic Stem Cell Cultures. ACS Symposium Series, 2013, , 165-181.  | 0.5 | 0         |
| 179 | Innovation, Motivation, and Fear: A Novel Perspective for Unconventional Oil. , 2013, , .  |     | 0         |
| 180 | SAGD Pad Performance in an Ultra-Defined Athabasca Point Bar Deposit. , 2013, , .  |     | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Optimization of a Vertical-Horizontal Heavy Oil Thermal Operation by using Automated Field-scale<br>Control. , 2013, , .  |     | 0         |
| 182 | Drained/Undrained Zones Boundary in Steam-Assisted Gravity Drainage Process. , 2015, , .  |     | 0         |
| 183 | On the Performance of SAGD in Athabasca Point Bar Deposit Reservoir With Top Water. , 2016, , .   |     | Ο         |
| 184 | Unveiling the Causes of Fingering in Steam-Assisted Heavy Oil Recovery - Linear Instability Analysis and Numerical Simulation. , 2017, , .  |     | 0         |
| 185 | Metal-Organic Frameworks: 2D and 3D Metal-Organic Framework at the Oil/Water Interface: A Case<br>Study of Copper Benzenedicarboxylate (Adv. Mater. Interfaces 2/2019). Advanced Materials Interfaces,<br>2019, 6, 1970015. | 1.9 | 0         |
| 186 | Bayesian biclustering by dynamics: Algorithm testing, comparison against random agglomeration, and calculation of application specific prior information. MethodsX, 2020, 7, 100897.  | 0.7 | 0         |