

Jiro Kumaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2180260/publications.pdf>

Version: 2024-02-01

64
papers

3,736
citations

126907

33
h-index

123424

61
g-index

70
all docs

70
docs citations

70
times ranked

2485
citing authors

#	ARTICLE	IF	CITATIONS
1	Chain movements of a molecularly flat PMMA substrate surface prepared by thermal imprinting with mica and isolated PMMA chains deposited on the PMMA substrate observed by AFM around the bulk T _g . <i>Polymer Journal</i> , 2022, 54, 281-292.	2.7	2
2	Solubilization of poly(styrene)(PS)-b-poly(methyl methacrylate)(PMMA)-b-PS in poly(n-nonyl acrylate) and PMMA monolayers as isolated chains with both PS blocks forming separated single-block particles. <i>Polymer Journal</i> , 2022, 54, 687-696.	2.7	1
3	Gemini Thermotropic Smectic Liquid Crystals for Two-Dimensional Nanostructured Water-Treatment Membranes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 20598-20605.	8.0	22
4	Thermal stabilities of a molecularly stepped PMMA substrate prepared by thermal nanoimprinting and isolated PMMA chains deposited on it evaluated by high-temperature atomic force microscopy. <i>Polymer Journal</i> , 2021, 53, 1111-1121.	2.7	3
5	Molecular Combing of Various Poly(n-Alkyl Acrylate) Chains on Mica by the Dipping Method. <i>Langmuir</i> , 2021, 37, 7556-7564.	3.5	1
6	Macromolecular Chain Structures of Atactic Poly(methyl methacrylate) Visualized on Hydrophilized Graphene Surfaces by Atomic Force Microscopy. <i>Chemistry Letters</i> , 2021, 50, 1403-1406.	1.3	1
7	In Situ AFM Observation of Folded-Chain Crystallization of a Low-Molecular-Weight Isotactic Poly(methyl methacrylate) in a Langmuir Monolayer at the Molecular Level. <i>Macromolecular Chemistry and Physics</i> , 2021, 222, 2000372.	2.2	3
8	In situ AFM Observation of the Movements of Isolated Isotactic Poly(methyl methacrylate) Chains in a Precursor Film of an Oligo(methyl methacrylate) Droplet Spreading on Mica. <i>Langmuir</i> , 2020, 36, 12327-12335.	3.5	0
9	Preparation of a Si(111) Atomically Flat Substrate via Wet Etching and Evaluation as an AFM Substrate for Observations of Isolated Chains, Crystals, and Crystallization of Isotactic Poly(methyl) Tj ETQq1 1 0.784314 rgBtd Overlock 10 Tf 5	1.0	0
10	Self-Assembly of Linear and Cyclic Polylactide Stereoblock Copolymers with a Parallel and Antiparallel Chain Arrangement Distinguishing Their Directions on a Water Surface. <i>Langmuir</i> , 2020, 36, 6216-6221.	3.5	6
11	Extended-chain crystallization and stereocomplex formation of polylactides in a Langmuir monolayer. <i>Polymer Journal</i> , 2020, 52, 601-613.	2.7	17
12	Condensed desmin and actin cytoskeletal communication in lipid droplets. <i>Cytoskeleton</i> , 2019, 76, 477-490.	2.0	8
13	Fabrication of a Polymer Molecularly Flat Substrate by Thermal Nanoimprinting and AFM Observation of Polymer Chains Deposited on It. <i>Macromolecules</i> , 2019, 52, 6555-6565.	4.8	10
14	Evaluation of Ring Expansion-Controlled Radical Polymerization System by AFM Observation. <i>ACS Macro Letters</i> , 2019, 8, 634-638.	4.8	17
15	Atomic force microscopy of single polymer chains on a substrate at temperatures above the bulk glass transition temperatures. <i>Polymer</i> , 2019, 168, 21-28.	3.8	5
16	Cover Image, Volume 76, Issue 7. <i>Cytoskeleton</i> , 2019, 76, C1.	2.0	0
17	Molecular Combing of a Flexible Polymer Chain by Simple Spin-Casting. <i>ACS Omega</i> , 2018, 3, 3983-3990.	3.5	3
18	In Situ Real-Time Observation of Polymer Folded-Chain Crystallization by Atomic Force Microscopy at the Molecular Level. <i>Macromolecules</i> , 2018, 51, 7629-7636.	4.8	33

#	ARTICLE	IF	CITATIONS
19	Morphology control through hierarchical phase separation in Langmuir monolayers of poly(methyl methacrylate) chains. <i>Journal of Physical Chemistry B</i> , 2014, 18, 10784-10794.	9.4	114
20	Observation of polymer chain structures in two-dimensional films by atomic force microscopy. <i>Polymer Journal</i> , 2016, 48, 3-14.	2.7	57
21	Crystallization Behavior of Single Isotactic Poly(methyl methacrylate) Chains Visualized by Atomic Force Microscopy. <i>Journal of Physical Chemistry B</i> , 2015, 119, 338-347.	2.6	22
22	Photo-induced helix-helix transition of a polystyrene derivative. <i>Polymer Chemistry</i> , 2014, 5, 718-721.	3.9	17
23	Two-Dimensional Phase Separation of a Poly(methyl methacrylate)/Poly(L-lactide) Mixed Langmuir Monolayer via a Spinodal Decomposition Mechanism. <i>Journal of Physical Chemistry B</i> , 2013, 117, 9067-9072.	2.6	10
24	Influence of the primary structure of the main chain on backbone stiffness of cylindrical rod brushes. <i>Polymer Journal</i> , 2013, 45, 193-201.	2.7	14
25	Significant Melting Point Depression of Two-Dimensional Folded-Chain Crystals of Isotactic Poly(methyl methacrylate)s Observed by High-Resolution In Situ Atomic Force Microscopy. <i>Journal of Physical Chemistry B</i> , 2013, 117, 5594-5605.	2.6	22
26	Amplification of macromolecular helicity of dynamic helical poly(phenylacetylene)s bearing non-racemic alanine pendants in dilute solution, liquid crystal and two-dimensional crystal. <i>Polymer Journal</i> , 2012, 44, 42-50.	2.7	23
27	Visualization of Two-Dimensional Single Chain Conformations Solubilized in a Miscible Polymer Blend Monolayer by Atomic Force Microscopy. <i>Journal of Physical Chemistry B</i> , 2012, 116, 6561-6568.	2.6	20
28	Hierarchical Amplification of Macromolecular Helicity of Dynamic Helical Poly(phenylacetylene)s Composed of Chiral and Achiral Phenylacetylenes in Dilute Solution, Liquid Crystal, and Two-Dimensional Crystal. <i>Journal of the American Chemical Society</i> , 2011, 133, 108-114.	13.7	63
29	Visualization of Polymer Chain Conformations in Amorphous Polyisocyanide Langmuir-Blodgett Films by Atomic Force Microscopy. <i>Journal of the American Chemical Society</i> , 2010, 132, 5604-5606.	13.7	32
30	Separation of C ₇₀ over C ₆₀ and Selective Extraction and Resolution of Higher Fullerenes by Syndiotactic Helical Poly(methyl methacrylate). <i>Journal of the American Chemical Society</i> , 2010, 132, 12191-12193.	13.7	54
31	Reversible Hierarchical Phase Separation of a Poly(methyl methacrylate) and Poly(nonyl methacrylate) Copolymer. <i>Journal of Physical Chemistry B</i> , 2010, 114, 10784-10794.	4.8	16
32	Strong Compression Rate Dependence of Phase Separation and Stereocomplexation between Isotactic and Syndiotactic Poly(methyl methacrylate)s in a Langmuir Monolayer Observed by Atomic Force Microscopy. <i>Langmuir</i> , 2010, 26, 12703-12708.	3.5	12
33	Visualization of synthetic helical polymers by high-resolution atomic force microscopy. <i>Chemical Society Reviews</i> , 2009, 38, 737.	38.1	138
34	Peculiar Reptational Movements of Single Synthetic Polymer Chains on Substrate Observed by AFM. <i>Macromolecular Rapid Communications</i> , 2008, 29, 406-411.	3.9	13
35	Encapsulation of Fullerenes in a Helical PMMA Cavity Leading to a Robust Processable Complex with a Macromolecular Helicity Memory. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 515-519.	13.8	154
36	Helix-Sense-Controlled Synthesis of Optically Active Poly(methyl methacrylate) Stereocomplexes. <i>Journal of the American Chemical Society</i> , 2008, 130, 11889-11891.	13.7	90

#	ARTICLE	IF	CITATIONS
37	Double-Stranded Helical Polymers Consisting of Complementary Homopolymers. <i>Journal of the American Chemical Society</i> , 2008, 130, 7938-7945.	13.7	121
38	Molecular Weight Recognition in the Multiple-Stranded Helix of a Synthetic Polymer without Specific Monomer-Monomer Interaction. <i>Journal of the American Chemical Society</i> , 2008, 130, 6373-6380.	13.7	65
39	Two- and Three-Dimensional Smectic Ordering of Single-Handed Helical Polymers. <i>Journal of the American Chemical Society</i> , 2008, 130, 229-236.	13.7	101
40	Synthesis of Polymer Brushes Composed of Poly(phenylacetylene) Main Chain and Either Polystyrene or Poly(methyl methacrylate) Side Chains. <i>Macromolecules</i> , 2007, 40, 178-185.	4.8	30
41	Supramolecular Helical Structure of the Stereocomplex Composed of Complementary Isotactic and Syndiotactic Poly(methyl methacrylate)s as Revealed by Atomic Force Microscopy. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 5348-5351.	13.8	140
42	Two-Dimensional Helix-Bundle Formation of a Dynamic Helical Poly(phenylacetylene) with Achiral Pendant Groups on Graphite. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7605-7608.	13.8	85
43	Sensing, Threading, Orienting, and Cutting Polymers with Rigid-Rod Pores. <i>Journal of Receptor and Signal Transduction Research</i> , 2006, 26, 461-472.	2.5	2
44	Nanosphere and Nanonetwork Formations of [60]Fullerene-End-Capped Stereoregular Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 <i>Journal of the American Chemical Society</i> , 2006, 128, 10560-10567.	13.7	59
45	Helix-Sense Controlled Polymerization of a Single Phenyl Isocyanide Enantiomer Leading to Diastereomeric Helical Polyisocyanides with Opposite Helix-Sense and Cholesteric Liquid Crystals with Opposite Twist-Sense. <i>Journal of the American Chemical Society</i> , 2006, 128, 708-709.	13.7	158
46	Reptational Movements of Single Synthetic Polymer Chains on Substrate Observed by in-Situ Atomic Force Microscopy. <i>Macromolecules</i> , 2006, 39, 1209-1215.	4.8	52
47	Two-Dimensional Surface Chirality Control by Solvent-Induced Helicity Inversion of a Helical Polyacetylene on Graphite. <i>Journal of the American Chemical Society</i> , 2006, 128, 5650-5651.	13.7	248
48	Two-Dimensional Hierarchical Self-Assembly of One-Handed Helical Polymers on Graphite. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 1245-1248.	13.8	144
49	Control of Main-Chain Stiffness of a Helical Poly(phenylacetylene) by Switching On and Off the Intramolecular Hydrogen Bonding through Macromolecular Helicity Inversion. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 8173-8176.	13.8	144
50	Conductive Metal Nanowires Templated by the Nucleoprotein Filaments, Complex of DNA and RecA Protein. <i>Journal of the American Chemical Society</i> , 2005, 127, 8120-8125.	13.7	79
51	AFM Snapshots of Synthetic Multifunctional Pores with Polyacetylene Blockers: Pseudorotaxanes and Template Effects. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 6154-6157.	13.8	22
52	Well-Defined Lyotropic Liquid Crystalline Properties of Rigid-Rod Helical Polyacetylenes. <i>Macromolecules</i> , 2005, 38, 4061-4064.	4.8	98
53	Synthesis, Isolation via Self-Assembly, and Single-Molecule Observation of a [60]Fullerene-End-Capped Isotactic Poly(methyl methacrylate). <i>Journal of the American Chemical Society</i> , 2005, 127, 9950-9951.	13.7	52
54	Stereocomplex Formation of Isotactic and Syndiotactic Poly(methyl methacrylate)s in Ionic Liquids Leading to Thermoreversible Ion Gels. <i>Macromolecules</i> , 2005, 38, 9155-9160.	4.8	59

#	ARTICLE	IF	CITATIONS
55	Two-Dimensional Folded Chain Crystals of a Synthetic Polymer in a Langmuir-Blodgett Film. Journal of the American Chemical Society, 2005, 127, 5788-5789.	13.7	121
56	Conformational Change in an Isolated Single Synthetic Polymer Chain on a Mica Surface Observed by Atomic Force Microscopy. Journal of the American Chemical Society, 2003, 125, 4907-4917.	13.7	124
57	Two-Dimensional Microphase Separation of a Block Copolymer in a Langmuir-Blodgett Film. Journal of the American Chemical Society, 1998, 120, 423-424.	13.7	49
58	Visualization of Single-Chain Conformations of a Synthetic Polymer with Atomic Force Microscopy. Journal of the American Chemical Society, 1996, 118, 3321-3322.	13.7	178
59	Temperature Gradients Induce Phase Separation in a Miscible Polymer Solution. Physical Review Letters, 1996, 77, 1990-1993.	7.8	36
60	Accumulation of monomolecular polystyrene particles from a water surface onto a substrate. Journal of Polymer Science, Part B: Polymer Physics, 1990, 28, 105-111.	2.1	17
61	Monolayer of polystyrene monomolecular particles on a water surface studied by Langmuir-type film balance and transmission electron microscopy. Macromolecules, 1988, 21, 749-755.	4.8	103
62	Polystyrene monomolecular particles obtained by spreading dilute solutions on the water surface. Macromolecules, 1986, 19, 2258-2263.	4.8	80
63	Time-resolved light scattering studies on kinetics of phase separation and phase dissolution of polymer blends. 4. Kinetics of phase dissolution of a binary mixture of polystyrene and poly(vinyl) Tj ETQq1 1 0.784334 rgBT / Overlock	4.8	103
64	Time-resolved light scattering studies on kinetics of phase separation and phase dissolution of polymer blends. 1. Kinetics of phase separation of a binary mixture of polystyrene and poly(vinyl methyl) Tj ETQq0 0.8 rgBT / Overlock 10	4.8	103