## David Polsky

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2181331/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Melanoma surveillance for high-risk patients via telemedicine: Examination of real-world data from<br>an integrated store-and-forward total body photography and dermoscopy service. Journal of the<br>American Academy of Dermatology, 2022, 86, 191-192. | 0.6 | 4         |
| 2  | Differentiating Between Lead-Time Bias and True Survival Benefits When Discussing Racial and Ethnic<br>Disparities in Melanoma. JAMA Dermatology, 2022, , .  | 2.0 | 0         |
| 3  | Associations between TERT Promoter Mutations and Survival in Superficial Spreading and Nodular<br>Melanomas in a Large Prospective Patient Cohort. Journal of Investigative Dermatology, 2022, 142,<br>2733-2743.e9.                                       | 0.3 | 7         |
| 4  | Patient- and County-Level Factors Associated with Late-Stage Merkel Cell Carcinoma at Diagnosis.<br>Journal of Investigative Dermatology, 2022, 142, 3113-3117.  | 0.3 | 0         |
| 5  | Cell-Free DNA in Dermatology Research. Journal of Investigative Dermatology, 2022, 142, 1523-1528.e1.  | 0.3 | 2         |
| 6  | Real-world outcomes of melanoma surveillance using the MoleMap NZ telemedicine platform. Journal of the American Academy of Dermatology, 2021, 85, 596-603.  | 0.6 | 8         |
| 7  | <i>MC1R</i> variants in relation to naevi in melanoma cases and controls: a pooled analysis from the<br>M‣KIP project. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e135-e138.  | 1.3 | 3         |
| 8  | Utility of confocal microscopy in the management of lentigo maligna and lentigo maligna melanoma.<br>Journal of the American Academy of Dermatology, 2021, 84, 1736-1737.  | 0.6 | 0         |
| 9  | Dermoscopy Proficiency Expectations for US Dermatology Resident Physicians. JAMA Dermatology, 2021, 157, 189.  | 2.0 | 4         |
| 10 | Impact of COVID-19 on melanoma diagnosis. Melanoma Research, 2021, 31, 280-281.  | 0.6 | 18        |
| 11 | Circulating tumour DNA in patients with advanced melanoma treated with dabrafenib or dabrafenib plus trametinib: a clinical validation study. Lancet Oncology, The, 2021, 22, 370-380.   | 5.1 | 57        |
| 12 | Melanoma origins: data from earlyâ€stage tumours supports de novo and naevusâ€associated melanomas<br>as distinct subtypes. British Journal of Dermatology, 2021, 185, 9-10.   | 1.4 | 0         |
| 13 | Late-Stage Melanoma in New York State: Associations with Socioeconomic Factors and Healthcare<br>Access at the County Level. Journal of Investigative Dermatology, 2021, 141, 1699-1706.e7.  | 0.3 | 9         |
| 14 | An irregular black patch on the nail plate. JAAD Case Reports, 2020, 6, 1069-1071.   | 0.4 | 0         |
| 15 | Prognostic Gene Expression Profiling in Cutaneous Melanoma. JAMA Dermatology, 2020, 156, 1004.   | 2.0 | 59        |
| 16 | MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. Melanoma Research, 2020, 30, 500-510.   | 0.6 | 6         |
| 17 | New Systematic Therapies and Trends in Cutaneous Melanoma Deaths Among US Whites, 1986–2016.<br>American Journal of Public Health, 2020, 110, 731-733.   | 1.5 | 91        |
| 18 | TERT, BRAF, and NRAS Mutational Heterogeneity between Paired Primary and Metastatic Melanoma<br>Tumors. Journal of Investigative Dermatology, 2020, 140, 1609-1618.e7.   | 0.3 | 14        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Melanoma Prognosis: Accuracy of the American Joint Committee on Cancer Staging Manual Eighth<br>Edition. Journal of the National Cancer Institute, 2020, 112, 921-928.   | 3.0 | 32        |
| 20 | Technological advances for the detection of melanoma. Journal of the American Academy of Dermatology, 2020, 83, 983-992.   | 0.6 | 29        |
| 21 | Technological advances for the detection of melanoma. Journal of the American Academy of<br>Dermatology, 2020, 83, 996-1004.   | 0.6 | 20        |
| 22 | Validation of Circulating Tumor DNA Assays for Detection of Metastatic Melanoma. Methods in<br>Molecular Biology, 2020, 2055, 155-180.   | 0.4 | 7         |
| 23 | Primary Melanoma Histologic Subtype: Impact on Survival and Response to Therapy. Journal of the<br>National Cancer Institute, 2019, 111, 180-188.  | 3.0 | 74        |
| 24 | Immunomodulatory germline variation associated with the development of multiple primary melanoma (MPM). Scientific Reports, 2019, 9, 10173.  | 1.6 | 6         |
| 25 | MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. The Lancet Child and Adolescent Health, 2019, 3, 332-342.   | 2.7 | 16        |
| 26 | Towards Automated Melanoma Detection With Deep Learning: Data Purification and Augmentation. , 2019, , .   |     | 70        |
| 27 | Impact of initial stage on metastatic melanoma survival. Melanoma Research, 2019, 29, 281-288.   | 0.6 | 12        |
| 28 | Development of Novel Mutation-Specific Droplet Digital PCR Assays Detecting TERT Promoter<br>Mutations in Tumor and Plasma Samples. Journal of Molecular Diagnostics, 2019, 21, 274-285.   | 1.2 | 46        |
| 29 | Plasma cell-free circulating tumor DNA (ctDNA) detection in longitudinally followed glioblastoma patients using <i>TERT</i> promoter mutation-specific droplet digital PCR assays Journal of Clinical Oncology, 2019, 37, 2026-2026. | 0.8 | 11        |
| 30 | Circulating tumor DNA (ctDNA) kinetics to predict survival in patients (pts) with unresectable or<br>metastatic melanoma treated with dabrafenib (D) or D + trametinib (T) Journal of Clinical Oncology,<br>2019, 37, 9510-9510.     | 0.8 | 1         |
| 31 | Abstract 4704: Identification of melanoma mutational tumor heterogeneity using BRAF, NRAS and TERT-promoter mutation-detection assays. , 2019, , .   |     | Ο         |
| 32 | Abstract 2239: Analysis of nucleosomal DNA as an extraction control for plasma-based circulating tumor DNA assays. , 2019, , .   |     | 1         |
| 33 | Immunomodulatory germline variation impacts the development of multiple primary melanoma (MPM).<br>Annals of Oncology, 2018, 29, viii21.   | 0.6 | Ο         |
| 34 | Acral Melanoma: A Patient's Experience and Physician's Commentary. Dermatology and Therapy, 2018, 8,<br>503-507.   | 1.4 | 1         |
| 35 | Comment on "Prognostic value of sentinel lymph node biopsy according to Breslow thickness for<br>cutaneous melanomaâ€: Journal of the American Academy of Dermatology, 2018, 79, e53-e54.  | 0.6 | 1         |
| 36 | <em>MC1R</em> variants as melanoma risk factors independent of at-risk phenotypic<br>characteristics: a pooled analysis from the M-SKIP project. Cancer Management and Research, 2018,<br>Volume 10, 1143-1154.                      | 0.9 | 57        |

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Association between Kiâ€67 expression and clinical outcomes among patients with clinically<br>nodeâ€negative, thick primary melanoma who underwent nodal staging. Journal of Surgical Oncology,<br>2018, 118, 150-156.         | 0.8 | 7         |
| 38 | Bone metastasis to predict treatment response rate and overall survival of patients with metastatic melanoma Journal of Clinical Oncology, 2018, 36, e21585-e21585.  | 0.8 | 2         |
| 39 | Abstract 5534: Analysis ofTERTmutantcirculating tumor DNA as a potential biomarker of disease activity in patients with unresectable stage III/IV melanoma receiving immuno-oncology therapies. , 2018, , .                    |     | 1         |
| 40 | Abstract 5531: Detection of co-occurring and potential resistance mutations in cell-free, circulating tumor DNA from patients withBRAFmutantmetastatic melanoma undergoing treatment with BRAF-targeted therapies. , 2018, , . |     | 0         |
| 41 | Dermoscopic features of a solitary fibrofolliculoma on the left cheek. Journal of the American<br>Academy of Dermatology, 2017, 76, S8-S9.   | 0.6 | 7         |
| 42 | A prospective study evaluating the utility of a 2-mm biopsy margin for complete removal of<br>histologically atypical (dysplastic) nevi. Journal of the American Academy of Dermatology, 2017, 77,<br>1096-1099.               | 0.6 | 5         |
| 43 | Outcomes in Melanoma Patients Treated with BRAF/MEK-Directed Therapy or Immune Checkpoint<br>Inhibition Stratified by Clinical Trial versus Standard of Care. Oncology, 2017, 93, 164-176.                                     | 0.9 | 6         |
| 44 | 214 A growing mortality epidemic among white men ages 50+: Time to find intersections for a targeted national melanoma screening program. Journal of Investigative Dermatology, 2017, 137, S36.                                | 0.3 | 0         |
| 45 | Mole Mapping for Management of Pigmented Skin Lesions. Dermatologic Clinics, 2017, 35, 439-445.  | 1.0 | 21        |
| 46 | Development and validation of a noninvasive 2-gene molecular assay for cutaneous melanoma. Journal of the American Academy of Dermatology, 2017, 76, 114-120.e2.   | 0.6 | 107       |
| 47 | Novel germline risk loci in familial melanoma (FM) Journal of Clinical Oncology, 2017, 35, 1535-1535.  | 0.8 | 0         |
| 48 | A 'melanoma mortality belt' of ten U.S. states with the highest melanoma mortality rates Journal of<br>Clinical Oncology, 2017, 35, e21039-e21039.   | 0.8 | 0         |
| 49 | Accelerated melanoma mortality rates among middle-aged white males with tumors of all thicknesses Journal of Clinical Oncology, 2017, 35, e21029-e21029.   | 0.8 | 0         |
| 50 | Abstract 743: Detection of TERT C228T and C250T promoter mutations in melanoma tumor and plasma samples using novel mutation-specific droplet digital PCR assays. , 2017, , .  |     | 1         |
| 51 | De Novo vs Nevus-Associated Melanomas: Differences in Associations With Prognostic Indicators and Survival. Journal of the National Cancer Institute, 2016, 108, djw121.   | 3.0 | 67        |
| 52 | Association of Melanocortin-1 Receptor Variants with Pigmentary Traits in Humans: AÂPooled Analysis<br>from the M-Skip Project. Journal of Investigative Dermatology, 2016, 136, 1914-1917.                                    | 0.3 | 16        |
| 53 | Acral melanocytic lesions in the United States: Prevalence, awareness, and dermoscopic patterns in<br>skin-of-color and non-Hispanic white patients. Journal of the American Academy of Dermatology, 2016,<br>74, 724-730.e1.  | 0.6 | 39        |
| 54 | Impact of Socioeconomic Status and Ethnicity on Melanoma Presentation and Recurrence in Caucasian<br>Patients. Oncology, 2016, 90, 79-87.  | 0.9 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Sensitivity of plasma BRAF <sup>mutant</sup> and NRAS <sup>mutant</sup> cellâ€free DNA assays to detect metastatic melanoma in patients with low RECIST scores and nonâ€RECIST disease progression. Molecular Oncology, 2016, 10, 157-165. | 2.1 | 63        |
| 56 | Metastatic melanoma outcomes in the era of commercially available targeted therapy and immunotherapy Journal of Clinical Oncology, 2016, 34, e21017-e21017.  | 0.8 | 0         |
| 57 | Prognostic value of mitoses in thick primary melanoma Journal of Clinical Oncology, 2016, 34, e21046-e21046.   | 0.8 | 0         |
| 58 | The impact of clinical stage at primary melanoma diagnosis on post-recurrence survival Journal of Clinical Oncology, 2016, 34, 9550-9550.  | 0.8 | 0         |
| 59 | Analysis of TERT promoter mutations, polymorphisms, clinicopathologic features and recurrence-free survival in primary melanoma Journal of Clinical Oncology, 2016, 34, e21065-e21065.   | 0.8 | 0         |
| 60 | Somatic and germline analyses of a long term melanoma survivor with a recurrent brain metastasis.<br>BMC Cancer, 2015, 15, 926.  | 1.1 | 2         |
| 61 | Sustaining the Rheumatology Research Enterprise. Arthritis Care and Research, 2015, 67, 1187-1190.   | 1.5 | 5         |
| 62 | Genetic associations of the interleukin locus at 1q32.1 with clinical outcomes of cutaneous melanoma. Journal of Medical Genetics, 2015, 52, 231-239.  | 1.5 | 17        |
| 63 | Skin cancer risk in <i>BRCA1/2</i> mutation carriers. British Journal of Dermatology, 2015, 172, 1498-1506.  | 1.4 | 45        |
| 64 | Acral Lentiginous Melanoma of the Foot Misdiagnosed as a Traumatic Ulcer. Journal of the American<br>Podiatric Medical Association, 2015, 105, 189-194.  | 0.2 | 9         |
| 65 | Polarized light dermoscopy to aid in the diagnosis of new pink lesions in an amelanotic melanoma survivor. Journal of the American Academy of Dermatology, 2015, 73, e197-e199.  | 0.6 | 1         |
| 66 | Mutational Heterogeneity in Melanoma: An Inconvenient Truth. Journal of Investigative Dermatology, 2015, 135, 2913-2918.   | 0.3 | 8         |
| 67 | Examining the scalp for melanoma? Try a blow dryer. Journal of the American Academy of Dermatology, 2015, 73, e211.  | 0.6 | 0         |
| 68 | The impact of primary melanoma histotype on overall survival and response to immunotherapy<br>Journal of Clinical Oncology, 2015, 33, e20078-e20078.   | 0.8 | 0         |
| 69 | Impact of socioeconomic status (SES) and ethnicity on melanoma presentation and recurrence in Caucasian patients Journal of Clinical Oncology, 2015, 33, e20098-e20098.  | 0.8 | 0         |
| 70 | De novo versus nevus-associated melanomas: Differences in associations with prognostic indicators and survival Journal of Clinical Oncology, 2015, 33, 9025-9025.  | 0.8 | 0         |
| 71 | Abstract A31: Association between TERT promoter mutations and BRAF/NRAS mutations in patients with primary and metastatic melanoma tumors. , 2015, , .   |     | 0         |
| 72 | Abstract 4627: A novel computational re-analysis of published GWAS data suggests new risk loci for melanoma susceptibility. , 2015, , .  |     | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Abstract 4628: Analysis of melanoma GWAS data suggests specific risk loci influencing age of onset of melanoma. , 2015, , .   |     | 0         |
| 74 | Vulvar nevi, melanosis, and melanoma: An epidemiologic, clinical, and histopathologic review. Journal of the American Academy of Dermatology, 2014, 71, 1241-1249.                  | 0.6 | 77        |
| 75 | More Skin, More Sun, More Tan, More Melanoma. American Journal of Public Health, 2014, 104, e92-e99.  | 1.5 | 58        |
| 76 | Germline genetic determinants of immunotherapy response in metastatic melanoma Journal of<br>Clinical Oncology, 2014, 32, 3004-3004.  | 0.8 | 6         |
| 77 | Development of a Melanoma Risk Prediction Model Incorporating MC1R Genotype and Indoor Tanning Exposure: Impact of Mole Phenotype on Model Performance. PLoS ONE, 2014, 9, e101507. | 1.1 | 14        |
| 78 | The genetic variants in interleukin locus at 1q32.1 as markers of melanoma survival Journal of Clinical Oncology, 2014, 32, 9094-9094.  | 0.8 | 0         |
| 79 | Droplet digital PCR monitoring of BRAF and NRAS plasma DNA as biomarkers of treatment response in stage IV melanoma Journal of Clinical Oncology, 2014, 32, 9019-9019.              | 0.8 | 0         |
| 80 | Abstract 2847: Quantitative assessment of circulating BRAF DNA in stage IV melanoma patients undergoing BRAF inhibitor treatment. , 2014, , .                                       |     | 0         |
| 81 | The importance of dedicated dermoscopy training during residency: A survey of US dermatology chief residents. Journal of the American Academy of Dermatology, 2013, 68, 1000-1005.  | 0.6 | 27        |
| 82 | Melanoma risk loci as determinants of melanoma recurrence and survival. Journal of Translational<br>Medicine, 2013, 11, 279.  | 1.8 | 30        |
| 83 | Impact of Age on the Management of Primary Melanoma Patients. Oncology, 2013, 85, 173-181.  | 0.9 | 14        |
| 84 | Cyclo-oxygenase-2 inhibitors for chemoprevention of nonmelanoma skin cancer: Is there a role for these agents?. Journal of the American Academy of Dermatology, 2013, 68, 173-176.  | 0.6 | 11        |
| 85 | Mitotic Rate in Melanoma. American Journal of Surgical Pathology, 2013, 37, 882-889.  | 2.1 | 36        |
| 86 | Abstract 2288: Improving melanoma risk prediction among individuals with low-risk mole phenotypes , 2013, , .   |     | 0         |
| 87 | Impact of age on treatment of primary melanoma patients Journal of Clinical Oncology, 2013, 31,<br>9054-9054.   | 0.8 | 0         |
| 88 | Analysis of plasma-based <i>BRAF</i> and <i>NRAS</i> mutation detection in patients with stage III and IV melanoma Journal of Clinical Oncology, 2013, 31, 9023-9023.               | 0.8 | 0         |
| 89 | Intra- and Inter-Tumor Heterogeneity of BRAFV600EMutations in Primary and Metastatic Melanoma.<br>PLoS ONE, 2012, 7, e29336.  | 1.1 | 250       |
| 90 | Botulinum Toxin-A for the Treatment of Raynaud Syndrome. Archives of Dermatology, 2012, 148, 426.   | 1.7 | 34        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Agreement of Dermatopathologists in the Evaluation of Clinically Difficult Melanocytic Lesions: How<br>Golden Is the 'Gold StandardA'?. Dermatology, 2012, 224, 51-58.  | 0.9  | 45        |
| 92  | Development of a melanoma riskÂprediction modelÂincorporating MC1R genotype and indoor tanning exposure Journal of Clinical Oncology, 2012, 30, 8574-8574.  | 0.8  | 9         |
| 93  | Prognostic value of mitosis-specific antibodies and computer image analysisÂin calculatingÂmitotic<br>rateÂin melanoma Journal of Clinical Oncology, 2012, 30, e19003-e19003.   | 0.8  | 0         |
| 94  | Analysis of the Benign to Malignant Ratio of Lesions Biopsied by a General Dermatologist Before and After the Adoption of Dermoscopy. Archives of Dermatology, 2011, 146, 343-4.  | 1.7  | 36        |
| 95  | Noninvasive genomic detection of melanoma. British Journal of Dermatology, 2011, 164, 797-806.  | 1.4  | 92        |
| 96  | Clinical variables and primary tumor characteristics predictive of the development of melanoma brain<br>metastases and postâ€brain metastases survival. Cancer, 2011, 117, 1711-1720.   | 2.0  | 83        |
| 97  | A High Proliferative Index of Recurrent Melanoma Is Associated with Worse Survival. Oncology, 2011, 80, 181-187.  | 0.9  | 17        |
| 98  | Integrative Genomics Identifies Molecular Alterations that Challenge the Linear Model of Melanoma Progression. Cancer Research, 2011, 71, 2561-2571.  | 0.4  | 57        |
| 99  | Dysplastic Nevi. , 2011, , 231-245.   |      | 0         |
| 100 | The histone variant macroH2A suppresses melanoma progression through regulation of CDK8. Nature, 2010, 468, 1105-1109.  | 13.7 | 345       |
| 101 | A Phase II Trial of Sorafenib in Metastatic Melanoma with Tissue Correlates. PLoS ONE, 2010, 5, e15588.   | 1.1  | 90        |
| 102 | Association Between Thin Melanomas and Atypical Nevi in Middle-aged and Older Men Possibly<br>Attributable to Heightened Patient Awareness. Archives of Dermatology, 2009, 145, 1457-8.   | 1.7  | 0         |
| 103 | Phosphorylated 4E-BP1 Is Associated with Poor Survival in Melanoma. Clinical Cancer Research, 2009, 15, 2872-2878.  | 3.2  | 62        |
| 104 | Association of <i>MDM2</i> SNP309, Age of Onset, and Gender in Cutaneous Melanoma. Clinical<br>Cancer Research, 2009, 15, 2573-2580.  | 3.2  | 36        |
| 105 | Aberrant miR-182 expression promotes melanoma metastasis by repressing FOXO3 and microphthalmia-associated transcription factor. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 1814-1819. | 3.3  | 506       |
| 106 | Metaâ€analysis of sentinel lymph node positivity in thin melanoma (â‰⊉ mm). Cancer, 2009, 115, 869-879.   | 2.0  | 105       |
| 107 | Evaluation of the melanocortin-1-receptor gene in melanoma predisposition, progression, and recurrence. Journal of Clinical Oncology, 2009, 27, 9018-9018.  | 0.8  | 0         |
| 108 | Detection of BRAF kinase mutations in melanoma, ovarian, and prostate carcinomas: Evidence for tumor heterogeneity in clinical samples. Journal of Clinical Oncology, 2009, 27, 11031-11031.  | 0.8  | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Developing genetic markers for melanoma risk assessment. Journal of Clinical Oncology, 2009, 27,<br>9046-9046.   | 0.8 | Ο         |
| 110 | The unique molecular signatures of nodular and superficial spreading melanoma. Journal of Clinical Oncology, 2009, 27, 9047-9047.  | 0.8 | 0         |
| 111 | Developing a multidisciplinary prospective melanoma biospecimen repository to advance translational research. American Journal of Translational Research (discontinued), 2009, 1, 35-43. | 0.0 | 33        |
| 112 | Changes in the presentation of nodular and superficial spreading melanomas over 35 years. Cancer, 2008, 113, 3341-3348.  | 2.0 | 78        |
| 113 | Nucleofection is a highly effective gene transfer technique for human melanoma cell lines.<br>Experimental Dermatology, 2008, 17, 405-411.   | 1.4 | 10        |
| 114 | Assessing the clinical utility of measuring Insulin-like Growth Factor Binding Proteins in tissues and sera of melanoma patients. Journal of Translational Medicine, 2008, 6, 70.        | 1.8 | 10        |
| 115 | Tinea versicolor associated with etanercept therapy. Journal of the American Academy of Dermatology, 2008, 58, S99-S100.   | 0.6 | 11        |
| 116 | Frequent p16-Independent Inactivation of p14ARF in Human Melanoma. Journal of the National Cancer<br>Institute, 2008, 100, 784-795.  | 3.0 | 94        |
| 117 | CASH Algorithm for Dermoscopy Revisited. Archives of Dermatology, 2008, 144, 554-5.  | 1.7 | 20        |
| 118 | Utility of Lesion Diameter in the Clinical Diagnosis of Cutaneous Melanoma. Archives of Dermatology,<br>2008, 144, 469-74.   | 1.7 | 52        |
| 119 | The Diagnostic Performance of Expert Dermoscopists vs a Computer-Vision System on Small-Diameter<br>Melanomas. Archives of Dermatology, 2008, 144, 476-82.                               | 1.7 | 78        |
| 120 | Shedding of Distinct Cryptic Collagen Epitope (HU177) in Sera of Melanoma Patients. Clinical Cancer<br>Research, 2008, 14, 6253-6258.  | 3.2 | 16        |
| 121 | Phase II Trial of 17-Allylamino-17-Demethoxygeldanamycin in Patients with Metastatic Melanoma.<br>Clinical Cancer Research, 2008, 14, 8302-8307.   | 3.2 | 193       |
| 122 | Tumor heterogeneity: Evidence from BRAF V600E mutation detection. Journal of Clinical Oncology, 2008, 26, 20022-20022.   | 0.8 | 1         |
| 123 | Neutrophilic eccrine hidradenitis masquerading asÂfacial cellulitis. Journal of the American Academy of Dermatology, 2007, 56, 693-696.  | 0.6 | 21        |
| 124 | The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy. Journal of the<br>American Academy of Dermatology, 2007, 56, 45-52.                                  | 0.6 | 203       |
| 125 | Dermoscopy Key Points: Recommendations from the International Dermoscopy Society. Dermatology, 2007, 214, 3-5.   | 0.9 | 58        |
| 126 | Detection of Mutant BRAF Alleles in the Plasma of Patients with Metastatic Melanoma. Journal of<br>Molecular Diagnostics, 2007, 9, 178-183.  | 1.2 | 40        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Clinical relevance of neutral endopeptidase (NEP/CD10) in melanoma. Journal of Translational<br>Medicine, 2007, 5, 2.   | 1.8 | 29        |
| 128 | Role of radiologic imaging at the time of initial diagnosis of stage T1bâ€T3b melanoma. Cancer, 2007, 110, 1107-1114.   | 2.0 | 93        |
| 129 | "Fat fingers:―A clue in the dermoscopic diagnosis ofÂseborrheic keratoses. Journal of the American<br>Academy of Dermatology, 2006, 55, 1089-1091.  | 0.6 | 39        |
| 130 | In Consideration of the E in the Melanoma ABCDE Mnemonic—Reply. Archives of Dermatology, 2006, 142, 529.  | 1.7 | 0         |
| 131 | A phase II trial of BAY 43–9006 in metastatic melanoma with molecularly characterized B-Raf status.<br>Journal of Clinical Oncology, 2006, 24, 8046-8046.                                       | 0.8 | 1         |
| 132 | Clinical relevance of neutral endopeptidase overexpression in melanoma. Journal of Clinical Oncology, 2006, 24, 8028-8028.  | 0.8 | 0         |
| 133 | Altered patterns of RB expression define groups of soft tissue sarcoma patients with distinct biological and clinical behavior. Histology and Histopathology, 2006, 21, 743-52.                 | 0.5 | 7         |
| 134 | Association of melanoma and neurocutaneous melanocytosis with large congenital melanocytic naevi-results from the NYU-LCMN registry. British Journal of Dermatology, 2005, 152, 512-517.        | 1.4 | 176       |
| 135 | Evaluation of germline CDKN2A, ARF, CDK4, PTEN, and BRAF alterations in atypical mole syndrome.<br>Clinical and Experimental Dermatology, 2005, 30, 68-70.                                      | 0.6 | 23        |
| 136 | ABCDE—An Evolving Concept in the Early Detection of Melanoma. Archives of Dermatology, 2005, 141, 1032-4.   | 1.7 | 149       |
| 137 | PTEN Expression in Melanoma: Relationship with Patient Survival, Bcl-2 Expression, and Proliferation.<br>Clinical Cancer Research, 2005, 11, 5153-5157.   | 3.2 | 81        |
| 138 | The ABCDEs of melanoma: an evolving concept. Journal of Drugs in Dermatology, 2005, 4, 399-401.   | 0.4 | 0         |
| 139 | Early Diagnosis of Cutaneous Melanoma. JAMA - Journal of the American Medical Association, 2004, 292, 2771.   | 3.8 | 506       |
| 140 | Altered N-myc Downstream-Regulated Gene 1 Protein Expression in African-American Compared with<br>Caucasian Prostate Cancer Patients. Clinical Cancer Research, 2004, 10, 222-227.              | 3.2 | 40        |
| 141 | Clinical significance of BRAF mutations in metastatic melanoma. Journal of Translational Medicine, 2004, 2, 46.   | 1.8 | 58        |
| 142 | Detection of melanomas in patients followed up with total cutaneous examinations, total cutaneous photography, and dermoscopy. Journal of the American Academy of Dermatology, 2004, 50, 15-20. | 0.6 | 60        |
| 143 | Explaining differences in chemotherapy utilization in ovarian cancer between health service areas.<br>Journal of Clinical Oncology, 2004, 22, 6005-6005.  | 0.8 | 0         |
| 144 | Oncogenes in melanoma. Oncogene, 2003, 22, 3087-3091.   | 2.6 | 107       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Analysis of BRAF and N-RAS mutations in metastatic melanoma tissues. Cancer Research, 2003, 63, 3955-7.  | 0.4  | 177       |
| 146 | HDM2 Protein Overexpression and Prognosis in Primary Malignant Melanoma. Journal of the National<br>Cancer Institute, 2002, 94, 1803-1806.   | 3.0  | 74        |
| 147 | Focus on melanoma. Cancer Cell, 2002, 2, 275-278.  | 7.7  | 225       |
| 148 | Evaluation of the proliferation marker MIB-1 in the prognosis of cutaneous malignant melanoma.<br>Cancer, 2002, 95, 634-640.   | 2.0  | 50        |
| 149 | Reduction of ultraviolet transmission through cotton t-shirt fabrics with low ultraviolet protection by various laundering methods and dyeing: Clinical implications. Journal of the American Academy of Dermatology, 2001, 44, 767-774.                   | 0.6  | 92        |
| 150 | Ultraviolet A and melanoma: A review. Journal of the American Academy of Dermatology, 2001, 44, 837-846.   | 0.6  | 379       |
| 151 | High Ki-67 proliferative index predicts disease specific survival in patients with high-risk soft tissue sarcomas. Cancer, 2001, 92, 869-874.  | 2.0  | 89        |
| 152 | Inactivation of the apoptosis effector Apaf-1 in malignant melanoma. Nature, 2001, 409, 207-211.   | 13.7 | 901       |
| 153 | The transcriptional repressor of p16/Ink4a, Id1, is up-regulated in early melanomas. Cancer Research, 2001, 61, 6008-11.   | 0.4  | 77        |
| 154 | HDM2 protein overexpression, but not gene amplification, is related to tumorigenesis of cutaneous melanoma. Cancer Research, 2001, 61, 7642-6.   | 0.4  | 94        |
| 155 | HMO penetration and the geographic mobility of practicing physicians. Journal of Health Economics, 2000, 19, 793-809.  | 1.3  | 17        |
| 156 | Cooperative effects of <i>INK4a</i> and <i>ras</i> in melanoma susceptibility in vivo. Genes and Development, 1997, 11, 2822-2834.   | 2.7  | 366       |
| 157 | Suppression of H-2b-associated resistance to Friend erythroleukemia virus by a class I gene from the H-2d major histocompatibility complex haplotype Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 9243-9247. | 3.3  | 17        |