

# Philipp Spitzer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2181854/publications.pdf>

Version: 2024-02-01

24  
papers

1,055  
citations

706676

14  
h-index

721071

23  
g-index

25  
all docs

25  
docs citations

25  
times ranked

2314  
citing authors

#	ARTICLE	IF	CITATIONS
1	App-based maintenance treatment for alcohol use disorder after acute inpatient treatment: Study protocol for a multicentre randomized controlled trial. <i>Internet Interventions</i> , 2022, 28, 100517.	1.4	3
2	E-Learning Is Not Inferior to On-Site Teaching in a Psychiatric Examination Course. <i>Frontiers in Psychiatry</i> , 2021, 12, 624005.	1.3	4
3	Cerebrospinal Fluid of Patients With Alzheimer's Disease Contains Increased Percentages of Synaptophysin-Bearing Microvesicles. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 682115.	1.7	6
4	Pharmacological Inhibition of Amyloidogenic APP Processing and Knock-Down of APP in Primary Human Macrophages Impairs the Secretion of Cytokines. <i>Frontiers in Immunology</i> , 2020, 11, 1967.	2.2	13
5	The Role of Cathepsin B in the Degradation of A $\beta$ and in the Production of A $\beta$ Peptides Starting With Ala2 in Cultured Astrocytes. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 615740.	1.4	19
6	Microvesicles from cerebrospinal fluid of patients with Alzheimer's disease display reduced concentrations of tau and APP protein. <i>Scientific Reports</i> , 2019, 9, 7089.	1.6	30
7	Analysis of Surface Levels of IL-1 Receptors and Macrophage Scavenger Receptor I in Peripheral Immune Cells of Patients With Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 211-220.	1.2	14
8	Low amounts of bisecting glycans characterize cerebrospinal fluid-borne IgG. <i>Journal of Neuroimmunology</i> , 2018, 320, 19-24.	1.1	4
9	Plasma neurofilament light as a potential biomarker of neurodegeneration in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 71.	3.0	216
10	Imbalance of Circulating Th17 and Regulatory T Cells in Alzheimer's Disease: A Case Control Study. <i>Frontiers in Immunology</i> , 2018, 9, 1213.	2.2	96
11	A Specific Reduction in A $\beta$ 1-42 vs. a Universal Loss of A $\beta$ Peptides in CSF Differentiates Alzheimer's Disease From Meningitis and Multiple Sclerosis. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 152.	1.7	18
12	[P441]: ALZHEIMER'S AMYLOID PEPTIDES SUPPORT THE INNATE IMMUNE DEFENSE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1501.	0.4	0
13	Non-Phosphorylated Tau as a Potential Biomarker of Alzheimer's Disease: Analytical and Diagnostic Characterization. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 159-170.	1.2	23
14	Amyloidogenic amyloid- $\beta$ -peptide variants induce microbial agglutination and exert antimicrobial activity. <i>Scientific Reports</i> , 2016, 6, 32228.	1.6	110
15	Neurogranin and YKL-40: independent markers of synaptic degeneration and neuroinflammation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 74.	3.0	109
16	Characterization of the postsynaptic protein neurogranin in paired cerebrospinal fluid and plasma samples from Alzheimer's disease patients and healthy controls. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 40.	3.0	104
17	Astrocytes and microglia but not neurons preferentially generate N-terminally truncated A $\beta$ peptides. <i>Neurobiology of Disease</i> , 2015, 73, 24-35.	2.1	52
18	Biochemical markers of neurodegeneration in hereditary diffuse leucoencephalopathy with spheroids. <i>BMJ Case Reports</i> , 2014, 2014, bcr2012008510-bcr2012008510.	0.2	4

#	ARTICLE	IF	CITATIONS
19	N-truncation and pyroglutamylation enhances the opsonizing capacity of A $\beta$ -peptides and facilitates phagocytosis by macrophages and microglia. <i>Brain, Behavior, and Immunity</i> , 2014, 41, 116-125.	2.0	20
20	Disease Tracking Markers for Alzheimer's Disease at the Prodromal (MCI) Stage. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 159-199.	1.2	120
21	Phagocytosis and LPS alter the maturation state of A $\beta$ -amyloid precursor protein and induce different A $\beta$ peptide release signatures in human mononuclear phagocytes. <i>Journal of Neuroinflammation</i> , 2010, 7, 59.	3.1	21
22	Distinct fractional A $\beta$ release patterns in human mononuclear phagocytes. <i>Journal of Neuroimmunology</i> , 2009, 206, 1-4.	1.1	9
23	Adherence-dependent shifts in the patterns of A $\beta$ -amyloid peptides secreted by human mononuclear phagocytes. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 1044-1048.	2.0	13
24	Urea-based two-dimensional electrophoresis of beta-amyloid peptides in human plasma: Evidence for novel A $\beta$ species. <i>Proteomics</i> , 2007, 7, 3815-3820.	1.3	47