Zhiqiong Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2182678/publications.pdf

Version: 2024-02-01

759233 677142 27 516 12 22 h-index citations g-index papers 27 27 27 574 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Multifunctional magnetic chitosan-graphene oxide-ionic liquid ternary nanohybrid: An efficient adsorbent of alkaloids. Carbohydrate Polymers, 2021, 255, 117338.	10.2	24
2	Designing polydopamine nanohybrid based on template-mediated for effectively remove amphetamine-type stimulants in sewage: Performance and mechanism. Journal of Environmental Chemical Engineering, 2021, 9, 105870.	6.7	2
3	Fabricating magnetic GO/ZIF-8 nanocomposite for amphetamine adsorption from water: Capability and mechanism. Chemical Engineering Journal, 2021, 422, 130096.	12.7	46
4	A new nanocomposite assembled with metal organic framework and magnetic biochar derived from pomelo peels: A highly efficient adsorbent for ketamine in wastewater. Journal of Environmental Chemical Engineering, 2021, 9, 106207.	6.7	18
5	One-step fabrication of alkali–acid modified three-dimensional magnetic biochar for the determination of pesticides in pigment-rich vegetables. Analytical Methods, 2021, 13, 504-515.	2.7	5
6	Enhanced adsorption of malathion and phoxim by a three-dimensional magnetic graphene oxide-functionalized citrus peel-derived bio-composite. Analytical Methods, 2021, 13, 2951-2962.	2.7	2
7	Chitosan functionalized magnetic graphene oxide nanocomposite for the sensitive and effective determination of alkaloids in hotpot. International Journal of Biological Macromolecules, 2020, 146, 343-352.	7.5	36
8	Combination of stable isotopes and multi-elements analysis with chemometric for determining the geographical origins of Rhizoma Coptidis. Microchemical Journal, 2020, 152, 104427.	4.5	15
9	A three dimension magnetic bio-char composite-based quick, easy, cheap, effective, rugged and safe method for multi-pesticides analysis of vegetables. Journal of Chromatography A, 2020, 1615, 460770.	3.7	12
10	A novel Fe3O4/graphene oxide/citrus peel-derived bio-char based nanocomposite with enhanced adsorption affinity and sensitivity of ciprofloxacin and sparfloxacin. Bioresource Technology, 2019, 292, 121951.	9.6	86
11	Discrimination of the species and authenticity of Rhizoma Coptidis based on stable isotope and multielement fingerprinting and multivariate statistical analysis. Analytical and Bioanalytical Chemistry, 2019, 411, 2827-2837.	3.7	8
12	A high efficient adsorbent for plant growth regulators based on ionic liquid and \hat{l}^2 -cyclodextrin functionalized magnetic graphene oxide. Talanta, 2019, 194, 14-25.	5.5	46
13	Designed multifunctional ionic liquids–magnetic graphene nanocomposites as the adsorbent of MSPE for the determination of preservatives. Analytical Methods, 2018, 10, 1420-1430.	2.7	12
14	Identification and Quantification of Four Anthraquinones in Rhubarb and its Preparations by Gas Chromatography–Mass Spectrometry. Journal of Chromatographic Science, 2018, 56, 195-201.	1.4	9
15	Fabrication of a high selectivity magnetic solid phase extraction adsorbent based on \hat{l}^2 -cyclodextrin and application for recognition of plant growth regulators. Journal of Chromatography A, 2018, 1547, 1-13.	3.7	43
16	Costâ€efficientÂmagnetic nanoporous carbon derived from citrus peel for the selective adsorption of seven insecticides. Journal of Separation Science, 2018, 41, 2924-2933.	2.5	3
17	Controllable synthesis of magnetic nanoporous carbon with tunable porosity for the efficient cleanup of vegetable samples. Analytica Chimica Acta, 2018, 1041, 58-67.	5.4	21
18	Determination of 17 Plant Growth Regulator Residues by Ultra-High Performance Liquid Chromatography-Triple Quadrupole Linear Ion Trap Mass Spectrometry Based on Modified QuEChERS Method. Food Analytical Methods, 2017, 10, 3158-3165.	2.6	7

#	Article	IF	CITATIONS
19	Modified QuEChERS Combination with Magnetic Solid-Phase Extraction for the Determination of 16 Preservatives by Gas Chromatography–Mass Spectrometry. Food Analytical Methods, 2017, 10, 587-595.	2.6	15
20	Preparation of size-controlled magnetite nanoparticles with a graphene and polymeric ionic liquid coating for the quick, easy, cheap, effective, rugged and safe extraction of preservatives from vegetables. Journal of Chromatography A, 2016, 1448, 9-19.	3.7	50
21	Cleaning Up Vegetable Samples Using a Modified "QuEChERS―Procedure for the Determination of 17 Plant Growth Regulator Residues by Ultra High Performance Liquid Chromatography–Triple Quadrupole Linear Ion Trap Mass Spectrometry. Food Analytical Methods, 2016, 9, 2097-2104.	2.6	6
22	Rapid Determination of Dichlofluanid Residues in Vegetables Using Dispersive-SPE Sample Preparation Combined with Gas Chromatography–Mass Spectrometry. Journal of Chromatographic Science, 2016, 54, 858-863.	1.4	3
23	Simultaneous Determination of Seven Sulfonylurea-Type Oral Anti-Diabetic Agents in Adulterated Dietary Supplements and Traditional Chinese Medicines by Ultraperformance Liquid Chromatography–Tandem Mass Spectrometry. Spectroscopy Letters, 2015, 48, 163-169.	1.0	7
24	Simultaneous determination of 18 preservative residues in vegetables by ultra high performance liquid chromatography coupled with triple quadrupole/linear ion trap mass spectrometry using a dispersive-SPE procedure. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 989, 21-26.	2.3	20
25	Determination of Pesticides in the Rhizome of Traditional Chinese Medicines by Gas Chromatography with Electron Capture Detection. Analytical Letters, 2014, 47, 398-412.	1.8	2
26	High-performance liquid chromatographic resolution of 1-(1,4-benzodioxane-2-formyl)- piperazine enantiomers after chiral derivatization. Journal of Separation Science, 2005, 28, 193-196.	2.5	6
27	Flow-Injection Determination of Vitamin K ₃ by a Chemiluminescence Sensor. Analytical Sciences, 1999, 15, 1227-1230.	1.6	12