

Yunhuan Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/218278/yunhuan-liu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

2,934
citations

29
h-index

53
g-index

85
ext. papers

3,721
ext. citations

5
avg, IF

4.95
L-index

#	Paper	IF	Citations
80	Up-regulation of microRNA-34a mediates ethanol-induced impairment of neural crest cell migration in vitro and in zebrafish embryos through modulating epithelial-mesenchymal transition by targeting Snail1.. <i>Toxicology Letters</i> , 2022 , 358, 17-17	4.4	1
79	Neutral ceramidase-dependent regulation of macrophage metabolism directs intestinal immune homeostasis and controls enteric infection.. <i>Cell Reports</i> , 2022 , 38, 110560	10.6	1
78	PCV2 infection aggravates OTA-induced immunotoxicity in vivo and in vitro.. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 235, 113447	7	0
77	Low dose of arsenic exacerbates toxicity to mice and IPEC-J2 cells exposed with deoxynivalenol: Aryl hydrocarbon receptor and autophagy might be novel therapeutic targets.. <i>Science of the Total Environment</i> , 2022 , 155027	10.2	3
76	Theragnostic Efficacy of K18 Response in Alcohol Use Disorder with Clinically Significant Fibrosis Using Gut-Liver Axis. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5852	6.3	0
75	Selenomethionine alleviated Ochratoxin A induced pyroptosis and renal fibrotic factors expressions in MDCK cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2021 , e22933	3.4	1
74	Lemon exosome-like nanoparticles enhance stress survival of gut bacteria by RNase P-mediated specific tRNA decay. <i>IScience</i> , 2021 , 24, 102511	6.1	10
73	Inhibition of Sphingosine-1-Phosphate-Induced Th17 Cells Ameliorates Alcohol-Associated Steatohepatitis in Mice. <i>Hepatology</i> , 2021 , 73, 952-967	11.2	9
72	Neutral Ceramidase Mediates Nonalcoholic Steatohepatitis by Regulating Monounsaturated Fatty Acids and Gut IgA B Cells. <i>Hepatology</i> , 2021 , 73, 901-919	11.2	5
71	Sulforaphane Protects Against Ethanol-Induced Apoptosis in Human Neural Crest Cells Through Diminishing Ethanol-Induced Hypermethylation at the Promoters of the Genes Encoding the Inhibitor of Apoptosis Proteins. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 622152	5.7	1
70	Ochratoxin A induces nephrotoxicity in vitro and in vivo via pyroptosis. <i>Archives of Toxicology</i> , 2021 , 95, 1489-1502	5.8	10
69	Exosome-Like Nanoparticles From GG Protect Against Alcohol-Associated Liver Disease Through Intestinal Aryl Hydrocarbon Receptor in Mice. <i>Hepatology Communications</i> , 2021 , 5, 846-864	6	10
68	Probiotic-generated product protects against alcoholic liver disease through increasing intestinal AhR-IL22-Reg3 and Nrf2 signaling. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
67	Probiotic culture supernatant improves metabolic function through FGF21-adiponectin pathway in mice. <i>Journal of Nutritional Biochemistry</i> , 2020 , 75, 108256	6.3	20
66	Lemon Exosome-like Nanoparticles-Manipulated Probiotics Protect Mice from Infection. <i>IScience</i> , 2020 , 23, 101571	6.1	13
65	Hypoxia-Induced Adipose Lipolysis Requires Fibroblast Growth Factor 21. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1279	5.6	2
64	Cathelicidin-related antimicrobial peptide alleviates alcoholic liver disease through inhibiting inflammasome activation. <i>Journal of Pathology</i> , 2020 , 252, 371-383	9.4	5

63	Repurposing Treatment of Wernicke-Korsakoff Syndrome for Th-17 Cell Immune Storm Syndrome and Neurological Symptoms in COVID-19: Thiamine Efficacy and Safety, In-Vitro Evidence and Pharmacokinetic Profile. <i>Frontiers in Pharmacology</i> , 2020 , 11, 598128	5.6	10
62	Mechanisms, biomarkers and targets for therapy in alcohol-associated liver injury: From Genetics to nutrition: Summary of the ISBRA 2018 symposium. <i>Alcohol</i> , 2020 , 83, 105-114	2.7	10
61	Probiotic Lactobacillus rhamnosus GG Prevents Liver Fibrosis Through Inhibiting Hepatic Bile Acid Synthesis and Enhancing Bile Acid Excretion in Mice. <i>Hepatology</i> , 2020 , 71, 2050-2066	11.2	62
60	Microbiome dysbiosis and alcoholic liver disease. <i>Liver Research</i> , 2019 , 3, 218-226	4.1	9
59	Fibroblast growth factor 21 is required for the therapeutic effects of Lactobacillus rhamnosus GG against fructose-induced fatty liver in mice. <i>Molecular Metabolism</i> , 2019 , 29, 145-157	8.8	14
58	Probiotic Lactobacillus rhamnosus GG prevents progesterone metabolite epiallopregnanolone sulfate-induced hepatic bile acid accumulation and liver injury. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 520, 67-72	3.4	7
57	Chalcone Derivative L6H21 Reduces EtOH+LPS-Induced Liver Injury Through Inhibition of NLRP3 Inflammasome Activation. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1662-1671	3.7	6
56	Profiling of Polar Metabolites in Mouse Feces Using Four Analytical Platforms to Study the Effects Of Cathelicidin-Related Antimicrobial Peptide in Alcoholic Liver Disease. <i>Journal of Proteome Research</i> , 2019 , 18, 2875-2884	5.6	9
55	Sulforaphane protects against ethanol-induced apoptosis in neural crest cells through restoring epithelial-mesenchymal transition by epigenetically modulating the expression of Snail1. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 2586-2594	6.9	11
54	MicroRNA-34a mediates ethanol-induced impairment of neural differentiation of neural crest cells by targeting autophagy-related gene 9a. <i>Experimental Neurology</i> , 2019 , 320, 112981	5.7	8
53	Lactobacillus rhamnosus GG supernatant prevents acute alcohol-induced liver steatosis and injury through ER stress and autophagy-mediated signaling pathways. <i>FASEB Journal</i> , 2019 , 33, 680.13	0.9	1
52	Intestinal HIF-1 Deletion Exacerbates Alcoholic Liver Disease through Inducing Intestinal Dysbiosis and Barrier Dysfunction. <i>FASEB Journal</i> , 2019 , 33, 821.9	0.9	0
51	as a Possible Risk Factor in the Development/Severity of Acute Alcoholic Hepatitis. <i>Hepatology Communications</i> , 2019 , 3, 293-304	6	7
50	FGF 21 deficiency slows gastric emptying and reduces initial blood alcohol concentration in mice exposed to acute alcohol in fasting state. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 497, 46-50	3.4	2
49	Embryonic exposure to ethanol increases the susceptibility of larval zebrafish to chemically induced seizures. <i>Scientific Reports</i> , 2018 , 8, 1845	4.9	7
48	Dietary Supplementation of Selenium-Enriched Probiotics Enhances Meat Quality of Broiler Chickens (Gallus gallus domesticus) Raised Under High Ambient Temperature. <i>Biological Trace Element Research</i> , 2018 , 182, 328-338	4.5	27
47	Simultaneous quantification of straight-chain and branched-chain short chain fatty acids by gas chromatography mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1092, 359-367	3.2	35
46	Impacts of selenium and vitamin E supplementation on mRNA of heat shock proteins, selenoproteins and antioxidants in broilers exposed to high temperature. <i>AMB Express</i> , 2018 , 8, 112	4.1	20

45	Protective effects of selenium-glutathione-enriched probiotics on CCl ₄ -induced liver fibrosis. <i>Journal of Nutritional Biochemistry</i> , 2018 , 58, 138-149	6.3	24
44	Lycium barbarum polysaccharides improve CCl ₄ -induced liver fibrosis, inflammatory response and TLRs/NF- κ B signaling pathway expression in wistar rats. <i>Life Sciences</i> , 2018 , 192, 205-212	6.8	50
43	Sulforaphane restores acetyl-histone H3 binding to Bcl-2 promoter and prevents apoptosis in ethanol-exposed neural crest cells and mouse embryos. <i>Experimental Neurology</i> , 2018 , 300, 60-66	5.7	19
42	Intestinal HIF-1 α deletion exacerbates alcoholic liver disease by inducing intestinal dysbiosis and barrier dysfunction. <i>Journal of Hepatology</i> , 2018 , 69, 886-895	13.4	82
41	Amelioration of CCl ₄ -induced liver injury in rats by selenizing Astragalus polysaccharides: Role of proinflammatory cytokines, oxidative stress and hepatic stellate cells. <i>Research in Veterinary Science</i> , 2017 , 114, 202-211	2.5	42
40	Activation of autophagy attenuates EtOH-LPS-induced hepatic steatosis and injury through MD2 associated TLR4 signaling. <i>Scientific Reports</i> , 2017 , 7, 9292	4.9	17
39	Effects of ochratoxin A on ER stress, MAPK signaling pathway and autophagy of kidney and spleen in pigs. <i>Environmental Toxicology</i> , 2017 , 32, 2277-2286	4.2	23
38	Fibroblast Growth Factor 21 Deficiency Attenuates Experimental Colitis-Induced Adipose Tissue Lipolysis. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 3089378	2	4
37	Fenofibrate increases cardiac autophagy via FGF21/SIRT1 and prevents fibrosis and inflammation in the hearts of Type 1 diabetic mice. <i>Clinical Science</i> , 2016 , 130, 625-41	6.5	97
36	Fibroblast growth factor 21 deficiency exacerbates chronic alcohol-induced hepatic steatosis and injury. <i>Scientific Reports</i> , 2016 , 6, 31026	4.9	39
35	Lactobacillus rhamnosus GG supernatant promotes intestinal barrier function, balances Treg and TH17 cells and ameliorates hepatic injury in a mouse model of chronic-binge alcohol feeding. <i>Toxicology Letters</i> , 2016 , 241, 103-10	4.4	62
34	Saturated and Unsaturated Dietary Fats Differentially Modulate Ethanol-Induced Changes in Gut Microbiome and Metabolome in a Mouse Model of Alcoholic Liver Disease. <i>American Journal of Pathology</i> , 2016 , 186, 765-76	5.8	58
33	Up-regulation of Nrf2 is involved in FGF21-mediated fenofibrate protection against type 1 diabetic nephropathy. <i>Free Radical Biology and Medicine</i> , 2016 , 93, 94-109	7.8	63
32	Nuclear receptors and nonalcoholic fatty liver disease. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016 , 1859, 1083-1099	6	145
31	Effects of Selenium-Enriched Probiotics on Lipid Metabolism, Antioxidative Status, Histopathological Lesions, and Related Gene Expression in Mice Fed a High-Fat Diet. <i>Biological Trace Element Research</i> , 2016 , 171, 399-409	4.5	60
30	The Pathogenesis of Nonalcoholic Fatty Liver Disease: Interplay between Diet, Gut Microbiota, and Genetic Background. <i>Gastroenterology Research and Practice</i> , 2016 , 2016, 2862173	2	102
29	Probiotics and Alcoholic Liver Disease: Treatment and Potential Mechanisms. <i>Gastroenterology Research and Practice</i> , 2016 , 2016, 5491465	2	49
28	Gut Microbiota and Metagenomic Advancement in Digestive Disease. <i>Gastroenterology Research and Practice</i> , 2016 , 2016, 4703406	2	2

27	FGF21 mediates alcohol-induced adipose tissue lipolysis by activation of systemic release of catecholamine in mice. <i>Journal of Lipid Research</i> , 2015 , 56, 1481-91	6.3	52
26	Ginger-derived nanoparticles protect against alcohol-induced liver damage. <i>Journal of Extracellular Vesicles</i> , 2015 , 4, 28713	16.4	132
25	Inhibition of miR122a by Lactobacillus rhamnosus GG culture supernatant increases intestinal occludin expression and protects mice from alcoholic liver disease. <i>Toxicology Letters</i> , 2015 , 234, 194-204	4.4	62
24	Enhanced AMPK phosphorylation contributes to the beneficial effects of Lactobacillus rhamnosus GG supernatant on chronic-alcohol-induced fatty liver disease. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 337-44	6.3	52
23	FGF21 Mediates Alcohol-Induced Adipose Tissue Lipolysis by Activation of Systemic Release of Catecholamine in Mice. <i>FASEB Journal</i> , 2015 , 29, 1020.4	0.9	
22	Metallothionein prevents intermittent hypoxia-induced cardiac endoplasmic reticulum stress and cell death likely via activation of Akt signaling pathway in mice. <i>Toxicology Letters</i> , 2014 , 227, 113-23	4.4	29
21	HIF-1 α and HIF-2 α are critically involved in hypoxia-induced lipid accumulation in hepatocytes through reducing PGC-1 β mediated fatty acid β oxidation. <i>Toxicology Letters</i> , 2014 , 226, 117-23	4.4	76
20	Metallothionein as a compensatory component prevents intermittent hypoxia-induced cardiomyopathy in mice. <i>Toxicology and Applied Pharmacology</i> , 2014 , 277, 58-66	4.6	13
19	Lactobacillus rhamnosus GG reduces hepatic TNF α production and inflammation in chronic alcohol-induced liver injury. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 1609-15	6.3	112
18	Metagenomic analyses of alcohol induced pathogenic alterations in the intestinal microbiome and the effect of Lactobacillus rhamnosus GG treatment. <i>PLoS ONE</i> , 2013 , 8, e53028	3.7	317
17	Secreted factors of Lactobacillus rhamnosus GG culture prevents chronic alcohol-induced liver injury. <i>FASEB Journal</i> , 2013 , 27, 1106.1	0.9	
16	Cobalt chloride decreases fibroblast growth factor-21 expression dependent on oxidative stress but not hypoxia-inducible factor in Caco-2 cells. <i>Toxicology and Applied Pharmacology</i> , 2012 , 264, 212-21	4.6	24
15	Lactobacillus rhamnosus GG culture supernatant ameliorates acute alcohol-induced intestinal permeability and liver injury. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, G32-41	5.1	145
14	Serum levels of FGF-21 are increased in coronary heart disease patients and are independently associated with adverse lipid profile. <i>PLoS ONE</i> , 2010 , 5, e15534	3.7	132
13	Expression and purification of human keratinocyte growth factor 2 by fusion with SUMO. <i>Molecular Biotechnology</i> , 2009 , 42, 68-74	3	11
12	Copper regulation of hypoxia-inducible factor-1 activity. <i>Molecular Pharmacology</i> , 2009 , 75, 174-82	4.3	147
11	Stable overexpression of human metallothionein-IIA in a heart-derived cell line confers oxidative protection. <i>Toxicology Letters</i> , 2009 , 188, 70-6	4.4	24
10	Comparison of the Therapeutic Effects Recombinant Human Acidic and Basic Fibroblast Growth Factors in Wound Healing in Diabetic Patients. <i>Journal of Health Science</i> , 2008 , 54, 432-440		18

9	High-level expression and purification of Tat-haFGF19-154. <i>Applied Microbiology and Biotechnology</i> , 2008 , 77, 1015-22	5-7	15
8	Purification and modification by polyethylene glycol of a new human basic fibroblast growth factor mutant-hbFGF(Ser25,87,92). <i>Journal of Chromatography A</i> , 2007 , 1161, 51-5	4-5	6
7	High level expression of human endostatin in <i>Pichia pastoris</i> using a synthetic gene construct. <i>Applied Microbiology and Biotechnology</i> , 2007 , 73, 1355-62	5-7	12
6	Metallothionein rescues hypoxia-inducible factor-1 transcriptional activity in cardiomyocytes under diabetic conditions. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 286-9	3-4	18
5	Metallothionein disulfides are present in metallothionein-overexpressing transgenic mouse heart and increase under conditions of oxidative stress. <i>Journal of Biological Chemistry</i> , 2006 , 281, 681-7	5-4	79
4	Metallothionein transfers zinc to mitochondrial aconitase through a direct interaction in mouse hearts. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 853-8	3-4	94
3	Effects of D3.49A, R3.50A, and A6.34E mutations on ligand binding and activation of the cannabinoid-2 (CB2) receptor. <i>Biochemical Pharmacology</i> , 2003 , 65, 1077-85	6	34
2	Expression of CB2 cannabinoid receptor in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2002 , 26, 496-505	2	33
1	Functional roles of the tyrosine within the NP(X)(n)Y motif and the cysteines in the C-terminal juxtamembrane region of the CB2 cannabinoid receptor. <i>FEBS Letters</i> , 2001 , 501, 166-70	3.8	19