Peter Bower

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2183138/peter-bower-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19,362 128 70 374 h-index g-index citations papers 6.81 22,685 4.3 399 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
374	Cross-sectional study exploring the association between stressors and burnout in junior doctors during the COVID-19 pandemic in the United Kingdom <i>Journal of Occupational Health</i> , 2022 , 64, e1231	2 .3	1
373	@inishing the raceQ a cohort study of weight and blood glucose change among the first 36,000 patients in a large-scale diabetes prevention programme <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 7	8.4	1
372	Supporting People With Type 2 Diabetes in the Effective Use of Their Medicine Through Mobile Health Technology Integrated With Clinical Care to Reduce Cardiovascular Risk: Protocol for an Effectiveness and Cost-effectiveness Randomized Controlled Trial JMIR Research Protocols, 2022,	2	
371	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. <i>BJPsych Open</i> , 2022 , 8,	5	1
370	Variation in appropriate diabetes care and treatment targets in urban and rural areas in England: an observational study of the Q ule of halvesQ <i>BMJ Open</i> , 2022 , 12, e057244	3	
369	A pragmatic randomized controlled trial of a group self-management support program versus treatment-as-usual for anxiety disorders: study protocol <i>BMC Psychiatry</i> , 2022 , 22, 135	4.2	О
368	The development of theory-informed participant-centred interventions to maximise participant retention in randomised controlled trials <i>Trials</i> , 2022 , 23, 268	2.8	O
367	Assessing and ensuring fidelity of the nationally implemented English NHS diabetes prevention programme: lessons learned for the implementation of large-scale behaviour change programmes. Health Psychology and Behavioral Medicine, 2022, 10, 498-513	2.2	О
366	Co-designing new tools for collecting, analysing and presenting patient experience data in NHS services: working in partnership with patients and carers. <i>Research Involvement and Engagement</i> , 2021 , 7, 85	4.4	О
365	Effects of Digital Technologies on Older People@ Access to Health and Social Care: Umbrella Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e25887	7.6	3
364	Engagement with consumer smartwatches for tracking symptoms of individuals living with multiple long-term conditions (multimorbidity): A longitudinal observational study. <i>Journal of Multimorbidity and Comorbidity</i> , 2021 , 11, 26335565211062791		1
363	Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. <i>The Cochrane Library</i> , 2021 , 10, CD011589	5.2	9
362	Enhancing the multi-dimensional assessment of quality of life: introducing the WHOQOL-Combi. <i>Quality of Life Research</i> , 2021 , 30, 891-903	3.7	5
361	Humanistic counselling plus pastoral care as usual versus pastoral care as usual for the treatment of psychological distress in adolescents in UK state schools (ETHOS): a randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 178-189	14.5	6
360	Telephone delivery of psychological interventions: Balancing protocol with patient-centred care. <i>Social Science and Medicine</i> , 2021 , 277, 113818	5.1	2
359	Developing the INCLUDE Ethnicity Framework-a tool to help trialists design trials that better reflect the communities they serve. <i>Trials</i> , 2021 , 22, 337	2.8	5
358	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. <i>Lancet Psychiatry,the</i> , 2021 ,	23.3	3

(2020-2021)

357	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021 , 71, 27-35	5.6	O
356	Qo just to go through the options patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. <i>Sociology of Health and Illness</i> , 2021 , 43, 3-19	3	O
355	People@ preferences for self-management support. Health Services Research, 2021,	3.4	1
354	Is the NHS Diabetes Prevention Programme Intervention Delivered as Planned? An Observational Study of Fidelity of Intervention Delivery. <i>Annals of Behavioral Medicine</i> , 2021 , 55, 1104-1115	4.5	9
353	On the borderline of diabetes: understanding how individuals resist and reframe diabetes risk. Health, Risk and Society, 2021 , 23, 34-51	2	3
352	Measuring frailty in younger populations: a rapid review of evidence. <i>BMJ Open</i> , 2021 , 11, e047051	3	6
351	Interventions Using Wearable Physical Activity Trackers Among Adults With Cardiometabolic Conditions: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2021 , 4, e2116382	10.4	7
350	Rates of turnover among general practitioners: a retrospective study of all English general practices between 2007 and 2019. <i>BMJ Open</i> , 2021 , 11, e049827	3	2
349	Why trials lose participants: A multitrial investigation of participants perspectives using the theoretical domains framework. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 1-13	5.7	5
348	Identifying older adults with frailty approaching end-of-life: A systematic review. <i>Palliative Medicine</i> , 2021 , 35, 1832-1843	5.5	O
347	Can we achieve better recruitment by providing better information? Meta-analysis of Qtudies within a trialQSWATs) of optimised participant information sheets. <i>BMC Medicine</i> , 2021 , 19, 218	11.4	2
346	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 130-139	5.7	8
345	Preventable medication harm across health care settings: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2020 , 18, 313	11.4	13
344	Out of pocket expenses in obsessive compulsive disorder. <i>Journal of Mental Health</i> , 2020 , 1-6	2.7	
343	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e030110	3	4
342	Is health research undertaken where the burden of disease is greatest? Observational study of geographical inequalities in recruitment to research in England 2013-2018. <i>BMC Medicine</i> , 2020 , 18, 133	3 ^{11.4}	7
341	Primary care treatment of insomnia: study protocol for a pragmatic, multicentre, randomised controlled trial comparing nurse-delivered sleep restriction therapy to sleep hygiene (the HABIT trial). <i>BMJ Open</i> , 2020 , 10, e036248	3	2
340	Why do patients take part in research? An overview of systematic reviews of psychosocial barriers and facilitators. <i>Trials</i> , 2020 , 21, 259	2.8	25

339	Community asset participation and social medicine increases qualities of life. <i>Social Science and Medicine</i> , 2020 , 259, 113149	5.1	6
338	Sociodemographic disparities in non-diabetic hyperglycaemia and the transition to type 2 diabetes: evidence from the English Longitudinal Study of Ageing. <i>Diabetic Medicine</i> , 2020 , 37, 1536-1544	3.5	2
337	Effects of participating in community assets on quality of life and costs of care: longitudinal cohort study of older people in England. <i>BMJ Open</i> , 2020 , 10, e033186	3	7
336	Study protocol for a cluster randomised controlled feasibility trial evaluating personalised care planning for older people with frailty: PROSPER V2 27/11/18. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 56	1.9	3
335	Supporting patients with long-term conditions in the community: Evaluation of the Greater Manchester Community Pharmacy Care Plan Service. <i>Health and Social Care in the Community</i> , 2020 , 28, 1671-1687	2.6	4
334	©oing the distanceQan independent cohort study of engagement and dropout among the first 100 000 referrals into a large-scale diabetes prevention program. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	7
333	An intervention to improve the quality of life in children of parents with serious mental illness: the Young SMILES feasibility RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-136	4.4	2
332	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-128	1.5	3
331	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. <i>Journal of Affective Disorders</i> , 2020 , 265, 120-131	6.6	57
330	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. <i>Trials</i> , 2020 , 21, 33	2.8	17
329	Recruitment and methodological issues in conducting dementia research in British ethnic minorities: A qualitative systematic review. <i>International Journal of Methods in Psychiatric Research</i> , 2020 , 29, e1806	4.3	3
328	Does the design of the NHS Diabetes Prevention Programme intervention have fidelity to the programme specification? A document analysis. <i>Diabetic Medicine</i> , 2020 , 37, 1357-1366	3.5	11
327	The role of relapse prevention for depression in collaborative care: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 265, 618-644	6.6	8
326	What influences practitionersQeadiness to deliver psychological interventions by telephone? A qualitative study of behaviour change using the Theoretical Domains Framework. <i>BMC Psychiatry</i> , 2020 , 20, 371	4.2	4
325	Normative Estimates and Agreement Between 2 Measures of Health-Related Quality of Life in Older People With Frailty: Findings From the Community Ageing Research 75+ Cohort. <i>Value in Health</i> , 2020 , 23, 1056-1062	3.3	1
324	Epidemiology and determinants of non-diabetic hyperglycaemia and its conversion to type 2 diabetes mellitus, 2000-2015: cohort population study using UK electronic health records. <i>BMJ Open</i> , 2020 , 10, e040201	3	2
323	Self-management interventions to reduce healthcare use and improve quality of life among patients with asthma: systematic review and network meta-analysis. <i>BMJ, The</i> , 2020 , 370, m2521	5.9	22
322	Factors Associated With Burnout and Stress in Trainee Physicians: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2020 , 3, e2013761	10.4	42

321	The NHS Diabetes Prevention Programme: an observational study of service delivery and patient experience. <i>BMC Health Services Research</i> , 2020 , 20, 1098	2.9	12
320	Involving older people with multimorbidity in decision-making about their primary healthcare: A Cochrane systematic review of interventions (abridged). <i>Patient Education and Counseling</i> , 2020 , 103, 2078-2094	3.1	3
319	QdidnQknow what to expectQExploring patient perspectives to identify targets for change to improve telephone-delivered psychological interventions. <i>BMC Psychiatry</i> , 2020 , 20, 156	4.2	4
318	Notice of Retraction. Hodkinson et al. Accelerometer- and Pedometer-Based Physical Activity Interventions Among Adults With Cardiometabolic Conditions: A Systematic Review and Meta-analysis. JAMA Netw Open. 2019;2(10):e1912895. <i>JAMA Network Open</i> , 2020 , 3, e2032700	10.4	3
317	Preventing depression in the community by voluntary sector providers (PERSUADE): intervention development and protocol for a parallel randomised controlled feasibility trial. <i>BMJ Open</i> , 2019 , 9, e023	3 7 91	1
316	Multimorbidity and patient-centred care in the 3D trial - AuthorsQeply. Lancet, The, 2019, 393, 129	40	
315	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. <i>BMC Family Practice</i> , 2019 , 20, 16	2.6	3
314	Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. <i>PLoS ONE</i> , 2019 , 14, e02	137348	9
313	The impact of a combinatorial digital and organisational intervention on the management of long-term conditions in UK primary care: a non-randomised evaluation. <i>BMC Health Services Research</i> , 2019 , 19, 159	2.9	4
312	SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. <i>Trials</i> , 2019 , 20, 141	2.8	4
311	Supporting children and young people when making decisions about joining clinical trials: qualitative study to inform multimedia website development. <i>BMJ Open</i> , 2019 , 9, e023984	3	12
310	Satisfaction with a digitally-enabled telephone health coaching intervention for people with non-diabetic hyperglycaemia. <i>Npj Digital Medicine</i> , 2019 , 2, 5	15.7	4
309	Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. <i>BMJ, The</i> , 2019 , 366, l4185	5.9	135
308	Understanding the diagnosis of pre-diabetes in patients aged over 85 in English primary care: a qualitative study. <i>BMC Family Practice</i> , 2019 , 20, 90	2.6	8
307	A Qualitative Study Exploring the Determinants, Coping, and Effects of Stress in United Kingdom Trainee Doctors. <i>Academic Psychiatry</i> , 2019 , 43, 560-569	1.1	3
306	Improving recruitment to a study of telehealth management for COPD: a cluster randomised controlled Qtudy within a trialQSWAT) of a multimedia information resource. <i>Trials</i> , 2019 , 20, 453	2.8	6
305	Trials need participants but not their feedback? A scoping review of published papers on the measurement of participant experience of taking part in clinical trials. <i>Trials</i> , 2019 , 20, 381	2.8	15
304	Accelerometer- and Pedometer-Based Physical Activity Interventions Among Adults With Cardiometabolic Conditions: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e197	1 289 5	18

303	Designing and using incentives to support recruitment and retention in clinical trials: a scoping review and a checklist for design. <i>Trials</i> , 2019 , 20, 624	2.8	21
302	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-238	1.5	8
301	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-140	1.5	3
300	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-120	1.5	1
299	Supporting people with type 2 diabetes in effective use of their medicine through mobile health technology integrated with clinical care (SuMMiT-D Feasibility): a randomised feasibility trial protocol. <i>BMJ Open</i> , 2019 , 9, e033504	3	5
298	Implementing a national diabetes prevention programme in England: lessons learned. <i>BMC Health Services Research</i> , 2019 , 19, 991	2.9	10
297	Can a Qonsent to contactQommunity help research teams overcome barriers to recruitment? The development and impact of the Qesearch for the FutureQommunity. <i>BMC Medical Research Methodology</i> , 2019 , 19, 195	4.7	4
296	A case of misalignment: the perspectives of local and national decision-makers on the implementation of psychological treatment by telephone in the Improving Access to Psychological Therapies Service. <i>BMC Health Services Research</i> , 2019 , 19, 997	2.9	4
295	Synthesis of researcher reported strategies to recruit adults of ethnic minorities to clinical trials in the United Kingdom: A systematic review. <i>Contemporary Clinical Trials</i> , 2019 , 78, 1-10	2.3	9
294	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 2019 , 2019,	5.2	10
293	Empowering people to help speak up about safety in primary care: Using codesign to involve patients and professionals in developing new interventions for patients with multimorbidity. Health Expectations, 2018 , 21, 539-548	3.7	23
292	Effectiveness and cost-effectiveness of humanistic counselling in schools for young people with emotional distress (ETHOS): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 175	2.8	8
291	Exploring the career choices of White and Black, Asian and Minority Ethnic women pharmacists: a qualitative study. <i>International Journal of Pharmacy Practice</i> , 2018 , 26, 507-514	1.7	4
290	Effect of health literacy on the quality of life of older patients with long-term conditions: a large cohort study in UK general practice. <i>Quality of Life Research</i> , 2018 , 27, 1257-1268	3.7	32
289	The cohort multiple randomized controlled trial design was found to be highly susceptible to low statistical power and internal validity biases. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 111-119	5.7	14
288	Training health professionals to recruit into challenging randomized controlled trials improved confidence: the development of the QuinteT randomized controlled trial recruitment training intervention. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 34-44	5.7	19
287	Chronic morbidity, deprivation and primary medical care spending in England in 2015-16: a cross-sectional spatial analysis. <i>BMC Medicine</i> , 2018 , 16, 19	11.4	14
286	Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. <i>Trials</i> , 2018 , 19, 139	2.8	94

285	Systematic Techniques to Enhance rEtention in Randomised controlled trials: the STEER study protocol. <i>Trials</i> , 2018 , 19, 197	2.8	12
284	A feasibility study for NOn-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. <i>Trials</i> , 2018 , 19, 172	2.8	3
283	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a © rial within a cohortQ <i>BMC Medicine</i> , 2018 , 16, 80	11.4	19
282	Enacting person-centredness in integrated care: A qualitative study of practice and perspectives within multidisciplinary groups in the care of older people. <i>Health Expectations</i> , 2018 , 21, 1066-1074	3.7	5
281	Exercise in the treatment of clinical anxiety in general practice - a systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2018 , 18, 559	2.9	60
280	Self-care support for children and adolescents with long-term conditions: the REfOCUS evidence synthesis. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-192	1.5	2
279	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-188	1.5	3
278	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018 , 6, 1-76	1.7	1
277	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-154	1.5	3
276	Interventions for involving older patients with multimorbidity in decision-making during primary care consultations. <i>The Cochrane Library</i> , 2018 ,	5.2	1
275	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. <i>BMJ Open</i> , 2018 , 8, e019845	3	11
274	The effect of optimised patient information materials on recruitment in a lung cancer screening trial: an embedded randomised recruitment trial. <i>Trials</i> , 2018 , 19, 503	2.8	13
273	Doing trials within trials: a qualitative study of stakeholder views on barriers and facilitators to the routine adoption of methodology research in clinical trials. <i>Trials</i> , 2018 , 19, 481	2.8	5
272	A community-based intervention (Young SMILES) to improve the health-related quality of life of children and young people of parents with serious mental illness: randomised feasibility protocol. <i>Trials</i> , 2018 , 19, 550	2.8	4
271	What is Asset-Based Community Development and How Might It Improve the Health of People With Long-Term Conditions? A Realist Synthesis. <i>SAGE Open</i> , 2018 , 8, 215824401878722	1.5	18
270	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <i>PLoS ONE</i> , 2018 , 13, e0201533	3.7	26
269	Safety work and risk management as burdens of treatment in primary care: insights from a focused ethnographic study of patients with multimorbidity. <i>BMC Family Practice</i> , 2018 , 19, 155	2.6	4
268	Development of an online resource for recruitment research in clinical trials to organise and map current literature. <i>Clinical Trials</i> , 2018 , 15, 533-542	2.2	29

267	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental-physical multimorbidity: cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2018 , 213, 456-4	63 ⁴	31
266	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. <i>Lancet, The</i> , 2018 , 392, 41-50	40	163
265	Associations of participation in community assets with health-related quality of life and healthcare usage: a cross-sectional study of older people in the community. <i>BMJ Open</i> , 2017 , 7, e012374	3	7
264	Telephone-supported computerised cognitive-behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 362-367	5.4	57
263	Systematic meta-review of supported self-management for asthma: a healthcare perspective. <i>BMC Medicine</i> , 2017 , 15, 64	11.4	127
262	The Patient Assessment of Chronic Illness Care produces measurements along a single dimension: results from a Mokken analysis. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 61	3	6
261	Controlled Interventions to Reduce Burnout in Physicians: A Systematic Review and Meta-analysis. JAMA Internal Medicine, 2017 , 177, 195-205	11.5	584
260	Development and validation of the patient evaluation scale (PES) for primary health care in Nigeria. <i>Primary Health Care Research and Development</i> , 2017 , 18, 161-182	1.6	4
259	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017 , 14, e1002337	11.6	14
258	Does the impact of case management vary in different subgroups of multimorbidity? Secondary analysis of a quasi-experiment. <i>BMC Health Services Research</i> , 2017 , 17, 521	2.9	4
257	Threats to patient safety in primary care reported by older people with multimorbidity: baseline findings from a longitudinal qualitative study and implications for intervention. <i>BMC Health Services Research</i> , 2017 , 17, 754	2.9	13
256	The effect of using social pressure in cover letters to improve retention in a longitudinal health study: an embedded randomised controlled retention trial. <i>Trials</i> , 2017 , 18, 341	2.8	3
255	Patient-reported safety incidents in older patients with long-term conditions: a large cross-sectional study. <i>BMJ Open</i> , 2017 , 7, e013524	3	8
254	Developing and evaluating multimedia information resources to improve engagement of children, adolescents, and their parents with trials (TRECA study): Study protocol for a series of linked randomised controlled trials. <i>Trials</i> , 2017 , 18, 265	2.8	13
253	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017 , 18, 144	2.8	21
252	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 93	2.8	9
251	Attitudes to participating in a birth cohort study, views from a multiethnic population: a qualitative study using focus groups. <i>Health Expectations</i> , 2017 , 20, 146-158	3.7	11
250	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. Annals of Family Medicine, 2017, 15, 570-577	2.9	25

(2016-2017)

249	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017 , 21, 1-132	4.4	27	
248	Does collaborative care improve social functioning in adults with depression? The application of the WHO ICF framework and meta-analysis of outcomes. <i>Journal of Affective Disorders</i> , 2016 , 189, 379-91	6.6	8	
247	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89	14.5	54	
246	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. <i>BMJ Open</i> , 2016 , 6, e011260	3	23	
245	Effectiveness of multidisciplinary team case management: difference-in-differences analysis. <i>BMJ Open</i> , 2016 , 6, e010468	3	26	
244	One man medicine is another man poison a qualitative study of user perspectives on low intensity interventions for Obsessive-Compulsive Disorder (OCD). <i>BMC Health Services Research</i> , 2016 , 16, 188	2.9	8	
243	Patient activation in older people with long-term conditions and multimorbidity: correlates and change in a cohort study in the United Kingdom. <i>BMC Health Services Research</i> , 2016 , 16, 582	2.9	48	
242	What can we learn from trial decliners about improving recruitment? Qualitative study. <i>Trials</i> , 2016 , 17, 494	2.8	15	
241	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. <i>Trials</i> , 2016 , 17, 586	2.8	4	
240	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. <i>BMC Health Services Research</i> , 2016 , 16, 58	2.9	11	
239	Health Technologies (In the Wild (2016,		35	
238	Associations between Extending Access to Primary Care and Emergency Department Visits: A Difference-In-Differences Analysis. <i>PLoS Medicine</i> , 2016 , 13, e1002113	11.6	62	
237	The individual contribution and relative importance of self-management and quality of care on glycaemic control in type 2 diabetes. <i>Salud Publica De Mexico</i> , 2016 , 58, 404-11	1.7	2	
236	Electronic Quality of Life Assessment Using Computer-Adaptive Testing. <i>Journal of Medical Internet Research</i> , 2016 , 18, e240	7.6	29	
235	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-136	1.5	57	
234	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-192	4.4	30	
233	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial.	4.4	20	
232	Health Technology Assessment, 2016, 20, 1-64 Social support network, mental health and quality of life: a cross-sectional study in primary care. Cadernos De Saude Publica, 2016, 32, e00165115	3.2	3	

231	Preventing Acute Kidney Injury: a qualitative study exploring Qick day rules Qmplementation in primary care. <i>BMC Family Practice</i> , 2016 , 17, 91	2.6	17
230	Findings and Predictors of Patient-Reported Experience of Primary Health Care in Nigeria. <i>Journal of Patient Experience</i> , 2016 , 3, 69-80	1.3	4
229	The Effectiveness of Electronic Differential Diagnoses (DDX) Generators: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0148991	3.7	50
228	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012514	3	17
227	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). <i>BMJ Open</i> , 2016 , 6, e011261	3	26
226	Comparison of active treatments for impaired glucose regulation: a Salford Royal Foundation Trust and Hitachi collaboration (CATFISH): study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 424	2.8	5
225	Recruitment strategies for British South Asians in 5 depression trials: A mixed method study. Journal of Affective Disorders, 2015 , 185, 195-203	6.6	7
224	A BEME systematic review of UK undergraduate medical education in the general practice setting: BEME Guide No. 32. <i>Medical Teacher</i> , 2015 , 37, 611-630	3	35
223	The potential for using a Universal Medication Schedule (UMS) to improve adherence in patients taking multiple medications in the UK: a qualitative evaluation. <i>BMC Health Services Research</i> , 2015 , 15, 94	2.9	10
222	The effectiveness of self-management support interventions for men with long-term conditions: a systematic review and meta-analysis. <i>BMJ Open</i> , 2015 , 5, e006620	3	25
221	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. <i>The Cochrane Library</i> , 2015 ,	5.2	15
220	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 348	2.8	20
219	Improving recruitment to a study of telehealth management for long-term conditions in primary care: two embedded, randomised controlled trials of optimised patient information materials. <i>Trials</i> , 2015 , 16, 309	2.8	32
218	Systematic review of patients Quiews on the quality of primary health care in sub-Saharan Africa. <i>SAGE Open Medicine</i> , 2015 , 3, 2050312115608338	2.4	10
217	Testing the effectiveness of user-tested patient information on recruitment rates across multiple trials: meta-analysis of data from the start programme. <i>Trials</i> , 2015 , 16,	2.8	78
216	Effectiveness of Case Management for Qt Risk Qatients in Primary Care: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0132340	3.7	107
215	Multimorbidity and Patient Safety Incidents in Primary Care: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0135947	3.7	57
214	The Contradictions of Telehealth User Experience in Chronic Obstructive Pulmonary Disease (COPD): A Qualitative Meta-Synthesis. <i>PLoS ONE</i> , 2015 , 10, e0139561	3.7	57

213	Overcoming barriers to recruiting ethnic minorities to mental health research: a typology of recruitment strategies. <i>BMC Psychiatry</i> , 2015 , 15, 101	4.2	48
212	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ, The</i> , 2015 , 350, h638	5.9	159
211	What are the core predictors of <code>@asslesQamong</code> patients with multimorbidity in primary care? A cross sectional study. <i>BMC Health Services Research</i> , 2015 , 15, 255	2.9	18
2 10	Does patient experience of multimorbidity predict self-management and health outcomes in a prospective study in primary care?. <i>Family Practice</i> , 2015 , 32, 311-6	1.9	25
209	Patient experience of computerised therapy for depression in primary care. <i>BMJ Open</i> , 2015 , 5, e00858	13	43
208	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT trial): large scale pragmatic randomised controlled trial. <i>BMJ, The</i> , 2015 , 351, h5627	5.9	235
207	Factors affecting recruitment into depression trials: Systematic review, meta-synthesis and conceptual framework. <i>Journal of Affective Disorders</i> , 2015 , 172, 274-90	6.6	68
206	A systematic review and metaethnography to identify how effective, cost-effective, accessible and acceptable self-management support interventions are for men with long-term conditions (SELF-MAN). <i>Health Services and Delivery Research</i> , 2015 , 3, 1-302	1.5	5
205	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015 , 19, viii, xxi-171	4.4	40
204	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 278	2.8	9
203	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial-a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone	2.8	22
202	25fing once daily in addition to routine care on mortality and cardiovascular outcomes versus Care plans and care planning in the management of long-term conditions in the UK: a controlled prospective cohort study. <i>British Journal of General Practice</i> , 2014 , 64, e568-75	1.6	20
201	Depression and anxiety predict health-related quality of life in chronic obstructive pulmonary disease: systematic review and meta-analysis. <i>International Journal of COPD</i> , 2014 , 9, 501-12	3	99
200	Behaviour Change and Social Blinkers? The Role of Sociology in Trials of Self-Management Behaviour in Chronic Conditions 2014 , 69-81		O
199	Characteristics of effective collaborative care for treatment of depression: a systematic review and meta-regression of 74 randomised controlled trials. <i>PLoS ONE</i> , 2014 , 9, e108114	3.7	115
198	Psychiatric morbidity and quality of life of primary care attenders in two cities in Brazil. <i>Jornal Brasileiro De Psiquiatria</i> , 2014 , 63, 23-32	0.5	3
197	Self-management interventions in patients with long-term conditions: a structured review of approaches to reporting inclusion, assessment, and outcomes in multimorbidity. <i>Journal of Comorbidity</i> , 2014 , 4, 37-45	4	13
196	Brazilian multicentre study of common mental disorders in primary care: rates and related social and demographic factors. <i>Cadernos De Saude Publica</i> , 2014 , 30, 623-32	3.2	51

195	Cost-effectiveness of telecare for people with social care needs: the Whole Systems Demonstrator cluster randomised trial. <i>Age and Ageing</i> , 2014 , 43, 794-800	3	34
194	The accessibility and acceptability of self-management support interventions for men with long term conditions: a systematic review and meta-synthesis of qualitative studies. <i>BMC Public Health</i> , 2014 , 14, 1230	4.1	45
193	Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. <i>Trials</i> , 2014 , 15, 407	2.8	49
192	Interventions to improve recruitment and retention in clinical trials: a survey and workshop to assess current practice and future priorities. <i>Trials</i> , 2014 , 15, 399	2.8	221
191	Capacity, responsibility, and motivation: a critical qualitative evaluation of patient and practitioner views about barriers to self-management in people with multimorbidity. <i>BMC Health Services Research</i> , 2014 , 14, 536	2.9	7 2
190	Food for thought: pilot randomized controlled trial of lay health trainers supporting dietary change to reduce cardiovascular disease in deprived communities. <i>Journal of Public Health</i> , 2014 , 36, 635-43	3.5	6
189	The effect of telecare on the quality of life and psychological well-being of elderly recipients of social care over a 12-month period: the Whole Systems Demonstrator cluster randomised trial. <i>Age and Ageing</i> , 2014 , 43, 334-41	3	47
188	MAXimising Involvement in MUltiMorbidity (MAXIMUM) in primary care: protocol for an observation and interview study of patients, GPs and other care providers to identify ways of reducing patient safety failures. <i>BMJ Open</i> , 2014 , 4, e005493	3	10
187	Predictors of patient self-report of chronic kidney disease: baseline analysis of a randomised controlled trial. <i>BMC Family Practice</i> , 2014 , 15, 196	2.6	9
186	Behaviour change and social blinkers? The role of sociology in trials of self-management behaviour in chronic conditions. <i>Sociology of Health and Illness</i> , 2014 , 36, 226-38	3	57
185	Barriers to recruiting ethnic minorities to mental health research: a systematic review. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 36-48	4.3	62
184	Care plans and care planning in long-term conditions: a conceptual model. <i>Primary Health Care Research and Development</i> , 2014 , 15, 342-54	1.6	27
183	Self-management support interventions to reduce health care utilisation without compromising outcomes: a systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2014 , 14, 356	2.9	136
182	Comparison of non-directive counselling and cognitive behaviour therapy for patients presenting in general practice with an ICD-10 depressive episode: a randomized control trial. <i>Psychological Medicine</i> , 2014 , 44, 1835-44	6.9	12
181	Qualitative meta-synthesis of user experience of computerised therapy for depression and anxiety. <i>PLoS ONE</i> , 2014 , 9, e84323	3.7	107
180	Cost-effectiveness of collaborative care for depression in UK primary care: economic evaluation of a randomised controlled trial (CADET). <i>PLoS ONE</i> , 2014 , 9, e104225	3.7	33
179	Effect of information and telephone-guided access to community support for people with chronic kidney disease: randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e109135	3.7	39
178	Developing a model of mental health self-care support for children and young people through an integrated evaluation of available types of provision involving systematic review, meta-analysis and case study. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-212	1.5	7

177	Reducing Care Utilisation through Self-management Interventions (RECURSIVE): a systematic review and meta-analysis. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-200	1.5	21
176	The clinical effectiveness, cost-effectiveness and acceptability of community-based interventions aimed at improving or maintaining quality of life in children of parents with serious mental illness: a systematic review. <i>Health Technology Assessment</i> , 2014 , 18, 1-250	4.4	72
175	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2013 , 14, 136	2.8	5
174	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 28	2.8	13
173	Patient empowerment in long-term conditions: development and preliminary testing of a new measure. <i>BMC Health Services Research</i> , 2013 , 13, 263	2.9	110
172	Telephone based self-management support by <code>@ay health workersQand @geer support workersQto prevent and manage vascular diseases: a systematic review and meta-analysis. BMC Health Services Research, 2013, 13, 533</code>	2.9	30
171	A systematic review of predictors and moderators of response to psychological therapies in OCD: do we have enough empirical evidence to target treatment?. <i>Clinical Psychology Review</i> , 2013 , 33, 1067	- 8 1 ^{0.8}	96
170	The European General Practice Research Network presents a comprehensive definition of multimorbidity in family medicine and long term care, following a systematic review of relevant literature. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 319-25	5.9	117
169	Evaluation of a mental health training intervention for multidisciplinary teams in primary care in Brazil: a pre- and posttest study. <i>General Hospital Psychiatry</i> , 2013 , 35, 304-8	5.6	31
168	Systematic techniques for assisting recruitment to trials (START): developing the science of recruitment. <i>Trials</i> , 2013 , 14,	2.8	3
167	A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. <i>Trials</i> , 2013 , 14, P90	2.8	4
166	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f4913	5.9	136
165	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f2882	5.9	169
164	Interventions for common perinatal mental disorders in women in low- and middle-income countries: a systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 593-6011	8.2	217
163	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013 , 346, f540	5.9	182
162	Characteristics of psychological interventions that improve depression in people with coronary heart disease: a systematic review and meta-regression. <i>Psychosomatic Medicine</i> , 2013 , 75, 211-21	3.7	86
161	Effect of telehealth on quality of life and psychological outcomes over 12 months (Whole Systems Demonstrator telehealth questionnaire study): nested study of patient reported outcomes in a pragmatic, cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f653	5.9	159
160	Multimorbidity and delivery of care for long-term conditions in the English National Health Service: baseline data from a cohort study. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 29-37	2.4	11

159	Cost effectiveness of telehealth for patients with long term conditions (Whole Systems Demonstrator telehealth questionnaire study): nested economic evaluation in a pragmatic, cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f1035	5.9	223
158	Patient priorities in osteoarthritis and comorbid conditions: a secondary analysis of qualitative data. <i>Arthritis Care and Research</i> , 2013 , 65, 920-7	4.7	29
157	Antenatal interventions for reducing weight in obese women for improving pregnancy outcome. <i>The Cochrane Library</i> , 2013 , CD009334	5.2	29
156	Primary care practitioner and patient understanding of the concepts of multimorbidity and self-management: A qualitative study. <i>SAGE Open Medicine</i> , 2013 , 1, 2050312113510001	2.4	38
155	Exploring patient priorities among long-term conditions in multimorbidity: A qualitative secondary analysis. <i>SAGE Open Medicine</i> , 2013 , 1, 2050312113503955	2.4	19
154	Development of a multimorbidity illness perceptions scale (MULTIPleS). <i>PLoS ONE</i> , 2013 , 8, e81852	3.7	53
153	The effect of complex interventions on depression and anxiety in chronic obstructive pulmonary disease: systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e60532	3.7	98
152	Increasing equity of access to high-quality mental health services in primary care: a mixed-methods study. <i>Programme Grants for Applied Research</i> , 2013 , 1, XXXX-XXXX	1.5	18
151	Increasing heart-health lifestyles in deprived communities: economic evaluation of lay health trainers. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 835-40	2.5	22
150	A secondary analysis of the moderating effects of depression and multimorbidity on the effectiveness of a chronic disease self-management programme. <i>Patient Education and Counseling</i> , 2012 , 87, 67-73	3.1	43
149	Surrogates, meta-analysis and cost-effectiveness modelling: a combined analytic approach. <i>Health Economics (United Kingdom)</i> , 2012 , 21, 742-56	2.4	4
148	Illness representations in patients with multimorbid long-term conditions: qualitative study. <i>Psychology and Health</i> , 2012 , 27, 1211-26	2.9	58
147	Experiences of care planning in England: interviews with patients with long term conditions. <i>BMC Family Practice</i> , 2012 , 13, 71	2.6	53
146	Exploring barriers to participation and adoption of telehealth and telecare within the Whole System Demonstrator trial: a qualitative study. <i>BMC Health Services Research</i> , 2012 , 12, 220	2.9	279
145	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. <i>BMC Health Services Research</i> , 2012 , 12, 249	2.9	33
144	Psychometric properties of the Patient Assessment Of Chronic Illness Care measure: acceptability, reliability and validity in United Kingdom patients with long-term conditions. <i>BMC Health Services Research</i> , 2012 , 12, 293	2.9	43
143	An organisational analysis of the implementation of telecare and telehealth: the whole systems demonstrator. <i>BMC Health Services Research</i> , 2012 , 12, 403	2.9	87
142	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2012 , 13, 139	2.8	22

141	Depression and diabetes: the role and impact of models of health care systems. <i>Journal of Affective Disorders</i> , 2012 , 142 Suppl, S80-8	6.6	12
140	Delivering stepped care: an analysis of implementation in routine practice. <i>Implementation Science</i> , 2012 , 7, 3	8.4	90
139	A cluster randomised controlled trial of the clinical and cost-effectiveness of a Q whole systemsQ model of self-management support for the management of long-term conditions in primary care: trial protocol. <i>Implementation Science</i> , 2012 , 7, 7	8.4	49
138	Collaborative care for depression and anxiety problems. <i>The Cochrane Library</i> , 2012 , 10, CD006525	5.2	451
137	Perseverative negative cognitive processes are associated with depression in people with long-term conditions. <i>Chronic Illness</i> , 2012 , 8, 102-11	1.4	8
136	Access to mental health in primary care: a qualitative meta-synthesis of evidence from the experience of people from <code>@ard</code> to reach@roups. <i>Health (United Kingdom)</i> , 2012 , 16, 76-104	1.9	56
135	Prevalence and benefits of care plans and care planning for people with long-term conditions in England. <i>Journal of Health Services Research and Policy</i> , 2012 , 17 Suppl 1, 64-71	2.4	34
134	Antenatal interventions for reducing weight in obese women for improving pregnancy outcome. <i>Cochrane Database of Systematic Reviews</i> , 2011 , 2011,		3
133	Counselling for mental health and psychosocial problems in primary care. <i>The Cochrane Library</i> , 2011 , CD001025	5.2	39
132	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. <i>British Journal of General Practice</i> , 2011 , 61, e666-73	1.6	17
131	Equity of access to psychological therapies. British Journal of Psychiatry, 2011, 198, 91-2	5.4	8
130	The role of information in supporting self-care in vascular conditions: a conceptual and empirical review. <i>Health and Social Care in the Community</i> , 2011 , 19, 449-59	2.6	21
129	Exploring the mechanisms of change in the chronic disease self-management programme: secondary analysis of data from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2011 , 85, e39-47	3.1	21
128	A comprehensive evaluation of the impact of telemonitoring in patients with long-term conditions and social care needs: protocol for the whole systems demonstrator cluster randomised trial. <i>BMC Health Services Research</i> , 2011 , 11, 184	2.9	85
127	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. <i>Implementation Science</i> , 2011 , 6, 56	8.4	90
126	What is the relationship between diabetes and depression? a qualitative meta-synthesis of patient experience of co-morbidity. <i>Chronic Illness</i> , 2011 , 7, 239-52	1.4	50
125	Social networks, social capital and chronic illness self-management: a realist review. <i>Chronic Illness</i> , 2011 , 7, 60-86	1.4	144
124	Multimorbidity, service organization and clinical decision making in primary care: a qualitative study. <i>Family Practice</i> , 2011 , 28, 579-87	1.9	115

123	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. <i>Chronic Illness</i> , 2010 , 6, 136-50	1.4	50
122	Identifying psychosocial interventions that improve both physical and mental health in patients with diabetes: a systematic review and meta-analysis. <i>Diabetes Care</i> , 2010 , 33, 926-30	14.6	115
121	Effects of befriending on depressive symptoms and distress: systematic review and meta-analysis. British Journal of Psychiatry, 2010 , 196, 96-101	5.4	127
120	Trials within trials? Researcher, funder and ethical perspectives on the practicality and acceptability of nesting trials of recruitment methods in existing primary care trials. <i>BMC Medical Research Methodology</i> , 2010 , 10, 38	4.7	21
119	An intervention to promote patient participation and self-management in long term conditions: development and feasibility testing. <i>BMC Health Services Research</i> , 2010 , 10, 206	2.9	24
118	Improving health and productivity of depressed workers: a pilot randomized controlled trial of telephone cognitive behavioral therapy delivery in workplace settings. <i>General Hospital Psychiatry</i> , 2010 , 32, 337-40	5.6	24
117	What is the role of consultation-liaison psychiatry in the management of depression in primary care? A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2010 , 32, 246-54	5.6	29
116	What work has to be done to implement collaborative care for depression? Process evaluation of a trial utilizing the Normalization Process Model. <i>Implementation Science</i> , 2010 , 5, 15	8.4	44
115	Contrasting approaches to recruitment in primary care research. <i>Primary Health Care Research and Development</i> , 2009 , 10, 368	1.6	5
114	Users Qreports and evaluations of out-of-hours health care and the UK national quality requirements: a cross sectional study. <i>British Journal of General Practice</i> , 2009 , 59, e8-15	1.6	16
113	Improving recruitment to health research in primary care. Family Practice, 2009, 26, 391-7	1.9	94
112	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depressionstudy protocol. <i>BMC Health Services Research</i> , 2009 , 9, 188	2.9	27
111	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. <i>BMC Health Services Research</i> , 2009 , 9, 226	2.9	31
110	The GP Patient Survey for use in primary care in the National Health Service in the UKdevelopment and psychometric characteristics. <i>BMC Family Practice</i> , 2009 , 10, 57	2.6	109
109	Instruments for Exploring Organizational Culture: A Review of the Literature. <i>Public Administration Review</i> , 2009 , 69, 1087-1096	5.8	151
108	What outcomes are important to patients with long term conditions? A discrete choice experiment. <i>Value in Health</i> , 2009 , 12, 331-9	3.3	16
107	What makes a successful volunteer Expert Patients Programme tutor? Factors predicting satisfaction, productivity and intention to continue tutoring of a new public health workforce in the United Kingdom. <i>Patient Education and Counseling</i> , 2009 , 75, 128-34	3.1	16
106	Collaborative care for depression in UK primary care: a randomized controlled trial ©orrigendum. <i>Psychological Medicine</i> , 2009 , 39, 701-701	6.9	2

(2008-2009)

105	Reliability of patient responses in pay for performance schemes: analysis of national General Practitioner Patient Survey data in England. <i>BMJ, The</i> , 2009 , 339, b3851	5.9	105
104	On-site mental health workers delivering psychological therapy and psychosocial interventions to patients in primary care: effects on the professional practice of primary care providers. <i>The Cochrane Library</i> , 2009 , CD000532	5.2	36
103	Practice nurses and the facilitation of self-management in primary care. <i>Journal of Advanced Nursing</i> , 2008 , 62, 191-9	3.1	94
102	Can the feedback of patient assessments, brief training, or their combination, improve the interpersonal skills of primary care physicians? A systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 179	2.9	44
101	Cluster randomized trials produced similar results to individually randomized trials in a meta-analysis of enhanced care for depression. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 160-168	5.7	22
100	What patients want from primary care consultations: a discrete choice experiment to identify patients Opriorities. <i>Annals of Family Medicine</i> , 2008 , 6, 107-15	2.9	177
99	Cost effectiveness of the Expert Patients Programme (EPP) for patients with chronic conditions. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 361-7	5.1	56
98	Collaborative care for depression in UK primary care: a randomized controlled trial. <i>Psychological Medicine</i> , 2008 , 38, 279-87	6.9	120
97	Factors associated with enablement in general practice: cross-sectional study using routinely-collected data. <i>British Journal of General Practice</i> , 2008 , 58, 346-52	1.6	44
96	Predicting who will benefit from an Expert Patients Programme self-management course. <i>British Journal of General Practice</i> , 2008 , 58, 198-203	1.6	45
95	The United Kingdom Expert Patients Programme: results and implications from a national evaluation. <i>Medical Journal of Australia</i> , 2008 , 189, S21-4	4	67
94	Knowledge transfer and improvement of primary and ambulatory care for patients with anxiety. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 277-93	4.8	16
93	The General Practice Assessment Questionnaire (GPAQ) - development and psychometric characteristics. <i>BMC Family Practice</i> , 2008 , 9, 13	2.6	70
92	Psychotherapy mediated by remote communication technologies: a meta-analytic review. <i>BMC Psychiatry</i> , 2008 , 8, 60	4.2	117
91	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. <i>BMC Psychiatry</i> , 2008 , 8, 91	4.2	47
90	The effectiveness of self help technologies for emotional problems in adolescents: a systematic review. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2008 , 2, 20	6.8	10
89	Effects of psychological therapies in randomized trials and practice-based studies. <i>British Journal of Clinical Psychology</i> , 2008 , 47, 397-415	3.6	39
88	A review and critical appraisal of measures of therapist-patient interactions in mental health settings. <i>Health Technology Assessment</i> , 2008 , 12, iii, ix-47	4.4	31

87	Support for self care for patients with chronic disease. BMJ, The, 2007, 335, 968-70	5.9	202
86	Governing the ethical consumer: identity, choice and the primary care medical encounter. <i>Sociology of Health and Illness</i> , 2007 , 29, 430-56	3	45
85	Making sense of patient priorities: applying discrete choice methods in primary care using © hink aloud Q technique. <i>Family Practice</i> , 2007 , 24, 276-82	1.9	25
84	Short report: how often do UK primary care trials face recruitment delays?. <i>Family Practice</i> , 2007 , 24, 601-3	1.9	89
83	The effectiveness and cost effectiveness of a national lay-led self care support programme for patients with long-term conditions: a pragmatic randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 254-61	5.1	246
82	The association between culture, climate and quality of care in primary health care teams. <i>Family Practice</i> , 2007 , 24, 323-9	1.9	62
81	Capturing users Qexperience of UK out-of-hours primary medical care: piloting and psychometric properties of the Out-of-hours Patient Questionnaire. <i>Quality and Safety in Health Care</i> , 2007 , 16, 462-8	3	19
80	Retention and future job intentions of graduate primary care mental health workers: a newly developed role in England. <i>Journal of Health Services Research and Policy</i> , 2007 , 12 Suppl 1, S1-18-22	2.4	3
79	A qualitative study of patients@perceptions of a @ninimal@sychological therapy. <i>International Journal of Social Psychiatry</i> , 2007 , 53, 23-35	8.5	30
78	What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2007 , 37, 1217-28	6.9	293
77	The use of mixed methodology in evaluating complex interventions: identifying patient factors that moderate the effects of a decision aid. <i>Family Practice</i> , 2007 , 24, 594-600	1.9	31
76	Effectiveness of a computerized decision aid in primary care on decision making and quality of life in menorrhagia: results of the MENTIP randomized controlled trial. <i>Medical Decision Making</i> , 2007 , 27, 575-84	2.5	38
75	Collaborative care for depression and anxiety problems 2007,		6
74	Guided self-help in primary care mental health: meta-synthesis of qualitative studies of patient experience. <i>British Journal of Psychiatry</i> , 2007 , 191, 206-11	5.4	74
73	Randomized trials with concurrent economic evaluations reported unrepresentatively large clinical effect sizes. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 781-6	5.7	10
72	Article missed published papers on GPAQ validity. <i>British Journal of General Practice</i> , 2007 , 57, 918	1.6	7
71	Developing a U.K. protocol for collaborative care: a qualitative study. <i>General Hospital Psychiatry</i> , 2006 , 28, 296-305	5.6	54
70	Collaborative care for depression: a cumulative meta-analysis and review of longer-term outcomes. <i>Archives of Internal Medicine</i> , 2006 , 166, 2314-21		913

(2003-2006)

69	Effectiveness and cost effectiveness of counselling in primary care. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001025		31
68	Costs and consequences of enhanced primary care for depression: systematic review of randomised economic evaluations. <i>British Journal of Psychiatry</i> , 2006 , 189, 297-308	5.4	134
67	Collaborative care for depression in primary care. Making sense of a complex intervention: systematic review and meta-regression. <i>British Journal of Psychiatry</i> , 2006 , 189, 484-93	5.4	293
66	Recruitment to a trial of self-care skills training in long-term health conditions: analysis of the impact of patient attitudes and preferences. <i>Contemporary Clinical Trials</i> , 2006 , 27, 49-56	2.3	7
65	What are the key attributes of primary care for patients? Building a conceptual @nap@f patient preferences. <i>Health Expectations</i> , 2006 , 9, 275-84	3.7	55
64	A qualitative study of GPsQattitudes to self-management of chronic disease. <i>British Journal of General Practice</i> , 2006 , 56, 407-14	1.6	112
63	The clinical effectiveness of guided self-help versus waiting-list control in the management of anxiety and depression: a randomized controlled trial. <i>Psychological Medicine</i> , 2005 , 35, 1633-43	6.9	67
62	Patient preferences in randomised controlled trials: conceptual framework and implications for research. <i>Social Science and Medicine</i> , 2005 , 61, 685-95	5.1	58
61	Managing common mental health disorders in primary care: conceptual models and evidence base. <i>BMJ, The</i> , 2005 , 330, 839-42	5.9	143
60	Impact of participant and physician intervention preferences on randomized trials: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 1089-99	27.4	199
59	Stepped care in psychological therapies: access, effectiveness and efficiency. Narrative literature review. <i>British Journal of Psychiatry</i> , 2005 , 186, 11-7	5.4	609
58	Process and Outcome of a Non-Guided Self-Help Manual for Anxiety and Depression in Primary Care: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2005 , 33, 319-331	2.1	17
57	Patient Preference and Validity of Randomized Controlled Trials R eply. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 41	27.4	4
56	Conceptual framework and systematic review of the effects of participantsQand professionalsQ preferences in randomised controlled trials. <i>Health Technology Assessment</i> , 2005 , 9, 1-186, iii-iv	4.4	93
55	Primary mental health workers in child and adolescent mental health services. <i>Journal of Advanced Nursing</i> , 2004 , 46, 78-87	3.1	28
54	Primary care mental health workers: role expectations, conflict and ambiguity. <i>Health and Social Care in the Community</i> , 2004 , 12, 336-45	2.6	16
53	PeoplesQunderstandings of a primary care-based mental health self-help clinic. <i>Patient Education and Counseling</i> , 2004 , 53, 41-6	3.1	30
52	Team structure, team climate and the quality of care in primary care: an observational study. Quality and Safety in Health Care, 2003, 12, 273-9		171

51	Meta-analysis of data on costs from trials of counselling in primary care: using individual patient data to overcome sample size limitations in economic analyses. <i>BMJ, The</i> , 2003 , 326, 1247-50	5.9	32
50	Measuring patientsQassessments of primary care quality: the use of self-report questionnaires. Expert Review of Pharmacoeconomics and Outcomes Research, 2003, 3, 551-60	2.2	7
49	The clinical effectiveness of counselling in primary care: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2003 , 33, 203-15	6.9	85
48	Patient-practitioner agreement: does it matter?. <i>Psychological Medicine</i> , 2003 , 33, 241-51	6.9	43
47	Setting standards based on patients Quiews on access and continuity: secondary analysis of data from the general practice assessment survey. <i>BMJ, The</i> , 2003 , 326, 258	5.9	66
46	Efficacy in evidence-based practice. Clinical Psychology and Psychotherapy, 2003, 10, 328-336	2.9	19
45	Child and Adolescent Mental Health Interface Work with Primary Services: A Survey of NHS Provider Trusts. <i>Child and Adolescent Mental Health</i> , 2003 , 8, 170-176	2.2	15
44	Bias in patient assessments of general practice: general practice assessment survey scores in surgery and postal responders. <i>British Journal of General Practice</i> , 2003 , 53, 126-8	1.6	10
43	Improving access to primary mental health care: uncontrolled evaluation of a pilot self-help clinic. <i>British Journal of General Practice</i> , 2003 , 53, 133-5	1.6	16
42	The changing nature of consultation-liaison in primary care: bridging the gap between research and practice. <i>General Hospital Psychiatry</i> , 2002 , 24, 63-70	5.6	37
41	The impact of general practitioners Quatient-centredness on patients Quost-consultation satisfaction and enablement. <i>Social Science and Medicine</i> , 2002 , 55, 283-99	5.1	189
40	Patient-centred consultations and outcomes in primary care: a review of the literature. <i>Patient Education and Counseling</i> , 2002 , 48, 51-61	3.1	441
39	What dimensions underlie patient responses to the General Practice Assessment Survey? A factor analytic study. <i>Family Practice</i> , 2002 , 19, 489-95	1.9	21
38	Cost-effectiveness of cognitive-behavioral therapy for depression: current evidence and future research priorities. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002 , 2, 457-65	2.2	5
37	Primary care mental health workers: models of working and evidence of effectiveness. <i>British Journal of General Practice</i> , 2002 , 52, 926-33	1.6	30
36	Domains of consultation research in primary care. Patient Education and Counseling, 2001, 45, 3-11	3.1	23
35	The treatment of child and adolescent mental health problems in primary care: a systematic review. <i>Family Practice</i> , 2001 , 18, 373-82	1.9	89
34	Counselling for depression in primary care. Cochrane Database of Systematic Reviews, 2001, CD001025		9

33 Patient-centred healthcare **2001**, 468-472

32	The clinical and cost-effectiveness of self-help treatments for anxiety and depressive disorders in primary care: a systematic review. <i>British Journal of General Practice</i> , 2001 , 51, 838-45	1.6	99
31	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: cost effectiveness. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1389-92		63
30	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: clinical effectiveness. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1383-8		176
29	Systematic review of the effect of on-site mental health professionals on the clinical behaviour of general practitioners. <i>BMJ: British Medical Journal</i> , 2000 , 320, 614-7		32
28	Child and adolescent mental health and primary health care: current status and future directions. <i>Current Opinion in Psychiatry</i> , 2000 , 13, 369-373	4.9	9
27	Measuring patient-centredness: a comparison of three observation-based instruments. <i>Patient Education and Counseling</i> , 2000 , 39, 71-80	3.1	177
26	Patient-centredness: a conceptual framework and review of the empirical literature. <i>Social Science and Medicine</i> , 2000 , 51, 1087-110	5.1	1801
25	Do consultation-liaison services change the behavior of primary care providers? A review. <i>General Hospital Psychiatry</i> , 2000 , 22, 84-96	5.6	21
24	Symptom attribution and the recognition of psychiatric morbidity. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 157-60	4.1	23
23	Counselling in primary care: A systematic review of the research evidence. <i>British Journal of Guidance and Counselling</i> , 2000 , 28, 215-231	0.8	24
22	On-site mental health workers in primary care: effects on professional practice. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD000532		15
21	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care <i>Health Technology Assessment</i> , 2000 , 4,	4.4	81
20	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care. <i>Health Technology Assessment</i> , 2000 , 4, 1-83	4.4	36
19	PatientsQperceptions of the role of the general practitioner in the management of emotional problems. <i>British Journal of Health Psychology</i> , 1999 , 4, 41-52	8.3	5
18	Understanding patients: implicit personality theory and the general practitioner. <i>The British Journal of Medical Psychology</i> , 1998 , 71 (Pt 2), 153-63		17
17	Measuring general practitioner psychology: the personal construct perspective. <i>Family Practice</i> , 1997 , 14, 142-7	1.9	2
16	Emotional problems in primary care: what is the potential for increasing the role of nurses?. <i>Journal of Advanced Nursing</i> , 1997 , 26, 879-90	3.1	33

15	Standardized Assessment for Elderly People (SAFE)a feasibility study in district nursing. <i>Journal of Clinical Nursing</i> , 1995 , 4, 303-10	10
14	A comparison of academic and lay theories of schizophrenia. <i>British Journal of Psychiatry</i> , 1992 , 161, 201 தடி	98
13	Linking evidence to practice31-54	
12	Patient recruitment to a diabetic retinopathy screening trial through optimised patient information materials: an embedded study within a trial (SWAT). <i>F1000Research</i> ,9,779	2
11	Depression in primary care1-16	1
10	United Kingdom perspective127-136	1
9	The Current View of Evidence and Evidence-Based Practice1-20	9
8	Models of care for depression17-30	
7	Anatomy of a review55-72	
6	Consultation-liaison81-86	
5	Collaborative care87-102	
4	Referral103-110	
3	Summary of the evidence111-116	
2	Making it happen117-126	
1	United States perspective137-144	