

Katrine H Rubin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/21833/publications.pdf>

Version: 2024-02-01

34
papers

747
citations

706676

14
h-index

620720

26
g-index

35
all docs

35
docs citations

35
times ranked

876
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of imminent fracture risk in Canadian women and men aged 45 years or older: external validation of the Fracture Risk Evaluation Model (FREM). <i>Osteoporosis International</i> , 2022, 33, 57-66.	1.3	10
2	The COVIDPregDK Study: A national survey on pregnancy during the early COVID-19 pandemic in Denmark. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 703-710.	1.2	3
3	Prevalence of type 2 diabetes in psychiatric disorders: an umbrella review with meta-analysis of 245 observational studies from 32 systematic reviews. <i>Diabetologia</i> , 2022, 65, 440-456.	2.9	35
4	Evaluating the performance of the Charlson Comorbidity Index (CCI) in fracture risk prediction and developing a new Charlson Fracture Index (CFI): a register-based cohort study. <i>Osteoporosis International</i> , 2022, 33, 549-561.	1.3	2
5	Risk of Developing Type 2 Diabetes in Individuals With a Psychiatric Disorder: A Nationwide Register-Based Cohort Study. <i>Diabetes Care</i> , 2022, 45, 724-733.	4.3	14
6	Trends of anti-reflux surgery in Denmark 2000–2017: a nationwide registry-based cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 3662-3669.	1.3	1
7	Identification and Characterization of Patients With Rapid Progression of Diabetic Retinopathy in the Danish National Screening Program. <i>Diabetes Care</i> , 2021, 44, e1-e3.	4.3	5
8	Inverse Cross-sectional and Longitudinal Relationships between Diabetic Retinopathy and Obstructive Sleep Apnea in Type 2 Diabetes. <i>Ophthalmology Science</i> , 2021, 1, 100011.	1.0	5
9	The treatment gap after major osteoporotic fractures in Denmark 2005-2014: a combined analysis including both prescription-based and hospital-administered anti-osteoporosis medications. <i>Osteoporosis International</i> , 2021, 32, 1961-1971.	1.3	13
10	Prevalence of long-term opioid therapy in spine center outpatients the spinal pain opioid cohort (SPOC). <i>European Spine Journal</i> , 2021, 30, 2989-2998.	1.0	2
11	Positive Predictive Value of Diagnostic Codes for Inflammatory Bowel Disease in the Danish National Patient Registry Among Individuals 50+ Years, Using Patient Records as Reference Standard. <i>Clinical Epidemiology</i> , 2021, Volume 13, 335-344.	1.5	14
12	Validation of the Fracture Risk Evaluation Model (FREM) in predicting major osteoporotic fractures and hip fractures using administrative health data. <i>Bone</i> , 2021, 147, 115934.	1.4	11
13	Psychiatric disorders as risk factors for type 2 diabetes: An umbrella review of systematic reviews with and without meta-analyses. <i>Diabetes Research and Clinical Practice</i> , 2021, 176, 108855.	1.1	29
14	SARS-CoV-2 infection in pregnancy in Denmark—characteristics and outcomes after confirmed infection in pregnancy: A nationwide, prospective, population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 2097-2110.	1.3	25
15	Methodical considerations on adjusting for Charlson Comorbidity Index in epidemiological studies. <i>European Journal of Epidemiology</i> , 2021, 36, 1123-1128.	2.5	15
16	Predictive values of anti-cyclic citrullinated peptide antibodies and rheumatoid factor in relation to serological aspects of the ACR/EULAR 2010 classification criteria for rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 18-20.	0.6	8
17	Validation of a comorbidity index for use in obstetric patients: A nationwide cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 399-405.	1.3	14
18	The prevalence of type 2 diabetes in people with psychiatric disorders: an umbrella review protocol. <i>Systematic Reviews</i> , 2020, 9, 101.	2.5	1

#	ARTICLE	IF	CITATIONS
19	Reoperation after antireflux surgery: a population-based cohort study. <i>British Journal of Surgery</i> , 2020, 107, 1633-1639.	0.1	4
20	Secular trends in the initiation of therapy in secondary fracture prevention in Europe: a multi-national cohort study including data from Denmark, Catalonia, and the United Kingdom. <i>Osteoporosis International</i> , 2020, 31, 1535-1544.	1.3	31
21	Interactions between ocular and systemic disease using national register-based data in the Danish Excellence Centre in Ophthalmic Epidemiology (DECODE-EYE): study perspective. <i>Acta Ophthalmologica</i> , 2020, 98, 573-578.	0.6	18
22	Long-Term Opioid Therapy in Spine Center Outpatients: Protocol for the Spinal Pain Opioid Cohort (SPOC) Study. <i>JMIR Research Protocols</i> , 2020, 9, e21380.	0.5	3
23	Use of antiosteoporotic medication in the Danish ROSE population-based screening study. <i>Osteoporosis International</i> , 2019, 30, 1223-1233.	1.3	2
24	Socioeconomic status and risk of osteoporotic fractures and the use of DXA scans: data from the Danish population-based ROSE study. <i>Osteoporosis International</i> , 2019, 30, 343-353.	1.3	7
25	Socioeconomic status in Danish women with polycystic ovary syndrome: A register-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 440-450.	1.3	10
26	Effectiveness of a two-step population-based osteoporosis screening program using FRAX: the randomized Risk-stratified Osteoporosis Strategy Evaluation (ROSE) study. <i>Osteoporosis International</i> , 2018, 29, 567-578.	1.3	72
27	A New Fracture Risk Assessment Tool (FREM) Based on Public Health Registries. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1967-1979.	3.1	34
28	Non-participation in systematic screening for osteoporosis—the ROSE trial. <i>Osteoporosis International</i> , 2017, 28, 3389-3399.	1.3	17
29	Diagnostic devices for osteoporosis in the general population: A systematic review. <i>Bone</i> , 2016, 92, 58-69.	1.4	35
30	The Risk-Stratified Osteoporosis Strategy Evaluation study (ROSE): A Randomized Prospective Population-Based Study. Design and Baseline Characteristics. <i>Calcified Tissue International</i> , 2015, 96, 167-179.	1.5	17
31	Risk factors for osteoporosis and factors related to the use of DXA in Norway. <i>Archives of Osteoporosis</i> , 2015, 10, 16.	1.0	14
32	Comparison of different screening tools (FRAX®, OST, ORAI, OSIRIS, SCORE and age alone) to identify women with increased risk of fracture. A population-based prospective study. <i>Bone</i> , 2013, 56, 16-22.	1.4	91
33	Risk assessment tools to identify women with increased risk of osteoporotic fracture: Complexity or simplicity? A systematic review. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1701-1717.	3.1	150
34	Prevalence of risk factors for fractures and use of DXA scanning in Danish women. A regional population-based study. <i>Osteoporosis International</i> , 2011, 22, 1401-1409.	1.3	35