List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2184191/publications.pdf Version: 2024-02-01



<u>ΤΗΟΜΛς ΒρΑΊ/ΛΝΙΝΟ</u>

#	Article	IF	CITATIONS
1	Association analysis identifies 65 new breast cancer risk loci. Nature, 2017, 551, 92-94.	27.8	1,099
2	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. Nature Genetics, 2013, 45, 353-361.	21.4	960
3	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. American Journal of Human Genetics, 2019, 104, 21-34.	6.2	711
4	Assessing exposure to phthalates – The human biomonitoring approach. Molecular Nutrition and Food Research, 2011, 55, 7-31.	3.3	625
5	Associations of Breast Cancer Risk Factors With Tumor Subtypes: A Pooled Analysis From the Breast Cancer Association Consortium Studies. Journal of the National Cancer Institute, 2011, 103, 250-263.	6.3	596
6	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. Nature Genetics, 2015, 47, 373-380.	21.4	513
7	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. Nature Genetics, 2013, 45, 371-384.	21.4	493
8	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. Journal of the National Cancer Institute, 2015, 107, .	6.3	428
9	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. Nature Genetics, 2017, 49, 834-841.	21.4	426
10	Cigarette smoking and lung cancer—relative risk estimates for the major histological types from a pooled analysis of case–control studies. International Journal of Cancer, 2012, 131, 1210-1219.	5.1	390
11	Genome-wide association studies identify four ER negative–specific breast cancer risk loci. Nature Genetics, 2013, 45, 392-398.	21.4	374
12	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. Nature Genetics, 2015, 47, 1294-1303.	21.4	357
13	Heterogeneity of Breast Cancer Associations with Five Susceptibility Loci by Clinical and Pathological Characteristics. PLoS Genetics, 2008, 4, e1000054.	3.5	315
14	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. Nature Genetics, 2017, 49, 1767-1778.	21.4	289
15	Identifying sources of phthalate exposure with human biomonitoring: Results of a 48h fasting study with urine collection and personal activity patterns. International Journal of Hygiene and Environmental Health, 2013, 216, 672-681.	4.3	269
16	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. Nature Genetics, 2020, 52, 572-581.	21.4	265
17	Genome-wide association analysis identifies three new breast cancer susceptibility loci. Nature Genetics, 2012, 44, 312-318.	21.4	256
18	<i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. Journal of Medical Genetics, 2016, 53, 800-811.	3.2	174

#	Article	IF	CITATIONS
19	Evaluation of long noncoding RNA MALAT1 as a candidate blood-based biomarker for the diagnosis of non-small cell lung cancer. BMC Research Notes, 2013, 6, 518.	1.4	173
20	Phthalate metabolites in 24-h urine samples of the German Environmental Specimen Bank (ESB) from 1988 to 2015 and a comparison with US NHANES data from 1999 to 2012. International Journal of Hygiene and Environmental Health, 2017, 220, 130-141.	4.3	159
21	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. Cancer Discovery, 2016, 6, 1052-1067.	9.4	157
22	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2011, 20, 3289-3303.	2.9	152
23	Age- and Tumor Subtype–Specific Breast Cancer Risk Estimates for <i>CHEK2</i> *1100delC Carriers. Journal of Clinical Oncology, 2016, 34, 2750-2760.	1.6	152
24	Bisphenol A in 24 h urine and plasma samples of the German Environmental Specimen Bank from 1995 to 2009: A retrospective exposure evaluation. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 610-616.	3.9	151
25	Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 941-948.	5.6	150
26	Exposure to phthalates in 5–6 years old primary school starters in Germany—A human biomonitoring study and a cumulative risk assessment. International Journal of Hygiene and Environmental Health, 2011, 214, 188-195.	4.3	149
27	Markers of genetic susceptibility in human environmental hygiene and toxicology: The role of selected CYP, NAT and GST genes. International Journal of Hygiene and Environmental Health, 2003, 206, 149-171.	4.3	147
28	Evidence of Gene–Environment Interactions between Common Breast Cancer Susceptibility Loci and Established Environmental Risk Factors. PLoS Genetics, 2013, 9, e1003284.	3.5	136
29	Sensory irritation as a basis for setting occupational exposure limits. Archives of Toxicology, 2014, 88, 1855-1879.	4.2	125
30	Occupational endotoxin-exposure and possible health effects on humans (review). American Journal of Industrial Medicine, 2006, 49, 474-491.	2.1	124
31	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. Nature Genetics, 2020, 52, 56-73.	21.4	120
32	Night shift work and breast cancer: a pooled analysis of population-based case–control studies with complete work history. European Journal of Epidemiology, 2018, 33, 369-379.	5.7	119
33	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. PLoS Medicine, 2016, 13, e1002105.	8.4	118
34	Metabolism and elimination of methyl, iso- and n-butyl paraben in human urine after single oral dosage. Archives of Toxicology, 2016, 90, 2699-2709.	4.2	113
35	Renal Toxicity and Carcinogenicity of Trichloroethylene: Key Results, Mechanisms, and Controversies. Critical Reviews in Toxicology, 2000, 30, 253-285.	3.9	110
36	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. PLoS ONE, 2018, 13, e0192999.	2.5	107

#	Article	IF	CITATIONS
37	Night work and breast cancer – results from the German GENICA study. Scandinavian Journal of Work, Environment and Health, 2010, 36, 134-141.	3.4	107
38	Selenium-mediated inhibition of transcription factor NF-κ B and HIV-1 LTR promoter activity. Archives of Toxicology, 1996, 70, 277-283.	4.2	105
39	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. Nature Communications, 2014, 5, 4999.	12.8	105
40	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. Journal of the National Cancer Institute, 2015, 107, djv219.	6.3	99
41	Fine-Scale Mapping of the FGFR2 Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind FOXA1 and E2F1. American Journal of Human Genetics, 2013, 93, 1046-1060.	6.2	98
42	ls Previous Respiratory Disease a Risk Factor for Lung Cancer?. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 549-559.	5.6	97
43	Refined histopathological predictors of BRCA1 and BRCA2mutation status: a large-scale analysis of breast cancer characteristics from the BCAC, CIMBA, and ENIGMA consortia. Breast Cancer Research, 2014, 16, 3419.	5.0	97
44	Entering markets and bodies: Increasing levels of the novel plasticizer Hexamoll® DINCH® in 24h urine samples from the German Environmental Specimen Bank. International Journal of Hygiene and Environmental Health, 2014, 217, 421-426.	4.3	96
45	Metabolism of the plasticizer and phthalate substitute diisononyl-cyclohexane-1,2-dicarboxylate (DINCH®) in humans after single oral doses. Archives of Toxicology, 2013, 87, 799-806.	4.2	95
46	Marker-free automated histopathological annotation of lung tumour subtypes by FTIR imaging. Analyst, The, 2015, 140, 2114-2120.	3.5	95
47	Concentration-dependent systemic response after inhalation of nano-sized zinc oxide particles in human volunteers. Particle and Fibre Toxicology, 2018, 15, 8.	6.2	95
48	FTIR spectroscopy of biofluids revisited: an automated approach to spectral biomarker identification. Analyst, The, 2013, 138, 4092.	3.5	93
49	Renal cell cancer risk and occupational exposure to trichloroethylene: Results of a consecutive case-control study in Arnsberg, Germany. American Journal of Industrial Medicine, 2003, 43, 274-285.	2.1	91
50	Joint associations of a polygenic risk score and environmental risk factors for breast cancer in the Breast Cancer Association Consortium. International Journal of Epidemiology, 2018, 47, 526-536.	1.9	88
51	Influence of polymorphisms of GSTM1 and GSTT1 for risk of renal cell cancer in workers with long-term high occupational exposure to trichloroethene. Archives of Toxicology, 1997, 71, 596-599.	4.2	83
52	Assessing interactions between the associations of common genetic susceptibility variants, reproductive history and body mass index with breast cancer risk in the breast cancer association consortium: a combined case-control study. Breast Cancer Research, 2010, 12, R110.	5.0	82
53	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. International Journal of Epidemiology, 2019, 48, 795-806.	1.9	81
54	BRCA2 Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. Journal of the National Cancer Institute, 2016, 108, djv315.	6.3	77

#	Article	IF	CITATIONS
55	Identification of miRNA-103 in the Cellular Fraction of Human Peripheral Blood as a Potential Biomarker for Malignant Mesothelioma – A Pilot Study. PLoS ONE, 2012, 7, e30221.	2.5	77
56	From chemosensory thresholds to whole body exposures—experimental approaches evaluating chemosensory effects of chemicals. International Archives of Occupational and Environmental Health, 2006, 79, 308-321.	2.3	76
57	Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. American Journal of Human Genetics, 2015, 96, 5-20.	6.2	76
58	Rapid determination of nine parabens and seven other environmental phenols in urine samples of German children and adults. International Journal of Hygiene and Environmental Health, 2014, 217, 845-853.	4.3	75
59	<i>BRCA2</i> Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. Cancer Research, 2017, 77, 2789-2799.	0.9	75
60	Strong mutagenic effects of diesel engine emissions using vegetable oil as fuel. Archives of Toxicology, 2007, 81, 599-603.	4.2	73
61	Head and Neck Squamous-Cell Cancer and its Association with Polymorphic Enzymes of Xenobiotic Metabolism and Repair. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 887-897.	2.3	71
62	Associations of common variants at 1p11.2 and 14q24.1 (RAD51L1) with breast cancer risk and heterogeneity by tumor subtype: findings from the Breast Cancer Association Consortiumâ€. Human Molecular Genetics, 2011, 20, 4693-4706.	2.9	71
63	Quantification of biomarkers of environmental exposure to di(isononyl)cyclohexane-1,2-dicarboxylate (DINCH) in urine via HPLC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 895-896, 123-130.	2.3	71
64	Exposure–Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case–Control Studies. Epidemiology, 2017, 28, 288-299.	2.7	71
65	Phthalate metabolites in urine of children and adolescents in Germany. Human biomonitoring results of the German Environmental Survey GerES V, 2014–2017. International Journal of Hygiene and Environmental Health, 2020, 225, 113444.	4.3	71
66	Levels and predictors of airborne and internal exposure to chromium and nickel among welders—Results of the WELDOX study. International Journal of Hygiene and Environmental Health, 2013, 216, 175-183.	4.3	70
67	It's in your blood: spectral biomarker candidates for urinary bladder cancer from automated FTIR spectroscopy. Journal of Biophotonics, 2014, 7, 210-221.	2.3	69
68	One-Carbon Metabolism and Breast Cancer Risk: No Association of MTHFR, MTR, and TYMS Polymorphisms in the GENICA Study from Germany. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 3015-3018.	2.5	68
69	Levels and predictors of airborne and internal exposure to manganese and iron among welders. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 291-298.	3.9	67
70	SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. Annals of Occupational Hygiene, 2016, 60, 795-811.	1.9	67
71	Exposure to Inhalable, Respirable, and Ultrafine Particles in Welding Fume. Annals of Occupational Hygiene, 2012, 56, 557-67.	1.9	66
72	Component-resolved diagnosis of baker's allergy based on specific IgE to recombinant wheat flour proteinsâ^—. Journal of Allergy and Clinical Immunology, 2015, 135, 1529-1537.	2.9	66

#	Article	IF	CITATIONS
73	A New Method to Bind Allergens for the Measurement of Specific IgE Antibodies. International Archives of Allergy and Immunology, 2005, 136, 39-44.	2.1	65
74	Assessment of mRNA and microRNA Stabilization in Peripheral Human Blood for Multicenter Studies and Biobanks. Biomarker Insights, 2010, 5, BMI.S5522.	2.5	65
75	Occupational exposure to polycyclic aromatic hydrocarbons in German industries: Association between exogenous exposure and urinary metabolites and its modulation by enzyme polymorphisms. Toxicology Letters, 2005, 157, 241-255.	0.8	63
76	Decline in air pollution and change in prevalence in respiratory symptoms and chronic obstructive pulmonary disease in elderly women. Respiratory Research, 2010, 11, 113.	3.6	63
77	Time trend of exposure to the phthalate plasticizer substitute DINCH in Germany from 1999 to 2017: Biomonitoring data on young adults from the Environmental Specimen Bank (ESB). International Journal of Hygiene and Environmental Health, 2019, 222, 1084-1092.	4.3	63
78	CYP2C19*17 is associated with decreased breast cancer risk. Breast Cancer Research and Treatment, 2009, 115, 391-396.	2.5	62
79	Species differences in the glutathione transferase CSTT1-1 activity towards the model substrates methyl chloride and dichloromethane in liver and kidney. Archives of Toxicology, 1998, 72, 622-629.	4.2	57
80	Exhaled breath condensate and airway inflammation. Current Opinion in Allergy and Clinical Immunology, 2009, 9, 16-22.	2.3	57
81	Combustion of Hydrotreated Vegetable Oil and Jatropha Methyl Ester in a Heavy Duty Engine: Emissions and Bacterial Mutagenicity. Environmental Science & Technology, 2013, 47, 6038-6046.	10.0	57
82	Factors Modifying the Association Between Hormone-Replacement Therapy and Breast Cancer Risk. European Journal of Epidemiology, 2005, 20, 699-711.	5.7	56
83	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2013, 178, 1513-1525.	3.4	55
84	Daily intake and hazard index of parabens based upon 24 h urine samples of the German Environmental Specimen Bank from 1995 to 2012. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 591-600.	3.9	55
85	Cytochrome P450 1B1, a new keystone in gene-environment interactions related to human head and neck cancer?. Archives of Toxicology, 2002, 76, 249-256.	4.2	54
86	Shift work and the incidence of prostate cancer: a 10-year follow-up of a German population-based cohort study. Scandinavian Journal of Work, Environment and Health, 2017, 43, 560-568.	3.4	54
87	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2014, 23, 6096-6111.	2.9	53
88	Parabens in 24h urine samples of the German Environmental Specimen Bank from 1995 to 2012. International Journal of Hygiene and Environmental Health, 2015, 218, 666-674.	4.3	52
89	Metabolism and urinary excretion kinetics of di(2-ethylhexyl) terephthalate (DEHTP) in three male volunteers after oral dosage. Archives of Toxicology, 2016, 90, 1659-1667.	4.2	52
90	Occupational UV-Exposure is a Major Risk Factor for Basal Cell Carcinoma. Journal of Occupational and Environmental Medicine, 2018, 60, 36-43.	1.7	52

THOMAS BRüNING

#	Article	IF	CITATIONS
91	Expression of xenobiotic and steroid hormone metabolizing enzymes in human breast carcinomas. International Journal of Cancer, 2006, 119, 1785-1791.	5.1	51
92	Urinary metabolite excretion after oral dosage of bis(2-propylheptyl) phthalate (DPHP) to five male volunteers – Characterization of suitable biomarkers for human biomonitoring. Toxicology Letters, 2014, 231, 282-288.	0.8	51
93	Pathology of Tumors Associated With Pathogenic Germline Variants in 9 Breast Cancer Susceptibility Genes. JAMA Oncology, 2022, 8, e216744.	7.1	51
94	Haemoglobin adducts of acrylonitrile and ethylene oxide in acrylonitrile workers, dependent on polymorphisms of the glutathione transferases GSTT1 and GSTM1. Archives of Toxicology, 1999, 73, 197-202.	4.2	50
95	The CASP8 -652 6N del promoter polymorphism and breast cancer risk: a multicenter study. Breast Cancer Research and Treatment, 2008, 111, 139-144.	2.5	50
96	Occupational exposure to polycyclic aromatic hydrocarbons and DNA damage by industry: a nationwide study in Germany. Archives of Toxicology, 2009, 83, 947-957.	4.2	50
97	Stability of targeted metabolite profiles of urine samples under different storage conditions. Metabolomics, 2017, 13, 4.	3.0	50
98	Renal cell carcinomas in trichloroethene(TRI) exposed persons are associated with somatic mutations in the von Hippel-Lindau ( VHL ) tumour suppressor gene. Archives of Toxicology, 1997, 71, 332-335.	4.2	49
99	VHL mutations in renal cell cancer: does occupational exposure to trichloroethylene make a difference?. Toxicology Letters, 2004, 151, 301-310.	0.8	49
100	MicroRNA Related Polymorphisms and Breast Cancer Risk. PLoS ONE, 2014, 9, e109973.	2.5	49
101	Phthalate metabolites and bisphenol A in urines from German school-aged children: Results of the Duisburg Birth Cohort and Bochum Cohort Studies. International Journal of Hygiene and Environmental Health, 2014, 217, 830-838.	4.3	49
102	Spatial and molecular resolution of diffuse malignant mesothelioma heterogeneity by integrating label-free FTIR imaging, laser capture microdissection and proteomics. Scientific Reports, 2017, 7, 44829.	3.3	49
103	Current external and internal exposure to naphthalene of workers occupationally exposed to polycyclic aromatic hydrocarbons in different industries. International Archives of Occupational and Environmental Health, 2005, 78, 355-362.	2.3	48
104	Albumin and hemoglobin adducts of benzo[ <i>a</i> ]pyrene in humans—Analytical methods, exposure assessment, and recommendations for future directions. Critical Reviews in Toxicology, 2010, 40, 126-150.	3.9	48
105	Modelling of occupational respirable crystalline silica exposure for quantitative exposure assessment in community-based case-control studies. Journal of Environmental Monitoring, 2011, 13, 3262.	2.1	48
106	Combination of MiR-103a-3p and Mesothelin Improves the Biomarker Performance of Malignant Mesothelioma Diagnosis. PLoS ONE, 2014, 9, e114483.	2.5	48
107	Sensory and pulmonary effects of acute exposure to sulfur dioxide (SO2). Toxicology Letters, 2010, 196, 42-50.	0.8	47
108	Glutathione transferase alpha as a marker for tubular damage after trichloroethylene exposure. Archives of Toxicology, 1999, 73, 246-254.	4.2	45

THOMAS BRüNING

#	Article	IF	CITATIONS
109	Clinical experience with survivin as a biomarker for urothelial bladder cancer. World Journal of Urology, 2010, 28, 399-404.	2.2	45
110	Occupational exposure to organic dust increases lung cancer risk in the general population. Thorax, 2012, 67, 111-116.	5.6	45
111	Screening for bladder cancer with urinary tumor markers in chemical workers with exposure to aromatic amines. International Archives of Occupational and Environmental Health, 2014, 87, 715-724.	2.3	45
112	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. Journal of the National Cancer Institute, 2021, 113, 329-337.	6.3	45
113	Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events. Archives of Toxicology, 2013, 87, 645-648.	4.2	44
114	Determination of metabolites of di(2-ethylhexyl) terephthalate (DEHTP) in human urine by HPLC-MS/MS with on-line clean-up. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1011, 196-203.	2.3	44
115	Night work and breast cancer estrogen receptor status – results from the German GENICA study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 448-455.	3.4	44
116	Analyses in human urothelial cells identify methylation of miR-152, miR-200b and miR-10a genes as candidate bladder cancer biomarkers. Biochemical and Biophysical Research Communications, 2013, 438, 48-53.	2.1	43
117	Genetic predisposition to ductal carcinoma in situ of the breast. Breast Cancer Research, 2016, 18, 22.	5.0	43
118	Exposure to Welding Fumes, Hexavalent Chromium, or Nickel and Risk of Lung Cancer. American Journal of Epidemiology, 2019, 188, 1984-1993.	3.4	43
119	The role of haematuria in bladder cancer screening among men with former occupational exposure to aromatic amines. BJU International, 2011, 108, 546-552.	2.5	42
120	Partition of metals in the maternal/fetal unit and lead-associated decreases of fetal iron and manganese: an observational biomonitoring approach. Archives of Toxicology, 2012, 86, 1571-1581.	4.2	42
121	Nuclear matrix proteinâ€22: a prospective evaluation in a population at risk for bladder cancer. Results from the UroScreen study. BJU International, 2012, 110, 699-708.	2.5	42
122	Ubiquitous presence of paracetamol in human urine: sources and implications. Reproduction, 2014, 147, R105-R117.	2.6	42
123	Cancer risks of firefighters: a systematic review and meta-analysis of secular trends and region-specific differences. International Archives of Occupational and Environmental Health, 2020, 93, 839-852.	2.3	41
124	Development of an Exposure Measurement Database on Five Lung Carcinogens (ExpoSYN) for Quantitative Retrospective Occupational Exposure Assessment. Annals of Occupational Hygiene, 2012, 56, 70-9.	1.9	40
125	Rapid determination of N-acetyl-4-aminophenol (paracetamol) in urine by tandem mass spectrometry coupled with on-line clean-up by two dimensional turbulent flow/reversed phase liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 2013 925 33-39	2.3	40
126	Polymorphisms in circadian genes, night work and breast cancer: Results from the GENICA study. Chronobiology International, 2014, 31, 1115-1122.	2.0	40

#	Article	IF	CITATIONS
127	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. Human Molecular Genetics, 2015, 24, 2966-2984.	2.9	40
128	German populations with infrequent CHEK2*1100delC and minor associations with early-onset and familial breast cancer. European Journal of Cancer, 2005, 41, 2896-2903.	2.8	39
129	The CYP1B1_1358_GG genotype is associated with estrogen receptor-negative breast cancer. Breast Cancer Research and Treatment, 2008, 111, 171-177.	2.5	39
130	Airborne exposure to inhalable hexavalent chromium in welders and other occupations: Estimates from the German MEGA database. International Journal of Hygiene and Environmental Health, 2015, 218, 500-506.	4.3	39
131	Integrated Fourier Transform Infrared Imaging and Proteomics for Identification of a Candidate Histochemical Biomarker in Bladder Cancer. American Journal of Pathology, 2019, 189, 619-631.	3.8	39
132	Diagnostic Value of the Impairment of Olfaction in Parkinson's Disease. PLoS ONE, 2013, 8, e64735.	2.5	39
133	Genetic susceptibility to environmental toxicants: the interface between human and experimental studies in the development of new toxicological concepts. Toxicology Letters, 2002, 127, 321-327.	0.8	38
134	Role of exposure to radon and silicosis on the cell type of lung carcinoma in German uranium miners. Cancer, 2006, 106, 881-889.	4.1	38
135	Breast Cancer Risk Reduction and Membrane-Bound Catechol <i>O</i> -Methyltransferase Genetic Polymorphisms. Cancer Research, 2008, 68, 5997-6005.	0.9	38
136	Development of a 1-concentration-4-step dosimeter protocol for methacholine testing. Respiratory Medicine, 2009, 103, 607-613.	2.9	38
137	Ether oxygenate additives in gasoline reduce toxicity of exhausts. Toxicology, 2010, 268, 198-203.	4.2	38
138	Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. American Journal of Epidemiology, 2014, 179, 290-298.	3.4	38
139	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. Human Molecular Genetics, 2015, 24, 285-298.	2.9	38
140	Noninvasive Diagnosis of High-Grade Urothelial Carcinoma in Urine by Raman Spectral Imaging. Analytical Chemistry, 2017, 89, 6893-6899.	6.5	38
141	Development of an enzyme-linked immunosorbent assay for the detection of human calretinin in plasma and serum of mesothelioma patients. BMC Cancer, 2010, 10, 242.	2.6	37
142	Evidence of increased skin irritation after wet work: impact of water exposure and occlusion. Contact Dermatitis, 2012, 67, 217-228.	1.4	37
143	Highly Immunoreactive IgG Antibodies Directed against a Set of Twenty Human Proteins in the Sera of Patients with Amyotrophic Lateral Sclerosis Identified by Protein Array. PLoS ONE, 2014, 9, e89596.	2.5	37
144	Exposure to the plasticizer di(2-ethylhexyl) terephthalate (DEHTP) in Portuguese children – Urinary metabolite levels and estimated daily intakes. Environment International, 2017, 104, 25-32.	10.0	37

#	Article	IF	CITATIONS
145	Assessment of DNA Damage in WBCs of Workers Occupationally Exposed to Fumes and Aerosols of Bitumen. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 645-651.	2.5	36
146	Assessment of exposure in epidemiological studies: the example of silica dust. Journal of Exposure Science and Environmental Epidemiology, 2008, 18, 452-461.	3.9	36
147	Common variants in the <i>UBC9</i> gene encoding the SUMO onjugating enzyme are associated with breast tumor grade. International Journal of Cancer, 2009, 125, 596-602.	5.1	36
148	Air pollution and subclinical airway inflammation in the SALIA cohort study. Immunity and Ageing, 2014, 11, 5.	4.2	36
149	Determination of Urinary Metabolites of the Emerging UV Filter Octocrylene by Online-SPE-LC-MS/MS. Analytical Chemistry, 2018, 90, 944-951.	6.5	36
150	Investigation of Genetic Variants of Genes of the Hemochromatosis Pathway and Their Role in Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1102-1107.	2.5	35
151	Influence of fuel properties, nitrogen oxides, and exhaust treatment by an oxidation catalytic converter on the mutagenicity of diesel engine emissions. Archives of Toxicology, 2006, 80, 540-546.	4.2	35
152	Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. International Journal of Hygiene and Environmental Health, 2010, 213, 44-51.	4.3	35
153	Symptoms, Spirometry, and Serum Antibody Concentrations Among Compost Workers Exposed to Organic Dust. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 492-500.	2.3	35
154	11q13 is a susceptibility locus for hormone receptor positive breast cancer. Human Mutation, 2012, 33, 1123-1132.	2.5	35
155	Prediagnostic detection of mesothelioma by circulating calretinin and mesothelin – a case-control comparison nested into a prospective cohort of asbestos-exposed workers. Scientific Reports, 2018, 8, 14321.	3.3	35
156	Environmentally prevalent polycyclic aromatic hydrocarbons can elicit co-carcinogenic properties in an in vitro murine lung epithelial cell model. Archives of Toxicology, 2018, 92, 1311-1322.	4.2	35
157	Association of cytochrome P450 2E1 polymorphisms and head and neck squamous cell cancer. Toxicology Letters, 2004, 151, 273-282.	0.8	34
158	New Biomarkers of Occupational Exposure to Polycyclic Aromatic Hydrocarbons. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 734-745.	2.3	34
159	Air sampling and determination of vapours and aerosols of bitumen and polycyclic aromatic hydrocarbons in the Human Bitumen Study. Archives of Toxicology, 2011, 85, 11-20.	4.2	34
160	Phthalate exposure during cold plastisol application—a human biomonitoring study. Toxicology Letters, 2012, 213, 100-106.	0.8	34
161	Investigation of geneâ€environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. International Journal of Cancer, 2015, 136, E685-96.	5.1	34
162	Lung cancer risk among bricklayers in a pooled analysis of case–control studies. International Journal of Cancer, 2015, 136, 360-371.	5.1	34

#	Article	IF	CITATIONS
163	Calretinin as a blood-based biomarker for mesothelioma. BMC Cancer, 2017, 17, 386.	2.6	34
164	HLA-DQ8 and the HLA-DQ8-DR4 haplotype are positively associated with the hevein-specific IgE immune response in health care workers with latex allergy. Journal of Allergy and Clinical Immunology, 2002, 110, 507-514.	2.9	33
165	Development of a Sandwich ELISA to Measure Exposure to Occupational Cow Hair Allergens. International Archives of Allergy and Immunology, 2011, 155, 225-233.	2.1	33
166	The Human Bitumen Study: executive summary. Archives of Toxicology, 2011, 85, 3-9.	4.2	33
167	Domestic Mite Antigens in Floor and Airborne Dust at Workplaces in Comparison to Living Areas: A New Immunoassay to Assess Personal Airborne Allergen Exposure. PLoS ONE, 2012, 7, e52981.	2.5	33
168	N-Acetyl-4-aminophenol (paracetamol), N-acetyl-2-aminophenol and acetanilide in urine samples from the general population, individuals exposed to aniline and paracetamol users. International Journal of Hygiene and Environmental Health, 2014, 217, 592-599.	4.3	33
169	Time course of phthalate cumulative risks to male developmental health over a 27-year period: Biomonitoring samples of the German Environmental Specimen Bank. Environment International, 2020, 137, 105467.	10.0	33
170	Irritative effects of fumes and aerosols of bitumen on the airways: results of a cross-shift study. Archives of Toxicology, 2007, 81, 35-44.	4.2	32
171	No evidence for glutathione S-transferases GSTA2, GSTM2, GSTO1, GSTO2, and GSTZ1 in breast cancer risk. Breast Cancer Research and Treatment, 2010, 121, 497-502.	2.5	32
172	A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46 450 cases and 42 461 controls from the breast cancer association consortium. Human Molecular Genetics, 2014, 23, 1934-1946.	2.9	32
173	Additional oxidized and alkyl chain breakdown metabolites of the plasticizer DINCH in urine after oral dosage to human volunteers. Archives of Toxicology, 2017, 91, 179-188.	4.2	32
174	Long intergenic noncoding RNA 299 methylation in peripheral blood is a biomarker for triple-negative breast cancer. Epigenomics, 2019, 11, 81-93.	2.1	32
175	Transcriptomeâ€wide association study of breast cancer risk by estrogenâ€receptor status. Genetic Epidemiology, 2020, 44, 442-468.	1.3	32
176	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case–control studies. Scandinavian Journal of Work, Environment and Health, 2015, 41, 467-477.	3.4	32
177	Renal toxicity after chronic inhalation exposure of rats to trichloroethylene. Toxicology Letters, 2002, 128, 243-247.	0.8	31
178	Development of a two-site enzyme immunoassay based on monoclonal antibodies to measure airborne exposure to (1→3)-β-d-glucan. Journal of Immunological Methods, 2008, 337, 55-62.	1.4	31
179	Passive airborne dust sampling to assess mite antigen exposure in farming environments. Journal of Environmental Monitoring, 2011, 13, 2638.	2.1	31
180	Urinary metabolites of polycyclic aromatic hydrocarbons in workers exposed to vapours and aerosols of bitumen. Archives of Toxicology, 2011, 85, 29-39.	4.2	31

#	Article	IF	CITATIONS
181	Assessment of Airborne Exposure to Endotoxin and Pyrogenic Active Dust Using Electrostatic Dustfall Collectors (EDCs). Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 501-507.	2.3	31
182	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	2.5	31
183	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. Breast Cancer Research, 2016, 18, 64.	5.0	31
184	Chromosomal instability and bladder cancer: the UroVysionTMtest in the UroScreen study. BJU International, 2013, 112, E372-E382.	2.5	30
185	Incidence of malignant mesothelioma in Germany 2009–2013. Cancer Causes and Control, 2017, 28, 97-105.	1.8	30
186	Decreased psychomotor vigilance of female shift workers after working night shifts. PLoS ONE, 2019, 14, e0219087.	2.5	30
187	Metabolism and urinary excretion kinetics of di(2-ethylhexyl) adipate (DEHA) in four human volunteers after a single oral dose. Toxicology Letters, 2020, 321, 95-102.	0.8	30
188	Standardization of whole blood assay for determination of pyrogenic activity in organic dust samples. International Journal of Hygiene and Environmental Health, 2009, 212, 547-556.	4.3	29
189	Association between head and neck cancer and microsomal epoxide hydrolase genotypes. Archives of Toxicology, 2003, 77, 37-41.	4.2	28
190	Relevance of the recombinant lipid transfer protein of Hevea brasiliensis: IgE-binding reactivity in fruit-allergic adults. Annals of Allergy, Asthma and Immunology, 2006, 97, 643-649.	1.0	28
191	Irritative effects of vapours and aerosols of bitumen on the airways assessed by non-invasive methods. Archives of Toxicology, 2011, 85, 41-52.	4.2	28
192	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. Npj Breast Cancer, 2019, 5, 38.	5.2	28
193	Impairment of Motor Function Correlates with Neurometabolite and Brain Iron Alterations in Parkinson's Disease. Cells, 2019, 8, 96.	4.1	28
194	Neurobehavioral effects during exposures to propionic acid—An indicator of chemosensory distraction?. NeuroToxicology, 2009, 30, 1223-1232.	3.0	27
195	DNA adducts and strand breaks in workers exposed to vapours and aerosols of bitumen: associations between exposure and effect. Archives of Toxicology, 2011, 85, 53-64.	4.2	27
196	Genetic modifiers of radon-induced lung cancer risk: a genome-wide interaction study in former uranium miners. International Archives of Occupational and Environmental Health, 2018, 91, 937-950.	2.3	27
197	Determination of human urinary metabolites of the plasticizer di(2-ethylhexyl) adipate (DEHA) by online-SPE-HPLC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1124, 239-246.	2.3	27
198	Sensitive and selective quantification of glyphosate and aminomethylphosphonic acid (AMPA) in urine of the general population by gas chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1158, 122348.	2.3	27

#	Article	IF	CITATIONS
199	Health effects after inhalation of micro- and nano-sized zinc oxide particles in human volunteers. Archives of Toxicology, 2021, 95, 53-65.	4.2	27
200	Sensitization due to Gum Arabic <i>(Acacia senegal): </i> The Cause of Occupational Allergic Asthma or Crossreaction to Carbohydrates?. International Archives of Allergy and Immunology, 2006, 141, 51-56.	2.1	26
201	Evaluation of ethyl acetate on three dimensions: Investigation of behavioral, physiological and psychological indicators of adverse chemosensory effects. Toxicology Letters, 2008, 182, 102-109.	0.8	26
202	Occupational immediateâ€ŧype asthma and rhinitis due to rhodium salts. American Journal of Industrial Medicine, 2010, 53, 42-46.	2.1	26
203	Increased metal concentrations in exhaled breath condensate of industrial welders. Journal of Environmental Monitoring, 2011, 13, 212-218.	2.1	26
204	Quantification of Four Major Metabolites of Embryotoxic <i>N</i> -Methyl- and <i>N</i> -Ethyl-2-pyrrolidone in Human Urine by Cooled-Injection Gas Chromatography and Isotope Dilution Mass Spectrometry. Analytical Chemistry, 2012, 84, 3787-3794.	6.5	26
205	Genetic modifiers of menopausal hormone replacement therapy and breast cancer risk: a genome–wide interaction study. Endocrine-Related Cancer, 2013, 20, 875-887.	3.1	26
206	Acute Intoxication with Trichloroethene: Clinical Symptoms, Toxicokinetics, Metabolism, and Development of Biochemical Parameters for Renal Damage. Toxicological Sciences, 1998, 41, 157-165.	3.1	26
207	RAD51B in Familial Breast Cancer. PLoS ONE, 2016, 11, e0153788.	2.5	26
208	N-acetyltransferase 2, exposure to aromatic and heterocyclic amines, and receptor-defined breast cancer. European Journal of Cancer Prevention, 2010, 19, 100-109.	1.3	25
209	Chromosomal alterations in exfoliated urothelial cells from bladder cancer cases and healthy men: a prospective screening study. BMC Cancer, 2014, 14, 854.	2.6	25
210	Replacing cystoscopy by urine markers in the follow-up of patients with low-risk non–muscle-invasive bladder cancer?—An International Bladder Cancer Network project. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 452-459.	1.6	25
211	Determination of metabolites of the UV filter 2-ethylhexyl salicylate in human urine by online-SPE-LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1110-1111, 59-66.	2.3	25
212	Urinary metabolites of the UV filter octocrylene in humans as biomarkers of exposure. Archives of Toxicology, 2019, 93, 1227-1238.	4.2	25
213	Airway inflammation after inhalation of nano-sized zinc oxide particles in human volunteers. BMC Pulmonary Medicine, 2019, 19, 266.	2.0	25
214	Relation between biomarkers in exhaled breath condensate and internal exposure to metals from gas metal arc welding. Journal of Breath Research, 2012, 6, 027105.	3.0	25
215	Dose-Response Modeling of Occupational Exposure to Polycyclic Aromatic Hydrocarbons with Biomarkers of Exposure and Effect. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1863-1873.	2.5	24
216	Comparative analysis of selected exhaled breath biomarkers obtained with two different temperature-controlled devices. BMC Pulmonary Medicine, 2009, 9, 48.	2.0	24

#	Article	IF	CITATIONS
217	Mutagenicity of Diesel Engine Exhaust Is Eliminated in the Gas Phase by an Oxidation Catalyst but Only Slightly Reduced in the Particle Phase. Environmental Science & Technology, 2012, 46, 6417-6424.	10.0	24
218	<i>CYP2B6</i> *6 is associated with increased breast cancer risk. International Journal of Cancer, 2014, 134, 426-430.	5.1	24
219	IgE-binding properties of a recombinant lipid transfer protein from Cannabis sativa. Annals of Allergy, Asthma and Immunology, 2014, 113, 233-234.	1.0	24
220	Fine-Scale Mapping of the 4q24 Locus Identifies Two Independent Loci Associated with Breast Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1680-1691.	2.5	24
221	Human metabolism and excretion kinetics of aniline after a single oral dose. Archives of Toxicology, 2016, 90, 1325-1333.	4.2	24
222	The distribution of blood concentrations of lead (Pb), cadmium (Cd), chromium (Cr) and manganese (Mn) in residents of the German Ruhr area and its potential association with occupational exposure in metal industry and/or other risk factors. International Journal of Hygiene and Environmental Health, 2017, 220, 998-1005.	4.3	24
223	Performance of Survivin mRNA as a Biomarker for Bladder Cancer in the Prospective Study UroScreen. PLoS ONE, 2012, 7, e35363.	2.5	24
224	Polymorphisms in the UBC9 and PIAS3 genes of the SUMO-conjugating system and breast cancer risk. Breast Cancer Research and Treatment, 2010, 121, 185-194.	2.5	23
225	Exposure of aircraft maintenance technicians to organophosphates from hydraulic fluids and turbine oils: A pilot study. International Journal of Hygiene and Environmental Health, 2014, 217, 34-37.	4.3	23
226	Exposure to hexavalent chromium in welders: Results of the WELDOX II field study. Annals of Work Exposures and Health, 2018, 62, 351-361.	1.4	23
227	Association of exposure to manganese and iron with striatal and thalamic GABA and other neurometabolites — Neuroimaging results from the WELDOX II study. NeuroToxicology, 2018, 64, 60-67.	3.0	23
228	Evaluation of a New Survivin ELISA and UBC® Rapid for the Detection of Bladder Cancer in Urine. International Journal of Molecular Sciences, 2018, 19, 226.	4.1	23
229	An increase of fractional exhaled nitric oxide after specific inhalation challenge is highly predictive of occupational asthma. International Archives of Occupational and Environmental Health, 2018, 91, 799-809.	2.3	23
230	Are circulating microRNAs suitable for the early detection of malignant mesothelioma? Results from a nested case–control study. BMC Research Notes, 2019, 12, 77.	1.4	23
231	Urinary a 1 -microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. International Archives of Occupational and Environmental Health, 2004, 77, 186-190.	2.3	22
232	Polymorphic metabolic susceptibility genes and longevity: a study in octogonarians. Toxicology Letters, 2004, 151, 283-290.	0.8	22
233	Urinary metabolites of the UV filter 2-Ethylhexyl salicylate as biomarkers of exposure in humans. Toxicology Letters, 2019, 309, 35-41.	0.8	22
234	Differences in twenty-four-hour profiles of blue-light exposure between day and night shifts in female medical staff. Science of the Total Environment, 2019, 653, 1025-1033.	8.0	22

#	Article	IF	CITATIONS
235	Toward noninvasive follow-up of low-risk bladder cancer – Rationale and concept of the UroFollow trial*. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 886-895.	1.6	22
236	Prevalence of and relationship between rhinoconjunctivitis and lower airway diseases in compost workers with current or former exposure to organic dust. Annals of Agricultural and Environmental Medicine, 2014, 21, 705-711.	1.0	22
237	Cellular uptake and cytotoxic potential of respirable bentonite particles with different quartz contents and chemical modifications in human lung fibroblasts. Archives of Toxicology, 2006, 80, 98-106.	4.2	21
238	Levels and determinants of exposure to vapours and aerosols of bitumen. Archives of Toxicology, 2011, 85, 21-28.	4.2	21
239	Assessment of potential predictors of calretinin and mesothelin to improve the diagnostic performance to detect malignant mesothelioma: results from a population-based cohort study. BMJ Open, 2017, 7, e017104.	1.9	21
240	Agreement of Self-Reported and Administrative Data on Employment Histories in a German Cohort Study: A Sequence Analysis. European Journal of Population, 2019, 35, 329-346.	2.0	21
241	Human metabolism and urinary excretion of seven neonicotinoids and neonicotinoid-like compounds after controlled oral dosages. Archives of Toxicology, 2022, 96, 121-134.	4.2	21
242	Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. International Archives of Occupational and Environmental Health, 2007, 81, 247-251.	2.3	20
243	Polymorphic loci of E2F2, CCND1 and CCND3 are associated with HER2 status of breast tumors. International Journal of Cancer, 2009, 124, 2077-2081.	5.1	20
244	The earwax-associated SNP c.538G>A (G180R) in ABCC11 is not associated with breast cancer risk in Europeans. Breast Cancer Research and Treatment, 2011, 129, 993-999.	2.5	20
245	Reduction in welding fume and metal exposure of stainless steel welders: an example from the WELDOX study. International Archives of Occupational and Environmental Health, 2013, 87, 483-92.	2.3	20
246	Human exposure to airborne aniline and formation of methemoglobin: a contribution to occupational exposure limits. Archives of Toxicology, 2014, 88, 1419-1426.	4.2	20
247	Modelling of occupational exposure to inhalable nickel compounds. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 427-433.	3.9	20
248	Concordance between the deduced acetylation status generated by high-speed Real-time PCR based NAT2 genotyping of seven single nucleotide polymorphisms and human NAT2 phenotypes determined by a caffeine assay. Clinica Chimica Acta, 2007, 376, 240-243.	1.1	19
249	A Study on Lung Cancer Mortality Related to Radon, Quartz, and Arsenic Exposures in German Uranium Miners. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 859-865.	2.3	19
250	Major histopathological patterns of lung cancer related to arsenic exposure in German uranium miners. International Archives of Occupational and Environmental Health, 2009, 82, 867-875.	2.3	19
251	Impact of Different Welding Techniques on Biological Effect Markers in Exhaled Breath Condensate of 58 Mild Steel Welders. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 525-532.	2.3	19
252	Improving the default data analysis workflow for large autoimmune biomarker discovery studies with ProtoArrays. Proteomics, 2013, 13, 2083-2087.	2.2	19

#	Article	IF	CITATIONS
253	Oxidatively damaged guanosine in white blood cells and in urine of welders: associations with exposure to welding fumes and body iron stores. Archives of Toxicology, 2015, 89, 1257-1269.	4.2	19
254	A variant of the <i>CXCL11</i> gene may influence susceptibility to contact allergy, particularly in polysensitized patients. Contact Dermatitis, 2016, 75, 303-307.	1.4	19
255	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). Scientific Reports, 2016, 6, 32512.	3.3	19
256	Medical surveillance and long-term prognosis of occupational allergy due to platinum salts. International Archives of Occupational and Environmental Health, 2017, 90, 73-81.	2.3	19
257	Serial fractional exhaled nitric oxide measurements off and at work in the diagnosis of occupational asthma. American Journal of Industrial Medicine, 2019, 62, 663-671.	2.1	19
258	Rapid analysis of α1-antitrypsin PiZ genotype by a real-time PCR approach. Journal of Molecular Medicine, 2000, 78, 212-216.	3.9	18
259	Dephenylation of the Rubber ChemicalN-Phenyl-2-Naphthylamine to Carcinogenic 2-Naphthylamine: A Classical Problem Revisited. Critical Reviews in Toxicology, 2007, 37, 553-566.	3.9	18
260	Polymorphisms of the nuclear receptor pregnane X receptor and organic anion transporter polypeptides 1A2, 1B1, 1B3, and 2B1 are not associated with breast cancer risk. Breast Cancer Research and Treatment, 2011, 125, 563-569.	2.5	18
261	A new immunoassay to quantify fungal antigens from the indoor mould Aspergillus versicolor. Environmental Sciences: Processes and Impacts, 2013, 15, 1162.	3.5	18
262	Concentration of Bioaerosols in Composting Plants Using Different Quantification Methods. Annals of Occupational Hygiene, 2014, 58, 693-706.	1.9	18
263	Allergen quantification in surface dust samples from German day care centers. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2016, 79, 1094-1105.	2.3	18
264	Kinetics of chemotaxis, cytokine, and chemokine release of NR8383 macrophages after exposure to inflammatory and inert granular insoluble particles. Toxicology Letters, 2016, 263, 68-75.	0.8	18
265	Occupational prestige, social mobility and the association with lung cancer in men. BMC Cancer, 2016, 16, 395.	2.6	18
266	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. Gynecologic Oncology, 2016, 141, 386-401.	1.4	18
267	Mesothelin, Calretinin, and Megakaryocyte Potentiating Factor as Biomarkers of Malignant Pleural Mesothelioma. Lung, 2019, 197, 641-649.	3.3	18
268	Biotransformation of trichloroethylene in collagen gel sandwich cultures of rat hepatocytes. Archives of Toxicology, 2000, 74, 587-592.	4.2	17
269	Considerations for the design and technical setup of a human whole-body exposure chamber. Inhalation Toxicology, 2012, 24, 99-108.	1.6	17
270	9q31.2-rs865686 as a Susceptibility Locus for Estrogen Receptor-Positive Breast Cancer: Evidence from the Breast Cancer Association Consortium. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1783-1791.	2.5	17

#	Article	IF	CITATIONS
271	Metabolites of the substitute plasticiser Di-(2-ethylhexyl) terephthalate (DEHTP) in urine of children and adolescents investigated in the German Environmental Survey GerES V, 2014–2017. International Journal of Hygiene and Environmental Health, 2020, 230, 113589.	4.3	17
272	Sensitivity Analyses of Exposure Estimates from a Quantitative Job-exposure Matrix (SYN-JEM) for Use in Community-based Studies. Annals of Occupational Hygiene, 2012, 57, 98-106.	1.9	16
273	Occupational IgE-Mediated Softwood Allergy: Characterization of the Causative Allergen. International Archives of Allergy and Immunology, 2012, 157, 202-208.	2.1	16
274	Influence of Welding Fume on Systemic Iron Status. Annals of Occupational Hygiene, 2014, 58, 1143-1154.	1.9	16
275	Particle-induced cell migration assay (PICMA): A new in vitro assay for inflammatory particle effects based on permanent cell lines. Toxicology in Vitro, 2015, 29, 997-1005.	2.4	16
276	Expression of PIWIL3 in primary and metastatic melanoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 433-437.	2.5	16
277	Gender-related aspects in occupational allergies – Secondary publication and update. World Allergy Organization Journal, 2017, 10, 44.	3.5	16
278	Metabolites of the alkyl pyrrolidone solvents NMP and NEP in 24-h urine samples of the German Environmental Specimen Bank from 1991 to 2014. International Archives of Occupational and Environmental Health, 2018, 91, 1073-1082.	2.3	16
279	Glutathione transferase activities in renal carcinomas and adjacent normal renal tissues: factors influencing renal carcinogenesis induced by xenobiotics. Archives of Toxicology, 2001, 74, 688-694.	4.2	15
280	Anaphylactic reaction to apple juice containing acerola: Cross-reactivity to latex due to prohevein. Journal of Allergy and Clinical Immunology, 2002, 109, 715-716.	2.9	15
281	Development and Evaluation of a Nanoparticle Generator for Human Inhalation Studies with Airborne Zinc Oxide. Aerosol Science and Technology, 2014, 48, 418-426.	3.1	15
282	Lung Cancer Among Firefighters. Journal of Occupational and Environmental Medicine, 2016, 58, 1137-1143.	1.7	15
283	Analyzing terephthalate metabolites in human urine as biomarkers of exposure: Importance of selection of metabolites and deconjugation enzyme. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1100-1101, 91-92.	2.3	15
284	Alkyl pyrrolidone solvents N–methyl–2–pyrrolidone (NMP) and N–ethyl–2–pyrrolidone (NEP) in urine of children and adolescents in Germany – human biomonitoring results of the German Environmental Survey 2014–2017 (GerES V). Environment International, 2021, 146, 106221.	10.0	15
285	Determination of specific urinary nonylphenol metabolites by online-SPE-LC-MS/MS as novel human exposure biomarkers. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1177, 122794.	2.3	15
286	Common variants in breast cancer risk loci predispose to distinct tumor subtypes. Breast Cancer Research, 2022, 24, 2.	5.0	15
287	Assessment of low dose effects of acute sulphur dioxide exposure on the airways using non-invasive methods. Archives of Toxicology, 2010, 84, 121-127.	4.2	14
288	Combined UGT1A1 and UGT1A6 genotypes together with a stressful life event increase breast cancer risk. Breast Cancer Research and Treatment, 2010, 124, 289-292.	2.5	14

#	Article	IF	CITATIONS
289	Factors Influencing False-positive Results for Nuclear Matrix Protein 22. European Urology, 2014, 66, 970-972.	1.9	14
290	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. Carcinogenesis, 2015, 36, 256-271.	2.8	14
291	A novel crossover operator based on variable importance for evolutionary multi-objective optimization with tree representation. Journal of Heuristics, 2015, 21, 1-24.	1.4	14
292	IgE Sensitization to Lupine in Bakers - Cross-Reactivity or Co-Sensitization to Wheat Flour?. International Archives of Allergy and Immunology, 2015, 166, 63-70.	2.1	14
293	Association of exposure to manganese and iron with relaxation rates R1 and R2*- magnetic resonance imaging results from the WELDOX II study. NeuroToxicology, 2018, 64, 68-77.	3.0	14
294	TGFBI Protein Is Increased in the Urine of Patients with High-Grade Urothelial Carcinomas, and Promotes Cell Proliferation and Migration. International Journal of Molecular Sciences, 2019, 20, 4483.	4.1	14
295	Multi-walled carbon nanotubes induce stronger migration of inflammatory cells in vitro than asbestos or granular particles but a similar pattern of inflammatory mediators. Toxicology in Vitro, 2019, 58, 215-223.	2.4	14
296	Expression of Programmed Cell Death Proteins in Kaposi Sarcoma and Cutaneous Angiosarcoma. Journal of Immunotherapy, 2020, 43, 169-174.	2.4	14
297	Human Metabolism and Urinary Excretion Kinetics of Nonylphenol in Three Volunteers after a Single Oral Dose. Chemical Research in Toxicology, 2021, 34, 2392-2403.	3.3	14
298	Nonylphenol exposure in 7-year-old Japanese children between 2012 and 2017– Estimation of daily intakes based on novel urinary metabolites. Environment International, 2022, 161, 107145.	10.0	14
299	External and internal exposure to polycyclic aromatic hydrocarbons (PAH) among workers in the production of fire-proof materials – Proposal of a biological monitoring guidance value. International Journal of Hygiene and Environmental Health, 2006, 209, 575-580.	4.3	13
300	Variation of the N-Acetyltransferase 2 Gene in a Romanian and a Kyrgyz Population. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 138-141.	2.5	13
301	Development and Application of Mold Antigen-Specific Enzyme-Linked Immunosorbent Assays (Elisa) to Quantify Airborne Antigen Exposure. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 1185-1193.	2.3	13
302	NOTCH1, HIF1A and Other Cancer-Related Proteins in Lung Tissue from Uranium Miners—Variation by Occupational Exposure and Subtype of Lung Cancer. PLoS ONE, 2012, 7, e45305.	2.5	13
303	Exploring the association between genetic variation in the <scp>SUMO</scp> isopeptidase gene <scp><i>USPL1</i></scp> and breast cancer through integration of data from the populationâ€based <scp>GENICA</scp> study and external genetic databases. International Journal of Cancer, 2013, 133, 362-372	5.1	13
304	Prospective evaluation of fluorescence-in situ-hybridization to detect bladder cancer: Results from the UroScreen-Study. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 1656-1662.	1.6	13
305	Development of a multi-compartment pharmacokinetic model to characterize the exposure to Hexamoll® DINCH®. Chemosphere, 2015, 128, 216-224.	8.2	13
306	Analysis of inflammatory markers and metals in nasal lavage fluid of welders. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2016, 79, 1144-1157.	2.3	13

#	ARTICLE	IF	CITATIONS
307	Metabolites of the PAH diol epoxide pathway and other urinary biomarkers of phenanthrene and pyrene in workers with and without exposure to bitumen fumes. International Archives of Occupational and Environmental Health, 2016, 89, 1251-1267.	2.3	13
308	Associations between former exposure to manganese and olfaction in an elderly population: Results from the Heinz Nixdorf Recall Study. NeuroToxicology, 2017, 58, 58-65.	3.0	13
309	Biomarkers for Predicting Malignant Pleural Mesothelioma in a Mexican Population. International Journal of Medical Sciences, 2018, 15, 883-891.	2.5	13
310	Night Shift Work Affects Urine Metabolite Profiles of Nurses with Early Chronotype. Metabolites, 2018, 8, 45.	2.9	13
311	Modelling of exposure to respirable and inhalable welding fumes at German workplaces. Journal of Occupational and Environmental Hygiene, 2019, 16, 400-409.	1.0	13
312	Determination of urinary thymidine glycol using affinity chromatography, HPLC and post-column reaction detection: a biomarker of oxidative DNA damage upon kidney transplantation. Archives of Toxicology, 1999, 73, 479-484.	4.2	12
313	Platinum concentrations in sera of catalyst production workers are not predictive of platinum salt allergy. International Journal of Hygiene and Environmental Health, 2002, 205, 347-351.	4.3	12
314	Bitumen workers handling mastic versus rolled asphalt in a tunnel: assessment of exposure and biomarkers of irritation and genotoxicity. Archives of Toxicology, 2011, 85, 81-87.	4.2	12
315	Association Between Lymph Node Silicosis and Lung Silicosis in 4,384 German Uranium Miners With Lung Cancer. Archives of Environmental and Occupational Health, 2011, 66, 34-42.	1.4	12
316	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. Occupational and Environmental Medicine, 2013, 70, 810-814.	2.8	12
317	Serial Measurements of Exhaled Nitric Oxide at Work and at Home: A New Tool for the Diagnosis of Occupational Asthma. Advances in Experimental Medicine and Biology, 2014, 834, 49-52.	1.6	12
318	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. Human Molecular Genetics, 2014, 23, 6034-6046.	2.9	12
319	A further wheat allergen for baker's asthma: Tri a 40. Journal of Allergy and Clinical Immunology, 2016, 137, 1286.	2.9	12
320	De-novo identification of specific exposure biomarkers of the alternative plasticizer di(2-ethylhexyl) terephthalate (DEHTP) after low oral dosage to male volunteers by HPLC-Q-Orbitrap-MS. Biomarkers, 2018, 23, 196-206.	1.9	12
321	Dilution correction for dynamically influenced urinary analyte data. Analytica Chimica Acta, 2018, 1032, 18-31.	5.4	12
322	Cross-Contamination of a UROtsa Stock with T24 Cells – Molecular Comparison of Different Cell Lines and Stocks. PLoS ONE, 2013, 8, e64139.	2.5	12
323	Quality test of the MicroSeq D2 LSU Fungal Sequencing Kit for the identification of fungi. International Journal of Hygiene and Environmental Health, 2004, 207, 297-299.	4.3	11
324	Isolated late asthmatic reaction after exposure to ammonium persulfate in a hairdresser. Contact Dermatitis, 2006, 54, 62-63.	1.4	11

#	Article	IF	CITATIONS
325	Biological Monitoring as a Useful Tool for the Detection of a Coal-Tar Contamination in Bitumen-Exposed Workers. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 746-750.	2.3	11
326	Modulation of urinary polycyclic aromatic hydrocarbon metabolites by enzyme polymorphisms in workers of the German Human Bitumen Study. Archives of Toxicology, 2011, 85, 73-79.	4.2	11
327	Allergen Levels in the Hair of Different Cattle Breeds. International Archives of Allergy and Immunology, 2015, 167, 9-15.	2.1	11
328	Cross-Sectional Study on Nonmalignant Respiratory Morbidity due to Exposure to Synthetic Amorphous Silica. Journal of Occupational and Environmental Medicine, 2016, 58, 376-384.	1.7	11
329	Altered Global 5-Hydroxymethylation Status in Hidradenitis Suppurativa: Support for an Epigenetic Background. Dermatology, 2017, 233, 129-135.	2.1	11
330	Expression of Mismatch Repair Proteins in Merkel Cell Carcinoma. Cancers, 2021, 13, 2524.	3.7	11
331	Impact of shift work on the risk of depression. Chronobiology International, 2021, 38, 1761-1775.	2.0	11
332	Occupational health hazards of street cleaners – a literature review considering prevention practices at the workplace. International Journal of Occupational Medicine and Environmental Health, 2020, 33, 701-732.	1.3	11
333	The plasminogen activator inhibitor 1 4G/5G polymorphism is not associated with longevity: a study in octogenarians. Journal of Molecular Medicine, 2001, 79, 289-293.	3.9	10
334	Modulation of Oxidative DNA Damage by Repair Enzymes XRCC1 and hOGG1. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 588-596.	2.3	10
335	Metabolic dephenylation of the rubber antioxidant N-phenyl-2-naphthylamine to carcinogenic 2-naphthylamine in rats. Archives of Toxicology, 2013, 87, 1265-1272.	4.2	10
336	Confirmation of the reduction of hormone replacement therapy-related breast cancer risk for carriers of the HSD17B1_937_G variant. Breast Cancer Research and Treatment, 2013, 138, 543-548.	2.5	10
337	Determination of ATP-activity as a useful tool for monitoring microbial load in aqueous humidifier samples. International Journal of Hygiene and Environmental Health, 2015, 218, 246-253.	4.3	10
338	Combusting vegetable oils in diesel engines: the impact of unsaturated fatty acids on particle emissions and mutagenic effects of the exhaust. Archives of Toxicology, 2016, 90, 1471-1479.	4.2	10
339	Occupational Exposure to Manganese and Fine Motor Skills in Elderly Men: Results from the Heinz Nixdorf Recall Study. Annals of Work Exposures and Health, 2017, 61, 1118-1131.	1.4	10
340	Circulating long non-coding RNA GAS5 (growth arrest-specific transcript 5) as a complement marker for the detection of malignant mesothelioma using liquid biopsies. Biomarker Research, 2020, 8, 15.	6.8	10
341	Cancer of the urinary bladder in highly exposed workers in the production of dinitrotoluenes: a case report. International Archives of Occupational and Environmental Health, 2005, 78, 677-680.	2.3	9
342	The frameshift polymorphism <i>CYP3A43_</i> 74_delA is associated with poor differentiation of breast tumors. Cancer, 2010, 116, 5358-5364.	4.1	9

THOMAS BRüNING

#	Article	IF	CITATIONS
343	Assessment of micronuclei in lymphocytes from workers exposed to vapours and aerosols of bitumen. Archives of Toxicology, 2011, 85, 65-71.	4.2	9
344	Biomonitoring of Exposure to <italic>N</italic> -Methyl-2-Pyrrolidone in Workers of the Automobile Industry. Annals of Occupational Hygiene, 2013, 57, 766-73.	1.9	9
345	Exposure assessment of potash miners at elevated CO2 levels. International Archives of Occupational and Environmental Health, 2014, 87, 413-421.	2.3	9
346	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209.	1.7	9
347	Occupational Exposure to Inhalable Manganese at German Workplaces. Annals of Work Exposures and Health, 2017, 61, 1108-1117.	1.4	9
348	Integrating spatial, morphological, and textural information for improved cell type differentiation using Raman microscopy. Journal of Chemometrics, 2018, 32, e2973.	1.3	9
349	Noninvasive diagnosis of urothelial cancer in urine using DNA hypermethylation signatures—Gender matters. International Journal of Cancer, 2019, 145, 2861-2872.	5.1	9
350	Determination of urinary metabolites of the UV filter homosalate by online-SPE-LC-MS/MS. Analytica Chimica Acta, 2021, 1176, 338754.	5.4	9
351	<i>PHIP</i> - a novel candidate breast cancer susceptibility locus on 6q14.1. Oncotarget, 2017, 8, 102769-102782.	1.8	9
352	Development of an obeche wood allergen quantification assay for the assessment of allergen exposure in workplaces. Scandinavian Journal of Work, Environment and Health, 2008, 34, 387-395.	3.4	9
353	Social jetlag and sleep debts are altered in different rosters of night shift work. PLoS ONE, 2022, 17, e0262049.	2.5	9
354	DNA adduct formation of benzo[a]pyrene in white blood cells of workers exposed to polycyclic aromatic hydrocarbons. International Journal of Hygiene and Environmental Health, 2005, 208, 173-178.	4.3	8
355	Ambient and Biological Monitoring of Exposure and Genotoxic Effects in Mastic Asphalt Workers Exposed to Fumes of Bitumen. Journal of Occupational and Environmental Hygiene, 2007, 4, 127-136.	1.0	8
356	Bronchial challenge testing to fragrance component as further diagnostic approach to non-immune immediate contact reactions. Contact Dermatitis, 2007, 56, 175-177.	1.4	8
357	Internal exposure to carcinogenic polycyclic aromatic hydrocarbons and DNA damage: a null result in brief. Archives of Toxicology, 2012, 86, 1317-1321.	4.2	8
358	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. American Journal of Epidemiology, 2013, 178, 1355-1365.	3.4	8
359	The UGT1A6_19_GG genotype is a breast cancer risk factor. Frontiers in Genetics, 2013, 4, 104.	2.3	8
360	Cancer incidence among workers occupationally exposed to dinitrotoluene in the copper mining industry. International Archives of Occupational and Environmental Health, 2014, 87, 117-124.	2.3	8

#	Article	IF	CITATIONS
361	Are multitasking abilities impaired in welders exposed to manganese? Translating cognitive neuroscience to neurotoxicology. Archives of Toxicology, 2017, 91, 2865-2877.	4.2	8
362	Vitamin D supply in shift working nurses. Chronobiology International, 2018, 35, 724-729.	2.0	8
363	Cell Activation and Cytokine Release Ex Vivo: Estimation of Reproducibility of the Whole-Blood Assay with Fresh Human Blood. Advances in Experimental Medicine and Biology, 2018, 1108, 25-36.	1.6	8
364	Associations between blood lead, olfaction and fine-motor skills in elderly men: Results from the Heinz Nixdorf Recall Study. NeuroToxicology, 2018, 68, 66-72.	3.0	8
365	Ethyl acrylate: influence of sex or atopy on perceptual ratings and eye blink frequency. Archives of Toxicology, 2019, 93, 2913-2926.	4.2	8
366	Non-invasive tools beyond lung function before and after specific inhalation challenges for diagnosing occupational asthma. International Archives of Occupational and Environmental Health, 2019, 92, 1067-1076.	2.3	8
367	Lung cancer and mesothelioma risks in a prospective cohort of workers with asbestosâ€related lung or pleural diseases. American Journal of Industrial Medicine, 2022, 65, 652-659.	2.1	8
368	Association Between Genetic Polymorphisms in Styrene-Metabolizing Enzymes and Biomarkers in Styrene-Exposed Workersâ^—. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 866-873.	2.3	7
369	Odor Thresholds and Breathing Changes of Human Volunteers as Consequences of Sulphur Dioxide Exposure Considering Individual Factors. Safety and Health at Work, 2011, 2, 355-364.	0.6	7
370	Impact of Interleukin-13 and -18 Promoter Polymorphisms in Health Care Workers with Natural Rubber Latex Allergy. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 515-524.	2.3	7
371	Pre- and Postshift Levels of Inflammatory Biomarkers and Dna Damage in Non-Bitumen-Exposed Construction Workers—Subpopulation of the German Human Bitumen Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2012, 75, 533-543.	2.3	7
372	Determination of inflammatory responses to Aspergillus versicolor and endotoxin with human cryo-preserved blood as a suitable tool. International Journal of Hygiene and Environmental Health, 2013, 216, 402-407.	4.3	7
373	Ex Vivo Cytokine Release and Pattern Recognition Receptor Expression of Subjects Exposed to Dampness: Pilot Study to Assess the Outcome of Mould Exposure to the Innate Immune System. PLoS ONE, 2013, 8, e82734.	2.5	7
374	Biomonitoring of N-ethyl-2-pyrrolidone in automobile varnishers. Toxicology Letters, 2014, 231, 142-146.	0.8	7
375	Automated quantification of FISH signals in urinary cells enables the assessment of chromosomal aberration patterns characteristic for bladder cancer. Biochemical and Biophysical Research Communications, 2014, 448, 467-472.	2.1	7
376	Quantification of N-phenyl-2-naphthylamine by gas chromatography and isotope-dilution mass spectrometry and its percutaneous absorption ex vivo under workplace conditions. Archives of Toxicology, 2017, 91, 3587-3596.	4.2	7
377	Soluble chemokine (C-X-C motif) ligand 16 (CXCL16) in urine as a novel biomarker candidate to identify high grade and muscle invasive urothelial carcinomas. Oncotarget, 2017, 8, 104946-104959.	1.8	7
378	Heart rate variability and cardiac repolarization after exposure to zinc oxide nanoparticles in healthy adults. Journal of Occupational Medicine and Toxicology, 2020, 15, 4.	2.2	7

#	Article	IF	CITATIONS
379	Quantum Cascade Laser-Based Infrared Imaging as a Label-Free and Automated Approach to Determine Mutations in Lung Adenocarcinoma. American Journal of Pathology, 2021, 191, 1269-1280.	3.8	7
380	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. Breast Cancer Research, 2021, 23, 86.	5.0	7
381	Reproducibility of Sensitivity to Capsaicin Assessed by Single Breath Inhalation Methodology. Advances in Experimental Medicine and Biology, 2013, 755, 71-78.	1.6	7
382	Assessment of Irritative Effects of Fumes of Bitumen on the Airways by using Non-Invasive Methods—Results of a Cross-Shift Study in Mastic Asphalt Workers. Journal of Occupational and Environmental Hygiene, 2007, 4, 223-227.	1.0	6
383	Statistical Methods for Detecting Genetic Interactions: A Head and Neck Squamous-Cell Cancer Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 803-815.	2.3	6
384	Lack of Association of Delta-Aminolevulinate Dehydratase Polymorphisms with Blood Lead Levels and Hemoglobin in Romanian Women from a Lead-Contaminated Region. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 716-724.	2.3	6
385	The Impact of Selection Bias Due to Increasing Response Rates among Population Controls in Occupational Case-Control Studies. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 106-107.	5.6	6
386	The postmenopausal hormone replacement therapy-related breast cancer risk is decreased in women carrying the CYP2C19*17 variant. Breast Cancer Research and Treatment, 2012, 131, 347-350.	2.5	6
387	Relationship of pulmonary function response to ozone exposure and capsaicin cough sensitivity. Inhalation Toxicology, 2013, 25, 569-576.	1.6	6
388	Detection of Patient Subgroups with Differential Expression in Omics Data: A Comprehensive Comparison of Univariate Measures. PLoS ONE, 2013, 8, e79380.	2.5	6
389	Effects of benzo[a]pyrene, aromatic amines, and a combination of both on CYP1A1 activities in RT-4 human bladder papilloma cells. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2016, 79, 1106-1117.	2.3	6
390	Prediction of human sensory irritation due to ethyl acrylate: the appropriateness of time-weighted average concentration × time models for varying concentrations. Archives of Toxicology, 2017, 91, 3051-3064.	4.2	6
391	Occupational generalized urticaria and anaphylaxis after inhalation of cefuroxime in a nurse. American Journal of Industrial Medicine, 2018, 61, 261-266.	2.1	6
392	Smoking and urinary cotinine by socioeconomic status in the Heinz Nixdorf Recall Study. Journal of Epidemiology and Community Health, 2019, 73, 489-495.	3.7	6
393	Exposure to welding fumes suppresses the activity of T-helper cells. Environmental Research, 2020, 189, 109913.	7.5	6
394	Associations between shift work and risk of colorectal cancer in two German cohort studies. Chronobiology International, 2020, 37, 1235-1243.	2.0	6
395	Determination of di-n-butyl adipate (DnBA) metabolites as possible biomarkers of exposure in human urine by online-SPE-LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1141, 122029.	2.3	6
396	Re-evaluation of potential predictors of calretinin and mesothelin in a population-based cohort study using assays for the routine application in clinical medicine. BMJ Open, 2021, 11, e039079.	1.9	6

#	Article	IF	CITATIONS
397	Use of a Calibration Gas Generator for Irritation Threshold Assessment and As Supplement of Dynamic Dilution Olfactometry. Chemical Senses, 2010, 35, 523-530.	2.0	5
398	<i>In vivo</i> Monitoring of epidermal absorption of hazardous substances by confocal Raman microâ€spectroscopy. JDDG - Journal of the German Society of Dermatology, 2011, 9, 618-627.	0.8	5
399	Is there a lung cancer risk in US coal miners?. Occupational and Environmental Medicine, 2014, 71, 523.1-523.	2.8	5
400	Reply to the letter of Anderson J entitled "Comment on Schindler, BK; Weiss, T; Schütze, A; et al. Occupational exposure of air crews to tricresyl phosphate isomers and organophosphate flame retardants after fume events, Arch Toxicol (2013) 87:645–648― Archives of Toxicology, 2015, 89, 263-264.	4.2	5
401	Eosinophilic airway disease in a patient with a negative skin prick test, but a positive patch test with platinum salts ―implications for medical surveillance. American Journal of Industrial Medicine, 2015, 58, 1008-1011.	2.1	5
402	Triticale allergy in a farmer. American Journal of Industrial Medicine, 2016, 59, 501-505.	2.1	5
403	Validity of different biomonitoring parameters in human urine for the assessment of occupational exposure to naphthalene. Archives of Toxicology, 2019, 93, 2185-2195.	4.2	5
404	Bloodâ€based detection of lung cancer using cysteineâ€rich angiogenic inducer 61 (CYR61) as a circulating protein biomarker: a pilot study. Molecular Oncology, 2021, 15, 2877-2890.	4.6	5
405	Prohepcidin, B-Type Natriuretic Peptide, and Iron Status in a Cohort of Elderly Women from the Rhine-Ruhr Area. Acta Haematologica, 2010, 124, 129-133.	1.4	4
406	Occupational asthma due to tampico fiber bystander exposure in aÂbrush production company—case report and literature review. Allergo Journal International, 2019, 28, 73-77.	2.0	4
407	Digital PCR for the Analysis of <i>MYC</i> Copy Number Variation in Lung Cancer. Disease Markers, 2020, 2020, 1-8.	1.3	4
408	Pain Perception, Brain Connectivity, and Neurochemistry in Healthy, Capsaicin-Sensitive Subjects. Neural Plasticity, 2020, 2020, 1-11.	2.2	4
409	Naphthalene: irritative and inflammatory effects on the airways. International Archives of Occupational and Environmental Health, 2021, 94, 889-899.	2.3	4
410	Rapid detection of the SPINK5 polymorphism Glu420Lys by real-time PCR technology. Clinica Chimica Acta, 2005, 355, 185-189.	1.1	3
411	Diesel Motor Exhaust and Lung Cancer: Additional Perspectives. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 619-620.	5.6	3
412	Dinitrotoluene exposure in the copper mining industry and renal cancer: a case-cohort study. Occupational and Environmental Medicine, 2014, 71, 259-265.	2.8	3
413	The Influence of Humidity on Assessing Irritation Threshold of Ammonia. BioMed Research International, 2016, 2016, 1-7.	1.9	3
414	Metaâ€analysis of cancer risks of professional firefighters. International Journal of Cancer, 2019, 145, 1701-1701.	5.1	3

#	Article	IF	CITATIONS
415	(Mono-) Exposure to Naphthalene in the Abrasives Industry: Air Monitoring and Biological Monitoring. Annals of Work Exposures and Health, 2020, 64, 982-992.	1.4	3
416	Determinants of plasma calretinin in patients with malignant pleural mesothelioma. BMC Research Notes, 2020, 13, 359.	1.4	3
417	A short-term inhalation study to assess the reversibility of sensory irritation in human volunteers. Archives of Toxicology, 2020, 94, 1687-1701.	4.2	3
418	Association of exposure to manganese and fine motor skills in welders - Results from the WELDOX II study. NeuroToxicology, 2021, 82, 137-145.	3.0	3
419	Sensitive Blood-Based Detection of Asbestos-Associated Diseases Using Cysteine-Rich Angiogenic Inducer 61 as Circulating Protein Biomarker. Clinical Chemistry, 2021, 67, 363-373.	3.2	3
420	Human metabolism and urinary excretion kinetics of di-n-butyl adipate (DnBA) after oral and dermal administration in three volunteers. Toxicology Letters, 2021, 343, 11-20.	0.8	3
421	Underground salt and potash workers exposed to nitrogen oxides and diesel exhaust: assessment of specific effect biomarkers. International Archives of Occupational and Environmental Health, 2022, 95, 1817-1828.	2.3	3
422	Individual latex allergen sensitization profiles in spina bifida patients and health care workers using a panel of recombinant latex allergens coupled to immunoCAP. Journal of Allergy and Clinical Immunology, 2002, 109, S283-S283.	2.9	2
423	URINE-BASED TUMOR MARKER TESTS ARE A HELPFUL TOOL IN EARLY DIAGNOSIS OF BLADDER CANCER IN HIGH-RISK POPULATIONS – INTERIM DATA OF THE PROSPECTIVE STUDY UROSCREEN. Journal of Urology, 2008, 179, 325-325.	0.4	2
424	Rapid Detection of the <i>hOGG1</i> Ser326Cys polymorphism Using LightCycler Technology. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 877-880.	2.3	2
425	Low-dose extrapolation in toxicology: an old controversy revisited. Archives of Toxicology, 2009, 83, 639-640.	4.2	2
426	No association of polymorphisms in the cell polarity gene SCRIB with breast cancer risk. Breast Cancer Research and Treatment, 2011, 127, 259-264.	2.5	2
427	Light Exposure and Melatonin among Rotating Shift Nurses—Letter. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 557-557.	2.5	2
428	A recombinant polypeptide of the megakaryocyte potentiating factor is a potential biomarker in plasma for the detection of mesothelioma. Biochemical and Biophysical Research Communications, 2017, 486, 526-532.	2.1	2
429	Influence of quartz exposure on lung cancer types in cases of lymph node–only silicosis and lung silicosis in German uranium miners. Archives of Environmental and Occupational Health, 2018, 73, 140-153.	1.4	2
430	A Two-Level Biobank Data Protection Concept for Project-Driven Human Sample Collections. Biopreservation and Biobanking, 2019, 17, 312-318.	1.0	2
431	Cancer in glass workers: a systematic review and meta-analysis. International Archives of Occupational and Environmental Health, 2020, 93, 1-10.	2.3	2
432	Prognostic Role of Survivin and Macrophage Infiltration Quantified on Protein and mRNA Level in Molecular Subtypes Determined by RT-qPCR of KRT5, KRT20, and ERBB2 in Muscle-Invasive Bladder Cancer Treated by Adjuvant Chemotherapy. International Journal of Molecular Sciences, 2020, 21, 7420.	4.1	2

#	Article	IF	CITATIONS
433	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. Scientific Reports, 2020, 10, 9688.	3.3	2
434	Quantification of systemic o-toluidine after intrathecal administration of hyperbaric prilocaine in humans: a prospective cohort study. Archives of Toxicology, 2021, 95, 925-934.	4.2	2
435	Quantitative investigation of the urinary excretion of three specific monoester metabolites of the plasticizer diisononyl adipate (DINA). EXCLI Journal, 2021, 20, 412-425.	0.7	2
436	Epigenetic quantification of circulating immune cells in peripheral blood of triple-negative breast cancer patients. Clinical Epigenetics, 2021, 13, 207.	4.1	2
437	Smoking intensity and urinary nicotine metabolites by socioeconomic status in the Heinz Nixdorf Recall study. BMC Public Health, 2022, 22, 302.	2.9	2
438	Night work, chronotype and cortisol at awakening in female hospital employees. Scientific Reports, 2022, 12, 6525.	3.3	2
439	Genome-wide interaction analysis of menopausal hormone therapy use and breast cancer risk among 62,370 women. Scientific Reports, 2022, 12, 6199.	3.3	2
440	No inflammatory effects after acute inhalation of barium sulfate particles in human volunteers. BMC Pulmonary Medicine, 2022, 22, .	2.0	2
441	MOLECULAR TUMOR MARKER TESTS FOR BLADDER CANCER SCREENING ARE INFLUENCED BY VARIOUS CONFOUNDERS - INTERIM DATA OF THE PROSPECTIVE STUDY UROSCREEN. Journal of Urology, 2009, 181, 418-418.	0.4	1
442	Urinary Bladder Cancer Risk Factors in Egypt—Letter. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 693-693.	2.5	1
443	Miniaturization of cytotoxicity tests for concentration range-finding studies prior to conducting the pH 6.7 Syrian hamster embryo cell-transformation assay. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2013, 755, 108-114.	1.7	1
444	Clinically significant lung function impairment due to current levels of respirable quartz?. Occupational and Environmental Medicine, 2013, 70, 893.1-893.	2.8	1
445	Cancer mortality in Itapúa—A rural province of Paraguay 2003–2012. Cancer Epidemiology, 2016, 40, 1-6.	1.9	1
446	Toxicokinetics of N-ethyl-2-pyrrolidone and its metabolites in blood, urine and amniotic fluid of rats after oral administration. Archives of Toxicology, 2019, 93, 921-929.	4.2	1
447	In-Vitro Identification and In-Vivo Confirmation of DNA Methylation Biomarkers for Urothelial Cancer. Biomedicines, 2020, 8, 233.	3.2	1
448	Whole Blood Assay as a Tool to Describe the Effects of Zinc Oxide Exposure on Innate Immunity. Advances in Experimental Medicine and Biology, 2020, 1271, 69-81.	1.6	1
449	Development and Validation of a Novel Particle Source for Nano-sized Test Aerosols. Aerosol and Air Quality Research, 2019, 19, 677-687.	2.1	1
450	Exploring solid-phase proximity ligation assay for survivin detection in urine. PLoS ONE, 2022, 17, e0270535.	2.5	1

#	Article	IF	CITATIONS
451	Determination of Sequence Variants of Metabolizing Enzymes After Occupational Exposure to Fumes of Bitumen Under High Processing Temperatures. Journal of Occupational and Environmental Hygiene, 2007, 4, 65-71.	1.0	0
452	Sensory mediated behavioral effects during exposures to ethyl acrylate. Toxicology Letters, 2009, 189, S270.	0.8	0
453	The Acrylonitrile Hemoglobin Adduct Cyanoethylvaline as a Long-time Biomarker to Assess Exposure to Environmental Tobacco Smoke: Results From a Field Study in the German Hospitality Sector. Epidemiology, 2011, 22, S32-S33.	2.7	0
454	Hemoglobin Adducts of Alkylating Substances—-Long-term Parameters of Smoking During Pregnancy. Epidemiology, 2011, 22, S235.	2.7	0
455	Biological Monitoring of Aromatic Amines, Benzene, and Benzo[A]Pyrene in Workers of a Modern European Coke Oven Plant. Epidemiology, 2011, 22, S235.	2.7	О
456	Amylenes Do Not Lead to Bacterial Mutagenicity in Contrast to Structurally Related Epoxides. BioMed Research International, 2014, 2014, 1-5.	1.9	0
457	0146â€Exposure to respirable welding fume and iron status in German welders. Occupational and Environmental Medicine, 2014, 71, A78.2-A78.	2.8	Ο
458	0149â€Modelling of occupational exposure to hexavalent chromium. Occupational and Environmental Medicine, 2014, 71, A18.2-A18.	2.8	0
459	Generation and characterization of airborne ethyl 2-cyanoacrylate atmospheres in a human whole-body exposure unit. Analytical Methods, 2014, 6, 3124-3132.	2.7	0
460	0205â€Lung cancer risk among bricklayers in a pooled analysis of case-control studies. Occupational and Environmental Medicine, 2014, 71, A27.2-A27.	2.8	0
461	Large-Scale Genomic Analyses Link Reproductive Aging to Hypothalamic Signaling, Breast Cancer Susceptibility, and BRCA1-Mediated DNA Repair. Obstetrical and Gynecological Survey, 2015, 70, 758-762.	0.4	0
462	S11-5â€Occupational exposure to manganese and fine motor skills in elderly men: results from the HEINZ NIXDORF recall study. , 2016, , .		0
463	O06-3â€Shift work and the incidence of prostate cancer. , 2016, , .		Ο
464	Response to "Lung Cancer Risk Among Non-Smoking Firefighters― Journal of Occupational and Environmental Medicine, 2017, 59, e69.	1.7	0
465	0333â€Night shift work and breast cancer risk: a combined analysis of population-based case-control studies with complete work histories. , 2017, , .		Ο
466	Effects of Exposure to Carbon Dioxide in Potash Miners. Advances in Experimental Medicine and Biology, 2018, 1150, 1-10.	1.6	0
467	Author's reply to: cancer risks of firefighters: a systematic review and meta‑analysis of secular trends and region‑specific differences. International Archives of Occupational and Environmental Health, 2021, 94, 355-356.	2.3	0
468	Current Relevance of New Biomarkers for Inclusion into HBM Surveillance Studies. Epidemiology, 2009, 20, S242.	2.7	0

#	Article	IF	CITATIONS
469	Abstract 1875: Lung cancer risk among hairdressers in SYNERGY – pooled analysis from case-control studies in Europe and Canada with detailed smoking data. , 2011, , .		0
470	Abstract 1877: Lung cancer risk in painters: Results from the SYNERGY pooled analysis. , 2011, , .		0
471	Potential Work-Related Causes of Dementia. Deutsches Ärzteblatt International, 2012, 109, 283; author reply 284.	0.9	Ο
472	Abstract 1337: The UGT1A6_19_GG genotype is associated with increased breast cancer risk based on a two-stage study , 2013, , .		0
473	Validity of mesothelin in occupational medicine practice. International Journal of Occupational Medicine and Environmental Health, 2016, 29, 879-880.	1.3	Ο
474	Does the measurement of exhaled nitric oxide before and after specific inhalation challenges improve the diagnosis of occupational asthma?. , 2019, , .		0
475	Censored Data and Statistics: How to Estimate Percentiles. , 2019, , 161-180.		0
476	Cancer Incidence and Mortality in Firefighters. Asian Pacific Journal of Cancer Prevention, 2020, 21, 575-575.	1.2	0
477	Airway Responsiveness of Rabbits After Exposure to 2-Octyl Dodecanol. AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety, 2003, 64, 461-466.	0.4	0