

# Arthur L Horwich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2184847/publications.pdf>

Version: 2024-02-01

91  
papers

16,717  
citations

47006

47  
h-index

51608

86  
g-index

93  
all docs

93  
docs citations

93  
times ranked

9296  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Hsp70 and Hsp60 Chaperone Machines. <i>Cell</i> , 1998, 92, 351-366.	28.9	2,634
2	The crystal structure of the bacterial chaperonin GroEL at 2.8 Å... <i>Nature</i> , 1994, 371, 578-586.	27.8	1,363
3	The crystal structure of the asymmetric GroEL-GroES (ADP) <sub>7</sub> chaperonin complex. <i>Nature</i> , 1997, 388, 741-750.	27.8	1,191
4	Mitochondrial heat-shock protein hsp60 is essential for assembly of proteins imported into yeast mitochondria. <i>Nature</i> , 1989, 337, 620-625.	27.8	944
5	Chaperonin-mediated protein folding at the surface of groEL through a 'molten globule'-like intermediate. <i>Nature</i> , 1991, 352, 36-42.	27.8	900
6	Protein folding in mitochondria requires complex formation with hsp60 and ATP hydrolysis. <i>Nature</i> , 1989, 341, 125-130.	27.8	702
7	TCP1 complex is a molecular chaperone in tubulin biogenesis. <i>Nature</i> , 1992, 358, 245-248.	27.8	467
8	Characterization of the Active Intermediate of a GroEL-GroES-Mediated Protein Folding Reaction. <i>Cell</i> , 1996, 84, 481-490.	28.9	395
9	NMR analysis of a 900K GroEL-GroES complex. <i>Nature</i> , 2002, 418, 207-211.	27.8	394
10	Distinct actions of cis and trans ATP within the double ring of the chaperonin GroEL. <i>Nature</i> , 1997, 388, 792-798.	27.8	392
11	Two Families of Chaperonin: Physiology and Mechanism. <i>Annual Review of Cell and Developmental Biology</i> , 2007, 23, 115-145.	9.4	384
12	GroEL-mediated protein folding proceeds by multiple rounds of binding and release of nonnative forms. <i>Cell</i> , 1994, 78, 693-702.	28.9	375
13	Folding in vivo of bacterial cytoplasmic proteins: Role of GroEL. <i>Cell</i> , 1993, 74, 909-917.	28.9	355
14	A molecular chaperone from a thermophilic archaeobacterium is related to the eukaryotic protein t-complex polypeptide-1. <i>Nature</i> , 1991, 354, 490-493.	27.8	348
15	GroEL-Mediated protein folding. <i>Protein Science</i> , 1997, 6, 743-760.	7.6	318
16	GroEL-GroES Cycling. <i>Cell</i> , 1999, 97, 325-338.	28.9	308
17	ATP-Bound States of GroEL Captured by Cryo-Electron Microscopy. <i>Cell</i> , 2001, 107, 869-879.	28.9	274
18	Mechanisms of protein folding. <i>Current Opinion in Structural Biology</i> , 2001, 11, 70-82.	5.7	258

#	ARTICLE	IF	CITATIONS
19	GroEL~GroES-Mediated Protein Folding. <i>Chemical Reviews</i> , 2006, 106, 1917-1930.	47.7	226
20	Loops in the Central Channel of ClpA Chaperone Mediate Protein Binding, Unfolding, and Translocation. <i>Cell</i> , 2005, 121, 1029-1041.	28.9	217
21	Cytosolic chaperonin subunits have a conserved ATPase domain but diverged polypeptide-binding domains. <i>Trends in Biochemical Sciences</i> , 1994, 19, 543-548.	7.5	194
22	Multivalent Binding of Nonnative Substrate Proteins by the Chaperonin GroEL. <i>Cell</i> , 2000, 100, 561-573.	28.9	183
23	An ALS-Linked Mutant SOD1 Produces a Locomotor Defect Associated with Aggregation and Synaptic Dysfunction When Expressed in Neurons of <i>Caenorhabditis elegans</i> . <i>PLoS Genetics</i> , 2009, 5, e1000350.	3.5	175
24	GroEL/GroES-Mediated Folding of a Protein Too Large to Be Encapsulated. <i>Cell</i> , 2001, 107, 235-246.	28.9	169
25	ATP-Triggered Conformational Changes Delineate Substrate-Binding and -Folding Mechanics of the GroEL Chaperonin. <i>Cell</i> , 2012, 149, 113-123.	28.9	160
26	Structure and Allostery of the Chaperonin GroEL. <i>Journal of Molecular Biology</i> , 2013, 425, 1476-1487.	4.2	153
27	Chaperonin-mediated protein folding: fate of substrate polypeptide. <i>Quarterly Reviews of Biophysics</i> , 2003, 36, 229-256.	5.7	145
28	Allosteric signaling of ATP hydrolysis in GroEL~GroES complexes. <i>Nature Structural and Molecular Biology</i> , 2006, 13, 147-152.	8.2	142
29	Solution NMR Techniques for Large Molecular and Supramolecular Structures. <i>Journal of the American Chemical Society</i> , 2002, 124, 12144-12153.	13.7	141
30	Global aggregation of newly translated proteins in an <i>Escherichia coli</i> strain deficient of the chaperonin GroEL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15800-15805.	7.1	141
31	Chaperonin-mediated protein folding: using a central cavity to kinetically assist polypeptide chain folding. <i>Quarterly Reviews of Biophysics</i> , 2009, 42, 83-116.	5.7	137
32	Maturation of Human Cyclin E Requires the Function of Eukaryotic Chaperonin CCT. <i>Molecular and Cellular Biology</i> , 1998, 18, 7584-7589.	2.3	134
33	Role of the $\gamma$ -phosphate of ATP in triggering protein folding by GroEL-GroES: function, structure and energetics. <i>EMBO Journal</i> , 2003, 22, 4877-4887.	7.8	130
34	Gene deletion and restriction fragment length polymorphisms at the human ornithine transcarbamylase locus. <i>Nature</i> , 1985, 313, 815-817.	27.8	129
35	Progressive aggregation despite chaperone associations of a mutant SOD1-YFP in transgenic mice that develop ALS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1392-1397.	7.1	128
36	Direct NMR observation of a substrate protein bound to the chaperonin GroEL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12748-12753.	7.1	114

#	ARTICLE	IF	CITATIONS
37	Exploring the Structural Dynamics of the E.coli Chaperonin GroEL Using Translation-libration-screw Crystallographic Refinement of Intermediate States. <i>Journal of Molecular Biology</i> , 2004, 342, 229-245.	4.2	109
38	Topologies of a Substrate Protein Bound to the Chaperonin GroEL. <i>Molecular Cell</i> , 2007, 26, 415-426.	9.7	96
39	Chaperonin chamber accelerates protein folding through passive action of preventing aggregation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17351-17355.	7.1	94
40	Protein aggregation in disease: a role for folding intermediates forming specific multimeric interactions. <i>Journal of Clinical Investigation</i> , 2002, 110, 1221-1232.	8.2	85
41	The GroEL/GroES <i>cis</i> cavity as a passive anti-aggregation device. <i>FEBS Letters</i> , 2009, 583, 2654-2662.	2.8	79
42	Folding of malate dehydrogenase inside the GroEL-GroES cavity. <i>Nature Structural Biology</i> , 2001, 8, 721-728.	9.7	77
43	Sorting pathways of mitochondrial inner membrane proteins. <i>FEBS Journal</i> , 1990, 192, 551-555.	0.2	76
44	Substrate polypeptide presents a load on the apical domains of the chaperonin GroEL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15005-15012.	7.1	74
45	Folding with and without encapsulation by <i>cis</i> - and <i>trans</i> -only GroEL-GroES complexes. <i>EMBO Journal</i> , 2003, 22, 3220-3230.	7.8	70
46	RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse. <i>PLoS ONE</i> , 2013, 8, e53575.	2.5	62
47	Selective degeneration of a physiological subtype of spinal motor neuron in mice with SOD1-linked ALS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16883-16888.	7.1	56
48	Extended survival of misfolded G85R SOD1-linked ALS mice by transgenic expression of chaperone Hsp110. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 5424-5428.	7.1	55
49	Molecular chaperone Hsp110 rescues a vesicle transport defect produced by an ALS-associated mutant SOD1 protein in squid axoplasm. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5428-5433.	7.1	49
50	Folding trajectories of human dihydrofolate reductase inside the GroEL-GroES chaperonin cavity and free in solution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20788-20792.	7.1	48
51	Perturbed ATPase activity and not "close confinement" of substrate in the <i>cis</i> cavity affects rates of folding by tail-multiplied GroEL. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5342-5347.	7.1	44
52	Hsp110 mitigates $\alpha$ -synuclein pathology in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24310-24316.	7.1	44
53	Molecular Chaperones in Cellular Protein Folding: The Birth of a Field. <i>Cell</i> , 2014, 157, 285-288.	28.9	43
54	A mutant chaperonin with rearranged inter-ring electrostatic contacts and temperature-sensitive dissociation. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 1128-1133.	8.2	39

#	ARTICLE	IF	CITATIONS
55	Chaperonin-assisted protein folding: a chronologue. <i>Quarterly Reviews of Biophysics</i> , 2020, 53, e4.	5.7	36
56	A biochemical screen for GroEL/GroES inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 786-789.	2.2	35
57	GroEL/ES inhibitors as potential antibiotics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3127-3134.	2.2	35
58	Sulfonamido-2-arylbenzoxazole GroEL/ES Inhibitors as Potent Antibacterials against Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA). <i>Journal of Medicinal Chemistry</i> , 2018, 61, 7345-7357.	6.4	35
59	Short-term response to dietary therapy in molybdenum cofactor deficiency. <i>Annals of Neurology</i> , 1993, 34, 742-744.	5.3	34
60	GroEL/GroES cycling: ATP binds to an open ring before substrate protein favoring protein binding and production of the native state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20264-20269.	7.1	34
61	Absence of lipofuscin in motor neurons of SOD1-linked ALS mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11055-11060.	7.1	33
62	Trisomy 18 associated with ectopia cordis and occipital meningocele. <i>American Journal of Medical Genetics Part A</i> , 1988, 30, 805-810.	2.4	32
63	Multiple States of a Nucleotide-Bound Group 2 Chaperonin. <i>Structure</i> , 2008, 16, 528-534.	3.3	32
64	Protein folding in the cell: an inside story. <i>Nature Medicine</i> , 2011, 17, 1211-1216.	30.7	32
65	Proton-proton Overhauser NMR spectroscopy with polypeptide chains in large structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15445-15450.	7.1	30
66	Double mutant MBP refolds at same rate in free solution as inside the GroEL/GroES chaperonin chamber when aggregation in free solution is prevented. <i>FEBS Letters</i> , 2011, 585, 1969-1972.	2.8	30
67	Requirement for binding multiple ATPs to convert a GroEL ring to the folding-active state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19205-19210.	7.1	28
68	Targeting the HSP60/10 chaperonin systems of <i>Trypanosoma brucei</i> as a strategy for treating African sleeping sickness. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5247-5253.	2.2	26
69	Aqueductal stenosis leading to hydrocephalus—an unusual manifestation of neurofibromatosis. <i>American Journal of Medical Genetics Part A</i> , 1983, 14, 577-581.	2.4	22
70	Localization of GroEL determined by in vivo incorporation of a fluorescent amino acid. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6067-6070.	2.2	22
71	Reduced high-frequency motor neuron firing, EMG fractionation, and gait variability in awake walking ALS mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E7600-E7609.	7.1	22
72	No evidence for a forced-unfolding mechanism during ATP/GroES binding to substrate-bound GroEL: no observable protection of metastable Rubisco intermediate or GroEL-bound Rubisco from tritium exchange. <i>FEBS Letters</i> , 2005, 579, 1183-1186.	2.8	20

#	ARTICLE	IF	CITATIONS
73	Nuclear magnetic resonance spectroscopy with the stringent substrate rhodanese bound to the single-ring variant SR1 of the <i>E. coli</i> chaperonin GroEL. <i>Protein Science</i> , 2011, 20, 1380-1386.	7.6	20
74	Chaperonin-mediated Protein Folding. <i>Journal of Biological Chemistry</i> , 2013, 288, 23622-23632.	3.4	19
75	A small molecule inhibitor selective for a variant ATP-binding site of the chaperonin GroEL. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 811-813.	2.2	18
76	Transfer of pathogenic and nonpathogenic cytosolic proteins between spinal cord motor neurons in vivo in chimeric mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E3139-E3148.	7.1	18
77	Hydrogen-deuterium exchange in vivo to measure turnover of an ALS-associated mutant SOD1 protein in spinal cord of mice. <i>Protein Science</i> , 2011, 20, 1692-1696.	7.6	13
78	Chaperoned Protein Disaggregation—The ClpB Ring Uses Its Central Channel. <i>Cell</i> , 2004, 119, 579-581.	28.9	11
79	Disulfide formation as a probe of folding in GroEL-GroES reveals correct formation of long-range bonds and editing of incorrect short-range ones. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2145-2150.	7.1	11
80	A two-domain folding intermediate of RuBisCO in complex with the GroEL chaperonin. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 671-675.	7.5	11
81	Establishment of Left-Right Asymmetry in Vertebrates: Genetically Distinct Steps are Involved. <i>Novartis Foundation Symposium</i> , 1991, 162, 202-218.	1.1	11
82	An ALS-Associated Mutant SOD1 Rapidly Suppresses KCNT1 (Slack) Na <sup>+</sup> -Activated K <sup>+</sup> Channels in <i>Aplysia</i> Neurons. <i>Journal of Neuroscience</i> , 2017, 37, 2258-2265.	3.6	7
83	Unfolded DapA forms aggregates when diluted into free solution, confounding comparison with folding by the GroEL/GroES chaperonin system. <i>FEBS Letters</i> , 2015, 589, 497-499.	2.8	6
84	ATP-triggered ADP release from the asymmetric chaperonin GroEL/GroES/ADP <sub>7</sub> is not the rate-limiting step of the GroEL/GroES reaction cycle. <i>FEBS Letters</i> , 2010, 584, 951-953.	2.8	3
85	Chemical Strike against a Dominant-Inherited MUC1-Frameshifted Protein Associated with Progressive Kidney Disease. <i>Trends in Molecular Medicine</i> , 2019, 25, 821-823.	6.7	3
86	Chaperonin studies: faith, luck, and a little help from our friends. <i>Molecular Biology of the Cell</i> , 2017, 28, 2915-2918.	2.1	2
87	The GroEL/GroES Chaperonin Machine. , 0, , 191-207.		1
88	MOLECULAR STUDY OF ORNITHINE TRANSCARBAMYLASE: OTC DEFICIENCY AND ANALYSIS OF MITOCHONDRIAL TARGETING OF THE OTC PRECURSOR. <i>Pediatric Research</i> , 1987, 21, 6A-6A.	2.3	0
89	Role of Chaperones in Neurodegeneration. <i>CNS Neuroscience &amp; Therapeutics</i> , 2000, 6, 29-29.	4.0	0
90	Direct NMR observation of a substrate protein bound to the chaperonin GroEL , 2021, , 99-104.		0

#	ARTICLE	IF	CITATIONS
91	NMR analysis of a 900K GroEL-GroES complex. , 2021, , 67-71.		0