
## Arthur L Horwich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2184847/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Direct NMR observation of a substrate protein bound to the chaperonin GroEL. , 2021, , 99-104.   |      | 0         |
| 2  | NMR analysis of a 900K GroEL–GroES complex. , 2021, , 67-71.   |      | 0         |
| 3  | Chaperonin-assisted protein folding: a chronologue. Quarterly Reviews of Biophysics, 2020, 53, e4.   | 5.7  | 36        |
| 4  | Hsp110 mitigates α-synuclein pathology in vivo. Proceedings of the National Academy of Sciences of the<br>United States of America, 2019, 116, 24310-24316.  | 7.1  | 44        |
| 5  | Chemical Strike against a Dominant-Inherited MUC1-Frameshifted Protein Associated with Progressive<br>Kidney Disease. Trends in Molecular Medicine, 2019, 25, 821-823.   | 6.7  | 3         |
| 6  | A two-domain folding intermediate of RuBisCO in complex with the GroEL chaperonin. International<br>Journal of Biological Macromolecules, 2018, 118, 671-675.  | 7.5  | 11        |
| 7  | Sulfonamido-2-arylbenzoxazole GroEL/ES Inhibitors as Potent Antibacterials against<br>Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA). Journal of Medicinal Chemistry, 2018, 61,<br>7345-7357.                               | 6.4  | 35        |
| 8  | An ALS-Associated Mutant SOD1 Rapidly Suppresses KCNT1 (Slack) Na <sup>+</sup> -Activated<br>K <sup>+</sup> Channels in <i>Aplysia</i> Neurons. Journal of Neuroscience, 2017, 37, 2258-2265.  | 3.6  | 7         |
| 9  | Transfer of pathogenic and nonpathogenic cytosolic proteins between spinal cord motor neurons in<br>vivo in chimeric mice. Proceedings of the National Academy of Sciences of the United States of<br>America, 2017, 114, E3139-E3148. | 7.1  | 18        |
| 10 | Chaperonin studies: faith, luck, and a little help from our friends. Molecular Biology of the Cell, 2017, 28, 2915-2918.   | 2.1  | 2         |
| 11 | Extended survival of misfolded G85R SOD1-linked ALS mice by transgenic expression of chaperone<br>Hsp110. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113,<br>5424-5428.                    | 7.1  | 55        |
| 12 | Targeting the HSP60/10 chaperonin systems of Trypanosoma brucei as a strategy for treating African sleeping sickness. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 5247-5253.   | 2.2  | 26        |
| 13 | Reduced high-frequency motor neuron firing, EMG fractionation, and gait variability in awake walking<br>ALS mice. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113,<br>E7600-E7609.          | 7.1  | 22        |
| 14 | GroEL/ES inhibitors as potential antibiotics. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3127-3134.   | 2.2  | 35        |
| 15 | Unfolded DapA forms aggregates when diluted into free solution, confounding comparison with folding by the GroEL/GroES chaperonin system. FEBS Letters, 2015, 589, 497-499.  | 2.8  | 6         |
| 16 | Absence of lipofuscin in motor neurons of SOD1-linked ALS mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11055-11060.   | 7.1  | 33        |
| 17 | Selective degeneration of a physiological subtype of spinal motor neuron in mice with SOD1-linked<br>ALS. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111,<br>16883-16888.                  | 7.1  | 56        |
| 18 | Molecular Chaperones in Cellular Protein Folding: The Birth of a Field. Cell, 2014, 157, 285-288.  | 28.9 | 43        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | A biochemical screen for GroEL/GroES inhibitors. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 786-789.   | 2.2  | 35        |
| 20 | Chaperonin-mediated Protein Folding. Journal of Biological Chemistry, 2013, 288, 23622-23632.   | 3.4  | 19        |
| 21 | Structure and Allostery of the Chaperonin GroEL. Journal of Molecular Biology, 2013, 425, 1476-1487.  | 4.2  | 153       |
| 22 | Molecular chaperone Hsp110 rescues a vesicle transport defect produced by an ALS-associated mutant SOD1 protein in squid axoplasm. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 5428-5433.     | 7.1  | 49        |
| 23 | RNA-Seq Profiling of Spinal Cord Motor Neurons from a Presymptomatic SOD1 ALS Mouse. PLoS ONE, 2013, 8, e53575.   | 2.5  | 62        |
| 24 | ATP-Triggered Conformational Changes Delineate Substrate-Binding and -Folding Mechanics of the GroEL Chaperonin. Cell, 2012, 149, 113-123.  | 28.9 | 160       |
| 25 | Double mutant MBP refolds at same rate in free solution as inside the GroEL/GroES chaperonin chamber when aggregation in free solution is prevented. FEBS Letters, 2011, 585, 1969-1972.  | 2.8  | 30        |
| 26 | Localization of GroEL determined by in vivo incorporation of a fluorescent amino acid. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 6067-6070.   | 2.2  | 22        |
| 27 | Nuclear magnetic resonance spectroscopy with the stringent substrate rhodanese bound to the singleâ€ring variant SR1 of the <i>E. coli</i> chaperonin GroEL. Protein Science, 2011, 20, 1380-1386.  | 7.6  | 20        |
| 28 | Hydrogen–deuterium exchange in vivo to measure turnover of an ALSâ€associated mutant SOD1 protein<br>in spinal cord of mice. Protein Science, 2011, 20, 1692-1696.  | 7.6  | 13        |
| 29 | Protein folding in the cell: an inside story. Nature Medicine, 2011, 17, 1211-1216.   | 30.7 | 32        |
| 30 | ATPâ€ŧriggered ADP release from the asymmetric chaperonin GroEL/GroES/ADP <sub>7</sub> is not the rateâ€ŧimiting step of the GroEL/GroES reaction cycle. FEBS Letters, 2010, 584, 951-953.  | 2.8  | 3         |
| 31 | GroEL/GroES cycling: ATP binds to an open ring before substrate protein favoring protein binding and production of the native state. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20264-20269. | 7.1  | 34        |
| 32 | Progressive aggregation despite chaperone associations of a mutant SOD1-YFP in transgenic mice that develop ALS. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 1392-1397.                       | 7.1  | 128       |
| 33 | Chaperonin-mediated protein folding: using a central cavity to kinetically assist polypeptide chain folding. Quarterly Reviews of Biophysics, 2009, 42, 83-116.   | 5.7  | 137       |
| 34 | An ALS-Linked Mutant SOD1 Produces a Locomotor Defect Associated with Aggregation and Synaptic<br>Dysfunction When Expressed in Neurons of Caenorhabditis elegans. PLoS Genetics, 2009, 5, e1000350.  | 3.5  | 175       |
| 35 | The GroEL/GroES <i>cis</i> cavity as a passive antiâ€aggregation device. FEBS Letters, 2009, 583, 2654-2662.  | 2.8  | 79        |
| 36 | A small molecule inhibitor selective for a variant ATP-binding site of the chaperonin GroEL.<br>Bioorganic and Medicinal Chemistry Letters, 2009, 19, 811-813.  | 2.2  | 18        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Multiple States of a Nucleotide-Bound Group 2 Chaperonin. Structure, 2008, 16, 528-534.  | 3.3  | 32        |
| 38 | Requirement for binding multiple ATPs to convert a GroEL ring to the folding-active state.<br>Proceedings of the National Academy of Sciences of the United States of America, 2008, 105,<br>19205-19210.  | 7.1  | 28        |
| 39 | Chaperonin chamber accelerates protein folding through passive action of preventing aggregation.<br>Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 17351-17355.   | 7.1  | 94        |
| 40 | Disulfide formation as a probe of folding in GroEL-GroES reveals correct formation of long-range<br>bonds and editing of incorrect short-range ones. Proceedings of the National Academy of Sciences of<br>the United States of America, 2007, 104, 2145-2150. | 7.1  | 11        |
| 41 | Perturbed ATPase activity and not "close confinement" of substrate in the cis cavity affects rates of<br>folding by tail-multiplied GroEL. Proceedings of the National Academy of Sciences of the United States<br>of America, 2007, 104, 5342-5347.           | 7.1  | 44        |
| 42 | Folding trajectories of human dihydrofolate reductase inside the GroEL-GroES chaperonin cavity and free in solution. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20788-20792.                                  | 7.1  | 48        |
| 43 | Topologies of a Substrate Protein Bound to the Chaperonin GroEL. Molecular Cell, 2007, 26, 415-426.  | 9.7  | 96        |
| 44 | Two Families of Chaperonin: Physiology and Mechanism. Annual Review of Cell and Developmental Biology, 2007, 23, 115-145.  | 9.4  | 384       |
| 45 | GroELâ^'GroES-Mediated Protein Folding. Chemical Reviews, 2006, 106, 1917-1930.  | 47.7 | 226       |
| 46 | Allosteric signaling of ATP hydrolysis in GroEL–GroES complexes. Nature Structural and Molecular<br>Biology, 2006, 13, 147-152.  | 8.2  | 142       |
| 47 | Global aggregation of newly translated proteins in an Escherichia coli strain deficient of the<br>chaperonin GroEL. Proceedings of the National Academy of Sciences of the United States of America,<br>2006, 103, 15800-15805.                                | 7.1  | 141       |
| 48 | Proton-proton Overhauser NMR spectroscopy with polypeptide chains in large structures.<br>Proceedings of the National Academy of Sciences of the United States of America, 2006, 103,<br>15445-15450.  | 7.1  | 30        |
| 49 | Direct NMR observation of a substrate protein bound to the chaperonin GroEL. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 12748-12753.  | 7.1  | 114       |
| 50 | Loops in the Central Channel of ClpA Chaperone Mediate Protein Binding, Unfolding, and Translocation. Cell, 2005, 121, 1029-1041.  | 28.9 | 217       |
| 51 | No evidence for a forced-unfolding mechanism during ATP/GroES binding to substrate-bound GroEL:<br>no observable protection of metastable Rubisco intermediate or GroEL-bound Rubisco from tritium<br>exchange. FEBS Letters, 2005, 579, 1183-1186.            | 2.8  | 20        |
| 52 | Substrate polypeptide presents a load on the apical domains of the chaperonin GroEL. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 15005-15012.  | 7.1  | 74        |
| 53 | A mutant chaperonin with rearranged inter-ring electrostatic contacts and temperature-sensitive dissociation. Nature Structural and Molecular Biology, 2004, 11, 1128-1133.  | 8.2  | 39        |
| 54 | Chaperoned Protein Disaggregation—The ClpB Ring Uses Its Central Channel. Cell, 2004, 119, 579-581.  | 28.9 | 11        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Exploring the Structural Dynamics of the E.coli Chaperonin GroEL Using Translation-libration-screw<br>Crystallographic Refinement of Intermediate States. Journal of Molecular Biology, 2004, 342, 229-245. | 4.2  | 109       |
| 56 | Folding with and without encapsulation by cis- and trans-only GroEL-GroES complexes. EMBO Journal, 2003, 22, 3220-3230.   | 7.8  | 70        |
| 57 | Role of the Â-phosphate of ATP in triggering protein folding by GroEL-GroES: function, structure and energetics. EMBO Journal, 2003, 22, 4877-4887.   | 7.8  | 130       |
| 58 | Chaperonin-mediated protein folding: fate of substrate polypeptide. Quarterly Reviews of Biophysics, 2003, 36, 229-256.   | 5.7  | 145       |
| 59 | Solution NMR Techniques for Large Molecular and Supramolecular Structures. Journal of the American Chemical Society, 2002, 124, 12144-12153.  | 13.7 | 141       |
| 60 | NMR analysis of a 900K GroEL–GroES complex. Nature, 2002, 418, 207-211.   | 27.8 | 394       |
| 61 | Protein aggregation in disease: a role for folding intermediates forming specific multimeric interactions. Journal of Clinical Investigation, 2002, 110, 1221-1232.   | 8.2  | 85        |
| 62 | GroEL/GroES-Mediated Folding of a Protein Too Large to Be Encapsulated. Cell, 2001, 107, 235-246.   | 28.9 | 169       |
| 63 | ATP-Bound States of GroEL Captured by Cryo-Electron Microscopy. Cell, 2001, 107, 869-879.   | 28.9 | 274       |
| 64 | Folding of malate dehydrogenase inside the GroEL-GroES cavity. Nature Structural Biology, 2001, 8, 721-728.   | 9.7  | 77        |
| 65 | Mechanisms of protein folding. Current Opinion in Structural Biology, 2001, 11, 70-82.  | 5.7  | 258       |
| 66 | Multivalent Binding of Nonnative Substrate Proteins by the Chaperonin GroEL. Cell, 2000, 100, 561-573.  | 28.9 | 183       |
| 67 | Role of Chaperones in Neurodegeneration. CNS Neuroscience & Therapeutics, 2000, 6, 29-29.   | 4.0  | 0         |
| 68 | GroEL-GroES Cycling. Cell, 1999, 97, 325-338.   | 28.9 | 308       |
| 69 | The Hsp70 and Hsp60 Chaperone Machines. Cell, 1998, 92, 351-366.  | 28.9 | 2,634     |
| 70 | Maturation of Human Cyclin E Requires the Function of Eukaryotic Chaperonin CCT. Molecular and<br>Cellular Biology, 1998, 18, 7584-7589.  | 2.3  | 134       |
| 71 | The crystal structure of the asymmetric GroEL–GroES–(ADP)7 chaperonin complex. Nature, 1997, 388,<br>741-750.   | 27.8 | 1,191     |
| 72 | Distinct actions of cis and trans ATP within the double ring of the chaperonin GroEL. Nature, 1997, 388, 792-798.   | 27.8 | 392       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | GroELâ€Mediated protein folding. Protein Science, 1997, 6, 743-760.   | 7.6  | 318       |
| 74 | Characterization of the Active Intermediate of a GroEL–GroES-Mediated Protein Folding Reaction.<br>Cell, 1996, 84, 481-490.   | 28.9 | 395       |
| 75 | Cystosolic chaperonin subunits have a conserved ATPase domain but diverged polypeptide-binding domains. Trends in Biochemical Sciences, 1994, 19, 543-548.          | 7.5  | 194       |
| 76 | The crystal structure of the bacterial chaperonIn GroEL at 2.8 Ã Nature, 1994, 371, 578-586.  | 27.8 | 1,363     |
| 77 | GroEL-mediated protein folding proceeds by multiple rounds of binding and release of nonnative forms. Cell, 1994, 78, 693-702.                                      | 28.9 | 375       |
| 78 | Short-term response to dietary therapy in molybdenum cofactor deficiency. Annals of Neurology, 1993, 34, 742-744.   | 5.3  | 34        |
| 79 | Folding in vivo of bacterial cytoplasmic proteins: Role of GroEL. Cell, 1993, 74, 909-917.  | 28.9 | 355       |
| 80 | TCP1 complex is a molecular chaperone in tubulin biogenesis. Nature, 1992, 358, 245-248.  | 27.8 | 467       |
| 81 | Chaperonin-mediated protein folding at the surface of groEL through a 'molten globule'-like intermediate. Nature, 1991, 352, 36-42.                                 | 27.8 | 900       |
| 82 | A molecular chaperone from a thermophilic archaebacterium is related to the eukaryotic protein t-complex polypeptide-1. Nature, 1991, 354, 490-493.                 | 27.8 | 348       |
| 83 | Establishment of Leftâ€Right Asymmetry in Vertebrates: Genetically Distinct Steps are Involved. Novartis<br>Foundation Symposium, 1991, 162, 202-218.               | 1.1  | 11        |
| 84 | Sorting pathways of mitochondrial inner membrane proteins. FEBS Journal, 1990, 192, 551-555.  | 0.2  | 76        |
| 85 | Mitochondrial heat-shock protein hsp60 is essential for assembly of proteins imported into yeast<br>mitochondria. Nature, 1989, 337, 620-625.                       | 27.8 | 944       |
| 86 | Protein folding in mitochondria requires complex formation with hsp60 and ATP hydrolysis. Nature, 1989, 341, 125-130.   | 27.8 | 702       |
| 87 | Trisomy 18 associated with ectopia cordis and occipital meningocele. American Journal of Medical<br>Genetics Part A, 1988, 30, 805-810.                             | 2.4  | 32        |
| 88 | MOLECULAR STUDY OF ORNITHINE TRANSCARBAMYLASE: OTC DEFICIENCY AND ANALYSIS OF<br>MITOCHONDRIAL TARGETING OF THE OTC PRECURSOR. Pediatric Research, 1987, 21, 6A-6A. | 2.3  | 0         |
| 89 | Gene deletion and restriction fragment length polymorphisms at the human ornithine transcarbamylase locus. Nature, 1985, 313, 815-817.                              | 27.8 | 129       |
| 90 | Aqueductal stenosis leading to hydrocephalus—an unusual manifestation of neurofibromatosis.<br>American Journal of Medical Genetics Part A, 1983, 14, 577-581.      | 2.4  | 22        |

IF

CITATIONS

## # ARTICLE

91 The GroEL/GroES Chaperonin Machine. , 0, , 191-207.