

Yao-Lan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/21854/publications.pdf>

Version: 2024-02-01

71
papers

1,343
citations

331670

21
h-index

395702

33
g-index

73
all docs

73
docs citations

73
times ranked

1708
citing authors

#	ARTICLE	IF	CITATIONS
1	Three new sesquiterpene lactones from the whole plants of <i>Elephantopus scaber</i> . Natural Product Research, 2022, 36, 3619-3625.	1.8	1
2	Three new compounds isolated from the whole plants of <i>Salsola collina</i> pall. Natural Product Research, 2022, , 1-8.	1.8	0
3	Two new isoquinoline alkaloids from the seeds of <i>Nandina domestica</i> . Natural Product Research, 2021, 35, 3254-3260.	1.8	13
4	One new sesquiterpene pyridine alkaloid from the stems and leaves of <i>Euonymus fortunei</i> . Journal of Asian Natural Products Research, 2021, 23, 399-406.	1.4	3
5	Sesquiterpenoids from the Whole Plants of <i>Chloranthus holostegius</i> and Their Anti-inflammatory Activities. Chinese Journal of Chemistry, 2021, 39, 1168-1174.	4.9	9
6	Five matrine-type alkaloids from <i>Sophora tonkinensis</i> . Journal of Natural Medicines, 2021, 75, 682-687.	2.3	9
7	Sophaloseedlines A-G: Diverse Matrine-Based Alkaloids from <i>Sophora alopecuroides</i> with Potential Anti-Hepatitis B Virus Activities. Chinese Journal of Chemistry, 2021, 39, 2555-2562.	4.9	10
8	Structurally Diverse Matrine-Based Alkaloids with Anti-inflammatory Effects from <i>Sophora alopecuroides</i> . Chinese Journal of Chemistry, 2021, 39, 3339-3346.	4.9	11
9	Stilbene dimer xylosides and flavanols from the roots of <i>Lysidice rhodostegia</i> and their antioxidant activities. <i>Fa-toterap</i> , 2021, 153, 104997.	2.2	2
10	Water-soluble matrine-type alkaloids with potential anti-neuroinflammatory activities from the seeds of <i>Sophora alopecuroides</i> . Bioorganic Chemistry, 2021, 116, 105337.	4.1	11
11	The crystal structure of (2a ² S₁,2a1 ² S₁,3₁R₁,5a ² S₁,7 ² R₁)-5-(furan-3-yl)-2a ² ,2a1 ² -dihydroxy-7 ² -methyldecahydro-2,19₁C₁₉H₂₂O₇. Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 1359-1361.	0.3	0
12	Crystal structure of (E)-resveratrol 3-O-β-D-xylopyranoside, C ₁₉ H ₂₂ O ₈ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 367-368.	0.3	1
13	Crystal structure of 10-oxysophoridine, C ₁₅ H ₂₂ N ₂ O ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 15-16.	0.3	0
14	Inhibitory Effect of PIK-24 on Respiratory Syncytial Virus Entry by Blocking Phosphatidylinositol-3 Kinase Signaling. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	3
15	β-Carboline Alkaloids from the Seeds of <i>Peganum harmala</i> and Their Anti-HSV-2 Virus Activities. Organic Letters, 2020, 22, 7310-7314.	4.6	33
16	Caffeic acid oligomers from <i>Mesona chinensis</i> and their In Vitro antiviral activities. <i>Fa-toterap</i> , 2020, 144, 104603.	2.2	13
17	Isopropylpyrone and Phenylpyrones from the Leaves of <i>Hypericum monogynum</i> . ChemistrySelect, 2020, 5, 2317-2321.	1.5	3
18	Chemical constituents from the thorns of <i>Gleditsia sinensis</i> and their cytotoxic activities. Journal of Asian Natural Products Research, 2020, 22, 1121-1129.	1.4	8

#	ARTICLE	IF	CITATIONS
19	Isolation and crystal structure of 4-((2-(methoxycarbonyl)phenyl)amino)-2-methyl-4-oxobutanoic acid from <i>Delphinium Grandiflorum</i> , C ₁₃ H ₁₅ N ₁ O ₅ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2019, 234, 521-522.	0.3	3
20	Quinolizidine alkaloids from <i>Sophora tonkinensis</i> and their anti-inflammatory activities. <i>F3-toterap3-3</i> , 2019, 139, 104391.	2.2	28
21	Crystal structure of ajacisine D monohydrate, C ₃₀ H ₄₄ N ₂ O ₉ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2019, 234, 527-529.	0.3	0
22	Stilbene Glycoside Oligomers from the Roots of <i>Polygonum multiflorum</i> . <i>Chemistry and Biodiversity</i> , 2019, 16, e1900192.	2.1	4
23	Hyperpatulones A–F, polycyclic polyprenylated acylphloroglucinols from <i>Hypericum patulum</i> and their cytotoxic activities. <i>RSC Advances</i> , 2019, 9, 7961-7966.	3.6	9
24	Alopecuroides A–E, Matrine-Type Alkaloid Dimers from the Aerial Parts of <i>Sophora alopecuroides</i> . <i>Journal of Natural Products</i> , 2019, 82, 3227-3232.	3.0	15
25	Cleistocaltones A and B, Antiviral Phloroglucinol–Terpenoid Adducts from <i>Cleistocalyx operculatus</i> . <i>Organic Letters</i> , 2019, 21, 9579-9583.	4.6	38
26	Isolation and identification of new prenylated acetophenone derivatives from <i>Acronychia oligophlebia</i> . <i>Natural Product Research</i> , 2019, 33, 2230-2235.	1.8	5
27	Antiviral activity of ethanol extract of <i>Lophatherum gracile</i> against respiratory syncytial virus infection. <i>Journal of Ethnopharmacology</i> , 2019, 242, 111575.	4.1	28
28	Two New Compounds from <i>Wedelia chinensis</i> and Their Anti-inflammatory Activities. <i>ChemistrySelect</i> , 2018, 3, 3459-3462.	1.5	3
29	Cajanusflavanols A–C, Three Pairs of Flavonostilbene Enantiomers from <i>Cajanus cajan</i> . <i>Organic Letters</i> , 2018, 20, 876-879.	4.6	16
30	New Acetophenone Derivatives from <i>Acronychia oligophlebia</i> and Their Anti-inflammatory and Antioxidant Activities. <i>Chemistry and Biodiversity</i> , 2018, 15, e18000080.	2.1	6
31	Matrine-Type Alkaloids from the Roots of <i>Sophora flavescens</i> and Their Antiviral Activities against the Hepatitis B Virus. <i>Journal of Natural Products</i> , 2018, 81, 2259-2265.	3.0	71
32	Sophalines E–I, Five Quinolizidine-Based Alkaloids with Antiviral Activities against the Hepatitis B Virus from the Seeds of <i>Sophora alopecuroides</i> . <i>Organic Letters</i> , 2018, 20, 5942-5946.	4.6	40
33	Terpenoids from the stems of <i>Celastrus hindsii</i> and their anti-RSV activities. <i>F3-toterap3-3</i> , 2018, 130, 118-124.	2.2	14
34	Crystal structure of camptothecin, C ₂₀ H ₁₆ N ₂ O ₄ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2018, 233, 365-367.	0.3	0
35	Phloroglucinol Derivatives with Unusual Skeletons from <i>Cleistocalyx operculatus</i> and Their <i>In Vitro</i> Antiviral Activity. <i>Journal of Organic Chemistry</i> , 2018, 83, 8522-8532.	3.2	42
36	Cytotoxic and anti-inflammatory active phloroglucinol derivatives from <i>Rhodomyrtus tomentosa</i> . <i>Phytochemistry</i> , 2018, 153, 111-119.	2.9	30

#	ARTICLE	IF	CITATIONS
37	Inhibition of Nrf2 enhances the anticancer effect of 6-O-angeloylenolin in lung adenocarcinoma. <i>Biochemical Pharmacology</i> , 2017, 129, 43-53.	4.4	34
38	Four Matrine-Based Alkaloids with Antiviral Activities against HBV from the Seeds of <i>Sophora alopecuroides</i> . <i>Organic Letters</i> , 2017, 19, 424-427.	4.6	62
39	A New Steroid Saponin from the Rhizomes of <i>Paris polyphylla</i> var. <i>yunnanensis</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 93-98.	0.8	7
40	Sesquiterpene lactones from <i>Elephantopus mollis</i> and their anti-inflammatory activities. <i>Phytochemistry</i> , 2017, 137, 81-86.	2.9	25
41	Watsonianone A from <i>Rhodomyrtus tomentosa</i> Fruit Attenuates Respiratory-Syncytial-Virus-Induced Inflammation <i>In Vitro</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 3481-3489.	5.2	12
42	Grandiflodines A and B, two novel diterpenoid alkaloids from <i>Delphinium grandiflorum</i> . <i>RSC Advances</i> , 2017, 7, 24129-24132.	3.6	20
43	Myrtucomvalones A-C, three unusual triketone sesquiterpene adducts from the leaves of <i>Myrtus communis</i> "Variegata". <i>RSC Advances</i> , 2017, 7, 22735-22740.	3.6	19
44	Isodeoxyelephantopin induces protective autophagy in lung cancer cells via Nrf2-p62-keap1 feedback loop. <i>Cell Death and Disease</i> , 2017, 8, e2876-e2876.	6.3	67
45	Six New Acylphloroglucinols from <i>Dryopteris championii</i> . <i>Chemistry and Biodiversity</i> , 2017, 14, e1700001.	2.1	5
46	Phorbol ester-type diterpenoids from the twigs and leaves of <i>Croton tiglium</i> . <i>Journal of Asian Natural Products Research</i> , 2017, 19, 1191-1197.	1.4	8
47	Cycloartane triterpenoid saponins from the herbs of <i>Thalictrum fortunei</i> . <i>Carbohydrate Research</i> , 2017, 445, 1-6.	2.3	6
48	Three new diterpenoids from <i>Croton laui</i> Merr. et Metc. <i>Natural Product Research</i> , 2017, 31, 1028-1033.	1.8	14
49	Six New Pentacyclic Triterpenoids from the Fruit of <i>Camptotheca acuminata</i> . <i>Chemistry and Biodiversity</i> , 2017, 14, e1600180.	2.1	5
50	Pharmacokinetic characterization of anhuienoside C and its deglycosylated metabolites in rats. <i>Xenobiotica</i> , 2017, 47, 885-893.	1.1	4
51	Diterpenoid Alkaloids from <i>Delphinium ajacis</i> and Their Anti-RSV Activities. <i>Planta Medica</i> , 2017, 83, 111-116.	1.3	12
52	Drychampones A-C: Three Meroterpenoids from <i>Dryopteris championii</i> . <i>Journal of Organic Chemistry</i> , 2016, 81, 9443-9448.	3.2	23
53	New labdane diterpenoids from <i>Croton laui</i> and their anti-inflammatory activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 4687-4691.	2.2	20
54	Dimeric Matrine-Type Alkaloids from the Roots of <i>Sophora flavescens</i> and Their Anti-Hepatitis B Virus Activities. <i>Journal of Organic Chemistry</i> , 2016, 81, 6273-6280.	3.2	61

#	ARTICLE	IF	CITATIONS
55	Antiviral benzofurans from <i>Eupatorium chinense</i> . <i>Phytochemistry</i> , 2016, 122, 238-245.	2.9	23
56	Diterpenoids from the roots of <i>Croton crassifolius</i> and their anti-angiogenic activity. <i>Phytochemistry</i> , 2016, 122, 270-275.	2.9	39
57	EM23, a natural sesquiterpene lactone, targets thioredoxin reductase to activate JNK and cell death pathways in human cervical cancer cells. <i>Oncotarget</i> , 2016, 7, 6790-6808.	1.8	20
58	Crude triterpenoid saponins from <i>Ilex latifolia</i> (Da Ye Dong Qing) ameliorate lipid accumulation by inhibiting SREBP expression via activation of AMPK in a non-alcoholic fatty liver disease model. <i>Chinese Medicine</i> , 2015, 10, 23.	4.0	26
59	Phenolic Compounds from the Flowers of <i>Bombax malabaricum</i> and Their Antioxidant and Antiviral Activities. <i>Molecules</i> , 2015, 20, 19947-19957.	3.8	24
60	Crude triterpenoid saponins from <i>Anemone flaccida</i> (Di Wu) exert anti-arthritis effects on type II collagen-induced arthritis in rats. <i>Chinese Medicine</i> , 2015, 10, 20.	4.0	23
61	Six new prenylated acetophenone derivatives from the leaves of <i>Acronychia oligophlebia</i> . <i>FÄ-toterapÄ-Äç</i> , 2015, 105, 156-159.	2.2	12
62	Triterpenoid saponins from the root bark of <i>Schima superba</i> and their cytotoxic activity on B16 melanoma cell line. <i>Carbohydrate Research</i> , 2015, 413, 107-114.	2.3	15
63	Crystal structure of betulinic acid methanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1242-o1243.	0.2	4
64	New ursane-type triterpenoid saponins from the stem bark of <i>Schefflera heptaphylla</i> . <i>FÄ-toterapÄ-Äç</i> , 2014, 92, 127-132.	2.2	7
65	Monoterpene derivatives from the roots of <i>Paeonia lactiflora</i> and their anti-proliferative activity. <i>FÄ-toterapÄ-Äç</i> , 2014, 98, 124-129.	2.2	21
66	Antifeedant and Antiviral Diterpenoids from the Fresh Roots of <i>Euphorbia jolkinii</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 91-100.	4.3	28
67	Phenolic compounds from <i>Origanum vulgare</i> and their antioxidant and antiviral activities. <i>Food Chemistry</i> , 2014, 152, 300-306.	8.2	135
68	New triterpenoid saponins from the aerial parts of <i>Schefflera kwangsiensis</i> . <i>Carbohydrate Research</i> , 2014, 385, 65-71.	2.3	13
69	Oleonin, the first secoiridoid with 1Î±-configuration from <i>Ligustrum lucidum</i> . <i>RSC Advances</i> , 2013, 3, 16300.	3.6	7
70	Antiviral dicaffeoyl derivatives from <i>Elephantopus scaber</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 665-669.	1.4	13
71	Chemical composition and antiproliferative activity of essential oil from the leaves of a medicinal herb, <i>Schefflera heptaphylla</i> . <i>Phytotherapy Research</i> , 2009, 23, 140-142.	5.8	47