

Povilas Sladkevicius

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2185744/povilas-sladkevicius-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 papers	2,878 citations	32 h-index	50 g-index
195 ext. papers	3,278 ext. citations	4.7 avg, IF	4.65 L-index

#	Paper	IF	Citations
134	Psychological impact of early miscarriage and client satisfaction with treatment: comparison between expectant management and misoprostol treatment in a randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 757-765	5.8	1
133	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 1016	5.8	
132	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (IETA) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 164-172	5.8	12
131	Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 324-334	5.8	4
130	Ovarian borderline tumor presenting as ovarian torsion in a 17-year-old patient: a case report. <i>Journal of Medical Case Reports</i> , 2021 , 15, 7	1.2	
129	Predictors of complete miscarriage after expectant management or misoprostol treatment of non-viable early pregnancy in women with vaginal bleeding. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 302, 1279-1296	2.5	1
128	Imaging in gynecological disease (18): clinical and ultrasound characteristics of urinary bladder malignancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 453-459	5.8	1
127	Ultrasound-based risk model for preoperative prediction of lymph-node metastases in women with endometrial cancer: model-development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 443-452	5.8	2
126	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020 , 370, m2614	5.9	16
125	Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis)-4 cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 115-124	5.8	11
124	Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 676-687	5.8	29
123	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 823-830	5.8	17
122	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019 , 20, 448-458	21.7	55
121	International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 5 mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 259-268	5.8	13
120	Misoprostol treatment vs expectant management in women with early non-viable pregnancy and vaginal bleeding: a pragmatic randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 24-32	5.8	12
119	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 818-828	5.8	40
118	Differences in ultrasound features of papillations in unilocular-solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 269-278	5.8	11

117	Prospective temporal validation of mathematical models to calculate risk of endometrial malignancy in patients with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 649-656	5.8	8
116	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017 , 7,	3.8	25
115	Prospective validation of two mathematical models to calculate the risk of endometrial malignancy in patients with postmenopausal bleeding and sonographic endometrial thickness ≥ 5 mm. <i>European Journal of Cancer</i> , 2016 , 59, 179-188	7.5	5
114	Re: Association between ultrasonographic parameters of Cesarean scar defect and outcome of early termination of pregnancy. H.-K. Au, C.-F. Liu, C.-R. Tzeng, and L.-W. Chien. <i>Ultrasound Obstet Gynecol</i> 2016; 47: 506-510. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 416	5.8	
113	Transvaginal ultrasound examination of the endometrium in postmenopausal women without vaginal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 390-6	5.8	13
112	Transvaginal ultrasound assessment of myometrial and cervical stromal invasion in women with endometrial cancer: interobserver reproducibility among ultrasound experts and gynecologists. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 476-82	5.8	42
111	Appearance of the endometrium at saline contrast sonohysterography in the luteal phase of the menstrual cycle: a prospective observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 339-45	5.8	10
110	Interobserver agreement in describing the ultrasound appearance of adnexal masses and in calculating the risk of malignancy using logistic regression models. <i>Clinical Cancer Research</i> , 2015 , 21, 594-601	12.9	9
109	B-flow ultrasound facilitates visualization of contrast medium during hysterosalpingo-contrast sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 221-7	5.8	6
108	Intra- and interobserver agreement with regard to describing adnexal masses using International Ovarian Tumor Analysis terminology: reproducibility study involving seven observers. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 100-8	5.8	9
107	Prevalence of extrauterine pelvic lesions on transvaginal ultrasound in asymptomatic 20-39-year-old women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 228-37	5.8	
106	Intra- and interobserver agreement when describing adnexal masses using the International Ovarian Tumor Analysis terms and definitions: a study on three-dimensional ultrasound volumes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 318-27	5.8	18
105	Intra- and interobserver reproducibility of assessment of Doppler ultrasound findings in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 93-101	5.8	10
104	3D imaging of the fetal face - recommendations from the International 3D Focus Group. <i>Ultraschall in Der Medizin</i> , 2012 , 33, 175-82	3.8	25
103	Ovarian size and vascularization as assessed by three-dimensional grayscale and power Doppler ultrasound in asymptomatic women 20-39 years old using combined oral contraceptives. <i>Contraception</i> , 2012 , 86, 257-67	2.5	16
102	Agreement between prenatal ultrasonography and fetal autopsy findings: a retrospective study of second trimester terminations of pregnancy. <i>Ultraschall in Der Medizin</i> , 2012 , 33, E31-E37	3.8	7
101	Prenatal ultrasound detection of cleft lip, or cleft palate, or both, in southern Sweden, 2006-2010. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2012 , 46, 69-74	1.5	11
100	Number of antral follicles, ovarian volume, and vascular indices in asymptomatic women 20 to 39 years old as assessed by 3-dimensional sonography: a prospective cross-sectional study. <i>Journal of Ultrasound in Medicine</i> , 2012 , 31, 1635-49	2.9	26

99	Prediction of endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 232-40	5.8	32
98	OC17.06: Clinical Data Miner (CDM) – web-based electronic data capture framework for multi-centric studies with imaging modalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 33-33	5.8	
97	OC27.03: Incidental ultrasound findings in the ovaries of asymptomatic premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 49-49	5.8	
96	OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 78-79	5.8	1
95	OP19.07: Reference values for size and vascularization of ovaries in premenopausal women obtained by three-dimensional gray scale and power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 112-112	5.8	
94	OP24.05: Intra- and inter-observer reproducibility of Doppler ultrasound features in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 126-126	5.8	
93	OP24.08: Intra- and inter-observer reproducibility of two morphological ultrasound features of adnexal masses and of ultrasound diagnosis regarding malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 127-127	5.8	
92	Three-dimensional ultrasound imaging for discrimination between benign and malignant endometrium in women with postmenopausal bleeding and sonographic endometrial thickness of at least 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 94-102	5.8	31
91	OC19.02: Intra- and inter-observer agreement in the assessment of three-dimensional ultrasound volumes of adnexal masses using IOTA criteria. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 35-36	5.8	
90	OC25.01: Mathematical models for predicting endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness > 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 44-44	5.8	
89	OP28.09: Agreement between prenatal ultrasound and autopsy findings: a study of second trimester terminations of pregnancy due to fetal malformations. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 135-136	5.8	
88	P11.02: The appearance of the endometrium at saline contrast sonohysterography in the luteal phase. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 208-208	5.8	
87	Normal gynaecological anatomy (uterus, tubes, ovaries) 2009 , 285-297		
86	Placental morphologic and functional imaging in high-risk pregnancies. <i>Seminars in Perinatology</i> , 2009 , 33, 270-80	3.3	19
85	False-positive prenatal diagnosis of trisomy 18 by interphase FISH: hybridization of chromosome 18 alpha-satellite probe (D18Z1) to chromosome 2. <i>Prenatal Diagnosis</i> , 2009 , 29, 1279-81	3.2	3
84	Two- and three-dimensional saline contrast sonohysterography: interobserver agreement, agreement with hysteroscopy and diagnosis of endometrial malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 574-82	5.8	29
83	Does three-dimensional power Doppler ultrasound help in discrimination between benign and malignant ovarian masses?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 215-25	5.8	82
82	Ultrasound assessment of endometrial morphology and vascularity to predict endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 332-40	5.8	56

81	OC127: Two-dimensional (2D) or three-dimensional (3D) hydrosonegography for discrimination between benign and malignant endometrium in women with postmenopausal bleeding?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 406-406	5.8	
80	OC128: Agreement of two-dimensional (2D) and three-dimensional (3D) hydrosonegography with hysteroscopy regarding number, regularity and localization of intracavitary focal lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 406-406	5.8	
79	OC154: Accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 414-414	5.8	
78	Contribution of morphological assessment of the vessel tree by three-dimensional ultrasound to a correct diagnosis of malignancy in ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 874-82	5.8	37
77	No cervical changes during the last week before spontaneous start of labor as assessed by three-dimensional (3D) ultrasound in women with prolonged pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007 , 86, 496-7	3.8	1
76	Flow index evaluation of 3-D volume flow images: an in vivo and in vitro study. <i>Ultrasound in Medicine and Biology</i> , 2006 , 32, 665-71	3.5	27
75	Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Human Reproduction</i> , 2006 , 21, 2661-8	5.7	52
74	Reference data representative of normal findings at two-dimensional and three-dimensional gray-scale ultrasound examination of the cervix from 17 to 41 weeks gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 392-402	5.8	15
73	Assessment of changes in endometrial and subendometrial volume and vascularity during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 672-9	5.8	37
72	Bishop score and ultrasound assessment of the cervix for prediction of time to onset of labor and time to delivery in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 298-305	5.8	34
71	Three-dimensional ultrasound assessment of the cervix for predicting time to spontaneous onset of labor and time to delivery in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 306-11	5.8	12
70	Reference data representative of normal findings at three-dimensional power Doppler ultrasound examination of the cervix from 17 to 41 gestational weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 761-7	5.8	19
69	OC127: Endometrial morphology and vascularity to predict endometrial malignancy in women with postmenopausal bleeding and endometrial thickness ≥ 5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 395-396	5.8	
68	OC130: The value of three-dimensional (3D) gray-scale and power Doppler ultrasound for discrimination between benign and malignant endometria. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 396-396	5.8	
67	OP09.03: The 3D volume flow index is not an expression of volume blood flow. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 472-472	5.8	
66	OP09.24: Cervical changes during the week before spontaneous start of labor as assessed by three-dimensional (3D) ultrasound in women with prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 478-478	5.8	
65	OP19.02: Interobserver agreement for subjective evaluation of endometrial morphology and vascularity in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 501-501	5.8	
64	OP20.07: Assessment of changes in number of follicles during the normal menstrual cycle using three-dimensional (3D) ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 505-505	5.8	

63	Intraobserver and interobserver reproducibility of three-dimensional gray-scale and power Doppler ultrasound examinations of the cervix in pregnant women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 132-7	5.8	34
62	Ultrasound dating at 12-14 weeks of gestation. A prospective cross-validation of established dating formulae in in-vitro fertilized pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 504-11	5.8	83
61	OC12.06: Reference data representative of normal findings at 3D power Doppler ultrasound examination of the cervix from 17 to 41 gestational weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 328-329	5.8	
60	OC16.04: Three-dimensional power Doppler ultrasound for discrimination between benign and malignant ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 335-335	5.8	
59	OC16.07: Assessment of the vascular tree in ovarian tumors using 3D power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 336-336	5.8	
58	OC23.01: Reference data representative of normal findings at 2D and 3D gray scale ultrasound examination of the cervix from 17 to 41 gestational weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 346-346	5.8	
57	P11.05: Two-dimensional ultrasound assessment of the cervix in prolonged pregnancy for prediction of time to start of labor and time to delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 451-451	5.8	
56	P11.06: 3D ultrasound assessment of the cervix for predicting time to spontaneous onset of labor and time to delivery in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 451-451	5.8	1
55	P11.15: 3D power Doppler ultrasound assessment of the cervix for prediction of successful induction of labor with prostaglandins in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 453-453	5.8	
54	P13.08: Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 460-460	5.8	
53	Evaluation of endometrial receptivity during in-vitro fertilization using three-dimensional power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 765-9	5.8	87
52	Three-dimensional power Doppler ultrasound assessment of the cervix for the prediction of successful induction of labor with prostaglandin in prolonged pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2005 , 24, 933-9	2.9	21
51	OC093: Comparison of follicular vascularization between normal and polycystic ovaries during IVF as measured using 3D power Doppler ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 241-242	5.8	
50	OC125: Ultrasound dating at 12-14 weeks of gestation. Which dating formula is best?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 250-250	5.8	
49	OC140: Reproducibility of three-dimensional (3D) power Doppler ultrasound measurements in the cervix of pregnant women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 254-254	5.8	
48	P04.20: Changes in endometrium and ovaries during the normal menstrual cycle as assessed by three-dimensional (3D) power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 292-292	5.8	
47	P04.22: Evaluation of endometrial receptivity during IVF using 3-D power Doppler ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 293-293	5.8	
46	Comparison of follicular vascularization in normal versus polycystic ovaries during in vitro fertilization as measured using 3-dimensional power Doppler ultrasonography. <i>Fertility and Sterility</i> , 2004 , 82, 1358-63	4.8	20

45	Quantification of Ovarian Power Doppler Signal With Three-Dimensional Ultrasonography to Predict Response During In Vitro Fertilization. <i>Obstetrics and Gynecology</i> , 2003 , 102, 816-822	4.9	5
44	OC258a: Colour Doppler and morphological assessment of ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 69-69	5.8	
43	Intraobserver and interobserver variability of ovarian volume, gray-scale and color flow indices obtained using transvaginal three-dimensional power Doppler ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 21, 277-82	5.8	90
42	Side of ovulation and its effects on uterine and ovarian stromal blood flow and reproductive hormones. <i>Fertility and Sterility</i> , 2003 , 79, 367-73	4.8	6
41	Effect of pituitary down-regulation on the ovary before in vitro fertilization as measured using three-dimensional power Doppler ultrasound. <i>Fertility and Sterility</i> , 2003 , 79, 1129-35	4.8	22
40	Quantification of ovarian power doppler signal with Three-Dimensional ultrasonography to predict response during in vitro fertilization. <i>Obstetrics and Gynecology</i> , 2003 , 102, 816-822	4.9	27
39	Cesarean delivery scar. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 19, 632-3	5.8	17
38	Three-dimensional sonographic and power Doppler characterization of ovaries in late follicular phase. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 20, 281-5	5.8	41
37	Intraindividual hormonal variability in ultrasonographically timed successive ovulatory menstrual cycles is detected only in the luteal phase in infertility patients. <i>Journal of Assisted Reproduction and Genetics</i> , 2002 , 19, 363-7	3.4	1
36	Characterization of normal and polycystic ovaries using three-dimensional power Doppler ultrasonography. <i>Journal of Assisted Reproduction and Genetics</i> , 2002 , 19, 582-90	3.4	43
35	Intraobserver reproducibility of Doppler measurements of uterine artery blood flow velocity in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001 , 17, 431-3	5.8	5
34	Trisomy 7 following assisted conception treatment. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001 , 17, 543-5	5.8	2
33	Investigation of the infertile couple: a one-stop ultrasound-based approach. <i>Human Reproduction</i> , 2001 , 16, 2481-4	5.7	35
32	Effects of a vasopressin antagonist in women with dysmenorrhea. <i>Gynecologic and Obstetric Investigation</i> , 2000 , 50, 170-7	2.5	35
31	Advanced ultrasound examination in the management of subfertility. <i>Current Opinion in Obstetrics and Gynecology</i> , 2000 , 12, 221-5	2.4	12
30	WS03-06Tubal patency as assessed by three-dimensional power Doppler imaging (3D-PDI) and hystero-salpingo-contrast sonography (HyCoSy). <i>Ultrasound in Obstetrics and Gynecology</i> , 2000 , 16, 9-9	5.8	
29	F25Changes in the endometrium between the day of oocyte retrieval and embryo transfer. Does it matter?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000 , 16, 41-41	5.8	
28	F68Changes in ovarian vascularization during the menstrual cycle as assessed by three-dimensional Power Doppler imaging (3D-PDI). <i>Ultrasound in Obstetrics and Gynecology</i> , 2000 , 16, 51-51	5.8	

27	Three-dimensional power Doppler imaging in the assessment of Fallopian tube patency. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000 , 16, 644-7	5.8	62
26	Advances in ultrasound assessment in the establishment and development of pregnancy. <i>British Medical Bulletin</i> , 2000 , 56, 691-703	5.4	5
25	Is aspirin all it is cracked up to be-reproducibility of transvaginal color Doppler ultrasonography for ovarian and uterine vessels?. <i>Fertility and Sterility</i> , 2000 , 73, 1069-71	4.8	0
24	The conservative management of first trimester miscarriages and the use of colour Doppler sonography for patient selection. <i>Human Reproduction</i> , 1999 , 14, 1341-5	5.7	47
23	Serum vascular endothelial growth factor (VEGF) in the normal menstrual cycle: association with changes in ovarian and uterine Doppler blood flow. <i>Clinical Endocrinology</i> , 1999 , 50, 101-6	3.4	40
22	The pattern of changes in ovarian stromal and uterine artery blood flow velocities during in vitro fertilization treatment and its relationship with outcome of the cycle. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999 , 13, 26-33	5.8	48
21	Three-dimensional power Doppler imaging of the fallopian tube. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999 , 13, 287	5.8	9
20	Value of ovarian stromal blood flow velocity measurement after pituitary suppression in the prediction of ovarian responsiveness and outcome of in vitro fertilization treatment. <i>Fertility and Sterility</i> , 1999 , 71, 22-9	4.8	122
19	Serum vascular endothelial growth factor concentrations in in vitro fertilization cycles predict the risk of ovarian hyperstimulation syndrome. <i>Fertility and Sterility</i> , 1999 , 71, 287-93	4.8	148
18	The outcome of in-vitro fertilization treatment in women with sonographic evidence of polycystic ovarian morphology. <i>Human Reproduction</i> , 1999 , 14, 167-71	5.7	52
17	Serum vascular endothelial growth factor and Doppler blood flow velocities in in vitro fertilization: relevance to ovarian hyperstimulation syndrome and polycystic ovaries. <i>Fertility and Sterility</i> , 1998 , 70, 651-8	4.8	102
16	Serum vascular endothelial growth factor concentrations and ovarian stromal blood flow are increased in women with polycystic ovaries. <i>Human Reproduction</i> , 1998 , 13, 651-5	5.7	147
15	Mode of delivery and perinatal cerebral blood flow. <i>Early Human Development</i> , 1996 , 44, 179-85	2.2	12
14	Uteroplacental and luteal circulation in normal first-trimester pregnancies: Doppler ultrasonographic and morphologic study. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 768-75	6.4	86
13	Transvaginal Doppler examination of uteri with myomas. <i>Journal of Clinical Ultrasound</i> , 1996 , 24, 135-40	1	28
12	Transvaginal Doppler examination for the differential diagnosis of solid pelvic tumors. <i>Journal of Ultrasound in Medicine</i> , 1995 , 14, 377-80	2.9	23
11	Effect of a prostaglandin E1 analogue (gemeprost) on uterine and luteal circulation in normal first trimester pregnancies. A Doppler velocimetry study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995 , 59, 25-34	2.4	5
10	Transvaginal gray-scale and Doppler ultrasound examinations of the uterus and ovaries in healthy postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 1995 , 6, 81-90	5.8	39

9	Interobserver agreement in the results of Doppler examinations of extrauterine pelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 1995 , 6, 91-6	5.8	14
8	Reproducibility of Doppler measurements of blood flow velocity in the uterine and ovarian arteries in premenopausal women. <i>Ultrasound in Medicine and Biology</i> , 1995 , 21, 313-9	3.5	15
7	Reproducibility of Doppler blood flow velocity measurements in the uterine and ovarian arteries of postmenopausal women. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1995 , 2, 3-9		4
6	Fetal cerebral blood flow velocity during labor and the early neonatal period. <i>Ultrasound in Obstetrics and Gynecology</i> , 1994 , 4, 372-376	5.8	20
5	Blood flow velocity in the uterine and ovarian arteries during menstruation. <i>Ultrasound in Obstetrics and Gynecology</i> , 1994 , 4, 421-427	5.8	26
4	Endometrial thickness and Doppler velocimetry of the uterine arteries as discriminators of endometrial status in women with postmenopausal bleeding: a comparative study. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 722-8	6.4	82
3	Limited contribution of Doppler velocimetry to the differential diagnosis of extrauterine pelvic tumors. <i>Obstetrics and Gynecology</i> , 1994 , 83, 425-33	4.9	89
2	Blood flow velocity in the uterine and ovarian arteries during the normal menstrual cycle. <i>Ultrasound in Obstetrics and Gynecology</i> , 1993 , 3, 199-208	5.8	106
1	Ultrasound imaging in reproductive medicine91-106		