## Monica Trovatelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2187098/publications.pdf

Version: 2024-02-01

250 papers

11,562 citations

<sup>26630</sup>
56
h-index

43889 91 g-index

266 all docs

 $\begin{array}{c} 266 \\ \\ \text{docs citations} \end{array}$ 

266 times ranked 8559 citing authors

#	Article	IF	CITATIONS
1	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0$ , with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
2	Fluctuations of anisotropic flow in Pb+Pb collisions at $\$$ sqrt{{mathrm{s}}_{mathrm{NN}}} $\$$ = 5.02 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
3	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $$pp$ collisions at $$\sqrt{s}=13$ ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
4	Measurement of differential cross sections for single diffractive dissociation in $\$$ sqrt $\{s\}$ $\$$ = 8 TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
5	Measurement of isolated-photon plus two-jet production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
6	Search for the HH $\hat{a}^{\dagger}$ \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
7	Measurement of the transverse momentum distribution of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
8	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
9	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
10	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
11	Measurement of the Z( $\hat{a}$ 1 $\hat{a}$ ,"+ $\hat{a}$ ," $\hat{a}$ 2) $\hat{a}$ 3 production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	e <sub>4.7</sub>	9
12	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $s=0.13$ and $13$ European Physical Journal C, 2020, 80, 1.	3.9	5
13	Measurement of J/ $\hat{l}$ production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
14	Search for new resonances in mass distributions of jet pairs using 139 fb $\hat{a}$ °1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
15	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
16	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $$\frac{1}{8}=13$ \$\$. TeV}\$\$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
17	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ ~mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
18	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15

#	Article	IF	Citations
19	Constraints on mediator-based dark matter and scalar dark energy models using \$\$ sqrt{s} \$\$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
20	Search for long-lived neutral particles in pp collisions at $\$\{sqrt\{s\}\} = 13-\{ext \{ TeV\}\} \$$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
21	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
22	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
23	Measurement of $W^{\rm pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\frac{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
24	Searches for third-generation scalar leptoquarks in $\$\$$ sqrt $\{\$\}$ $\$\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
25	Search for scalar resonances decaying into $\hat{l}/4 + \hat{l}/4\hat{a}^2$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
26	Search for diboson resonances in hadronic final states in 139 fb $\hat{a}$ 1 of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
27	Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
28	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	3.9	21
29	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
30	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
31	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ $\in$ proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	3.9	77
32	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
33	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
34	Search for top-quark decays t $\hat{a}^{\dagger}$ Hq with 36 fb $\hat{a}^{\dagger}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
35	Measurement of VH, $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
36	Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17

#	Article	IF	Citations
37	Performance of top-quark and \$\$varvec{W}\$\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
38	Measurements of inclusive and differential fiducial cross-sections of $\frac{1}{2}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
39	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
40	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
41	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
42	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
43	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
44	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
45	Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of the top quark mass in the $\frac{1}{2}$ Measurement of $\frac{1}{2}$ Measurem	3.9	47
46	Search for pair production of Higgs bosons in the $\$\$$ boverline $\{b\}$ boverline $\{b\}$ $\$\$$ final state using proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
47	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
48	Measurement of the top-quark mass in $$$ \$ toverline ${t}$ \$\$ + 1-jet events collected with the ATLAS detector in pp collisions at \$\$ sqrt ${s}$ \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
49	Measurement of fiducial and differential $$W^+W^-$$ production cross-sections at $$$ sqrt $s=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
50	Measurement of ZZ production in the $\hat{a}$ , " $\hat{a}$ ," $\hat{1}$ / $\hat{2}$ 1/ $\hat{2}$ final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
51	Measurement of $\$ \mathre{\text{Pm}}\\$-boson and Z-boson production cross-sections in pp collisions at \$\$sqrt{s}=2.76\$\$\hat{ATeV}\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
52	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
53	Measurement of $\$ boson production in Pb+Pb collisions at $\$ at $\$ mathrm{NN}} = 5.02-ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
54	ATLAS b-jet identification performance and efficiency measurement with $f(x) = 13$ events in pp collisions at $f(x) = 13$ for European Physical Journal C, 2019, 79, 1.	3.9	130

#	Article	IF	CITATIONS
55	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$\$qrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
56	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
57	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
58	Measurement of the inclusive isolated-photon cross section in pp collisions at $\$\$$ sqrt $\{\$\}$ = 13 TeV using 36 fbâ^1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
59	Measurement of $K_S^0$ and $L$ and $R$ production in $R$ ar{t}\$\$ dileptonic events in pp collisions at $R$ 7 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
60	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^'1 of pp collisions at s = $13 $ \$ sqrt{s}= $13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
61	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 $ sqrt $s=13 $ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
62	Measurement of the W-boson mass in pp collisions at $\$$ sqrt $\{s\}$ =7, hbox $\{TeV\}$ \$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
63	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	3.9	13
64	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$$ sqrt $\{s\} = 13$ ,mathrm $\{TeV\}$ \$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
65	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt{s_{ext {NN}}}=2.76\$\$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
66	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
67	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\frac{13}{ext {TeV}}$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
68	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," + â," - ν ν ¯ final states using proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13  \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
69	A search for pair-produced resonances in four-jet final states at $\$$ sqrt ${s}=13$ \$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
70	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{1}$ of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
71	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $1\frac{1}{4}$ $1\frac{1}{4}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
72	Direct top-quark decay width measurement in the $\$$ mathbf {varvec{tar{t}}}\$\$ t t $\hat{A}^-$ lepton+jets channel at $\$$ sqrt{s}=8~ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17

#	Article	IF	CITATIONS
73	Search for W W/W Z resonance production in $\hat{a}$ ," $\hat{l}^{1/2}$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
74	Measurement of the Higgs boson coupling properties in the H $\hat{a}$ †' $ZZ\hat{a}$ – $\hat{a}$ †' $\hat{a}$ ," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 4.7	46
75	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H $\hat{a}$ † aa $\hat{a}$ † 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
76	Measurement of the $\$ Zgamma o u overline{u}gamma \$\$ production cross section in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
77	Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ elliptic flow in Pb+Pb collisions at $\$\$qrt\{s_{ext} \{NN\}\}\} = 5.02\$\$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.$	3.9	19
78	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ $\hat{I}^3$ $\hat{I}^3$ W W $\hat{a}$ — channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
79	Measurement of colour flow using jet-pull observables in $\frac{1}{5}$ t t $\hat{A}^-$ events with the ATLAS experiment at $\frac{1}{5}$	3.9	16
80	Angular analysis of BO d â†' Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector.	76
81	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
82	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
83	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
84	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
85	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\$\$$ sqrt $\$=13$ \$\\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
86	Measurement of the azimuthal anisotropy of charged particles produced in $\$\$qrt\{s_{ext} \{NN\}\}\}$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
87	Performance of missing transverse momentum reconstruction with the ATLAS detector using protonâ $\in$ "proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
88	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ sqrt $\{s\}=13$ hbox $\{TeV\}$ \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
89	Search for charged Higgs bosons decaying into top and bottom quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
90	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25

#	Article	IF	Citations
91	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
92	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $$$ sqrt{s}=13 $$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
93	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fbâ^1 of $\$$ sqrt{s}=13 $\$$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
94	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
95	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
96	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow'\hat{I}_{,a}\hat{A}\pm\hat{I}'/2\hat{I}_{,a}$ in the $\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}$ in the $\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}$ in the $\hat{I}_{,a}\pm\hat{I}_{,a}\pm\hat{I}_{,a}$ in the $\hat{I}_{,a}\pm\hat{I}_{,a}$ in the $$	â^'1 4.7	59
97	Prompt and non-prompt \$\$J/psi \$\$ J / i and \$\$psi (2mathrm {S})\$\$ i (2 S) suppression at high transverse momentum in \$\$5.02-mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
98	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
99	Search for exclusive Higgs and Z boson decays to $\tilde{I} \cdot \hat{I}^3$ and $\tilde{I} \hat{I}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
100	Measurements of b-jet tagging efficiency with the ATLAS detector using $$$ \$ toverline{t} $$$ \$ events at $$$ \$ sqrt{s}=13 $$$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
101	Search for flavour-changing neutral current top-quark decays t â†' qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
102	Measurement of the inclusive and fiducial $\frac{1}{5}$ t t $\hat{A}^-$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
103	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton $\hat{a}\in \text{``proton collisions at $$sqrt{s} = 13$$ s = 13 Å $$ext {TeV}$$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.$	3.9	79
104	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\$\$qrt\{s\}=13\$$ s = 13 Â $\$\$ext\{Te\}ext\{V\}$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
105	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
106	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$\$ \cdot \$$ Sqrt $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
107	Search for dark matter produced in association with bottom or top quarks in $\$\$qrt\{s\}=13\$\$s=13\AreV$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
108	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132

#	Article	IF	Citations
109	Measurement of \$\$au \$\$ $\ddot{l}$ , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / $\hat{l}$ 3. European Physical Journal C, 2018, 78, 163.	3.9	7
110	Searches for heavy ZZ and ZW resonances in the â, "â," qq and $\hat{l}/2\hat{l}/2$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
111	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
112	Measurement of differential cross sections and W+/W $\hat{a}$ ° cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
113	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{1}$ of (sqrt{s}=13) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
114	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
115	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1
116	Measurement of the $\{\text{varvec}\{\text{tar}\{t\}Z\}\}\$ t t $\hat{A}^-$ Z and $\{\text{varvec}\{\text{tar}\{t\}W\}\}\$ t t $\hat{A}^-$ W production cross sections in multilepton final states using 3.2 fb $\{\text{varvec}\{\text{tar}\{t\}W\}\}\$ p p collisions at $\{\text{varvec}\}\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
117	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
118	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
119	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\frac{13}{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
120	Measurement of the W boson polarisation in $\frac{1}{5}$ t t $\hat{A}$ events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the lepton $\hat{A}$ + $\hat{A}$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
121	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
122	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e $\hat{1}\frac{1}{4}$ channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
123	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV protonâ€"proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
124	Measurement of the prompt J/ $\$$ psi $\$$ $"i$ pair production cross-section in pp collisions at $\$$ sqrt $\{s\}$ = $\$$ \$\$ s = $\$$ $"i$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
125	Search for triboson $W^{pm}W^{pm}W^{mp}$ $A\pm W \hat{A}\pm $	3.9	25
126	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325

#	Article	IF	Citations
127	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
128	Measurements of electroweak $\$Wjj$ $\$Wjj$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
129	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
130	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
131	Measurement of inclusive and differential cross sections in the H $\hat{a}$ † $ZZ * \hat{a}$ † $4\hat{a}$ , "decay channel in pp collisions at $s = 13 $ \$ sqrt $\{s\} = 13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
132	Measurement of lepton differential distributions and the top quark mass in $\frac{\hat{A}}{\hat{A}}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
133	Measurement of the $\$$ toverline{t}gamma $\$$ production cross section in proton-proton collisions at $\$$ sqrt{s}=8 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
134	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
135	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	<b>7</b> 5
136	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\svarvec{sqrt{s}=13}$ \$\$ = 13 Â\$\$ext {TeV}\$\$ TeV \$\$varvec{pp}\$\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
137	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \$\$ \cdot \$$ sqrt $\{s\} = 8 \$\$$ TeV using the ZZ $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$	erli <b>n.e</b> {u}\$	\$ <mark>d</mark> ecay cha
138	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
139	Measurements of $\ddot{\Gamma}(2S)$ and X(3872) $\hat{a}^{*}_{1}$ $\ddot{\Gamma}\ddot{\Gamma} \in +\ddot{\Gamma} \in \hat{a}^{*}_{2}$ production in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
140	Measurements of top-quark pair to Z-boson cross-section ratios at s = 13 $\$$ sqrt $\{s\}$ =13 $\$$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
141	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
142	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
143	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
144	Measurements of the production cross section of a $2$ \$ Z boson in association with jets in pp collisions at $\frac{13}{s}$ s. European Physical Journal C, 2017, 77, 361.	3.9	47

#	Article	IF	Citations
145	Precision measurement and interpretation of inclusive $$W^+$\ W + , $W^-$\ W European Physical Journal C, 2017, 77, 367.$	3.9	145
146	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\$$ sqrt{ $\{s_mathrm\{NN\}\}\}\ = 2.76\$\$$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51
147	Search for dark matter at $\$$ sqrt $\{s\}=13$ -mathrm $\{TeV\}$ \$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
148	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 $\$$ sqrt{s}=13 $\$$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
149	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.}$	3.9	50
150	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s=13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
151	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\$verve(pp)$ p p collisions at $\$mathbf \{sqrt\{s\}=13\}$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
152	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
153	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
154	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
155	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
156	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
157	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z â†' â,," Î $\frac{1}{2}$ q q â $e^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical lournal C. 2017. 77. 563.	3.9	28
158	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 $ \$ sqrt{s}=13 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
159	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
160	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
161	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
162	Search for top quark decays t â†' qH, with H â†' $\hat{1}^3\hat{1}^3$ , in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18

#	Article	IF	CITATIONS
163	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	3.9	30
164	Measurements of top quark spin observables in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
165	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
166	Top-quark mass measurement in the all-hadronic t t $\hat{A}^-$ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
167	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
168	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
169	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ^1 of $\$$ sqrt{s}=13 $\$$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
170	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
171	Measurement of the k t splitting scales in Z $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ , events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
172	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
173	Evidence for the H $\hat{a}$ †' b b $\hat{A}^-$ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
174	Search for new high-mass phenomena in the dilepton final state using 36 fbâ '1 of proton-proton collision data at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
175	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	3.9	32
176	Study of hard double-parton scattering in four-jet events in pp collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
177	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
178	Measurement of event-shape observables in $Z = 10^{+} ell^{-}$ ell $^{-}$ ell $^{-}$ and $^{-}$ and $^{-}$ events in pp collisions at $10^{-}$ s = 7 Å $10^{-}$ events in pp European Physical Journal C, 2016, 76, 375.	3.9	15
179	Charged-particle distributions in pp interactions at $\$$ sqrt $\{s\}$ =8 mathrm $\{$ , TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
180	Charged-particle distributions at low transverse momentum in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ ÂTeV pp}$ interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61

#	Article	IF	CITATIONS
181	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
182	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}$ and for a \$\$Z^{prime}\$\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ $\hat{I}$ , $\hat{I}$ , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
183	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
184	Measurement of the $\$$ boverline $\{b\}$ $\$$ b b $\hat{A}^-$ dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ \$ s = 7 $\hat{A}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
185	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
186	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ free with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
187	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
188	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	3.9	453
189	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
190	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s=13 \text{ Te V}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
191	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
192	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
193	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\varphi varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$\varphi varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	3.9	39
194	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.76$ , mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	3.9	39
195	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
196	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\uparrow$ ' tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
197	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
198	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\$$ varvec{sqrt{s}}\$\$ s $\hat{A}=\hat{A}13\hat{A}$ TeV $\$$ varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	3.9	24

#	Article	IF	CITATIONS
199	Search for resonances in diphoton events at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
200	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$$ qrt{s} = $8$ \$\$ s = $8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
201	Measurement of the relative width difference of the B 0 $\hat{a} \in B \hat{A} \setminus B \cap A^-$ (overline $\{B\}$ ) \$\text{9}\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
202	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
203	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$\$qrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	3.9	298
204	Measurement of the charged-particle multiplicity inside jets from $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 $\$$ fmathrm $\{TeV\}$ \$\$ TeV Âpp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
205	Measurement of jet activity in top quark events using the $el^{1}/4$ final state with two b-tagged jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
206	Measurement of the transverse momentum and \$\$phi ^*_{eta}\$\$ $\hat{i} \cdot \hat{i} \cdot \hat{a}$ — distributions of Drellâ $\in$ "Yan lepton pairs in protonâ $\in$ "proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
207	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a}^-\hat{a}^{\dagger}\hat{e}^1/2\hat{l}^1/2\hat{l}^1/2$ with the ATLAS detector at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
208	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
209	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$\$ sqrt $s$ =8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
210	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
211	A search for an excited muon decaying to a muon and two jets inppcollisions at $\frac{1}{2}$ sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
212	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
213	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s=0.76$ , at $s=0.76$ , and $s=0.76$ , and $s=0.76$ , are the measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s=0.76$ , and $s=0.76$ , are the measurements of the me	3.9	115
214	Measurement of the differential cross-sections of prompt and non-prompt production of $\$J/psi \$J/\ddot{r}$ and $\$psi (2mathrm {S})\$\ddot{r} (2S)$ in pp collisions at $\$sqrt{s} = 7\$\$ s = 7$ and $\$ATeV$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
215	Luminosity determination in pp collisions at $\$\$qrt\{s\}$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
216	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11

#	Article	IF	CITATIONS
217	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 $ \$ sqrt $s=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
218	Searches for heavy diboson resonances in pp collisions at s = 13 $\$$ sqrt $\{s\}$ =13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
219	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
220	Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
221	Measurement of the CP-violating phase i̇̃• s and the B s 0 meson decay width difference with B s 0  → J/l̈́ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ϊ• 4.7	13
222	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\$$ sqrt{s}\$\$ s =13 \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
223	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
224	A search for prompt lepton-jets in pp collisions at s = $8 $ \$ sqrt{mathrm{s}}= $8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
225	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
226	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
227	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
228	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
229	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\$$ sqrt $\{s\} = 8$ \$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	3.9	62
230	Search for new phenomena in events with at least three photons collected in pp collisions at $s$ qrt $s$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
231	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ Ï,, ⟶ 3 μ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
232	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
233	Search for supersymmetry at $\frac{1}{s}=13$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
234	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49

#	Article	IF	CITATIONS
235	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
236	Searches for scalar leptoquarks in pp collisions at $\$$ varvec $\{$ sqrt $\{$ s $\}$ $\}$ $\$$ s = $8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
237	Measurements of fiducial cross-sections for $\frac{t}{s}$ t t $\hat{A}$ production with one or two additional b-jets in pp collisions at $\frac{s}{s}$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
238	Study of the $SB_c^+$ ightarrow J/psi D_s^+\$ B c + → J / Ï^ D s + and $SB_c^+$ ightarrow J/psi D_s^{*+}\$ B c + → J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
239	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
240	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector., 2016, 76, 1.		1
241	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
242	Search for lepton-flavour-violating H $\hat{a}^{\dagger}$ , $\hat{l}^{4}$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
243	Measurement of four-jet differential cross sections in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
244	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
245	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
246	Summary of the searches for squarks and gluinos using $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
247	Measurement of the t t $\hat{A}^-$ W \$\$ toverline{t}W \$\$ and t t $\hat{A}^-$ Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
248	Search for flavour-changing neutral current top quark decays t $\hat{a}$ †' Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
249	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ syarvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
250	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b $\hat{A}^-$ b b $\hat{A}^-$ final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90