

Maria Antonietta Annunziata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2187774/publications.pdf>

Version: 2024-02-01

57
papers

1,124
citations

471509

17
h-index

434195

31
g-index

62
all docs

62
docs citations

62
times ranked

1679
citing authors

#	ARTICLE	IF	CITATIONS
1	Hospital Anxiety and Depression Scale (HADS) accuracy in cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 3921-3926.	2.2	133
2	Screening for distress in cancer patients. <i>Cancer</i> , 2013, 119, 1714-1721.	4.1	106
3	Styles of coping with cancer: The Italian version of the Mini-Mental Adjustment to Cancer (Mini-MAC) scale. <i>Psycho-Oncology</i> , 2005, 14, 115-124.	2.3	93
4	Defining Hospital Anxiety and Depression Scale (HADS) structure by confirmatory factor analysis: a contribution to validation for oncological settings. <i>Annals of Oncology</i> , 2011, 22, 2330-2333.	1.2	92
5	Level of Burnout Among Nurses Working in Oncology in an Italian Region. <i>Oncology Nursing Forum</i> , 2006, 33, 815-820.	1.2	60
6	Assessing the body image: relevance, application and instruments for oncological settings. <i>Supportive Care in Cancer</i> , 2012, 20, 901-907.	2.2	53
7	Does the Information Level of Cancer Patients Correlate with Quality of Life? A Prospective Study. <i>Tumori</i> , 1998, 84, 619-623.	1.1	51
8	Posttraumatic growth and cancer: a study 5 years after treatment end. <i>Supportive Care in Cancer</i> , 2017, 25, 1087-1096.	2.2	42
9	Long-term quality of life profile in oncology: a comparison between cancer survivors and the general population. <i>Supportive Care in Cancer</i> , 2018, 26, 651-656.	2.2	37
10	Psychological distress and needs of cancer patients: a prospective comparison between the diagnostic and the therapeutic phase. <i>Supportive Care in Cancer</i> , 2011, 19, 291-295.	2.2	27
11	Decompressive percutaneous endoscopic gastrostomy in advanced cancer patients with small-bowel obstruction is feasible and effective: a large prospective study. <i>Supportive Care in Cancer</i> , 2016, 24, 2877-82.	2.2	27
12	A contribution to the validation of the Needs Evaluation Questionnaire (NEQ): a study in the Italian context. <i>Psycho-Oncology</i> , 2009, 18, 549-553.	2.3	25
13	Body image assessment in oncology: an update review. <i>Supportive Care in Cancer</i> , 2017, 25, 1019-1029.	2.2	25
14	Cross-cultural adaptation and patients' judgments of a Question Prompt List for Italian-speaking cancer patients. <i>BMC Health Services Research</i> , 2010, 10, 16.	2.2	24
15	Quality of life and psychological distress during cancer: a prospective observational study involving young breast cancer female patients. <i>BMC Cancer</i> , 2020, 20, 758.	2.6	24
16	Assessing quality of life in long-term cancer survivors: a review of available tools. <i>Supportive Care in Cancer</i> , 2013, 21, 3143-3152.	2.2	23
17	Is long-term cancer survivors' quality of life comparable to that of the general population? An Italian study. <i>Supportive Care in Cancer</i> , 2015, 23, 2663-2668.	2.2	19
18	Quality of life profile in Italian long-term cancer survivors. <i>Quality of Life Research</i> , 2015, 24, 959-967.	3.1	18

#	ARTICLE	IF	CITATIONS
19	Emotional impact on the results of BRCA1 and BRCA2 genetic test: an observational retrospective study. <i>Hereditary Cancer in Clinical Practice</i> , 2017, 15, 16.	1.5	18
20	Feasibility of a quality improvement strategy integrating psychosocial care into 28 medical cancer centers (HuCare project). <i>Supportive Care in Cancer</i> , 2016, 24, 147-155.	2.2	15
21	Humanization of pediatric care in the world: focus and review of existing models and measurement tools. <i>Italian Journal of Pediatrics</i> , 2017, 43, 76.	2.6	12
22	Beyond Semantics: The Need to Better Categorize Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 2637-2638.	1.6	11
23	The Revised Piper Fatigue Scale (PFS-R) for Italian Cancer Patients: A Validation Study. <i>Tumori</i> , 2010, 96, 276-281.	1.1	11
24	Patient-Centered Cancer Care Programs in Italy: Benchmarking Global Patient Education Initiatives. <i>Journal of Cancer Education</i> , 2016, 31, 405-412.	1.3	10
25	Fatigue, quality of life, and mood states during chemotherapy in Italian cancer patients. <i>Tumori</i> , 2013, 99, e28-33.	1.1	10
26	Assessing the social impact of cancer: a review of available tools. <i>Supportive Care in Cancer</i> , 2012, 20, 2249-2257.	2.2	9
27	Is It Better to Transfer Long-Term Cancer Survivors to General Practitioners or Develop Clinics for Long-Term Survivors Within the Cancer Centers?. <i>Journal of Clinical Oncology</i> , 2014, 32, 257-257.	1.6	9
28	Intensity and prevalence of depressive states in cancer inpatients: a large sample descriptive study. <i>European Journal of Cancer Care</i> , 2018, 27, e12542.	1.5	9
29	Cognitive functioning self-assessment scale (CFSS): Preliminary psychometric data. <i>Psychology, Health and Medicine</i> , 2012, 17, 207-212.	2.4	8
30	Psychological Distress Screening in Cancer Patients: Psychometric Properties of Tools Available in Italy. <i>Tumori</i> , 2012, 98, 501-509.	1.1	8
31	Mood states in long-term cancer survivors: an Italian descriptive survey. <i>Supportive Care in Cancer</i> , 2016, 24, 3157-64.	2.2	8
32	The perceived severity of a disease and the impact of the vocabulary used to convey information: using Rasch scaling in a simulated oncological scenario. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 2553-2573.	1.8	8
33	Emotional Distress and Needs in Italian Cancer Patients: Prevalence and Associations with Socio-Demographic and Clinical Factors. <i>Tumori</i> , 2012, 98, 119-125.	1.1	7
34	The Impact of Cancer Scale (IOC) in Italian long-term cancer survivors: adaptation and psychometric evaluation. <i>Supportive Care in Cancer</i> , 2013, 21, 3355-3362.	2.2	7
35	National Cancer Information Service in Italy: an information points network as a new model for providing information for cancer patients. <i>Tumori</i> , 2011, 97, 510-6.	1.1	7
36	Cognitive Functioning Self-Assessment Scale (CFSS): Further psychometric data. <i>Applied Neuropsychology Adult</i> , 2018, 25, 1-4.	1.2	6

#	ARTICLE	IF	CITATIONS
37	The effects of presenting oncologic information in terms of opposites in a medical context. Patient Preference and Adherence, 2018, Volume 12, 443-459.	1.8	6
38	Psychological distress screening in cancer patients: psychometric properties of tools available in Italy. Tumori, 2012, 98, 501-9.	1.1	6
39	Cognitive function in long-term lymphoma survivors: relationship between subjective reports and objective assessments and with quality of life. Psychology, Health and Medicine, 2020, 26, 1-12.	2.4	5
40	Emotional distress and needs in Italian cancer patients: prevalence and associations with socio-demographic and clinical factors. Tumori, 2012, 98, 119-25.	1.1	5
41	Mood state profile and coping strategies after BRCA-1/2 genetic test disclosure: a retrospective study in Italy. Supportive Care in Cancer, 2011, 19, 733-735.	2.2	4
42	The impact of cancer: An Italian descriptive study involving 500 long-term cancer survivors. European Journal of Cancer Care, 2019, 28, e13007.	1.5	4
43	Cognitive functioning in long-term cancer survivorship: A survey utilizing both standardized neuropsychological and self-report measures. Applied Neuropsychology Adult, 2019, 26, 173-180.	1.2	4
44	Cancer patients in cardiology: how to communicate with patients with special psychological needs and manage their cardiac problems in daily clinical practice. Journal of Cardiovascular Medicine, 2020, 21, 286-291.	1.5	4
45	Psychological health in long-term cancer survivorship: an Italian survey on depression and anxiety. Psychology, Health and Medicine, 2017, 22, 12-18.	2.4	3
46	A contribution to the validation of the Italian version of the Body Image Scale (BIS). BMC Cancer, 2018, 18, 1222.	2.6	3
47	Improving Communication Effectiveness in Oncology: The Role of Emotions. , 2013, , 235-246.		3
48	Psychosocial Issues in Cancer Care. Neuropathological Diseases, 2012, 1, 41-56.	0.1	3
49	Effectiveness of a Psychosocial Care Quality Improvement Strategy to Address Quality of Life in Patients With Cancer. JAMA Network Open, 2021, 4, e2128667.	5.9	3
50	The revised piper fatigue scale (PFS-R) for Italian cancer patients: a validation study. Tumori, 2010, 96, 276-81.	1.1	3
51	Cancer-Related Psychological Distress in Lymphoma Survivor: An Italian Cross-Sectional Study. Frontiers in Psychology, 2022, 13, 872329.	2.1	3
52	Facilitating the integration of emotional states in patients's personal disease experience with cancer: a new brief intervention for managing psychological distress. Supportive Care in Cancer, 2013, 21, 1815-1819.	2.2	2
53	Cancer as an interruption in the plot: the contribution of the psychology in patients's reframing their own narratives. Journal of Medicine and the Person, 2014, 12, 51-54.	0.1	2
54	Intensity and Prevalence of Psychological Distress in Cancer Inpatients: Cross-Sectional Study Using New Case-Finding Criteria for the Hospital Anxiety and Depression Scale. Frontiers in Psychology, 2022, 13, 875410.	2.1	2

#	ARTICLE	IF	CITATIONS
55	Addressing the psychosocial wellbeing of teenage children of cancer patients and survivors. Supportive Care in Cancer, 2016, 24, 509-511.	2.2	1
56	The oncologistâ€patient communication: the disease-centred and the patient-centred model. Journal of Medicine and the Person, 2014, 12, 73-75.	0.1	0
57	Integrating psychosocial care into routine cancer care: A stepped-wedge design cluster randomized controlled trial (SWD-RCT) to evaluate effectiveness of the HuCare Quality Improvement Strategy (HQIS) on health-related quality of life (HRQoL).. Journal of Clinical Oncology, 2019, 37, 6515-6515.	1.6	0